

# Chapter 1

## Basic properties and elements

Anne Abeillé

Université Paris Diderot

Robert D. Borsley

University of Essex

Head-Driven Phrase Structure Grammar (HPSG) is a declarative and monostratal version of generative grammar, in which linguistic expressions have a single relatively simple constituent structure. It seeks to develop detailed formal analyses using a system of types, features, and constraints. Constraints on types of *lexical-sign* are central to the lexicon of a language and constraints on types of *phrase* are at the heart of the syntax, and both lexical and phrasal types include semantic and phonological information. Different versions of the framework have been developed, including versions in which constituent order is a reflection not of constituent structure but of a separate system of order domains and the Sign-Based Construction Grammar version, which make a fundamental distinction between signs of various kinds and the constructions which license them.

Stefan: The last sentence does not parse well.

### 1 Introduction

Head-Driven Phrase Structure Grammar (HPSG) dates back to early 1985 when Carl Pollard presented his *Lectures on HPSG*. It was often seen in the early days as a revised version of the earlier Generalized Phrase Structure Grammar (GPSG) framework (Gazdar, Klein, Pullum & Sag 1985), but it was also influenced by Categorical Grammar

add references: suggestion “(Ajdukiewicz 1935; Steedman 2000)” Pollard & Sag (1987) cite Karttunen (1986); Uszkoreit (1986)

, and, as Pollard & Sag (1987: 1) emphasized, by other frameworks like Lexical-Functional Grammar (LFG) (Bresnan 1982), as well. Naturally it has changed in various ways over the decades. This is discussed in much more detail in the next chapter (Flickinger, Pollard & Wasow 2020, Chapter 2 of this volume), but it makes sense here to distinguish three versions of HPSG. Firstly, there is what might be called early HPSG, the framework presented in Pollard & Sag (1987) and Pollard & Sag (1994)<sup>1</sup>. This has most of the properties of more recent versions but only exploits the analytic potential of type hierarchies to a limited degree (Flickinger 1987; Flickinger, Pollard & Wasow 1985). Next there is what is sometimes called Constructional HPSG, the framework adopted in Sag (1997), Ginzburg & Sag (2000), and much other work. Unlike earlier work this uses a rich hierarchy of phrase-types. This is why it is called constructional<sup>2</sup>. Finally, in the 2000s, Sag developed a version of HPSG called *Sign-Based Construction Grammar* (SBCG) (Sag 2012). The fact that this approach has a new name suggests that it is very different from earlier work, but probably most researchers in HPSG would see it as a version of HPSG, and it was identified as such in Sag (2010: 486). Its central feature is the special status it assigns to constructions. In earlier work they are just types of sign, but for SBCG signs and constructions are quite different objects. In spite of this difference, most analyses in Constructional HPSG could probably be translated into SBCG and vice versa. In this chapter we will concentrate on the ideas of Constructional HPSG, which is probably the version of the framework that has been most widely assumed. We will comment briefly on SBCG in the final section.

The chapter is organized as follows. In Section 2, we set out the properties that characterize the approach and the assumptions it makes about the nature of linguistic analyses and the conduct of linguistic research. Then, in Section 3, we consider the main elements of HPSG analyses: types, features, and constraints. In Section 4 we look more closely at the HPSG approach to the lexicon, and in Section 5, we outline the basics of the HPSG approach to syntax. In Section 6, we look at some further syntactic structures, and in Section 7, we consider some further topics, including SBCG. Finally, in Section 8, we summarize the chapter.

---

<sup>1</sup>As discussed in Richter (2020), Chapter 3 of this volume, the approaches that are developed in these two books have rather different formal foundations. However, they propose broadly similar syntactic analyses, and for this reason it seems reasonable to group them together as early HPSG.

<sup>2</sup>As discussed below, HPSG has always assumed a rich hierarchy of lexical types. One might argue, therefore, that it has always been constructional.

## 2 Properties

Perhaps the first thing to say about HPSG is that it is a form of Generative Grammar in the sense of Chomsky (1957: 4). This means that it seeks to develop precise and explicit analyses of grammatical phenomena. But unlike many versions of Generative Grammar, it is a declarative or constraint-based approach to grammar, belonging to what Pullum & Scholz (2001) call “Model Theoretic Syntax”. As such, it assumes that a linguistic analysis involves a set of constraints to which linguistic objects must conform, and that a linguistic object is well-formed if and only if it conforms to all relevant constraints.<sup>3</sup> This includes linguistic objects of all kinds – words, phrases, phonological segments, etc. There are no procedures constructing representations such as the phrase structure and transformational rules of classical Transformational Grammar or the Merge and Agree operations of Minimalism. Of course, speakers and hearers do construct representations and must have procedures that enable them to do so, but this is a matter of performance, and there is no need to think that the knowledge that is used in performance has a procedural character. Rather, the fact that it is used in both production and comprehension (and other activities, e.g. translation) suggests that it should be neutral between the two and hence declarative. For further discussion of the issues, see e.g. Pullum & Scholz (2001), Postal (2003), Sag & Wasow (2011; 2015), and Wasow (2020), Chapter 24 of this volume.

HPSG is also a monostratal approach, which assumes that linguistic expressions have a single constituent structure. This makes it quite different from Transformational Grammar, in which an expression can have a number of constituent structures. It means among other things that there is no possibility of saying that an expression occupies one position at one level of structure and another at another. Hence, HPSG has nothing like the movement processes of Transformational Grammar. The relations that are attributed to movement in transformational work are captured by constraints that require certain features to have the same value. For example, as discussed in Section 4, a raising sentence is one with a verb which has the same value for the feature SUBJ(ECT) as its complement and hence combines with whatever kind of subject its complement requires.

HPSG is sometimes described as a concrete approach to syntax. This description refers not only to the fact that it assumes a single constituent structure but

---

<sup>3</sup>In most HPSG work, all constraints are equal. Hence, there is no possibility as there is in Optimality Theory of violating one if it is the only way to satisfy another more important one (Malouf 2003). However, see Müller & Kasper (2000) and Oepen et al. (2004) for an HPSG parser with probabilities or weighted constraints.

also to the fact that this structure is relatively simple, especially compared with the structures that are postulated within Minimalism. Unlike Minimalism, HPSG does not assume that all branching is binary. This inevitably leads to simpler flatter structures. Also unlike Minimalism, it makes limited use of phonologically empty elements. For example, it is not assumed, as in Minimalism, that because some clauses contain a complementizer they all do, an empty one if not an overt one. Similarly, it is not assumed that because some languages like English have determiners, they all do, overt or covert. It is also not generally assumed that null subject sentences, such as (1b) from Polish, have a phonologically empty subject in their constituent structure. Thus, the constituent structure of the two following sentences are quite different, even if their semantics are similar:

- (1) a. I read a book.  
b. Czytałem książkę.  
read.PST.1SG book.ACC  
'I read a book.'

It is also assumed in much HPSG work that there are no phonologically empty elements in the constituent structure of an unbounded dependency construction such as the following:

- (2) What did you say?

On this view, the verb *say* in (2) does not have an empty complement. There is, however, some debate here (Sag & Fodor 1994; Müller 2014; Borsley & Crysmann 2020: Section 3, Chapter 13 of this volume).

A further important feature of HPSG is a rejection of the Chomskyan idea that grammatical phenomena can be divided into a core, which merits serious investigation, and a periphery, which can be safely ignored.<sup>4</sup> This means that it

replace "it" by "HPSG" since coming from the footnote one has forgotten that the preceding text was about HPSG.

is not only concerned with such "core" phenomena as *wh*-interrogatives, relative clauses, and passives but also with more "peripheral" phenomena such as the following:

- (3) a. It's amazing the people you see here.  
b. The more I read, the more I understand.

---

<sup>4</sup>This is not to deny that some constructions are more canonical and more frequent in use than others and that this may be important in various ways.

c. Chris lied his way into the meeting.

These exemplify the nominal extraposition construction (Michaelis & Lambrecht 1996), the comparative correlative construction (Abeillé 2006; Abeillé & Borsley 2008; Borsley 2011), and the X's Way construction (Kay & Fillmore 1999; Sag 2012: Section 7.4)

Kay & Fillmore (1999) do not deal with the way-Construction.

. As we will see, HPSG is an approach which is able to accommodate broad linguistic generalizations and highly idiosyncratic facts and everything in between.<sup>5</sup>

Another notable feature of the framework since the earliest work is a concern with semantics as well as syntax. More generally, it does not try to reduce either semantics or morphology to syntax (see Crysmann 2020, Chapter 21 of this volume on morphology in HPSG and Koenig & Richter 2020, Chapter 22 of this volume on semantics). We will comment further on this in the following sections.

We turn now to some assumptions which are more about the conduct of linguistic research than the nature of linguistic analyses. Firstly, HPSG emphasizes the importance of firm empirical foundations and of detailed formal analyses of the kind advocated by Chomsky in *Syntactic Structures* (Chomsky 1957). Whereas transformational work typically offers sketches of analyses which might be fleshed out one day, HPSG commonly provides detailed analyses which can be set out in an appendix. A notable example is Ginzburg & Sag (2000), which sets out its analysis of English interrogatives in a 50 page appendix. Arguably, one can only be fully confident that a complex analysis works if it is incorporated into a computer implementation. Hence, computer implementations of HPSG analyses are also quite common (see e.g. Müller 1996; 2015; Copestake 2002; Bender et al. 2010; Bender 2016, and Bender & Emerson 2020, Chapter 25 of this volume).

add pages

Another property of the framework is a rejection of abstract analyses with tenuous links to the observable data. As we noted above, phonologically empty elements are only assumed if there is compelling evidence for them.<sup>6</sup> Similarly, overt elements are only assumed to have properties for which there is clear evidence. For example, words are only assumed to have case or agreement features if there is some concrete morphological evidence for them, as in Polish, illustrated in (1b). This feature of HPSG stems largely from considerations about

<sup>5</sup>Idioms have also been an important focus of research in HPSG. See e.g. Richter & Sailer (2009), Kay & Michaelis (2017), and Sailer (2020), Chapter 17 of this volume.

<sup>6</sup>There may be compelling evidence for some empty elements in some languages. Thus, Borsley (2009: Section 8) argues that Welsh has phonologically empty pronouns. For general discussion of empty elements, see Müller (2016: Chapter 19.2).

acquisition (Müller 2016: Chapter 19; Borsley & Müller (2020: Section 5.2), Chapter 29 of this volume). Every element or property which is postulated for which there is no clear evidence in the data increases the complexity of the acquisition task and hence necessitates more complex innate machinery. This suggests that such elements and properties should be avoided as much as possible. It has important implications both for the analysis of individual languages and for how differences between languages are viewed.

A related property of the framework is a rejection of the idea that it is reasonable to assume that a language has some element or property if some other languages do. Many languages have case and many languages have agreement, but for HPSG it does not follow that they all do. As Müller (2015: 25) puts it, “Grammars should be motivated on a language-specific basis.” Does this mean that other languages are irrelevant when one investigates a specific language? Clearly not. As Müller also puts it, “In situations where more than one analysis would be compatible with a given dataset for language X, the evidence from language Y with similar constructs is most welcome and can be used as evidence in favour of one of the two analyses for language X.” (Müller 2015: 43)

### 3 Elements

For HPSG, a linguistic analysis is a system of types (or sorts), features, and constraints. Types provide a complex classification of linguistic objects, features identify their basic properties, and constraints impose further restrictions. In this section, we will explain these three elements. We note at the outset that HPSG distinguishes between the linguistic objects (lexemes, words phrases, etc.) and descriptions of such objects. Linguistic objects must have all relevant properties of their description and cannot be underspecified in any way.

In fact there are linguistic objects and what we do is describing models of these linguistic objects. We can decide to not model certain aspects of the empirical domain, like information structure for example. But the parts we model have to be modeled and described in a certain way. I suggest the following reformulation:

We note at the outset that HPSG distinguishes between models of linguistic objects (lexemes, words phrases, etc.) and descriptions of such models. Models of linguistic objects must have all relevant properties of their description and cannot be underspecified in any way.

Descriptions in contrast can be underspecified and in fact always are.

There are many different kinds of types, but particularly important is the type *sign* and its various subtypes. For Ginzburg & Sag (2000: 19), this type has the

subtypes *lexical-sign* and *phrase*, and *lexical-sign* has the subtypes *lexeme* and *word*. (Types are written in lower case italics.) Thus, we have the type hierarchy in Figure 1.




Figure 1: A hierarchy of types of signs

*lexeme*, *word* and *phrase* have a complex system of subtypes. The type *lexical-sign*, its subtypes, and the constraints on them are central to the lexicon of a language, while the type *phrase*, its subtypes, and the constraints on them are at the heart of the syntax. In both cases, complex hierarchies mean that the framework is able to deal with broad, general facts, very idiosyncratic facts, and everything in between. We will say more about this below.

Signs are obviously complex objects with (at least) phonological, syntactic and semantic properties. Hence, the type *sign* must have features that encode these properties. For much work in HPSG, phonological properties are encoded as the value of a feature PHON(LOGY), whose value is a list of objects of type *phon*, while syntactic and semantic properties are grouped together as the value of a feature SYNSEM, whose value is an object of type *synsem*. (Features or attributes are written in small caps.) A type has certain features associated with it, and each feature has a value of some kind. A bundle of features can be represented by an attribute-value-matrix (AVM) with the type name at the top on the left hand side and the features below followed by their values. Thus, signs can be described as follows:

$$(4) \begin{bmatrix} \textit{sign} \\ \text{PHON} \quad \textit{list}(\textit{phon}) \\ \text{SYNSEM} \quad \textit{synsem} \end{bmatrix}$$

The descriptions of specific signs will obviously have specific values for the two features. For example, we might have the following simplified AVM for the phrase *the cat*:

$$(5) \begin{bmatrix} \textit{phrase} \\ \text{PHON} \quad \langle \textit{the}, \textit{cat} \rangle \\ \text{SYNSEM} \quad \text{NP} \end{bmatrix}$$

Here, following a widespread practice, we use standard orthography instead of real *phon* objects<sup>7</sup>, and we use the traditional label NP as an abbreviation for the relevant *synsem* object. We will say more about *synsem* objects shortly. First, however, we must say something about phrases.

A central feature of phrases is that they have internal constituents. More precisely, they have daughters, i.e. immediate constituents, one of which may be the head. This information is encoded by further features, for Ginzburg & Sag (2000: 29) the features DAUGHTERS (DTRS) and HEAD-DAUGHTER (HD-DTR). The value of the latter is a *sign*, and the value of the former is a list of *signs*, which includes the value of the latter.<sup>8</sup> Thus, phrases take the form in (6a), and headed phrases the form in (6b):

- |        |   |    |   |
|--------|---|----|---|
| (6) a. | $\left[ \begin{array}{ll} \textit{phrase} & \\ \text{PHON} & \textit{list(phon)} \\ \text{SYNSEM} & \textit{synsem} \\ \text{DTRS} & \textit{list(sign)} \end{array} \right]$ | b. | $\left[ \begin{array}{ll} \textit{headed-phrase} & \\ \text{PHON} & \textit{list(phon)} \\ \text{SYNSEM} & \textit{synsem} \\ \text{DTRS} & \textit{list(sign)} \\ \text{HD-DTR} & \textit{sign} \end{array} \right]$ |
|--------|---|----|---|

To take a concrete example, the phrase *the cat* might have the fuller AVM in (7).

Stefan: I would like to rephrase this as *can be described by* because of layout issues.  
(The (7) and the indentation looks bad.)

<sup>7</sup>See Bird & Klein (1994), Höhle (1999), and Walther (1999) for detailed approaches of phonology and structured PHON values and De Kuthy (2020), Chapter 23 of this volume, Abeillé & Chaves (2020), Chapter 16 of this volume for reference to structured PHON values.

Stefan: I added text explaining the references and added Walther. But I do not understand why the coordination chapter is cited here. If you want to keep coordination, we should add a page and information why it is relevant.

<sup>8</sup>Some HPSG work, e.g. Sag (1997) has a HEAD-DAUGHTER feature and a NON-HEAD-DAUGHTERS feature, and the value of the former is not part of the value of the latter.

The sign that is the value of HEAD-DTR can be a word or a phrase. Within Minimalism, the term *head* is only applied to words. On this usage, the value of HEAD-DTR is either the head or a phrase containing the head. But there are good reasons for not adopting this usage, for example the fact that the head can be an unheaded phrase for example a coordination (see Abeillé & Chaves 2020: Section 2, Chapter 16 of this volume). So we will say that the value of HD-DTR is the head. See Jackendoff (1977: 30) for an early discussion of the term.



$$(7) \left[ \begin{array}{l} \text{phrase} \\ \text{PHON} \quad \langle \text{the}, \text{cat} \rangle \\ \text{SYNSEM} \quad \text{NP} \\ \text{DTRS} \quad \left\langle \left[ \begin{array}{l} \text{PHON} \quad \langle \text{the} \rangle \\ \text{SYNSEM} \quad \text{Det} \end{array} \right], \boxed{1} \left[ \begin{array}{l} \text{PHON} \quad \langle \text{cat} \rangle \\ \text{SYNSEM} \quad \text{N} \end{array} \right] \right\rangle \\ \text{HD-DTR} \quad \boxed{1} \end{array} \right]$$

Here the two instances of the tag  $\boxed{1}$  indicate that the *synsem* object which is the second member of the *DTRS* list is also the value of *HD-DTR*. Thus, the word *cat* is the head of the phrase *the cat*. An object occupying more than one position in a representation, either as a feature value or as part of a feature value (a member of a list or set), for example  $\boxed{1}$  in (7), is known as re-entrancy or structure-sharing. As we will see below, it is a pervasive feature of HPSG.

Most HPSG work on morphology has assumed a realizational approach, in which there are no morphemes (see [Crysmann 2020](#), Chapter 21 of this volume). Hence, words do not have internal structures in the way that phrases do. However, it is widely assumed that lexemes and words that are derived through a lexical rule have the lexeme from which they are derived as a daughter (see [Koenig \(1999\)](#) and below Section 4.2).

Stefan: I think Koenig is not the canonical reference for lexical rules. I associate JP's work with type inheritance. I would cite [Briscoe & Copestake \(1999\)](#) and [Meurers \(2001\)](#) here. If you want to keep the reference to Koenig you have to provide a page number.

Hence, the *DTRS* feature is relevant to words as well as phrases.

AVMs like (7) can be quite hard to look at. Hence, it is common to use traditional tree diagrams instead. Thus, we might have a tree-like representation in Figure 2 instead of (7). But one should bear in mind that AVMs correspond to (rooted) graphs and provide richer descriptions than traditional phrase structure trees, with richer node labels and edge labels, and with shared feature values between nodes. Thus, at each node, all kinds of information are available, not just syntax but also semantics and phonology.

Stefan: suggest to replace by “not just syntax but also phonology, semantic and information structure”

9

If the head is either obvious or unimportant, the *HD-DTR* annotation might be omitted. This is a convenient informal notation, but it is important to remember that it is just that and has no status within the theory.

<sup>9</sup>This differs from Lexical Functional Grammar for instance, which distributes the information between different kinds of structures (see [Wechsler & Asudeh 2020](#), Chapter 31 of this volume).




Figure 2: A simple tree for *the cat*

We return now to *synsem* objects. Standardly these have two features: *LOCAL*, whose value is a *local* object and *NONLOCAL*, which we will deal with in Section 5. A *local* object has the features *CATEGORY* and *CONTENT*, whose values are objects of type *category* and *content*, respectively, and the feature *CONTEXT*.<sup>10</sup> In much work, a *category* object has the features, *HEAD*, *SUBJ* and *COMP(LEMENT)S*. *HEAD* takes as its value a *part-of-speech* object, while *SUBJ* and *COMPS* have a list of *synsem* objects as their value. The former indicates what sort of subject a sign requires and the latter indicates what complements it takes. In both cases the value is the empty list if nothing is required. It is generally assumed that the *SUBJ* list never has more than one member. *SUBJ* and *COMPS* are often called *valence* features. Thus, the following AVM provides a fuller representation of signs:

$$(8) \quad \left[ \begin{array}{l} \text{sign} \\ \text{PHON} \quad \text{list}(\text{phon}) \\ \text{SYNSEM} \quad \left[ \begin{array}{l} \text{synsem} \\ \text{LOCAL} \quad \left[ \begin{array}{l} \text{local} \\ \text{CATEGORY} \quad \left[ \begin{array}{l} \text{category} \\ \text{HEAD} \quad \text{part-of-speech} \\ \text{SUBJ} \quad \text{list}(\text{synsem}) \\ \text{COMPS} \quad \text{list}(\text{synsem}) \end{array} \right] \\ \text{CONTENT} \quad \dots \\ \text{CONTEXT} \quad \dots \end{array} \right] \\ \text{NONLOCAL} \quad \dots \end{array} \right] \end{array} \right] \end{array} \right]$$

The type *part-of-speech* has subtypes such as *noun*, *verb*, and *adjective*. In other words, we have a type hierarchy of the form given in Figure 3.

<sup>10</sup>Words also have a *MORPH* attribute that we ignore here (see Crysmann 2020, Chapter 21 of this volume).





Figure 3: A hierarchy for part of speech

The type hierarchy can be viewed as an ontology of possible objects in the language. A particular word or phrase must instantiate one of the maximal (most specific) types and have the properties specified for it and all its supertypes.<sup>11</sup> We might have a *synsem* object of the following form for the phrase *the cat*:



This ignores a number of matters including the value of CONTENT, CONTEXT, and NONLOCAL. It also ignores the fact that the type *noun* will have certain features, for example CASE, but it highlights some important aspects of HPSG analyses. Notice that (9) is compatible with the SYNSEM feature in (8): it contains more specific information, such as HEAD *noun*, but no conflicting information:  $\langle \rangle$  is the empty list, and is compatible with *list(synsem)*.

Rather different from most of the features mentioned above are fairly traditional features like PERSON, NUMBER, GENDER, and CASE. In most HPSG work,

<sup>11</sup>AVMs associated with types used to be combined by type unification (Pollard & Sag 1987: Section 2).

add pages

See Richter (2020), Chapter 3 of this volume.

for what? Frank does not explain “type unification” I never heard about “type unification” before. I would assume that type unification refers to the unification of two types. This results in an AVM of an appropriate type with appropriate features for the subtype that results. But this does not fit your statement about “AVMs associated with types”.

these have as their value an atomic type, a type with no features. A simple treatment of person might have the types *first*, *second*, and *third*, and a simple treatment of number the types *singular* and *plural*.<sup>12</sup> There are also Boolean features with + and – as their values. An example is AUX used to distinguish auxiliary verbs ([AUX +]) from non-auxiliary verbs ([AUX –]).<sup>13</sup>

As the preceding makes clear, features in HPSG can have a number of kinds of value. They may have an atomic type (PERSON, NUMBER, GENDER, CASE, AUX), a feature structure

feature description

(SYNSEM, LOCAL, CATEGORY, etc.), or a list of some kind (SUBJ, COMPS).<sup>14</sup> As we will see in Section 5, HPSG also assumes features with a set as their value.

The CONTENT feature, whose value is a *content* object, highlights the importance of semantics within HPSG. But what exactly is a *content* object? Different views of semantics have been taken within the HPSG literature. Much HPSG work has assumed some version of Situation Semantics (Barwise & Perry 1983). But some work has employed so-called Minimal Recursion Semantics (Copestake et al. 2005), while some others use Lexical Resource Semantics (Richter & Sailer 2004). Sag (2010: 501) adopts a conventional, Montague-style

cite (Montague 1974)

possible-worlds semantics in his analysis of English filler-gap constructions and SBCG (Section 7.2) has generally employed a version of Frame Semantics. See Koenig & Richter (2020), Chapter 22 of this volume for a discussion of the issues.

Finally, the CONTEXT feature is used for information structure, deixis, and more generally pragmatics (see De Kuthy 2020, Chapter 23 of this volume).

We will say more about types and features in the following sections. We turn now to implicational constraints.

<sup>12</sup>In practice a more complex system of values may well be appropriate (Flickinger 2000: Section 3).

<sup>13</sup>In some recent work, e.g. Sag (2012: 157–162), Sag et al. (2020), the feature is used to distinguish positions that only allow an auxiliary from positions that allow any verb. Within this approach auxiliaries (except support *do*) are unspecified for AUX since they may appear in both [AUX +] and [AUX –] constructions. Non-auxiliary verbs are [AUX –], see Abeillé (2020: Section 4), Chapter 12 of this volume.

<sup>14</sup>A list can be represented as feature description with the features FIRST and REST, where the value of FIRST is the first element of the list. See Richter (2020: 100), Chapter 3 of this volume for more on the encoding of lists.

There are various kinds of constraints, e.g., relational constraints. I added “implicational” here.

These are implicational statements, saying that if a linguistic object has some property or properties then it must have some other property or properties. They take the following form:<sup>15</sup>

(10)  $X \Rightarrow Y$

Commonly  $X$  is a type and  $Y$  a feature description, and this is the case in all the constraints that we discuss below. However,  $X$  may also be a feature description with or without an associated type. This is necessary, for example, in the constraints that constitute Binding Theory. See Müller & Branco (2020), Chapter 20 of this volume. Here is a very simple constraint:

(11)  $phrase \Rightarrow [COMPS \langle \rangle]$

This says that a phrase has the empty list ( $\langle \rangle$ ) as the value of the `COMPS` feature, which means that it does not require any complements.<sup>16</sup> As we will see below, most constraints are more complex than (11) and impose a number of restrictions on certain objects. For this reason, one might speak of a set of constraints. However, we will continue to use the term constraint for objects of the form in (10), no matter how many restrictions are imposed. Particularly important are constraints dealing with internal structure of various types of phrase. We will consider some constraints of this kind in Section 5.

In most HPSG work, some shortcuts are used to abbreviate a feature path, for example in (11), `COMPS` stands for `SYNSEM|LOC|CAT|COMPS`. We use this practice in the rest of the chapter and it is used throughout the Handbook.

## 4 The lexicon

As noted above, the type *lexical-sign*, its subtypes, and the constraints on them are central to the lexicon of a language and the words it licenses.<sup>17</sup> Lexical rules

<sup>15</sup>The double-shafted arrow ( $\Rightarrow$ ) is used in implicational constraints, and a single shafted arrow  $\mapsto$  in lexical rules.

<sup>16</sup>The constraint in (11) is plausible for English, but it is too strong for some languages, especially for languages with complex predicates or partial VPs (see Godard & Samvelian 2020, Chapter 11 of this volume), and also for SOV languages if they are analysed in terms of binary branching (see Müller 2020a, Chapter 10 of this volume).

<sup>17</sup>Other types of constraint are relevant to the form of lexemes and words, e.g., constraints on *synsem* objects and constraints on `PHON` values. These are also relevant to the form of phrases.

are also important. Some of the earliest work in HPSG focused on the organization of the lexicon and the question of how lexical generalizations can be captured, and detailed proposals have been developed.<sup>18</sup>

## 4.1 Lexemes and words

In some frameworks, the lexicon contains not lexemes but morphemes, i.e. roots and affixes of various kinds. But most work in HPSG has assumed a realizational approach to morphology. Within this approach, there are no morphemes, just lexemes and the words that realize them, and affixes are just bits of phonology realizing certain morphosyntactic features (Stump 2001; Anderson 1992). One consequence of this is that HPSG has no syntactic elements like the T(ense) and Num(ber) functional heads of Minimalism, which are mainly realized by affixes. See Crysmann (2020), Chapter 21 of this volume, Davis & Koenig (2020), Chapter 4 of this volume and Borsley & Müller (2020: Section 4.1.3), Chapter 29 of this volume for discussion.

Probably the most important properties of any lexeme are its part of speech and its combinatorial properties. As we saw in the last section, the HEAD feature encodes part of speech information while the SUBJ and COMPS features encode combinatorial information. As we also noted in the last section, HEAD takes as its value a *part-of-speech* object and the type *part-of-speech* has subtypes such as *noun*, *verb*, and *adjective*. At least some of the subtypes have certain features. For example, in many languages the type *noun* has the feature CASE with values like *nom(inative)*, *acc(usative)*, and *gen(itive)*. Thus, nominative pronouns like *I* might have a *part-of-speech* of the form in (12) as its HEAD value.

$$(12) \quad \left[ \begin{array}{l} \textit{noun} \\ \text{CASE } \textit{nom} \end{array} \right]$$

Similarly, in many languages the type *verb* has the feature VFORM with values like *fin(ite)* and *inf(initive)*. Thus, the *part-of-speech* of the word form *be* might be (13).

$$(13) \quad \left[ \begin{array}{l} \textit{verb} \\ \text{VFORM } \textit{inf} \end{array} \right]$$

<sup>18</sup>The lexicon is more important in HPSG than in some other constructional approaches, e.g. that of Goldberg (1995; 2006). See Müller & Wechsler (2014) and Müller (2020b: Section 2), Chapter 33 of this volume for discussion.

In much the same way, the type *adjective* will have a feature distinguishing between positive, comparative, and superlative forms, in English and many other languages.

I still think this is semantics. Is there evidence for some higher head selecting the comparative form? Is there a reference to somebody treating the adjective this way?

We must now say more about combinatorial properties. In much HPSG work it is assumed that SUBJ and COMPS encode what might be regarded as superficial combinatorial information and more basic combinatorial information is encoded by a feature ARG(UMENT)-ST(RUCTURE).<sup>19</sup> Normally the value of ARG-ST of a word is the concatenation of the values of SUBJ and COMPS, using  $\oplus$  for list concatenation. In other words, we normally have the following situation (notice the use of re-entrancy or structure-sharing):

$$(14) \quad \begin{bmatrix} \text{SUBJ} & \boxed{1} \\ \text{COMPS} & \boxed{2} \\ \text{ARG-ST} & \boxed{1} \oplus \boxed{2} \end{bmatrix}$$

As noted earlier, it is generally assumed that the SUBJ list never has more than one member. The appropriate features for the word *read* in (1a) for example would include the following, where the tags identify not lists but list members:

(15) Lexical item for *czytałem* ‘read’:

$$\begin{bmatrix} \text{SUBJ} & \langle \boxed{1} \rangle \\ \text{COMPS} & \langle \boxed{2} \rangle \\ \text{ARG-ST} & \langle \boxed{1} \text{ NP}, \boxed{2} \text{ NP} \rangle \end{bmatrix}$$

Under some circumstances, however, we have something different. For example, it has been proposed, e.g. in Manning & Sag (1999: 65), that null subject sentences have an element representing the understood subject in the ARG-ST list of the main verb but nothing in the SUBJ list. Thus, the verb *czytałem* ‘read’ in (1b), repeated here as (16), has the features in (17).

(16) Czytałem książkę.  
read.PST.1SG book.ACC  
‘I read a book.’

(17) Lexical item for *czytałem* ‘read’ with the subject dropped:

<sup>19</sup> ARG-ST is also crucial for Binding Theory, which takes the form of a number of constraints on ARG-ST lists. See Müller & Branco (2020), Chapter 20 of this volume.

$$\left[ \begin{array}{l} \text{SUBJ} \quad \langle \rangle \\ \text{COMPS} \quad \langle \boxed{1} \rangle \\ \text{ARG-ST} \quad \langle \text{NP}, \boxed{1} \text{ NP} \rangle \end{array} \right]$$

A similar analysis is widely assumed for unbounded dependency gaps. On this analysis, the verb *say* in (2), repeated here as (18), has the features in (19).

(18) What did you say?

(19) Lexical item for *say* with the object extracted:

$$\left[ \begin{array}{l} \text{SUBJ} \quad \langle \boxed{1} \text{ NP} \rangle \\ \text{COMPS} \quad \langle \rangle \\ \text{ARG-ST} \quad \langle \boxed{1} \text{ NP}, \text{NP} \rangle \end{array} \right]$$

It is also assumed that the arguments that are realised as pronominal affixes (traditionally known as clitics in Romance languages) are absent from COMPS lists (Miller & Sag 1997; Monachesi 2005), and other differences between SUBJ and COMPS and ARG-ST have been proposed for other languages (see Manning & Sag 1999, Wechsler, Koenig & Davis (2020), Chapter 9 of this volume for discussion. In much work, the relation between ARG-ST and SUBJ and COMPS is regulated by a constraint called the Argument Realisation Principle (ARP). The following is a simplified version of the constraint proposed in Ginzburg & Sag (2000: 171) (see also Bouma et al. 2001: 12):

$$(20) \quad \text{word} \Rightarrow \left[ \begin{array}{l} \text{SUBJ} \quad \boxed{1} \\ \text{COMPS} \quad \boxed{2} \ominus \text{list}(\text{non-canonical}) \\ \text{ARG-ST} \quad \boxed{1} \oplus \boxed{2} \end{array} \right]$$

This ensures that non-canonical arguments, including gaps and arguments realized as clitics do not appear in COMPS lists.<sup>20</sup> Notice, however, that it says nothing special about subjects and so does not allow an AVM like (17).<sup>21</sup> There

<sup>20</sup>The sign  $\oplus$  means concatenation of lists. In  $A \ominus B = C$ ,  $\ominus$  stands for “a relation where C is equal to A, iff B is the empty list. Otherwise C is the list that deletes the first part in A that is identical to B” (Müller 2001: 258).

Stefan: This definition does not work for the case at hand. The definition subtracts a prefix, but what is needed is something that removes *non-canonical* objects somewhere in the ARG-ST list. Ginzburg & Sag, p. 171 have a footnote explaining  $\ominus$ . Shall I put this in here?

<sup>21</sup>Ginzburg & Sag (2000: 177–183) explicitly allow gaps in SUBJ lists, but this is controversial, as discussed in Borsley & Crysmann (2020), Chapter 13 of this volume



are complex issues here, and the principle will probably take a different form in different languages. So we will not try to decide exactly what form it should take.

A variety of HPSG work assumes the SUBJ and COMPS features, but some work assumes a SPR (SPECIFIER) feature instead of or in addition to the SUBJ feature. Where it replaces SUBJ, the idea is that subjects are one of a number of types of specifiers, others being determiners within NPs and degree words like *so* and *too* within APs (Sag et al. 2003). Where it is an additional feature, the idea is that there are number of types of specifier but subjects are not specifiers. Predicative nominals (e.g. *my cousin* in *Paul is my cousin*) may need both (Pollard & Sag 1994: Section 9.4.1; Ginzburg & Sag 2000: 409; Abeillé & Godard 2003). There are other positions in the HPSG community.

add pages

reads bumpyly

Much early work has a single feature called SUBCAT instead of SUBJ and COMPS (Pollard & Sag 1987). Essentially the same position has been adopted within Sign-Based Construction Grammar, which has a single feature called VALENCE instead of SUBJ, SPR and COMPS.<sup>22</sup> Obviously, there are some important issues here.

It is an important feature of lexical items that part of speech and combinatorial properties are separate matters. Members of the same part of speech can have different combinatorial properties and members of different parts of speech can have the same combinatorial properties. Much HPSG work captures this fact by proposing that the type *lexeme* be cross-classified along two dimensions, one dealing with part-of-speech information and one dealing with argument selection information (Flickinger 1987: 20). Figure 4 is a simple illustration based on Ginzburg & Sag (2000: 20).

Upper case letters are used for the two dimensions of classification, and *v-lx*, *intr-lx*, *s-rsg-lx*, and *srv-lx* abbreviate *verb-lexeme*, *intransitive-lexeme*, *subject-raising-lexeme*, and *subject-raising-verb-lexeme*, respectively. All these types will be subject to specific constraints. For example, *v-lx* will be subject to something like the following constraint, based on that in Ginzburg & Sag (2000: 22):

$$(21) \quad v\text{-}lx \Rightarrow \left[ \begin{array}{ll} \text{HEAD} & \text{verb} \\ \text{ARG-ST} & \langle \text{XP}, \dots \rangle \end{array} \right]$$

add pages

<sup>22</sup>SBCG also has a feature X-ARG, which picks out subjects and other external arguments. But unlike the other features mentioned here, this always has the same value in a head and its mother. Its role is to make information about external arguments available outside the phrases in which they appear. See Sag (2007; 2012: 84, 149–151).




Figure 4: Cross-classification of lexemes

This says that a verb lexeme has a *verb* part of speech and requires a phrase of some kind as its first (syntactic) argument (corresponding to its subject). Similarly, we will have something like the following constraint for *s-rsg-lx*:

$$(22) \quad s-rsg-lx \Rightarrow [\text{ARG-ST } \langle \boxed{1}, [\text{SUBJ } \langle \boxed{1} \rangle], \dots \rangle]$$

This says that a subject-raising-lexeme has (at least) two (syntactic) arguments, a subject and a complement, and that the subject is whatever the complement requires as a subject, indicated by  $\boxed{1}$ . Most of the properties of any lexeme will be inherited from its supertypes. Thus, very little information needs to be listed for each specific lexeme, and the richness of the lexical description comes from the classification in a system like this.

For example, for a subject-raising verb like *seem*, its CAT and CONTENT features are the following, using Minimal Recursion semantics: RELS is the attribute for the list of elementary predications associated with a word, a lexeme or a phrase, SOA is for *state-of-affairs*

Stefan: Changed from state-of-affair to state-of-affairs

(see Koenig & Richter 2020, Chapter 22 of this volume). *Seem* takes an infinitival VP complement.<sup>23</sup> Notice that no semantic role is assigned to the first argument (see Abeillé 2020: Section 1.1, Chapter 12 of this volume).

$$(23) \quad \text{Constraints on type } seem-lx: \\ seem-lx \Rightarrow s-rsg-lx \ \&$$

<sup>23</sup>The entry can be modified to allow predicative complements, as well as a second *to* complement (*John seems tired/in a good mood to me*).

$$\left[ \begin{array}{l} \text{CAT} \left[ \begin{array}{l} \text{ARG-ST} \left\langle \left[ \right], \text{VP} \left[ \begin{array}{l} \text{HEAD} \left[ \text{VFORM } inf \right] \right] \right\} \right\} \\ \text{INDEX } s \end{array} \right] \\ \text{CONT} \left[ \begin{array}{l} \text{RELS} \left\langle \left[ \begin{array}{l} \text{seems-rel} \\ \text{SOA } s1 \end{array} \right] \right\} \end{array} \right] \end{array} \right]$$

Once these more specific features are combined with features from type *s-rsg-lxm*, we get a more complete AVM like the following for the word *seem*:

Stefan: These were formulated as type implication, which is not correct, since the type implication is in (23). I removed the “*seem-lx*  $\Rightarrow$ ” part, put the type in the AVM and added a heading. OK?

(24) Constraints for the lexeme *seem*:

$$\left[ \begin{array}{l} \text{seem-lx} \\ \text{CAT} \left[ \begin{array}{l} \text{ARG-ST} \left\langle \left[ \begin{array}{l} 1, 2 \end{array} \right], \text{VP} \left[ \begin{array}{l} \text{HEAD} \left[ \text{VFORM } inf \right] \right] \right\} \right\} \\ \text{SUBJ} \left\langle \left[ \begin{array}{l} 1 \end{array} \right] \right\} \\ \text{COMPS} \left\langle \left[ \begin{array}{l} 2 \end{array} \right] \right\} \end{array} \right] \\ \text{CONT} \left[ \begin{array}{l} \text{INDEX } s \\ \text{RELS} \left\langle \left[ \begin{array}{l} \text{seems-rel} \\ \text{SOA } s1 \end{array} \right] \right\} \end{array} \right] \end{array} \right]$$

Notice that the SUBJ value is underspecified. Thus, *seem* combines with an infinitival complement and with any subject (nominal or verbal, expletive or referential), provided this subject is appropriate for its complement (see Abeillé 2020: Section 2.1, Chapter 12 of this volume):

- (25) a. John /\* Working is sleeping.  
 b. John /\* Working seems to be sleeping.  
 c. Working is / seems to be tiring  
 d. It is raining / seems to be raining.

Stefan:  
 Changed  
 “SUBJ fea-  
 ture” to  
 “SUBJ  
 value”.  
 OK?

## 4.2 Lexical rules

The hierarchy of lexical types provides one way of capturing lexical generalizations. Lexical rules provide another.<sup>24</sup> They are used in morphology to relate

<sup>24</sup>Lexical rules can be seen as a generative device, or alternatively, as a set of well-formedness conditions on the lexicon: if the lexicon contains items with description x, it must also contain

lexemes to words (inflection) and lexemes to lexemes (derivation) (see [Crysmann 2020](#), Chapter 21 of this volume). For syntax, they are relevant especially to valence alternations such as that illustrated in the following (see [Wechsler, Koenig & Davis 2020](#), Chapter 9 of this volume):

- (26) a. That Kim was late annoyed Lee.  
b. That Sandy was there is unimportant.  
c. That Lee won impressed everyone.
- (27) a. It annoyed Lee that Kim was late.  
b. It is unimportant that Sandy was there.  
c. It impressed everyone that Lee won.

These show that verbs and adjectives which allow a clausal subject generally also allow an expletive *it* subject and a clause as an extra complement ([Pollard & Sag 1994](#): 150). The lexemes required for the latter use can be derived from the lexemes required for the former use by a lexical rule of the following form:<sup>25</sup>

$$(28) \quad [\text{ARG-ST } \langle S \rangle \oplus \boxed{2}] \mapsto [\text{ARG-ST } \langle \text{NP}[it] \rangle \oplus \boxed{2} \oplus \langle S \rangle]$$

The active-passive relation can be captured by a similar lexical rule ([Flickinger 1987](#): Section 5.1.1). Since these rules do not change the CONTENT feature, these alternations will preserve the meaning of the verb or adjective lexeme (see [Davis & Koenig 2020](#), Chapter 4 of this volume). Thus, the sentences in (27) will have a different syntactic structure from their counterparts in (26) but may have the same semantic representation (they will probably have different information structures, thus different CONTEXT features; see [De Kuthy \(2020\)](#), Chapter 23 of this volume on information structure).

---

items with description *y* ([Meurers 2001](#)). See also [Davis & Koenig \(2020](#): Section 5), Chapter 4 of this volume.

<sup>25</sup> Another representation of lexical rules is an AVM with features INPUT and OUTPUT, or with the left hand side as a daughter. As for (27), assuming both clauses and VPs have a verbal head, it easily extends to infinitival subjects, to accommodate pairs of examples like the following:

- (i) a. To annoy Lee is easy.  
b. It is easy to annoy Lee.

Clauses introduced by *that* are sometimes considered as CPs in HPSG (see Section 7), with verbs and complementizers as two subtypes of *verbal*.

## 5 Syntax

As noted above, the type *phrase*, its subtypes, and the constraints on them are at the heart of the syntax of a language.<sup>26</sup> A simple hierarchy of phrase types was assumed in early HPSG, but what we have called Construction-based HPSG employs complex hierarchies of phrase types comparable to the complex hierarchies of lexical types employed in the lexicon.

### 5.1 A hierarchy of phrase types

Like much other work in syntax, HPSG takes from X-bar theory (Jackendoff 1977) the idea that the local trees that make up syntactic structures fall into a limited number of types. Like Jackendoff (1977), and unlike Minimalism, HPSG assumes that not all phrases are headed, even if many are, and does not limit the term *head* to lexical elements. Thus, among phrases there is a basic distinction between non-headed phrases and headed phrases. There are various kinds of headed phrase. We will consider three here. First there are head-complement phrases, combinations of a head and its complements. These can be headed by various parts of speech, verbs, prepositions, adjectives, nouns, and others, and may have one complement or more than one. Next, there are head-subject phrases. Typically, the head of such a phrase is a VP. However, the bracketed material in the following may well be head-subject phrases with a non-verbal head.

(29) With [Kim ill/in London/a candidate], anything is possible.

Finally, there are head-filler phrases, clauses in which an initial constituent is associated with a gap in the following constituent. *Wh*-interrogatives and *wh*-relatives, such as the bracketed material in the following, are typical examples.

- (30) a. I'm wondering [who I talked to].  
b. This is the official [who I talked to].

All this suggests the simple type hierarchy in Figure 5.

Each of these types is associated with a constraint capturing its distinctive properties.

Consider first the type *headed-ph*. Here we need a constraint capturing what all headed phrases have in common. This is essentially that they have a head, with which they share certain features. But what features? One view is that

<sup>26</sup>As noted in Footnote 17, constraints on *synsem* objects and *PHON* values are relevant to phrases as they are to lexemes and words.




Figure 5: A hierarchy of types of phrases

the main features that are shared are those that are the value of **HEAD**. This is embodied in the following constraint, which is known as the Head Feature Principle:

$$(31) \text{ headed-ph} \Rightarrow \begin{bmatrix} \text{HEAD} & \boxed{1} \\ \text{HEAD-DTR} & [\text{HEAD } \boxed{1}] \end{bmatrix}$$

Each of the three subtypes of *headed-ph* is subject to a constraint embodying its distinctive properties. Here is a constraint on the type *hd-comp-ph* (with **SYNSEM** abbreviated as **ss**):

$$(32) \text{ hd-comp-ph} \Rightarrow \begin{bmatrix} \text{HD-DTR } \boxed{1} & \begin{bmatrix} \text{word} \\ \text{COMPS } \langle \boxed{2}, \dots, \boxed{n} \rangle \end{bmatrix} \\ \text{DTRS} & \langle \boxed{1}, [\text{ss } \boxed{2}], \dots, [\text{ss } \boxed{n}] \rangle \end{bmatrix}$$

This ensures that a head-complement phrase has a word as a head daughter and non-head daughters with the *synsem* properties that appear in the head's **COMPS** list.<sup>27</sup> Notice that nothing is said about the **SYNSEM** value of the phrase. It will be **[COMPS <>]**, as required by the constraint in (11), and it will have the same value for **HEAD** as the head daughter as a consequence of the Head Feature Principle. It must also have the same value for **SUBJ** as the head daughter. One

<sup>27</sup>The head could be identified as a **[LEX +]**, **[LIGHT +]**, or **[WEIGHT light]** phrase, to accomodate coordination of heads as in *John [knows and likes] this record*. (Abeillé 2006: Section 5.1).

might add this to the constraint in (32), but that would miss a generalization. Head-complement phrases are not the only phrases which have the same value for SUBJ as their head. This is also a feature of head-filler phrases, as we will see below. It seems in fact that it is normal for a phrase to have the same value for any valence feature as its head. This is often attributed to the Valence Principle, which can be stated informally as follows (cf. Sag & Wasow 1999: 86):

- (33) Unless some constraint says otherwise, the mother's values for the valence features are identical to those of the head daughter.

There is no assumption in HPSG that all branching is binary.<sup>28</sup> Hence, where a head takes two complements, both may be its sisters. An example of the sort of structures that the analysis licenses is illustrated in Figure 6.

Instead of the Head Feature Principle and the Valence Principle, Ginzburg & Sag (2000: 33) propose the Generalized Head Feature Principle, which takes the following form:

$$(34) \text{ headed-ph} \Rightarrow \left[ \begin{array}{c} \text{SYNSEM} / \boxed{1} \\ \text{HD-DTR} \left[ \text{SYNSEM} / \boxed{1} \right] \end{array} \right]$$

The slashes (/) here indicate that this is a default constraint (Lascarides & Copestake 1999). Thus, it says that a headed phrase and its head daughter have the same SYNSEM value unless some other constraint requires something different. In versions of HPSG which assume this constraint, it is responsible among many other things for the fact that a head-complement phrase has the same value for SUBJ as the head daughter.

We turn now to the type *hd-subj-ph*. Here we need a constraint which mentions the SYNSEM value of the phrase, and not just the daughters, as follows:

<sup>28</sup>Implemented HPSG grammars for various languages

Stefan: This has nothing to do with implementation. The implementation is not the reason for binary branching. There are theoretical reasons. I suggest: "See Müller (2020a: Section 3), Chapter 10 of this volume for reasons to assume binary branching structures. There are implemented HPSG grammars for various languages assuming binary branching (Flickinger 2000; Copestake 2002; Müller 2015), see Bender & Emerson (2020), Chapter 25 of this volume."

may assume binary branching structures (Flickinger 2000; Copestake 2002; Müller 2015), see Bender & Emerson (2020), Chapter 25 of this volume.




Figure 6: A tree for a head-complement phrase

The reader will search for *SYNSEM* since you primed this in the text. But there is no *SYNSEM* in the mother. I would really prefer to be fully explicit in schemata. I think abbreviations are fine in trees and so on, but I would go for the real thing in all the things that are related to the theory. I would do the changes if you agree.

$$(35) \quad hd-subj-ph \Rightarrow \left[ \begin{array}{l} SUBJ \quad \langle \rangle \\ HD-DTR \quad [1] \quad \left[ \begin{array}{l} SUBJ \quad \langle [2] \rangle \\ COMPS \quad \langle \rangle \end{array} \right] \\ DTRS \quad \langle [SYNSEM \quad [2]], [1] \rangle \end{array} \right]$$

This ensures that a head-subject phrase is  $[SUBJ \langle \rangle]$  and has a head daughter which is  $[COMPS \langle \rangle]$ , and a non-head daughter with the *synsem* properties that appear in the head's *SUBJ* list.<sup>29</sup> It licenses structures like that in Figure 7.

<sup>29</sup>Instead of requiring the head to be  $[COMPS \langle \rangle]$ , one might require it to be a phrase (which






Figure 7: A tree for a head-subject phrase

Finally, we consider the type *hd-filler-ph*. This involves the feature *SLASH*, one of the features contained in the value of the feature *NONLOCAL* introduced earlier in (9). Its value is a set of local feature structures

Suggestion: “is a set of descriptions of type *local*”

and it encodes information about unbounded dependency gaps (see Borsley & Crysmann 2020, Chapter 13 of this volume). Here is the relevant constraint:<sup>30</sup>

$$(36) \quad hd\text{-}filler\text{-}ph \Rightarrow \left[ \begin{array}{l} SLASH \quad [1] \\ HD\text{-}DTR \quad [2] \left[ \begin{array}{l} COMPS \quad \langle \rangle \\ SLASH \quad \{[3]\} \cup [1] \end{array} \right] \\ DTRS \quad \langle [LOCAL \quad [3], [2] \rangle \end{array} \right]$$

would be required by (11) to be  $[COMPS \langle \rangle]$ ). However, this would require e.g. *laughed* in *Kim laughed* to be analysed as a phrase consisting of a single word. With (35) it can be analysed as just a word.

<sup>30</sup>We use  $\cup$  for set union. Notice that the mother category does not have to have an empty *SLASH* list, thus allowing for multiple extractions (*Paul, who could we talk to about?*).

Stefan: Can we add gaps here marking what belongs to what? Looking at the example it looks like a relative clause modifying *Paul* and as if the *who* is the filler of both gaps after *to* and *about*. If this is true, your example would not be an example of multiple fillers, which is needed here.

This says that a head-filler phrase has a head daughter, with a SLASH set which is the SLASH set of the head-filler phrase plus one other *local* feature structure

“feature description”

, and a non-head daughter, whose LOCAL value is the additional *local* feature structure

“feature description”

of the head daughter. [1] is normally the empty set.<sup>31</sup> Figure 8 illustrates a typical head-filler phrase.




Figure 8: A tree for a head-filler phrase

Notice that the head daughter in a head-filler phrase is not required to have an empty SUBJ list (it is not marked as [SUBJ <>]) and hence does not have to be a head-subject phrase. It can also be a head-complement phrase (a VP), as in the following:

(37) I’m wondering [who [to talk to]].

<sup>31</sup>As with (35), one might substitute *phrase* here for [COMPS <>]. But this would mean that *to* in *I would do it but I don’t know how to* must be analysed as a phrase containing a single word. With (36) it can be just a word.

Either the Valence Principle or the Generalized Head Feature Principle will ensure that a head-filler phrase has the same value for SUBJ as its head daughter.

The constraints that we have just discussed are rather like phrase structure rules. This led Ginzburg & Sag (2000: 33) to use an informal notation which reflects this. This involves the phrase type on the first line followed by a colon, and information about the phrase itself and its daughters on the second line separated by an arrow and with the head daughter identified by “H”. Thus, instead of (38a) one has (38b).

$$(38) \quad \begin{array}{l} \text{a. } phrase \Rightarrow \left[ \begin{array}{l} \text{SYNSEM } X \\ \text{DTRS } \langle \boxed{1} Y, Z \rangle \\ \text{HD-DTR } \boxed{1} \end{array} \right] \\ \text{b. } phrase: \\ X \rightarrow H[Y], Z \end{array}$$

Notice that while the double arrow in (38a) has the normal ‘if-then’ interpretation, the single arrow in (38b) means “consists of”. In some circumstances this informal notation may be more convenient than the more formal notation used in (38a).

In the preceding discussion, we have ignored the semantics of the phrase.

“of phrases”?

Leaving aside quantification and other complex matters, the CONTENT of a headed phrase can be handled via two semantic principles, assuming INDEX and RELATIONS as in MRS as in (23) above: a coindexing principle (the INDEX of a headed phrase is the INDEX of its HEAD-DTR) and a “compositionality” principle (the RELS of a phrase is the concatenation of the RELS of its DTRS) (Copestake et al. 2005: Section 4.3.2, Section 5; Koenig & Richter 2020: Section 6.1, Chapter 22 of this volume).

Changed  
(26) to  
(23). OK?

The type hierarchy in Figure 5 is simplified in a number of respects. It includes no non-headed phrases.<sup>32</sup> It also ignores various other subtypes of *headed-phrase*, some of which are discussed in the next section. Most importantly, it is widely assumed that the type *phrase* like the type *lexeme* can be cross-classified along two dimensions, one dealing with head-dependent relations and the other dealing with the properties of various types of clauses. A simplified illustration is given in Figure 9.

Here *wh-interr-cl* is identified as a subtype of *head-filler-phrase* and a subtype of *interr(ogative)-cl*. As such, it has both the properties required by the constraint

<sup>32</sup>The most important type of non-headed phrase is coordinate structure. See Abeillé & Chaves (2020), Chapter 16 of this volume for discussion.




Figure 9: Cross-classification of phrases

in (36) and certain properties characteristic of interrogative clauses, most obviously interrogative semantics.

## 5.2 Constituency and constituent order

We must now say something about constituent order. In much HPSG work this is a matter of phonology, more precisely a matter of the relation between the `PHON` value of a phrase and the `PHON` values of its daughters.<sup>33</sup> Consider, for example, a phrase with two daughters, each with its own `PHON` value. The `PHON` value of the phrase will be the concatenation of the `PHON` values of the daughters. Clearly, they can be concatenated in two ways as follows, as in (39), or their order may be left unspecified for “free” word order:

- (39) a. 
$$\left[ \begin{array}{l} \text{PHON } [1] \oplus [2] \\ \text{DTRS } \langle [ \text{PHON } [1] ], [ \text{PHON } [2] ] \rangle \end{array} \right]$$
- b. 
$$\left[ \begin{array}{l} \text{PHON } [2] \oplus [1] \\ \text{DTRS } \langle [ \text{PHON } [1] ], [ \text{PHON } [2] ] \rangle \end{array} \right]$$

Within this approach, the following English and Welsh examples might have exactly the same analysis (a head-adjunct phrase) except for their `PHON` values:

- (40) a. black sheep

<sup>33</sup>As discussed in Section 7.1, in some HPSG work, linear order is a property of so-called order domains, which essentially mediate constituent structure and phonology (see Müller 2020a: Section sec-domains, Chapter 10 of this volume).

- b. defaid du  
 sheep.PL black  
 ‘black sheep’

Similarly, a prepositional phrase in English and a postpositional phrase in Japanese might have the same analysis (a head-complement phrase) apart from their PHON values. Ordering rules are constraints on phrasal types. They are commonly written with  $<$  (‘precedes’). Thus, languages with head-complement order might have the rule in (41a) and languages with complement-head order the rule in (41b).

- (41) a.  $[COMPS \langle \dots, \underline{1}, \dots \rangle] < [SYNSEM \underline{1}]$   
 b.  $[SYNSEM \underline{1}] < [COMPS \langle \dots, \underline{1}, \dots \rangle]$

But it should be remembered that they

The referent of “they” is too far away. Replace by “ordering rules”?

are well-formedness constraints on structures built with certain concatenations of PHON values as in (39).<sup>34</sup>

Not all pairs of expressions which might be seen as differing just in word order have the same analysis apart from their PHON values. Consider, for example, the following:

- (42) a. Kim is late.  
 b. Is Kim late?

Here we have a declarative and a related interrogative. They differ semantically and in word order, but for most work in HPSG they also differ in their syntactic structures. (42a) is a head-subject phrase much like that in Figure 7.

<sup>34</sup> An alternative notation, provided different daughters are distinguished with different names, could be:

- (i) a. HD-DTR  $<$  COMPS-DTRS  
 b. COMPS-DTRS  $<$  HD-DTR

This should be COMPS-DTR since linearization rules affect pairs of linguistic objects. One may refer to non-head daughters, but you do not have them as feature. The usual formulation is HEAD  $<$  COMPLEMENT (Pollard & Sag 1987: 172). Suggestion: I change this to “HEAD  $<$  COMPLEMENT”.

Clauses like (42b), on the other hand, are standardly seen as ternary branching phrases in which both the subject and the complement are a sister of the auxiliary (Pollard & Sag 1994: 40). This requires an additional phrase type, which might be called *head-subject-complement-phrase*.<sup>35</sup>

## 6 Further syntactic structures

Head-complement phrases, head-subject phrases, and head-filler phrases are perhaps the most important types of syntactic structure, but there are others that are of considerable importance. Here we will say something about three: head-adjunct phrases, head-specifier phrases, and head-marker phrases.

### 6.1 Adjuncts

Adverbs and adverbial PPs within VPs and attributive adjectives and relative clauses within NPs are commonly viewed as adjuncts. Thus, the following illustrate head-adjunct phrases (with the head following the adjunct in (43a) and (43c) and preceding in (43b), and (43d)):

- (43) a. Kim [slowly [read the book]]  
b. Kim [[met Lee] in the pub]  
c. a [new [book about syntax]]  
d. a [[book about syntax] which impresses everyone]

In much HPSG work, adjuncts select the heads they combine with through a feature MOD (modifies) whose value is a *synsem* object, while other signs are [MOD none]. Thus, (43a) involves the schematic structure in Figure 10.

*head-adj-ph* is at sign level. [3] is at SYNSEM level. ...

In the case of adverbs, adverbial PPs, and attributive adjectives, it is a simple matter to assign an appropriate value to MOD, and this value can be underspecified to account for the polymorphism of certain adverbs which can modify all (major) categories (Abeillé & Godard 2003). In the case of relative clauses, it is more complex because it

Stefan: Could not resolve this "it".

<sup>35</sup>In Ginzburg & Sag (2000: 36) it is called *sai-phrase*. In some HPSG work, e.g. Sag et al. (2003: 409–414), examples like (42b) are analysed as involving an auxiliary verb with two complements and no subject. This approach has no need for an additional phrase type, but it requires an alternative valence description for auxiliary verbs.




Figure 10: A tree for a head-adjunct phrase

must be coindexed with the *wh*-element if there is one or the gap if there isn't. In (43d) this is reflected in the fact that the verb in the relative clause is the singular *impresses* and not the plural *impress*. See Borsley & Crysmann (2020), Chapter 13 of this volume and Arnold & Godard (2020), Chapter 14 of this volume for some discussion.

Notice also that in head-adjunct phrases, the adjunct is not a syntactic head but may well be the semantic predicate, or the semantic head. This is an example of the difference between syntactic head and semantic head, and between syntactic argument and semantic

Changed this from “syntactic argument” to “semantic argument”.

argument in HPSG.

Although an adjunct analysis of adverbial PPs seems quite natural, it has been argued in some HPSG work that they are in fact optional complements of verbs (see e.g. Abeillé & Godard 1997; Bouma et al. 2001: 4; Ginzburg & Sag 2000: 168, Footnote 2. On this view, *in the pub* in (43b) is much like the same phrase in the following, where it is clearly a (predicative) complement:

(44) Kim is in the pub.

Various arguments have been advanced for this position, but it is controversial and it is rejected by Levine (2003) and Levine & Hukari (2006: Chapter 3) and

Chaves (2009). There is an unresolved issue here.<sup>36</sup>

## 6.2 Specifiers and markers

As noted earlier, some HPSG work assumes a feature *SPR* (SPECIFIER) which is realized by various categories. In some work subjects are analysed as specifiers (Sag, Wasow & Bender 2003: 100–103), but in other work they are realizations of a *SUBJ*(ECT) feature, as discussed in the last section. For some HPSG work, e.g. Pollard & Sag (1994: Section 9.4), Sag et al. (2003: Section 4.3), determiners within NPs are an important example of specifiers. On this view, *the pub* has the schematic structure in Figure 11.




Figure 11: A tree for a head-specifier phrase


Some recent work, e.g., Sag (2012: 84) has adopted a rather different view of at least some determiners, namely that they are what are known as markers, a notion first introduced in Pollard & Sag (1994: Section 1.6). These are non-heads which select the head that they combine with through a *SELECT* feature

Van Eynde is cited in a footnote, but he should be cited here.

but determine the *MARKING* value of their mother. Within this approach, *the pub* has the schematic structure in Figure 12.<sup>37</sup>

<sup>36</sup>It has been argued that some adverbs and PPs are adjuncts and others are complements, depending on word order, case etc. (see for example Przepiórkowski 1999, Hassamal & Abeillé





There should be a structure sharing between the marking values of marker daughter and mother.

Figure 12: A tree for a head-functor phrase

A marker analysis was originally proposed for complementizers. However, they have also been analysed as heads within HPSG, e.g. in [Sag \(1997: 456–458\)](#) and [Ginzburg & Sag \(2000: 2.8\)](#). Thus, there is no consensus here.

You use “Thus”, but that there is no consensus does not follow from what you cited. You cite [Sag \(1997\)](#) and [Ginzburg & Sag \(2000\)](#). Ivan should have had reasons for changing his minds. In order to show that there is no consensus, you would have to cite researchers arguing against the other position or at least cite publications suggesting incompatible approaches. A paper arguing for a non-marker approach is ([Machicao y Priemer & Müller 2020](#)), revise and resubmit for Glossa. This is in opposition to Van Eynde, which I would think of the original proposer of the marker analysis.

## 7 Further topics

There are many other aspects of HPSG that could be discussed in this chapter, but we will focus on just two: what are known as order domains, and the distin-

2014 and [Kim 2020](#), Chapter 18 of this volume).

<sup>37</sup>Work which assumes the SELECT feature also uses it instead of MOD for adjuncts, and consider both markers and adjuncts to be “functors” ([Van Eynde 1998](#); [Van Eynde 2020](#), Chapter 8 of this volume).

guishing properties of the SBCG version of HPSG.

## 7.1 Order domains

We noted above that much HPSG work views word order as a matter of phonology, specifically a matter of the relation between the PHON value of a phrase and the PHON values of its daughters (see Müller 2020a, Chapter 10 of this volume). Some work in HPSG argues that this is too simple in that it ties the observed order too closely to constituent structure. Consider the following examples:

- (45) a. A man who looked like Churchill came into the room.  
 b. A man came into the room who looked like Churchill.

One might assume that these show different observed orders because they have different structures (Kiss 2005), but one might also want to claim that they have the same constituent structure.

I think Kathol & Pollard (1995) have to be cited here.

This is possible if the observed order is not a simple reflection of constituent structure. Much work in HPSG has proposed that the observed order is a reflection not of the constituent structure of an expression but of a separate system of order domains (see Reape 1994; Müller 1996; Kathol 2000). Within this approach, ordering rules may order non-sister elements, as long as they belong to the same order domain: the constituent structure of an expression can be encoded as the value of a DTRS (DAUGHTERS) feature and the order domain as the value of a DOM(AIN) feature. Adopting this position, one might propose that (45b) has the schematic analysis in (46).

$$(46) \left[ \begin{array}{l} \text{SYNSEM } S \\ \text{DTRS} \quad \langle [a \text{ man who looked like Churchill}], [came into the room] \rangle \\ \text{DOM} \quad \langle [a \text{ man}], [came into the room], [who looked like Churchill] \rangle \end{array} \right]$$

Here the clause has two daughters but three domain elements. The simpler example in (45a) will have two daughters and two domain elements.

It is worth noting that this approach allows a different analysis for interrogatives like (42b). It would be possible to propose an analysis in which they have two daughters and three domain elements as follows:

$$(47) \left[ \begin{array}{l} \text{SYNSEM } S \\ \text{DTRS} \quad \langle [Kim], [is late] \rangle \\ \text{DOM} \quad \langle [is], [Kim], [late] \rangle \end{array} \right]$$

As far as we are aware, no one has proposed such an analysis for English interrogatives, but essentially this analysis is proposed for German interrogatives in Kathol (2000: 81).<sup>38</sup>

Order domains seem most plausible as an approach to the sorts of discontinuity that are found in so-called nonconfigurational languages such as Warlpiri (Donohue & Sag 1999). However, they may well have a role to play in more familiar languages (Bonami et al. 1999; Chaves 2014). But exactly how much of a role they should play in syntax is an unresolved matter.

One might wonder whether a version of HPSG that includes order domains is still a monostratal framework. It remains a framework in which linguistic expressions have a single constituent structure. However, it does have a second important level of representation, which makes available a variety of analyses which would otherwise not be possible. Whether the framework is still monostratal depends on how exactly the term is used. We will not take a stand on this.

## 7.2 Sign-Based Construction Grammar

The SBCG version of HPSG will be discussed in some detail in the next chapter (Flickinger, Pollard & Wasow 2020: 70–71, Chapter 2 of this volume), and the chapter on HPSG and Construction Grammar (Müller 2020b: Section ??, Chapter 33 of this volume). Here we will just highlight the central difference between this approach and earlier work. The term construction is widely used in connection with the earlier Constructional HPSG, but within that work constructions are just types of sign. In contrast, for SBCG signs and constructions are quite different objects.

For SBCG constructions are objects which associate a MOTHER sign with a list of DAUGHTER signs, one of which is a HEAD-DAUGHTER in a headed construction. Thus, constructions take the form in (48a) and headed-constructions the form in (48b):

$$(48) \quad \text{a.} \quad \left[ \begin{array}{l} cx \\ \text{MTR } sign \\ \text{DTRS } list(sign) \end{array} \right]$$

<sup>38</sup>Kathol (2000) assumes that order domains are divided into topological fields and shows how this idea allows an interesting approach to various aspects of clausal word order. See Borsley (2006) for an application of this idea to negation.

$$\text{b. } \left[ \begin{array}{ll} \textit{headed-cx} & \\ \text{MTR} & \textit{sign} \\ \text{DTRS} & \textit{list}(\textit{sign}) \\ \text{HD-DTR} & \textit{sign} \end{array} \right]$$

Constructions are utilized by the Sign Principle, which can be formulated as follows.<sup>39</sup>

- (49) Signs are well formed if either (a) they match some lexical entry, or (b) they match the mother of some construction.

Constructions and the Sign Principle are properties of SBCG which are lacking in earlier work. Essentially, then, they are complications. But they allow simplifications. In particular, they mean that signs do not need to have the features DTRS and HD-DTR. This in turn allows the framework to dispense with the feature SYNSEM and the type *synsem*. These elements are necessary in earlier HPSG because taking the value of COMPS to be a list of signs would incorrectly predict that heads may select complements not just with specific syntactic and semantic properties but also with specific kinds of internal structure. For example, it would allow a verb to select as its complement a phrase whose head has a specific type of complement. To exclude this possibility, earlier versions of HPSG seem to need SYNSEM and *synsem*

Add reference to Pollard & Sag (1994).

. In SBCG it is excluded by the assumption that signs do not have the features DTRS and HD-DTR and so SYNSEM and *synsem* are unnecessary. Thus, SBCG is both more complex and simpler than earlier versions of the framework. This means that considerations of simplicity do not favour or disfavour the approach.

This is not correct, since there may be other aspects that are simpler or more complex. And in fact there are ...

## 8 Concluding remarks

In the preceding pages, we have spelled out the basic properties of HPSG and the assumptions it makes about the nature of linguistic analyses and the conduct of linguistic research. We have looked at the types, features, and constraints that are

<sup>39</sup>Lexical rules are analysed in SBCG as lexical constructions. Thus, (b) covers derived words as well as phrases.

the building blocks of HPSG analyses. We have also outlined the HPSG approach to the lexicon, and the basics of its approach to syntax, and we have considered some of the main types of syntactic structure. Finally, we have discussed order domains and SBCG. More can be learned about all of these matters in the chapters that follow.

## Acknowledgements

We are grateful to Stefan Müller, Jean-Pierre Koenig, and Frank Richter for many helpful comments on earlier versions of this chapter. We alone are responsible for what appears here.

## References

- Abeillé, Anne. 2006. In defense of lexical coordination. In Olivier Bonami & Patricia Cabredo Hofherr (eds.), *Empirical issues in formal syntax and semantics*, vol. 6, 7–36. Paris: CNRS. <http://www.cssp.cnrs.fr/eiss6/> (25 February, 2018).
- Abeillé, Anne. 2020. Control and Raising. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 469–513. Berlin: Language Science Press. DOI: ??.
- Abeillé, Anne & Robert D. Borsley. 2008. Comparative correlatives and parameters. *Lingua* 118(8), 1139–1157. DOI: [10.1016/j.lingua.2008.02.001](https://doi.org/10.1016/j.lingua.2008.02.001).
- Abeillé, Anne & Rui Chaves. 2020. Coordination. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 691–742. Berlin: Language Science Press. DOI: ??.
- Abeillé, Anne & Danièle Godard. 1997. The syntax of French negative adverbs. In Danielle Forget, Paul Hirschbühler, France Martineau & Maria Luisa Rivero (eds.), *Negation and polarity syntax and semantics: Selected papers from the colloquium Negation: Syntax and Semantics. Ottawa, 11–13 May 1995* (Current Issues in Linguistic Theory 155), 1–28. Amsterdam: John Benjamins Publishing Co. DOI: [10.1075/cilt.155.02abe](https://doi.org/10.1075/cilt.155.02abe).
- Abeillé, Anne & Danièle Godard. 2003. The syntactic flexibility of adverbs: French degree adverbs. In Stefan Müller (ed.), *Proceedings of the 10th International Conference on Head-Driven Phrase Structure Grammar, Michigan State University, East Lansing*, 26–46. Stanford, CA: CSLI Publications. <http://csli-publications.stanford.edu/HPSG/2003/> (25 February, 2018).
- Ajdukiewicz, Kazimierz. 1935. Die syntaktische Konnexität. *Studia Philosophica* 1. 1–27.

- Anderson, Stephen R. 1992. *A-morphous morphology* (Cambridge Studies in Linguistics 62). Cambridge: Cambridge University Press.
- Arnold, Doug & Danièle Godard. 2020. Relative clauses in HPSG. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 571–635. Berlin: Language Science Press. DOI: ??.
- Barwise, Jon & John Perry. 1983. *Situations and attitudes*. Cambridge, MA: MIT Press.
- Bender, Emily M. 2016. Linguistic typology in natural language processing. *Linguistic Typology* 20(3). 645–660. DOI: [10.1515/lingty-2016-0035](https://doi.org/10.1515/lingty-2016-0035).
- Bender, Emily M., Scott Drellishak, Antske Fokkens, Laurie Poulson & Safiyyah Saleem. 2010. Grammar customization. *Research on Language & Computation* 8(1). 10.1007/s11168-010-9070-1, 23–72. <http://dx.doi.org/10.1007/s11168-010-9070-1>.
- Bender, Emily M. & Guy Emerson. 2020. Computational linguistics and grammar engineering. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 1057–1101. Berlin: Language Science Press. DOI: ??.
- Bird, Steven & Ewan Klein. 1994. Phonological analysis in typed feature systems. *Computational Linguistics* 20(3). 455–491.
- Bonami, Olivier, Danièle Godard & Jean-Marie Marandin. 1999. Constituency and word order in French subject inversion. In Gosse Bouma, Erhard W. Hinrichs, Geert-Jan M. Kruijff & Richard T. Oehrle (eds.), *Constraints and resources in natural language syntax and semantics* (Studies in Constraint-Based Lexicalism 3), 21–40. Stanford, CA: CSLI Publications.
- Borsley, Robert. 2006. A linear approach to negative prominence. In Stefan Müller (ed.), *Proceedings of the 13th International Conference on Head-Driven Phrase Structure Grammar*, 60–80. Stanford, CA: CSLI Publications. <http://csli-publications.stanford.edu/HPSG/2006/> (25 February, 2018).
- Borsley, Robert D. 2009. On the superficiality of Welsh agreement. *Natural Language & Linguistic Theory* 27(2). 225–265. DOI: [10.1007/s11049-009-9067-3](https://doi.org/10.1007/s11049-009-9067-3).
- Borsley, Robert D. 2011. Constructions, functional heads, and comparative correlatives. In Olivier Bonami & Patricia Cabredo Hofherr (eds.), *Empirical issues in syntax and semantics*, vol. 8, 7–20. Paris: CNRS. <http://www.cssp.cnrs.fr/eiss8/borsley-eiss8.pdf> (23 August, 2018).
- Borsley, Robert D. & Berthold Crysmann. 2020. Unbounded dependencies. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-*

- Driven Phrase Structure Grammar: The handbook*, 515–569. Berlin: Language Science Press. DOI: ??.
- Borsley, Robert D. & Stefan Müller. 2020. HPSG and Minimalism. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 1203–1275. Berlin: Language Science Press. DOI: ??.
- Bouma, Gosse, Robert Malouf & Ivan A. Sag. 2001. Satisfying constraints on extraction and adjunction. *Natural Language & Linguistic Theory* 19(1). 1–65. DOI: [10.1023/A:1006473306778](https://doi.org/10.1023/A:1006473306778).
- Bresnan, Joan (ed.). 1982. *The mental representation of grammatical relations* (MIT Press Series on Cognitive Theory and Mental Representation). Cambridge, MA: MIT Press.
- Briscoe, Ted J. & Ann Copestake. 1999. Lexical rules in constraint-based grammar. *Computational Linguistics* 25(4). 487–526. <http://www.aclweb.org/anthology/J99-4002> (7 October, 2018).
- Chaves, Rui P. 2009. Construction-based cumulation and adjunct extraction. In Stefan Müller (ed.), *Proceedings of the 16th International Conference on Head-Driven Phrase Structure Grammar, University of Göttingen, Germany*, 47–67. Stanford, CA: CSLI Publications. <http://csli-publications.stanford.edu/HPSG/2009/> (25 February, 2018).
- Chaves, Rui P. 2014. On the disunity of right-node raising phenomena: Extraposition, ellipsis, and deletion. *Language* 90(4). 834–886. DOI: [10.1353/lan.2014.0081](https://doi.org/10.1353/lan.2014.0081).
- Chomsky, Noam. 1957. *Syntactic structures* (Janua Linguarum / Series Minor 4). The Hague: Mouton.
- Copestake, Ann. 2002. *Implementing typed feature structure grammars* (CSLI Lecture Notes 110). Stanford, CA: CSLI Publications.
- Copestake, Ann, Daniel P. Flickinger, Carl J. Pollard & Ivan A. Sag. 2005. Minimal Recursion Semantics: An introduction. *Research on Language and Computation* 3(2–3). 281–332. DOI: [10.1007/s11168-006-6327-9](https://doi.org/10.1007/s11168-006-6327-9).
- Crysmann, Berthold. 2020. Morphology. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 903–953. Berlin: Language Science Press. DOI: ??.
- Davis, Anthony & Jean-Pierre Koenig. 2020. The nature and role of the lexicon in HPSG. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 123–170. Berlin: Language Science Press. DOI: ??.

- De Kuthy, Kordula. 2020. Information structure. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 995–1031. Berlin: Language Science Press. DOI: ??.
- Donohue, Cathryn & Ivan A. Sag. 1999. Domains in Warlpiri. In *Sixth International Conference on HPSG–Abstracts. 04–06 August 1999*, 101–106. Edinburgh.
- Flickinger, Dan. 2000. On building a more efficient grammar by exploiting types. *Natural Language Engineering* 6(1). Special Issue on Efficient Processing with HPSG: Methods, Systems, Evaluation, 15–28. DOI: [10.1017/S1351324900002370](https://doi.org/10.1017/S1351324900002370).
- Flickinger, Dan, Carl Pollard & Tom Wasow. 2020. The evolution of HPSG. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 49–85. Berlin: Language Science Press. DOI: ??.
- Flickinger, Daniel P. 1987. *Lexical rules in the hierarchical lexicon*. Stanford University. (Doctoral dissertation).
- Flickinger, Daniel P., Carl J. Pollard & Thomas Wasow. 1985. Structure-sharing in lexical representation. In William C. Mann (ed.), *Proceedings of the Twenty-Third Annual Meeting of the Association for Computational Linguistics*, 262–267. Chicago, IL. DOI: [10.3115/981210.981242](https://doi.org/10.3115/981210.981242).
- Gazdar, Gerald, Ewan Klein, Geoffrey K. Pullum & Ivan A. Sag. 1985. *Generalized Phrase Structure Grammar*. Cambridge, MA: Harvard University Press.
- Ginzburg, Jonathan & Ivan A. Sag. 2000. *Interrogative investigations: The form, meaning, and use of English interrogatives* (CSLI Lecture Notes 123). Stanford, CA: CSLI Publications.
- Godard, Danièle & Pollet Samvelian. 2020. Complex predicates. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 401–467. Berlin: Language Science Press. DOI: ??.
- Goldberg, Adele E. 1995. *Constructions: A Construction Grammar approach to argument structure* (Cognitive Theory of Language and Culture). Chicago: The University of Chicago Press.
- Goldberg, Adele E. 2006. *Constructions at work: The nature of generalization in language* (Oxford Linguistics). Oxford: Oxford University Press.
- Hassamal, Shrita & Anne. Abeillé. 2014. Degree adverbs in Mauritian. In Stefan Müller (ed.), *Proceedings of the 21st International Conference on Head-Driven Phrase Structure Grammar, University at Buffalo*, 259–279. Stanford, CA: CSLI Publications. <http://cslipublications.stanford.edu/HPSG/2014/hassamal-abeille.pdf> (7 August, 2020).



- Höhle, Tilman N. 1999. An architecture for phonology. In Robert D. Borsley & Adam Przepiórkowski (eds.), *Slavic in Head-Driven Phrase Structure Grammar*, 61–90. Republished as [Höhle \(2018\)](#). Stanford, CA: CSLI Publications.
- Höhle, Tilman N. 2018. An architecture for phonology. In Stefan Müller, Marga Reis & Frank Richter (eds.), *Beiträge zur Grammatik des Deutschen: Gesammelte Schriften von Tilman N. Höhle* (Classics in Linguistics 5), 571–607. Originally published as [Höhle \(1999\)](#). Berlin: Language Science Press. DOI: [10.5281/zenodo.1145680](#).
- Jackendoff, Ray S. 1977.  *$\bar{X}$  syntax: A study of phrase structure*. Cambridge, MA: MIT Press.
- Karttunen, Lauri. 1986. *Radical lexicalism*. Report No. CSLI-86-68. Center for the Study of Language & Information.
- Kathol, Andreas. 2000. *Linear syntax*. New York, NY: Oxford University Press.
- Kathol, Andreas & Carl Pollard. 1995. Extraposition via complex domain formation. In Hans Uszkoreit (ed.), *33rd Annual Meeting of the Association for Computational Linguistics. Proceedings of the conference*, 174–180. Cambridge, MA: Association for Computational Linguistics. DOI: [10.3115/981658.981682](#).
- Kay, Paul & Charles J. Fillmore. 1999. Grammatical constructions and linguistic generalizations: The What’s X Doing Y? Construction. *Language* 75(1). 1–33.
- Kay, Paul & Laura A. Michaelis. 2017. A few words to do with multiword expressions. In Cleo Condoravdi & Tracy Holloway King (eds.), *Tokens of meaning: Papers in honor of Lauri Karttunen*, 87–118. Stanford, CA: CSLI Publications.
- Kim, Jong-Bok. 2020. Negation. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 777–811. Berlin: Language Science Press. DOI: [??](#).
- Kiss, Tibor. 2005. Semantic constraints on relative clause extraposition. *Natural Language & Linguistic Theory* 23(2). 281–334. DOI: [10.1007/s11049-003-1838-7](#).
- Koenig, Jean-Pierre. 1999. *Lexical relations* (Stanford Monographs in Linguistics). Stanford, CA: CSLI Publications.
- Koenig, Jean-Pierre & Frank Richter. 2020. Semantics. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 955–994. Berlin: Language Science Press. DOI: [??](#).
- Lascarides, Alex & Ann Copestake. 1999. Default representation in constraint-based frameworks. *Computational Linguistics* 25(1). 55–105.
- Levine, Robert D. 2003. Adjunct valents, cumulative scopings and impossible descriptions. In Jongbok Kim & Stephen Mark Wechsler (eds.), *The proceedings of the 9th International Conference on Head-Driven Phrase Structure Grammar*,

- 209–232. Stanford, CA: CSLI Publications. <http://csli-publications.stanford.edu/HPSG/3/> (25 September, 2018).
- Levine, Robert D. & Thomas E. Hukari. 2006. *The unity of unbounded dependency constructions* (CSLI Lecture Notes 166). Stanford, CA: CSLI Publications.
- Machicao y Priemer, Antonio & Stefan Müller. 2020. *NPs in German: Locality, theta roles, and prenominal genitives*. Ms. Humboldt Universität zu Berlin.
- Malouf, Robert. 2003. Cooperating constructions. In Elaine J. Francis & Laura A. Michaelis (eds.), *Mismatch: form-function incongruity and the architecture of grammar* (CSLI Lecture Notes 163), 403–424. Stanford, CA: CSLI Publications.
- Manning, Christopher D. & Ivan A. Sag. 1999. Dissociations between argument structure and grammatical relations. In Gert Webelhuth, Jean-Pierre Koenig & Andreas Kathol (eds.), *Lexical and Constructional aspects of linguistic explanation* (Studies in Constraint-Based Lexicalism 1), 63–78. Stanford, CA: CSLI Publications.
- Meurers, Walt Detmar. 2001. On expressing lexical generalizations in HPSG. *Nordic Journal of Linguistics* 24(2). 161–217.
- Michaelis, Laura A. & Knud Lambrecht. 1996. Toward a Construction-based theory of language function: The case of nominal extraposition. *Language* 72(2). 215–247. DOI: [10.2307/416650](https://doi.org/10.2307/416650).
- Miller, Philip H. & Ivan A. Sag. 1997. French clitic movement without clitics or movement. *Natural Language & Linguistic Theory* 15(3). 573–639.
- Monachesi, Paola. 2005. *The verbal complex in Romance: a case study in grammatical interfaces*. Oxford: Oxford University Press.
- Montague, Richard. 1974. *Formal philosophy: Selected papers of Richard Montague*. Richmond H. Thomason (ed.). Yale University Press.
- Müller, Stefan. 1996. The Babel-System: An HPSG fragment for German, a parser, and a dialogue component. In *Proceedings of the Fourth International Conference on the Practical Application of Prolog*, 263–277. London.
- Müller, Stefan. 2001. The passive as a lexical rule. In Dan Flickinger & Andreas Kathol (eds.), *The proceedings of the 7th International Conference on Head-Driven Phrase Structure Grammar: University of California, Berkeley, 22–23 July, 2000*, 247–266. CSLI Publications. <http://csli-publications.stanford.edu/HPSG/1/> (25 February, 2018).
- Müller, Stefan. 2014. Elliptical constructions, multiple frontings, and surface-based syntax. In Paola Monachesi, Gerhard Jäger, Gerald Penn & Shuly Wintner (eds.), *Proceedings of Formal Grammar 2004*, Nancy, 91–109. Stanford, CA: CSLI Publications.

- Müller, Stefan. 2015. The CoreGram project: Theoretical linguistics, theory development and verification. *Journal of Language Modelling* 3(1). 21–86. DOI: [10.15398/jlm.v3i1.91](https://doi.org/10.15398/jlm.v3i1.91).
- Müller, Stefan. 2016. *Grammatical theory: From Transformational Grammar to constraint-based approaches* (Textbooks in Language Sciences 1). Berlin: Language Science Press. DOI: [10.17169/langsci.b25.167](https://doi.org/10.17169/langsci.b25.167).
- Müller, Stefan. 2020a. Constituent order. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 355–399. Berlin: Language Science Press. DOI: ??.
- Müller, Stefan. 2020b. HPSG and Construction Grammar. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 1437–1490. Berlin: Language Science Press. DOI: ??.
- Müller, Stefan & António Branco. 2020. Anaphoric Binding. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 853–900. Berlin: Language Science Press. DOI: ??.
- Müller, Stefan & Walter Kasper. 2000. HPSG analysis of German. In Wolfgang Wahlster (ed.), *Verbmobil: foundations of speech-to-speech translation* (Artificial Intelligence), 238–253. Berlin: Springer Verlag.
- Müller, Stefan & Stephen Wechsler. 2014. Lexical approaches to argument structure. *Theoretical Linguistics* 40(1–2). 1–76. DOI: [10.1515/tl-2014-0001](https://doi.org/10.1515/tl-2014-0001).
- Oepen, Stephan, Daniel P. Flickinger, Kristina Toutanova & Christopher D. Manning. 2004. LinGO Redwoods: A rich and dynamic treebank for HPSG. *Research on Language and Computation* 2(4). 575–596.
- Pollard, Carl & Ivan A. Sag. 1987. *Information-based syntax and semantics* (CSLI Lecture Notes 13). Stanford, CA: CSLI Publications.
- Pollard, Carl & Ivan A. Sag. 1994. *Head-Driven Phrase Structure Grammar* (Studies in Contemporary Linguistics). Chicago: The University of Chicago Press.
- Postal, Paul M. 2003. (Virtually) conceptually necessary. *Journal of Linguistics* 39(3). 599–620. DOI: [10.1017/S0022226703002111](https://doi.org/10.1017/S0022226703002111).
- Przepiórkowski, Adam. 1999. On case assignment and “adjuncts as complements”. In Gert Webelhuth, Jean-Pierre Koenig & Andreas Kathol (eds.), *Lexical and Constructional aspects of linguistic explanation* (Studies in Constraint-Based Lexicalism 1), 231–245. Stanford, CA: CSLI Publications.
- Pullum, Geoffrey K. & Barbara C. Scholz. 2001. On the distinction between generative-enumerative and model-theoretic syntactic frameworks. In Philippe de Groote, Glyn Morrill & Christian Retor (eds.), *Logical Aspects of Computational*

- Linguistics: 4th International Conference* (Lecture Notes in Computer Science 2099), 17–43. Berlin: Springer Verlag. DOI: [10.1007/3-540-48199-0\\_2](https://doi.org/10.1007/3-540-48199-0_2).
- Reape, Mike. 1994. Domain union and word order variation in German. In John Nerbonne, Klaus Netter & Carl Pollard (eds.), *German in Head-Driven Phrase Structure Grammar* (CSLI Lecture Notes 46), 151–198. Stanford, CA: CSLI Publications.
- Richter, Frank. 2020. Formal background. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 87–122. Berlin: Language Science Press. DOI: ??.
- Richter, Frank & Manfred Sailer. 2004. Basic concepts of Lexical Resource Semantics. In Arnold Beckmann & Norbert Preining (eds.), *ESSLLI 2003 – Course material I* (Collegium Logicum 5), 87–143. Wien: Kurt Gödel Society.
- Richter, Frank & Manfred Sailer. 2009. Phraseological clauses as Constructions in HPSG. In Stefan Müller (ed.), *Proceedings of the 16th International Conference on Head-Driven Phrase Structure Grammar, University of Göttingen, Germany*, 297–317. Stanford, CA: CSLI Publications. <http://csli-publications.stanford.edu/HPSG/2009/> (25 February, 2018).
- Sag, Ivan A. 1997. English relative clause constructions. *Journal of Linguistics* 33(2). 431–484. DOI: [10.1017/S002222679700652X](https://doi.org/10.1017/S002222679700652X).
- Sag, Ivan A. 2007. Remarks on locality. In Stefan Müller (ed.), *Proceedings of the 14th International Conference on Head-Driven Phrase Structure Grammar*, 394–414. Stanford, CA: CSLI Publications. <http://csli-publications.stanford.edu/HPSG/2007/> (25 February, 2018).
- Sag, Ivan A. 2010. English filler-gap constructions. *Language* 86(3). 486–545.
- Sag, Ivan A. 2012. Sign-Based Construction Grammar: An informal synopsis. In Hans C. Boas & Ivan A. Sag (eds.), *Sign-Based Construction Grammar* (CSLI Lecture Notes 193), 69–202. Stanford, CA: CSLI Publications.
- Sag, Ivan A., Rui Chaves, Anne Abeillé, Bruno Estigarribia, Frank Van Eynde, Dan Flickinger, Paul Kay, Laura A. Michaelis-Cummings, Stefan Müller, Geoffrey K. Pullum & Tom Wasow. 2020. Lessons from the English auxiliary system. *Journal of Linguistics* 56(1). 87–155. DOI: [10.1017/S002222671800052X](https://doi.org/10.1017/S002222671800052X).
- Sag, Ivan A. & Janet Dean Fodor. 1994. Extraction without traces. In Raul Aronovich, William Byrne, Susanne Preuss & Martha Senturia (eds.), *Proceedings of the Thirteenth West Coast Conference on Formal Linguistics*, 365–384. Stanford, CA: CSLI Publications/SLA.
- Sag, Ivan A. & Thomas Wasow. 1999. *Syntactic theory: A formal introduction*. Stanford, CA: CSLI Publications.

- Sag, Ivan A. & Thomas Wasow. 2011. Performance-compatible competence grammar. In Robert D. Borsley & Kersti Börjars (eds.), *Non-transformational syntax: Formal and explicit models of grammar: A guide to current models*, 359–377. Oxford, UK/Cambridge, MA: Blackwell Publishers Ltd.
- Sag, Ivan A. & Thomas Wasow. 2015. Flexible processing and the design of grammar. *Journal of Psycholinguistic Research* 44(1). 47–63.
- Sag, Ivan A., Thomas Wasow & Emily M. Bender. 2003. *Syntactic theory: A formal introduction*. 2nd edn. (CSLI Lecture Notes 152). Stanford, CA: CSLI Publications.
- Sailer, Manfred. 2020. Idioms. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 743–775. Berlin: Language Science Press. DOI: ??.
- Steedman, Mark. 2000. *The syntactic process* (Language, Speech, and Communication). Cambridge, MA: MIT Press.
- Stump, Gregory T. 2001. *Inflectional morphology: A theory of paradigm structure* (Cambridge Studies in Linguistics 93). Cambridge University Press.
- Uszkoreit, Hans. 1986. Categorical Unification Grammars. In Makoto Nagao (ed.), *Proceedings of COLING 86*, 187–194. University of Bonn: Association for Computational Linguistics. <http://aclweb.org/anthology/C86-1045> (25 February, 2018).
- Van Eynde, Frank. 1998. The immediate dominance schemata of HPSG. In Peter-Arno Coppen, Hans van Halteren & Lisanne Teunissen (eds.), *Computational Linguistics in the Netherlands 1997*, 119–133. Amsterdam/Atlanta: Rodopi.
- Van Eynde, Frank. 2020. Nominal structures. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 263–302. Berlin: Language Science Press. DOI: ??.
- Walther, Markus. 1999. *Deklarative prosodische Morphologie: Constraint-basierte Analysen und Computermodelle zum Finnischen und Tigrinya* (Linguistische Arbeiten 399). Tübingen: Max Niemeyer Verlag.
- Wasow, Tom. 2020. Processing. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 1035–1056. Berlin: Language Science Press. DOI: ??.
- Wechsler, Stephen & Ash Asudeh. 2020. HPSG and Lexical Functional Grammar. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 1339–1389. Berlin: Language Science Press. DOI: ??.
- Wechsler, Stephen, Jean-Pierre Koenig & Anthony Davis. 2020. Argument structure and linking. In Stefan Müller, Anne Abeillé, Robert D. Borsley & Jean-

Pierre Koenig (eds.), *Head-Driven Phrase Structure Grammar: The handbook*, 303–353. Berlin: Language Science Press. DOI: [??](#).