

## Moralife Use Case - Template

- 1 **Description** - <Brief description of process to be completed.>
- 2 **Actors** - <Description of actor interacting with system. Can be anything that exhibits behavior.>
- 3 **Conditions** - <System States in which the system can reside.>
  - 3.1 **Pre-conditions** - <System state necessary before use case begins.>
  - 3.2 **Post-conditions** - <System state achieved with successful completion of use case.>
  - 3.3 **Fail-conditions** - <Things to avoid for successful completion of use case.>
- 4 **Flow of Events** - <Brief description of standard process for successful completion of use case.>

| Step | Actor        | Action               |
|------|--------------|----------------------|
| 1    | <actor name> | <Action description> |

- 4.1 **Main Flows** - <Detailed description of standard process for successful completion of use case.>
  - 4.2 **Sub Flows** - <Extensions outside of a normal process completion.>
  - 4.3 **Exception Handling** - <Incompatible data entry or system states.>
- 5 **Requirements** - <Objects and processes required for successful completion of use case.>
  - 5.1 **Data Fields** - <Description of fields to be entered and their properties.>

| Field             | Validation                                      |
|-------------------|---|
| <Field Name/Type> | <Form required by system for successful entry.> |

- 5.2 **Business Rules** - <Rules which dictate correctly formatted requests and responses.>

|                                       |  |
|---------------------------------------|--|
| <b>Business Rule</b>                  | <Number and name of business rule.>                  |
| <b>Field(s)<br/>Optional/Required</b> | <Data required by system for successful completion.> |
| <b>Rule Operation</b>                 | <Specifics of rule.>                                 |