KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI MALANG
JURUSAN TEKNOLOGI INFORMASI
Jl. Soekarno Hatta No. 9, Jatimulyo, Lowokwaru, Malang 65141
Telp. (0341) 404424 – 404425, Fax (0341) 404420
https://jti.polinema.ac.id

Mata Kuliah	:	PWL
Program Studi	:	D4 – Teknik Informatika
Semester	:	4

Kelas	:	TI - 2D
NIM	:	244107020207
Nama	:	Adam Bahy Maulana
Jobsheet Ke-	:	2 - Filament

Laporan Jobsheet

Praktikum Ke-1

Langkah	Jawaban/Deskripsi
1	
2	PS C:\laragon\www\PraktikumPWL> php artisan make:filament-resource User The "title attribute" is used to label each record in the UI. You can leave this blank if records do not have a title. What is the title attribute for this model? ❯ name Would you like to generate a read-only view page for the resource? (yes/no) [no] ❯ no Should the configuration be generated from the current database columns? (yes/no) [no] ❯ no INFO Filament resource [App\Filament\Resources\Users\UserResource] created successfully.

3	 127.0.0.1:8000/admin/users Search A Users New user Edit Edit Per page 10

4	

127.0.0.1:8000/admin/users/c...
Search
A
Create User
Name*
Adam
Email*
adam@gmail.com
Password*
Create
Create & create another
Cancel
3 3 Adam adam@gmail.com [NULL] $2y$12$Oupj5kMz0Bg1IkxUdnh49eGpu

5	
6	

Praktikum Ke-2

Langkah	Jawaban/Deskripsi
1	**1. Mengapa CRUD Filament Cepat?**

	Filament menggunakan sistem "Schema Driven", di mana UI (tabel dan form) dihasilkan secara otomatis berdasarkan definisi komponen PHP yang kamu tulis, tanpa perlu membuat file HTML/Blade satu per satu.
2	**Form vs. Table Schema** • **Form Schema: Mengatur tampilan dan input data (seperti `TextInput` atau `Select`) saat kamu menambah atau mengedit data.** • **Table Schema: Mengatur tampilan daftar data (seperti `TextColumn` atau `IconColumn`) yang muncul pada halaman indeks/list.**
3	**Validasi Email Unik** **Cukup tambahkan *method* `unique()` pada komponen email dengan parameter modelnya, misalnya: `TextInput::make('email')->email()->required()->unique(ignoreRecord: true)`.**
4	**Hash Password Otomatis** **Sejak Laravel 10 dan Filament terbaru, jika kamu menggunakan model `User` bawaan, Laravel sudah menangani *hashing* otomatis melalui Attribute Casts (`'password' => 'hashed'`) di dalam file Model.**

Soal Praktikum

Langkah	Jawaban/Deskripsi

1	 TextInput::make(name: 'email') →email() →required() →unique() →maxLength(length: 255), TextInput::make(name: 'password') →password() →minLength(length: 6) →required(),
2	 Properties Data Diagram Enter a SQL expression to filter results (use Ctrl+Space) email_verified_at password remember_token created_at updated_at 2026-03-05 03:28:03.000 2026-03-05 03:34:37.000 2026-03-05 03:56:40.000 Refresh Save Cancel Export data
3	 Users