# Latex Symbols Template

Short symbol commands for  $\LaTeX$ 

version: 2.0.08

Arindam Bose

January 6, 2020

### ${\bf Contents}$

1	Installation and usage:	3
2	Packages used:	3
3	Available environments:	3
4	Extras in algorithms:	3
5	Tables of usage:  5.1 Lower case bold English alphabets  5.2 Upper case bold English alphabets  5.3 Bold Greek alphabets  5.4 Mathbf lower case English alphabets  5.5 Mathbf upper case English alphabets  5.6 Caligraphy upper case English alphabets  5.7 Numbers  5.8 Sets and notations  5.9 Matrix terms  5.10 Misc.  5.11 Basic text colors  5.12 Special colors that comes with [dvipsnames] option in xcolor package	
6	Theorem-like environments           6.1 Theorems            6.2 Definitions            6.3 Propositions            6.4 Lemmas            6.5 Corollaries            6.6 Examples            6.7 Remarks            6.8 Subsec	7 7 7 7 7 8
7	Algorithm	9
8	Underbrace inside a matrix environment	11

#### 1 Installation and usage:

- 1. Download the symbols.tex file and put is in the same folder as that of the main .tex file.
- 2. Add \input{symbols.tex} after all \usepackage{} headers in the main .tex file.
- 3. Refer to test.tex and test.pdf for further help.

#### 2 Packages used:

Thanks to these packages. They are all included and no need to include them manually. Other packages might have issues with it.

- 1. algorithm
- 2. amsmath
- 3. amsthm
- 4. amssymb
- 5. dsfont
- 6. algpseudocode
- 7. thmtools
- 8. xcolor

#### 3 Available environments:

- 1. Theorem
- 2. Definition
- 3. Proposition
- 4. Lemma
- 5. Corollary
- 6. Example
- 7. Remark
- 8. subsec

See Section 6 for usage information.

### 4 Extras in algorithms:

If you use algorithmic inside algorithm environment,

- 1. All the following introductory commands are valid
  - using \Require will result into Require:
  - using \Ensure will result into Ensure:
  - using \Input will result into Input:
  - using \Init will result into Initialize:
  - using \Output will result into Output:
- 2. \Print and \To commands are compatible with required packages

See Section 7 for usage information.

## 5 Tables of usage:

### 5.1 Lower case bold English alphabets

Syntax	Description	Syntax	Description	Syntax	Description	Syntax	Description
\ba	a	\bb	b	\bc	c	\bd	d
\be	e	\bdf	$\mid f \mid$	\bg	$\mid g \mid$	\bh	h
\bi	$\mid i \mid$	\bj	$\mid j \mid$	\bk	k	\bl	l
\bm	$\mid m \mid$	\bn	$\mid n \mid$	\bo	o	\bp	$\mid p \mid$
\bq	$\mid q \mid$	\br	r	\bs	s	\bt	$\mid t \mid$
\bu	$\mid u \mid$	\bv	v	\bw	w	\bx	x
\by	$\mid y \mid$	\bz	z				

### 5.2 Upper case bold English alphabets

Syntax	Description	Syntax	Description	Syntax	Description	Syntax	Description
\bA	$\boldsymbol{A}$	\bB	B	\bC	C	\bD	D
\bE	$oldsymbol{E}$	\bF	F	\bG	G	\bH	H
\bI	I	\bJ	J	\bK	K	\bL	$oxed{L}$
\bM	M	\bN	N	\b0	o	\bP	P
\bQ	Q	\bR	$\mid R \mid$	\bS	S	\bT	$\mid T \mid$
\bU	$oldsymbol{U}$	\bV	$\mid V \mid$	/bW	W	\bX	X
\bY	Y	\bZ	Z				

### 5.3 Bold Greek alphabets

Syntax	Description	Syntax	Description	Syntax	Description
\balpha	$\alpha$	\bbeta	$\beta$	\bgamma	$\gamma$
\bGamma	$oldsymbol{\Gamma}$	\bdelta	$\delta$	\bDelta	$\Delta$
\bepsilon	$\epsilon$	\bvarepsilon	$\varepsilon$	\bzeta	ζ
\bdeta	$\eta$	\btheta	$\theta$	\bvartheta	$\vartheta$
\bTheta	Θ	\biota	ι	\bkappa	$\kappa$
\blambda	$\lambda$	\bLambda	Λ	\bmu	$\mid \mu \mid$
\bnu	u	\bxi	ξ	\bXi	Ξ
\bpi	$\pi$	\bPi	П	\brho	$\rho$
\bvarrho	$\varrho$	\bsigma	$\sigma$	\bSigma	$\Sigma$
\btau	au	\bupsilon	$\mid v \mid$	\bUpsilon	Υ
\bphi	$\phi$	\bvarphi	$\mid arphi \mid$	\bPhi	Φ
\bchi	$\chi$	\bpsi	$\mid \psi \mid$	\bPsi	$\Psi$
\bomega	$\omega$	\b0mega	Ω		

### 5.4 Mathbf lower case English alphabets

Syntax	Description	Syntax	Description	Syntax	Description	Syntax	Description
\mba	a	\mbb	b	\mbc	c	\mbd	d
\mbe	e	\mbf	f	\mbg	g	\mbh	h
\mbi	i	\mbj	j	\mbk	k	\mbl	1
\mbm	m	\mbn	$\mathbf{n}$	\mbo	o	\mbp	p
\mbq	$\mathbf{q}$	\mbr	r	\mbs	s	\mbt	t
\mbu	u	\mbv	$\mathbf{v}$	\mbw	$\mathbf{w}$	\mbx	x
\mby	$\mathbf{y}$	\mbz	$\mathbf{z}$				

### 5.5 Mathbf upper case English alphabets

Syntax	Description	Syntax	Description	Syntax	Description	Syntax	Description
\mbA	A	\mbB	В	\mbC	C	\mbD	D
\mbE	$\mathbf{E}$	\mbF	$\mathbf{F}$	\mbG	$\mathbf{G}$	\mbH	H
\mbI	I	\mbJ	J	\mbK	K	\mbL	$\mathbf{L}$
\mbM	$\mathbf{M}$	\mbN	N	\mb0	О	\mbP	P
\mbQ	$\mathbf{Q}$	\mbR	$\mathbf{R}$	\mbS	$\mathbf{S}$	\mbT	$\mathbf{T}$
\mbU	U	\mbV	$ \mathbf{V} $	\mbW	$\mathbf{W}$	\mbX	X
\mbY	Y	\mbZ	$\mathbf{Z}$				

### 5.6 Caligraphy upper case English alphabets

Syntax	Description	Syntax	Description	Syntax	Description	Syntax	Description
\calA	$\mathcal{A}$	\calB	$\mathcal{B}$	\calC	$\mathcal{C}$	\calD	$\mathcal{D}$
\calE	$\mathcal{E}$	\calF	$\mathcal{F}$	\calG	$\mathcal G$	\calH	$\mathcal{H}$
\calI	$\mathcal{I}$	\calJ	$\mid \mathcal{J} \mid$	\calK	$\mathcal{K}$	\calL	$\mathcal{L}$
\calM	$\mathcal{M}$	\calN	$\mathcal{N}$	\cal0	O	\calP	$\mathcal{P}$
\calQ	Q	\calR	$\mathcal{R}$	\calS	$\mathcal S$	\calT	$\mid \mathcal{T} \mid$
\calU	$\mathcal{U}$	\calV	$\mid \mathcal{V} \mid$	\calW	$\mathcal{W}$	\calX	$\mathcal{X}$
\calY	$\mathcal{Y}$	\calZ	$\mathcal{Z}$				

### 5.7 Numbers

Syntax	Description	Syntax	Description
\bzero	0	\bone	1

### 5.8 Sets and notations

Syntax	Description	Syntax	Description	Syntax	Description
\binaryB{N}	$\mathbb{B}^N$	\complexC{N}	$\mathbb{C}^N$	\expecE{\bx}	$\mathbb{E}\left\{oldsymbol{x} ight\}$
\naturalN{N}	$\mathbb{N}^N$	\probP{\bx}	$\Pr\left\{oldsymbol{x} ight\}$	\rationalQ{N}	$\mathbb{Q}^N$
$\realR{N}$	$\mathbb{R}^N$	$\realRp{N}$	$\mathbb{R}^N_+$	$\realRn{N}$	$\mathbb{R}^N$
\integerZ{N}	$\mathbb{Z}^N$				

#### 5.9 Matrix terms

Syntax	Description	Syntax	Description	Syntax	Description
\tr{X}	$\operatorname{Tr}(X)$	\vec{X}	$\operatorname{vec}(X)$	\diag{X}	$\operatorname{diag}\left(X\right)$
\Diag{\bx}	$\operatorname{Diag}\left(oldsymbol{x} ight)$	\bdiag{X}	$\mathbf{diag}\left(X\right)$	\cov{\bx}	$cov(\boldsymbol{x})$
\Cov{X}	Cov(X)	\bcov{\bx}	$\mathbf{cov}\left(oldsymbol{x} ight)$		

### 5.10 Misc.

Syntax	Description	Syntax	Description	Syntax	Description
$\asin{x}$	$\sin^{-1}(x)$	\acos{x}	$\cos^{-1}(x)$	$\lambda x$	$\tan^{-1}(x)$
\acsc{x}	$\csc^{-1}(x)$	$\acksim x$	$\sec^{-1}(x)$	$\acot{x}$	$\cot^{-1}(x)$
\implies	$\Rightarrow$	\half	$\frac{1}{2}$	\roothalf	$\frac{1}{\sqrt{2}}$
\third	$\frac{1}{3}$	\quarter	$\frac{1}{4}$	\fourth	$e^{j\omega}$
\fifth	$\frac{1}{5}$	\threequarter	$\frac{3}{4}$	\ejomg	$e^{j\omega}$
\ejnomg	$e^{-j\omega}$	\zinv	$z^{-1}$	$sgn{x}$	$\operatorname{sgn}(x)$
\sign{x}	sign(x)	\csign{x}	$\operatorname{csign}(x)$	X\deg	$X^{\circ}$
\Oh{N}	$\mathcal{O}\left(N ight)$	$\oh{N}$	o(N)	\st	s.t.
\ow	otherwise	\ew	elsewhere	\eg	e.g.
\ie	i.e.	\etal	et al.	\etc	etc.
\viz	viz.	\d{y}	dy		

### 5.11 Basic text colors

Syntax	Description	Syntax	Description	Syntax	Description
\white{text}		\black{text}	text	\red{text}	text
\green{text}	text	\blue{text}	text	\cyan{text}	text
\magenta{text}	text	\yellow{text}	text		

### 5.12 Special colors that comes with [dvipsnames] option in xcolor package

Syntax	Description	Syntax	Description	Syntax	Description
\Apricot{text}	text	\Aquamarine{text}	text	\Bittersweet{text}	text
\Black{text}	text	\Blue{text}	text	\BlueGreen{text}	text
\BlueViolet{text}	text	\BrickRed{text}	text	\Brown{text}	text
\BurntOrange{text}	text	\CadetBlue{text}	text	\CarnationPink{text}	text
\Cerulean{text}	text	\CornflowerBlue{text}	text	\Cyan{text}	text
\Dandelion{text}	text	\DarkOrchid{text}	text	\Emerald{text}	text
\ForestGreen{text}	text	\Fuchsia{text}	text	\Goldenrod{text}	text
\Gray{text}	text	\Green{text}	text	\GreenYellow{text}	text
\JungleGreen{text}	text	\Lavender{text}	text	\LimeGreen{text}	text
\Magenta{text}	text	\Mahogany{text}	text	\Maroon{text}	text
\Melon{text}	text	$\MidnightBlue{text}$	text	\Mulberry{text}	text
\NavyBlue{text}	text	\OliveGreen{text}	text	\Orange{text}	text
\OrangeRed{text}	text	\Orchid{text}	text	\Peach{text}	text
\Periwinkle{text}	text	\PineGreen{text}	text	\Plum{text}	text
\ProcessBlue{text}	text	\Purple{text}	text	\RawSienna{text}	text
\Red{text}	text	\RedOrange{text}	text	\RedViolet{text}	text
\Rhodamine{text}	text	$\RoyalBlue{text}$	text	\RoyalPurple{text}	text
\RubineRed{text}	text	\Salmon{text}	text	\SeaGreen{text}	text
\Sepia{text}	text	\SkyBlue{text}	text	\SpringGreen{text}	text
\Tan{text}	text	\TealBlue{text}	text	\Thistle{text}	text
\Turquoise{text}	text	\Violet{text}	text	$\VioletRed{text}$	text
\White{text}		\WildStrawberry{text}	text	\Yellow{text}	text
\YellowGreen{text}	text	\YellowOrange{text}	text		

#### 6 Theorem-like environments

#### 6.1 Theorems

```
\begin{theorem}\label{thm:1}
    \mylipsum
\end{theorem}
```

**Theorem 1.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### 6.2 Definitions

```
\begin{definition}\label{def:1}
   \mylipsum
\end{definition}
```

**Definition 1.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### 6.3 Propositions

```
\begin{proposition}\label{prop:1}
    \mylipsum
\end{proposition}
```

**Proposition 1.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### 6.4 Lemmas

```
\begin{lemma}\label{lem:1}
    \mylipsum
\end{lemma}
```

**Lemma 1.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### 6.5 Corollaries

```
\begin{corollary}\label{cor:1}
    \mylipsum
\end{corollary}
```

Corollary 1. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### 6.6 Examples

```
\begin{example}\label{exm:1}
   \mylipsum
\end{example}
```

**Example 1.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### 6.7 Remarks

\begin{remark}\label{rem:1}
 \mylipsum
\end{remark}

Remark 1. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent luctus sem nibh, et venenatis mauris aliquet et. Sed velit nisl.

#### Referencing

Lorem ipsum dolor sit amet \underline{Theorem \ref{thm:1}}, consectetur adipiscing

elit. In vel orci id est porta laoreet at non nisl. Pellentesque habitant morbi

tristique senectus et netus et malesuada fames ac turpis egestas

\underline{Definition \ref{def:1}}. Maecenas posuere augue nec turpis pretium

faucibus \underline{Proposition \ref{prop:1}}. Pellentesque dui massa, facilisis

eu placerat sit amet, tincidunt sit amet nisl. In pellentesque molestie ipsum at

dictum \underline{Lemma \ref{lem:1}}. Curabitur libero metus, eleifend porta

finibus eu, sagittis nec lorem. Maecenas ante quam, faucibus cursus erat vel,

accumsan dictum eros \underline{Corollary \ref{cor:1}}. Quisque commodo libero

quis enim laoreet congue. Quisque sed egestas quam. In posuere malesuada mollis

\underline{Example \ref{exm:1}}.

Lorem ipsum dolor sit amet <u>Theorem 1</u>, consectetur adipiscing elit. In vel orci id est porta laoreet at non nisl. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas <u>Definition 1</u>. Maecenas posuere augue nec turpis pretium faucibus <u>Proposition 1</u>. Pellentesque dui massa, facilisis eu placerat sit amet, tincidunt sit amet nisl. In pellentesque molestie ipsum at dictum <u>Lemma 1</u>. Curabitur libero metus, eleifend porta finibus eu, sagittis nec lorem. Maecenas ante quam, faucibus cursus erat vel, accumsan dictum eros <u>Corollary 1</u>. Quisque commodo libero quis enim laoreet congue. Quisque sed egestas quam <u>Remark 1</u>. In posuere malesuada mollis Example 1.

#### 6.8 Subsec

The following is an example of a subsec. It is like a subsection but do not create any new numbering. It just creates a new paragraph with the argument as the title of the paragraph. Some texts are required before calling the subsec command as it always invokes a newline.

Example does this.

\subsec{Example} does this.

### 7 Algorithm

```
\begin{algorithm}[H]
    \caption{\textsc{ExampleAlgorithm}}\label{alg:1}
    \begin{algorithmic}[1]
        \Require \texttt{var1}, \texttt{var2}, $N$
        \Ensure \texttt{var1} $\gets$ 1, \texttt{var2} $\gets$ 1, \texttt{flag} $\gets$ 0
        \Input \texttt{var1}, \texttt{var2}, $N$
        \Init \texttt{var1} $\gets$ 1, \texttt{var2} $\gets$ 1, \texttt{flag} $\gets$ 0
        \Output \texttt{var3}
        \Comment All five commands are equally valid
        \Repeat \Comment{Example: \texttt{repeat}}
            \State \textsc{SomeSteps}
        \Until \textsc{SomeConditionIsMet}
        \For{\$i=0\$ \To \$10\$} \Comment{Example: \texttt{for} loop}
            \State \textsc{SomeStepsForLoop}
        \EndFor
        \While{\texttt{flag}} \Comment{Example: \texttt{while} loop}
            \State \texttt{var1} $\gets$ \textsc{DoSomeShit}
            \State \texttt{var2} $\gets$ \textsc{DoSomeMoreShit}
        \EndWhile
        \Loop \Comment{Example: \texttt{loop}}
            \State \textsc{SomeInfiniteLoopStuff}
        \EndLoop
        \If{\texttt{var1} $< N$}\Comment{Example: \texttt{if-else if- else}}
            \State \texttt{flag} $\gets 1$
        \ElsIf{\texttt{var1} $= N$}
            \State \texttt{flag} $\gets 0$
        \Else
            \State \texttt{var3} $\gets$ \texttt{var1} $+$ \texttt{var2}
        \EndIf
        \State \Print{some results}
        \State \Return \texttt{var3}
    \end{algorithmic}
\end{algorithm}
```

#### Algorithm 1 EXAMPLEALGORITHM

```
Require: var1, var2, N
Ensure: var1 \leftarrow 1, var2 \leftarrow 1, flag \leftarrow 0
Input: var1, var2, N
Initialize: var1 \leftarrow 1, var2 \leftarrow 1, flag \leftarrow 0
Output: var3
                                                                                         \triangleright All five commands are equally valid
 1: repeat
                                                                                                              \triangleright Example: repeat
        SOMESTEPS
 3: until SomeConditionIsMet
 4: for i = 0 to 10 do
                                                                                                            ▷ Example: for loop
        SOMESTEPSFORLOOP
 6: end for
 7: while flag do

ightharpoonup Example: while loop
        \mathtt{var1} \leftarrow \mathrm{DoSomeShit}
        var2 \leftarrow DoSomeMoreShit
 9:
10: end while
11: loop
                                                                                                                 ▷ Example: loop
        {\bf Some Infinite Loop Stuff}
12:
13: end loop
14: if var1 < N then
                                                                                                ▷ Example: if-else if- else
        flag \leftarrow 1
15:
16: else if var1 = N then
        \texttt{flag} \leftarrow 0
17:
18: else
19:
        \mathtt{var3} \leftarrow \mathtt{var1} + \mathtt{var2}
20: end if
21: print some results
22: return var3
```

### 8 Underbrace inside a matrix environment

Short usage:  $\displaystyle \max\{arg1\}\{arg2\}$  For example:

$$oldsymbol{J}_k = egin{bmatrix} 0 & \dots & 0 & 1 & \dots & 0 \ dots & & & \ddots & & \ 0 & \dots & 0 & \dots & & \ \end{pmatrix}$$

Code:

```
\begin{align*}
\bJ_k =
   \begin{bmatrix}
                   & \dots & 0
                                 & 1
                                       & \dots & 0 \\
                                       & \ddots & \\
      \vdots
                   & &
                                 &
                                          & 1 \\
                                &
      \undermat{0
                   & \dots & 0}{k} & \dots &
                                               & \\
   \end{bmatrix}
\end{align*}
```