Patchy An Alternative to Monkey Patching

Adam Johnson - me@adamj.eu

20 September 2015

Monkey-patching

Modifying objects defined in another module:

Monkey-patching

- Who has written a monkey patch?
- ► Who has worked on codebase that relied on monkey patching somewhere?



Situation at YPlan

- A few monkey-patches on Django to customize things not designed for customization
- e.g. changing admin class history_view, a 35 line function, by 1 line:

```
def history_view(self, request, obj_id, context=None):
   # First check if the user can see this history.
    model = self.model
    obj = get_object_or_404 (model, pk=unquote(obj_id))
   # Changed from 'self.has_change_permission':
    if not self.has_view_permission(request, obj):
        raise Permission Denied
   # ... 30 more lines
from django.contrib.admin import ModelAdmin
ModelAdmin.history_view = history_view
```

Introducing Patchy

► Patch the source of python functions at runtime (not monkey-patching - actual patch-patching)




Patchy

Actual patch-patching:

```
>>> def sample():
   return 1
>>> sample()
>>> patchy.patch(sample,
   00 -1,2 +1,2 00
    def sample():
      return 1
     + return 9001
>>> sample()
9001
```

Patchy

► People like 'whut?'



Admin patch

```
from django.contrib.admin.options import ModelAdmin
patchy.patch (ModelAdmin.history_view, """\
00 -5.7 +5.7 = 00 \text{ def history_view(self, request, object_i} 
     model = self.model
     obj = get_object_or_404 (self.get_queryset (request),
     if not self.has_change_permission(request, obj):
   if not self.has_view_permission(request, obj):
         raise Permission Denied
     # Then get the history for this object.
11 11 11
```

- Expresses the change in code rather than a comment
- More robust only the lines around the change are needed

How it work?



Magic.

Thank you



- ▶ github.com/adamchainz/patchy
- ► me@adamj.eu