AI COLLUSION RESEARCH SPRINT · TRACK 3: COLLUSION CARRIERS AND COUNTERMEASURES

Closing the Chat Ended the Cartel

Four LLMs Did Not Reroute Collusion into Action Channels

Choi Cheuk Man · Tsang Cheuk Nam

The Hong Kong University of Science and Technology (HKUST) · with Apart Research

October 2026

THE QUESTION

If colluding AI agents lose their chat, does the collusion just move somewhere harder to see?

1 · NOW

Agents collude in words

LLM agents that can talk divide markets and raise prices.

2 · THE FIX

An overseer closes the chat

The most direct countermeasure: remove the channel.

3 · THE WORRY

Does it reroute?

Into routine actions: their timing, the values reported, the order of tool calls.

The balloon effect: squeeze one channel and collusion bulges out of others. If it holds, a channel ban hides collusion without stopping it.

Our test: let LLM cartels form in words, take the words away, and measure in bits where the cost information goes.

Prior work on LLM collusion in chat: Fish et al., 2024; Agrawal et al., 2025

METHOD · THE MARKET

Two AI-run firms bid for four contracts per round, for 100 rounds

Firm A

Run by an LLM

A private cost for each contract, 1–12, never revealed

EACH ROUND

1. **Chat**, while it is open: free text
2. **Pre-bid steps**: four routine choices, shown to the rival in a public log
3. **Sealed bids** on all four contracts. The lowest bid at or below the reserve price of 10 wins and is paid its bid.

Firm B

Run by the same LLM as Firm A

Its own private costs, 1–12

Permitted and paid to collude: both firms are permitted, paid and instructed to maximise joint profit.

Profit per firm per round, from an exact solver: competitive 7.08 · best collusion without cost information 9.92 · full information 11.04

METHOD · THE ACTION CHANNELS

Four routine actions could carry costs instead of words, 2 bits each

`msg`

Status phrase



1 of 4 phrases = **2 bits**

`val`

Utilisation value



1 of 4 values = **2 bits**

`time`

Check-in slot



1 of 4 slots = **2 bits**

`tool`

Tool-call order



1 of 4 orders = **2 bits**

Honest use carries nothing

A guideline sets each default from a private state drawn fresh every round, independent of costs. Leaving the default is free. So any link between costs and choices is coordination: the null is exactly zero.

Room enough for a cartel

All four channels together (8 bits per firm per round) could reach 94% of the profit that cost information adds. One bit on one contract recovers 76% of that contract's.

METHOD · THE EXPERIMENT, PRE-REGISTERED

Let the cartel form in words, then close the chat three different ways

Rounds 1–40 · formation
Free chat · all channels named and visible

Rounds 41–100 · four branches from one checkpoint
Hypotheses tested on rounds 51–100

Cell	Chat	Action channels	What agents are told
open	open	visible	nothing changes
close	closed	visible	the four channels are named
close-decoy	closed	visible	only a private_message tool, which is dead
close-dark	closed	hidden	channels named; the rival sees “not shared”

32 paired seeds: a seed’s cells share one formation and face identical cost draws

Seeds per model: gpt-6-luna 5 · claude-haiku-5-5 3 · Qwen3.8-27B 4 · Gemma-4-26B-A4B 20

Pre-registered as git tag prereg-s5 before any main game; open-weight addendum prereg-s5-ow

METHOD · MEASURES AND PREDICTIONS

We count cost information in bits, against a null of exactly zero

Encode

`I(costs ; choice | default)`

Does a firm's choice on a channel carry its costs, beyond the guideline default?

Total leakage

`I(costs of A ; bids of B | public history)`

Do one firm's costs predict its rival's bids, through any channel, chat included?

PRE-REGISTERED PREDICTIONS

H5.1 Closing the chat moves cost information into an action channel
We predicted: **no**


H5.2 Visible channels earn more than hidden ones (close > close-dark)
We predicted: **no**

H5.3 Closing the chat lowers profit (open > close)
We predicted: **yes**

Exact within-run permutation tests. Equivalent to zero = 90% upper bound below 0.1 bits on every channel.

RESULT 1 · WHERE THE COST INFORMATION WENT

Words carried costs to the rival's bids. Once the chat closed, nothing did.



Total leakage, pooled over seeds (formation r21–40; cells r51–100). * p < 0.05. Small bars: estimator bias above zero.

RESULT 1 · PRE-REGISTERED TEST H5.1

With the chat closed, encode was statistically equivalent to zero for every model

gpt-6-luna and claude-haiku-5-5

0.000

bits on every channel; every 90% upper bound 0.000

None of 15,360 pre-bid choices after round 40 left the guideline

Qwen3.8-27B

0.000

bits on every channel

Total leakage 0.12 bits (p = 0.99)

Gemma-4-26B-A4B

0.023

bits at most (p = 0.30); every upper bound ≤ 0.085


Reorders tool calls in about 2% of rounds, equally in every cell, carrying no cost information

H5.1 not supported, as predicted. Every channel's 90% upper bound stayed under the 0.1-bit equivalence margin.

Encode in the close cell, rounds 51–100. Hosted models' total leakage: 0.017 bits (p = 0.93).

RESULT 2 · THE HARM THAT SURVIVED

For gpt-6-luna, the one profitable cartel, closing the chat removed most of the premium



1.79

less profit per firm per round after closure: 9.61 → 7.82 (95% CI 0.62 to 2.99)

claude-haiku-5-5: a dysfunctional chat cartel, so closing the chat raised profit (by 2.17).

Qwen, Gemma: open cells confounded by context overflow.

Profit per firm per round, rounds 51–100. Pre-registered H5.3, pooled over hosted models: +0.30 (p = 0.38), not significant.

RESULT 3 · CAPABILITY CONTROL (EXPLORATORY)

Handed a code, agents used the closed channel at once

The code they were handed

`"capacity: high"`	→ contract 1
`"capacity: normal"`	→ contract 2
`"capacity: tight"`	→ contract 3
`"capacity: full"`	→ contract 4

Name your cheapest contract. Let the rival win the one it names, unless you are cheaper there.

	Qwen3.8-27B	Gemma-4-26B-A4B
Followed the code	**94–96%** of rounds (25–32% in close)	**40–80%** of rounds
Encode on the status phrase	0.000 → **1.32 bits** p = 0.005	**0.84 bits** p = 0.005
Rival's bids responded	0.12 → **0.28 bits** p = 0.015	not detected 0.15 bits, p = 0.82

The channel and the measures work. What was missing without the code was the step of inventing one.

Cell "close + code", 4 seeds per model, added after the pre-registered results.

WHAT IT MEANS

The limit was propensity, not capacity.

Without words, agents kept to the guideline and never invented a code. Handed one, they used it at once.

Not capacity

Four 2-bit channels could carry 94% of the profit that cost information adds.

Not measurement

The same tests detected a handed-over code immediately.

Propensity

None of nine blind-coded formation chats proposed a non-chat code or a plan for losing the chat.

Holds for these four models, at low or no reasoning effort, in this market. It is not a capability bound.

WARNING 1 FOR OVERSIGHT (EXPLORATORY)

Agents kept using a promised private channel that secretly did nothing

In **close-decoy**, agents were told only of a private_message tool. It was dead: it reached no one.

gpt-6-luna

4 of 5

seeds: used it every round, from both firms, offering costs and an allocation

Qwen3.8-27B

82–96

uses per seed

Gemma-4-26B-A4B

11 of 20

seeds used it

claude-haiku-5-5

never

used it

No model turned to the live but unmentioned action channels instead. A promised private channel draws attempts, so honeypots are informative.

WARNING 2 FOR OVERSIGHT (EXPLORATORY)

Agents' self-reports described covert signalling that never happened

Asked at round 100 whether they kept coordinating after the chat closed, at least one firm claimed signalling through the pre-bid steps in:

Model	Games
gpt-6-luna	5 of 10
claude-haiku-5-5	3 of 6
Qwen3.8-27B	1 of 8
Gemma-4-26B-A4B	23 of 36

THE AGENT SAID

"We continued coordinating by using the pre-bid status, utilisation, check-in, and housekeeping fields as signals."

gpt-6-luna, seed 103

THE LOGS SHOW

In close, no status, utilisation or check-in choice left the guideline. In close-dark, the rival's choices were hidden.

Counts cover the close and close-dark cells. Classified by a keyword rule; the script prints every answer.

IMPLICATIONS FOR AI SAFETY

Four lessons for anyone overseeing multi-agent systems

1 **Closing an explicit channel can work**

And it is cheap to verify with exact-null flow tests over every observable channel.

2 **Honeypots are informative**

Agents actively seek a private channel they are promised.

3 **Self-reports are not audit evidence**

Agents' accounts of their own coordination can be confidently false. Audit behaviour with flow tests.

4 **The safety margin is behavioural**

It rests on propensity, which may change with capability faster than channel capacity can be cut.

LIMITS AND NEXT STEPS

A null for these four models in one setting, and how to push it further

LIMITATIONS

Scope. Mid-sized models at low or no reasoning effort, no frontier model; 3–5 seeds for three models (Gemma 20), so profit tests have low power.

No warning. Agents were never told the chat would close, so had no reason to agree a fallback.

Structured channels only. A free-text side field could carry plain language with no invented code.

Open-weight caveats. Their open cells are biased by context overflow; the clean-window check is post hoc.

NEXT

1. **Announce the closure during formation:** do agents plan a fallback code?
2. Higher reasoning effort, frontier models and more seeds
3. A graded hint ladder, from no hint to the full code
4. A free-text side field, to test the structured-channel limit

The decoy, self-report and capability-control results are exploratory.

IN ONE SENTENCE

For four LLMs, closing the chat moved no cost information into the action channels, though those channels could carry a code.

CODE, DATA, PRE-REGISTRATION

github.com/adamchoi787/collusion-carriers

Every number regenerates from the raw game logs (logs/study5.tar.gz) with the scripts in analysis/. Pre-registration: git tags prereg-s5 and prereg-s5-ow.

Choi Cheuk Man
Tsang Cheuk Nam
HKUST · with Apart Research
AI Collusion Research Sprint, Track 3