GEN AI BAKEOFF

BY ADAM CLARK — MAR 1ST 2026

DATE

W/ Standards applied

ChatGPT

```
#########################################
# Date Range (Last 7 Days)
#########################################

TODAY="$(date '+%m/%d/%Y')"
WEEK_AGO="$(date -d '7 days ago' '+%m/%d/%Y' 2>/dev/null)"

# macOS compatibility
if [ -z "$WEEK_AGO" ]; then
    WEEK_AGO="$(date -v -7d '+%m/%d/%Y')"
fi
```

Github Copilot

```
# Compute default date range using macOS `date -v` when available, else python helper
if [ -z "$AFTER" ] || [ -z "$BEFORE" ]; then
    if date -v+1d +"%m/%d/%Y" >/dev/null 2>&1; then
        BEFORE=$(date -v+1d +"%m/%d/%Y")
        AFTER=$(date -v-7d +"%m/%d/%Y")
    else
        DATES=$(python3 podcast_helper.py daterange_mmdd 2>/dev/null)
        set -- $DATES
        AFTER="$1"
        BEFORE="$2"
    fi
fi
```

Gemini

```
# --- Date Calculation (Portable for macOS/Linux) ---
# Detect if we are using GNU date or BSD date (macOS)
if date --version >/dev/null 2>&1; then
    # GNU Date (Linux)
    DATE_BEFORE=$(date -d "tomorrow" +"%Y-%m-%d")
    DATE_AFTER=$(date -d "7 days ago" +"%Y-%m-%d")
else
    # BSD Date (macOS)
    DATE_BEFORE=$(date -v+1d +"%Y-%m-%d")
    DATE_AFTER=$(date -v-7d +"%Y-%m-%d")
fi
```

Ollama Nemotron Nano 30b

```
# ------------------------------------------------------------
## 6️⃣ Compute the week-long window (format matches the README)
## ------------------------------------------------------------
today=$(date +"%m/%d/%Y")
if date --version 2>/dev/null | grep -q GNU; then   # GNU coreutils
    week_ago=$(date -d "7 days ago" +"%m/%d/%Y")
else                                                # BSD/macOS date
    week_ago=$(date -v-"7"d +"%m/%d/%Y")
fi
log "INFO" "Downloading episodes from $week_ago to $today"
```

DATE

Prompt Only

ChatGPT

```
# ---- Date range: last 7 days ----
TODAY=$(date +"%m/%d/%Y")
ONE_WEEK_AGO=$(date -v -7d +"%m/%d/%Y" 2>/dev/null || date -d "7 days ago" +"%m/%d/%Y")
```

Github Copilot

```
# compute date range: after = 7 days ago, before = today
# on macOS `date` supports -v; fall back to Linux-style if needed
if date -v-1d >/dev/null 2>&1; then
    before=$(date +%m/%d/%Y)
    after=$(date -v-7d +%m/%d/%Y)
else
    before=$(date +%m/%d/%Y)
    after=$(date -d '7 days ago' +%m/%d/%Y)
fi
```

Gemini

```
# Compatibility fix for Date (Works on both macOS/BSD and Linux/GNU)
if [[ "$OSTYPE" == "darwin"* ]]; then
    # macOS/BSD style
    DATE_TODAY=$(date +"%m/%d/%Y")
    DATE_LAST_WEEK=$(date -v-7d +"%m/%d/%Y")
else
    # Linux/GNU style
    DATE_TODAY=$(date +"%m/%d/%Y")
    DATE_LAST_WEEK=$(date -d "7 days ago" +"%m/%d/%Y")
fi
```

Ollama Nemotron Nano 30b

```
# ------------------------------------------------- compute a rolling 7-day window
TODAY=$(date +"%m/%d/%Y")
if uname | grep -qi darwin; then                # macOS → BSD date syntax
    SEVEN_DAYS_AGO=$(date -v-7d +"%m/%d/%Y")
else                                            # Assume GNU coreutils (Linux)
    if date -d "7 days ago" >/dev/null 2>&1; then
        SEVEN_DAYS_AGO=$(date -d "7 days ago" +"%m/%d/%Y")
    else                                       # Fallback using epoch arithmetic
        now_sec=$(date +%s)
        seven_sec=$((now_sec - 7*24*60*60))
        SEVEN_DAYS_AGO=$(date -r "$seven_sec" +"%m/%d/%Y") || true
    fi
fi
```