

OWNER: GG SERVICES LTD
 ADDRESS: 2/F PALM GROVE HOUSE
 TOROTLA
 OFFICE:
 FAX:

OPERATOR: JETWORKS LTD.
 ADDRESS: DISCOVERY CENTRE, EASTERN
 BUSINESS PARK
 DORSET BH23 6NE
 OFFICE: 44-120-257-7555
 FAX:

ANALYST: JON KURMANCHIK
 EMAIL: JKURMANCHIK@CAMPSYSTEMS.COM

631-619-4563 (DIRECT)
 +1-631-588-3200 (MAIN)
 WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
 631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
 RECORD CHANGES TO ADDRESS, LAST ACTUALS
 (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 005/N247GT	MODEL: FALCON 7X	MANUFACTURER: DASSAULT AVIATION S.A.
CERTIFICATION DATE: 12-JUN-2007		LAST ACTUALS: 7492:34 A/C HRS as of 12-SEP-2025 2660 AFL as of 12-SEP-2025 4330:30 APH as of 26-AUG-2025 5383 APS as of 26-AUG-2025	
APU	SERIAL/PART: P-112/3800788-1	MODEL: GTCP36-150(FN)	MANUFACTURER: HONEYWELL
INSTALLED ON: 07-MAY-2018 2473 APU HRS 4301:32 A/C HRS 3413 APUS		LAST ACTUALS: 4330:30 APU HRS as of 26-AUG-2025 5383 APUS as of 26-AUG-2025	
ENGINE NO. 1	SERIAL/PART: PCE-CH0014/30P0100-01	MODEL: PW307A	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 14-JUL-2018 3872:09 ENG. HRS 4398:30 A/C HRS 1614 ENC		LAST ACTUALS: 6966:13 ENG. HRS as of 12-SEP-2025 2449 ENC as of 12-SEP-2025	
ENGINE NO. 2	SERIAL/PART: PCE-CH0017/30P0100-01	MODEL: PW307A	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 27-JAN-2021 4768:06 ENG. HRS 0 A/C HRS 1967 ENC		LAST ACTUALS: 7037:15 ENG. HRS as of 12-SEP-2025 2524 ENC as of 12-SEP-2025	
ENGINE NO. 3	SERIAL/PART: PCE-CH0185/30P0100-01	MODEL: PW307A	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 18-NOV-2024 4248:30 ENG. HRS 7061:12 A/C HRS 1571 ENC		LAST ACTUALS: 4679:52 ENG. HRS as of 12-SEP-2025 1647 ENC as of 12-SEP-2025	



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
E07X-131010 ^U	NO. 2 ENGINE - REVIEW PWC, PW307A MAINTENANCE MANUAL TEMPORARY REVISION NO. 05-12 DATED AUGUST 14. 2013 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140203 ^U	NO. 1 ENGINE - REVIEW PWC, PW307A MAINTENANCE MANUAL REVISION NO. 17 DATED SEP 30/2013 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140203 ^U	NO. 2 ENGINE - REVIEW PWC, PW307A MAINTENANCE MANUAL REVISION NO. 17 DATED SEP 30/2013 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140204 ^U	NO. 1 ENGINE - REVIEW PWC PW307A EMM (P/N 30P0422) TR 05-13 DATED DEC 11/2013 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140204 ^U	NO. 2 ENGINE - REVIEW PWC PW307A EMM (P/N 30P0422) TR 05-13 DATED DEC 11/2013 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
E07X-140205 ^U	NO. 1 ENGINE - REVIEW PWC PW307A ENGINE MAINTENANCE MANUAL(P/N 30P0422) TR AL-14 DATED JAN 14/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140205 ^U	NO. 2 ENGINE - REVIEW PWC PW307A ENGINE MAINTENANCE MANUAL(P/N 30P0422) TR AL-14 DATED JAN 14/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140407 ^U	NO. 1 ENGINE - REVIEW P&WC PW307A EMM TEMPORARY REVISION NO. 05-16, DATED APR 08/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	10-Apr-14	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140407 ^U	NO. 2 ENGINE - REVIEW P&WC PW307A EMM TEMPORARY REVISION NO. 05-16, DATED APR 08/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	10-Apr-14	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140509 ^U	NO. 1 ENGINE - REVIEW PWC, PW307A ENGINE MAINTENANCE MANUAL REVISION NO. TR AL-15 DATED MAR 25/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
E07X-140509 ^U	NO. 2 ENGINE - REVIEW PWC, PW307A ENGINE MAINTENANCE MANUAL REVISION NO. TR AL-15 DATED MAR 25/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140523 ^U	NO. 1 ENGINE - REVIEW PW307A ENGINE MAINTENANCE MANUAL(P/N 30P0422) REVISION NO.17.7 TR 05-15 DATED APR 02/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140523 ^U	NO. 2 ENGINE - REVIEW PW307A ENGINE MAINTENANCE MANUAL(P/N 30P0422) REVISION NO.17.7 TR 05-15 DATED APR 02/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140728 ^U	NO. 1 ENGINE - REVIEW PWC, PW307A MAINTENANCE MANUAL REVISION NO. 18.0, DATED MAY 19/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-140728 ^U	NO. 2 ENGINE - REVIEW PWC, PW307A MAINTENANCE MANUAL REVISION NO. 18.0, DATED MAY 19/2014 - REVISION SUMMARY CHANGE FORM							Service ATA:--
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
FA7X-140407	U	REVIEW DASSAULT AVIATION FALCON 7X MPD REVISION 14, DATED MAR 05/2014 - REVISION SUMMARY CHANGE FORM						Service ATA:--
	MOS/MSC	10-Apr-14	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
ATA 00 - INFORMATION								
A07X-161102		APU - REVIEW SIL APU-56 (D199709000077) REVISION 2						Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A07X-161102PROC. REF: RCF A07X-161102								
A07X-180112		APU - REVIEW APU-49 SIL REV 10						Service ATA:00
	MOS/MSC	12-Mar-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF APU-SIL-49PROC. REF: RCF APU-SIL-49								
A07X-190828		APU - REVIEW HONEYWELL GTCP36-150(FN) CMM REV 4						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A07XPROC. REF: RCF A07X								
A07X-220602		APU - REVIEW REVISION CHANGE FORM FOR HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 12						Service ATA:00
	MOS/MSC	15-Jun-22	-					REQUIREMENT CHANGE FORMS
	HRS	3726:30						
	APUS	4821						
PROC. REF: RCF A07XPROC. REF: RCF A07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A07X-220620	APU - REVIEW HONEYWELL COMPONENT MAINTENANCE MANUAL GAS TURBINE ENGINE 49-24-71, REVISION 6							Service ATA:00
	MOS/MSC	05-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS	3751:30						
	APUS	4841						
PROC. REF: RCF A07XPROC. REF: RCF A07X								
A07X-231123	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 13 - SPECTROMETRIC OIL AND FILTER ANALYSIS PROGRAM (SOAP)							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A07XPROC. REF: RCF A07X								
A07X-240702	APU - REVIEW HONEYWELL GTCP36-150(FN) COMPONENT MAINTENANCE MANUAL 36-150[FN] (CMM) 49-24-71 REV 07							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A07XPROC. REF: RCF A07X								
A07X-250212	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER (SIL) SIL NO. APU-49 REV 14							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A07XPROC. REF: RCF A07X								
E07X-120404 ^U	NO. 1 ENGINE - REVIEW PW307A EMM REV 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-120404 ^U	NO. 2 ENGINE - REVIEW PW307A EMM REV 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-130701 ^U	NO. 1 ENGINE - REVIEW PW307A EMM REV 16 APR 2013 - CAMP CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-130701 ^U	NO. 2 ENGINE - REVIEW PW307A EMM REV 16 APR 2013 - CAMP CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-150219	NO. 1 ENGINE - REVIEW PW307A EMM REV 19.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-150219	NO. 2 ENGINE - REVIEW PW307A EMM REV 19.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-150702	NO. 1 ENGINE - REVIEW PW307A EMM TR AL-16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-150702	NO. 2 ENGINE - REVIEW PW307A EMM TR AL-16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-150703	NO. 1 ENGINE - REVIEW PW307A EMM REV 20.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-150703	NO. 2 ENGINE - REVIEW PW307A EMM REV 20.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-150903	NO. 1 ENGINE - REVIEW PW307A EMM REV 21.0							Service ATA:00
	MOS/MSC	16-Sep-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-150903	NO. 2 ENGINE - REVIEW PW307A EMM REV 21.0							Service ATA:00
	MOS/MSC	16-Sep-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160516	NO. 1 ENGINE - REVIEW PW307A EMM REV 22.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160516	NO. 2 ENGINE - REVIEW PW307A EMM REV 22.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160516 ^S	NO. 3 ENGINE - REVIEW PW307A EMM REV 22.0							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160810	NO. 1 ENGINE - REVIEW PW307A EMM REV 22.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-160810	NO. 2 ENGINE - REVIEW PW307A EMM REV 22.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160810 ^S	NO. 3 ENGINE - REVIEW PW307A EMM REV 22.1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160927	NO. 1 ENGINE - REVIEW PW307A EMM REV 22.2							Service ATA:00
	MOS/MSC	10-Apr-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160927	NO. 2 ENGINE - REVIEW PW307A EMM REV 22.2							Service ATA:00
	MOS/MSC	10-Apr-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-160927 ^S	NO. 3 ENGINE - REVIEW PW307A EMM REV 22.2							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-161024	NO. 1 ENGINE - REVIEW PW307A EMM REV 23.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-161024	NO. 2 ENGINE - REVIEW PW307A EMM REV 23.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170116	NO. 1 ENGINE - REVIEW PW307A EMM REV 23.1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170116	NO. 2 ENGINE - REVIEW PW307A EMM REV 23.1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170323	NO. 1 ENGINE - REVIEW PW307A EMM REV 23.2							Service ATA:00
	MOS/MSC	10-Apr-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-170323	NO. 2 ENGINE - REVIEW PW307A EMM REV 23.2							Service ATA:00
	MOS/MSC	10-Apr-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170619C	NO. 1 ENGINE - REVIEW PW307A EMM REV 24.0 (CORRECTION)							Service ATA:00
	MOS/MSC	08-Sep-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170619C	NO. 2 ENGINE - REVIEW PW307A EMM REV 24.0 (CORRECTION)							Service ATA:00
	MOS/MSC	08-Sep-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170619C ^S	NO. 3 ENGINE - REVIEW PW307A EMM REV 24.0 (CORRECTION)							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-170719	NO. 1 ENGINE - REVIEW PW307A EMM REV 24.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-170719	NO. 2 ENGINE - REVIEW PW307A EMM REV 24.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-171023	NO. 1 ENGINE - REVIEW PW307A EMM REV 25.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-171023	NO. 2 ENGINE - REVIEW PW307A EMM REV 25.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-180216	NO. 1 ENGINE - REVIEW PW307A EMM REV 25.3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-180216	NO. 2 ENGINE - REVIEW PW307A EMM REV 25.3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-180319	NO. 1 ENGINE - REVIEW PW307A EMM REV 25.4							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-180319	NO. 2 ENGINE - REVIEW PW307A EMM REV 25.4							Service ATA:00
	MOS/MSC	19-Apr-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-180601	NO. 1 ENGINE - REVIEW PW307A EMM REV 25.5							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-180601	NO. 2 ENGINE - REVIEW PW307A EMM REV 25.5							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-180618	NO. 1 ENGINE - REVIEW PW307A EMM REV 26.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07X-180618PROC. REF: RCF E07X-180618								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-180618	NO. 2 ENGINE - REVIEW PW307A EMM REV 26.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07X-180618PROC. REF: RCF E07X-180618								
E07X-181119	NO. 1 ENGINE - REVIEW PW307A EMM REV 27.0							Service ATA:00
	MOS/MSC	24-Jan-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-181119	NO. 2 ENGINE - REVIEW PW307A EMM REV 27.0							Service ATA:00
	MOS/MSC	24-Jan-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-190109	NO. 1 ENGINE - REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE							Service ATA:00
	MOS/MSC	24-Jan-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-190109	NO. 2 ENGINE - REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE							Service ATA:00
	MOS/MSC	24-Jan-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-190517	NO. 1 ENGINE - REVIEW PW307A EMM REV 27.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-190517	NO. 2 ENGINE - REVIEW PW307A EMM REV 27.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-190606	NO. 1 ENGINE - REVIEW PW307A EMM REV 27.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-190606	NO. 2 ENGINE - REVIEW PW307A EMM REV 27.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-190617	NO. 1 ENGINE - REVIEW PW307A EMM REV 28.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-190617	NO. 2 ENGINE - REVIEW PW307A EMM REV 28.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-191021	NO. 1 ENGINE - REVIEW PW307A EMM REV 29.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-191021	NO. 2 ENGINE - REVIEW PW307A EMM REV 29.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200213	NO. 1 ENGINE - REVIEW PW307A EMM REV 29.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200213	NO. 2 ENGINE - REVIEW PW307A EMM REV 29.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-200217	NO. 1 ENGINE - REVIEW PW307A EMM REV 29.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200217	NO. 2 ENGINE - REVIEW PW307A EMM REV 29.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200317	NO. 1 ENGINE - REVIEW PW307A EMM REV 29.3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200317	NO. 2 ENGINE - REVIEW PW307A EMM REV 29.3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200320	NO. 1 ENGINE - REVIEW PW307A EMM REV 29.4							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-200320	NO. 2 ENGINE - REVIEW PW307A EMM REV 29.4							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200629	NO. 1 ENGINE - REVIEW PW307A EMM REV 30.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200629	NO. 2 ENGINE - REVIEW PW307A EMM REV 30.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200811	NO. 1 ENGINE - REVIEW PW307A EMM REV 30.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200811	NO. 2 ENGINE - REVIEW PW307A EMM REV 30.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-200901	NO. 1 ENGINE - REVIEW PW307A EMM REV 30.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-200901	NO. 2 ENGINE - REVIEW PW307A EMM REV 30.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-201026	NO. 1 ENGINE - REVIEW PW307A EMM REV 31.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-201026	NO. 2 ENGINE - REVIEW PW307A EMM REV 31.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-210510	NO. 1 ENGINE - REVIEW PW307A EMM REV 32.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-210510	NO. 2 ENGINE - REVIEW PW307A EMM REV 32.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-220509	NO. 1 ENGINE - REVIEW PW307A EMM REV 34.0							Service ATA:00
	MOS/MSC	15-Jun-22	-					REQUIREMENT CHANGE FORMS
	HRS	5908:58						
	ENC	2232						
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-220509	NO. 2 ENGINE - REVIEW PW307A EMM REV 34.0							Service ATA:00
	MOS/MSC	15-Jun-22	-					REQUIREMENT CHANGE FORMS
	HRS	5980						
	ENC	2307						
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-220607	NO. 1 ENGINE - REVIEW PW307A EMM REV 34.1							Service ATA:00
	MOS/MSC	05-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS	5942:01						
	ENC	2239						
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-220607	NO. 2 ENGINE - REVIEW PW307A EMM REV 34.1							Service ATA:00
	MOS/MSC	05-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS	6013:03						
	ENC	2314						
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-220627	NO. 1 ENGINE - REVIEW PW307A EMM REV 34.2							Service ATA:00
	MOS/MSC	05-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS	5942:01						
	ENC	2239						
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-220627	NO. 2 ENGINE - REVIEW PW307A EMM REV 34.2							Service ATA:00
	MOS/MSC	05-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS	6013:03						
	ENC	2314						
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-221107	NO. 1 ENGINE - REVIEW PW307A EMM REV 35.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-221107	NO. 2 ENGINE - REVIEW PW307A EMM REV 35.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-230508	NO. 1 ENGINE - REVIEW PW307A EMM REV 36.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-230508	NO. 2 ENGINE - REVIEW PW307A EMM REV 36.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-231106	NO. 1 ENGINE - REVIEW PW307A MAINTENANCE MANUAL (EMM) REVISION 37, 06/NOV/2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-231106	NO. 2 ENGINE - REVIEW PW307A MAINTENANCE MANUAL (EMM) REVISION 37, 06/NOV/2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-240129	NO. 1 ENGINE - REVIEW PW307A EMM REV 38.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-240129	NO. 2 ENGINE - REVIEW PW307A EMM REV 38.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-240506	NO. 1 ENGINE - REVIEW PW307A EMM REV 39.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-240506	NO. 2 ENGINE - REVIEW PW307A EMM REV 39.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-240927	NO. 1 ENGINE - REVIEW PW307A EMM REV 39.0 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-240927	NO. 2 ENGINE - REVIEW PW307A EMM REV 39.0 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-241104	NO. 1 ENGINE - REVIEW PW307A EMM REV 40.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-241104	NO. 2 ENGINE - REVIEW PW307A EMM REV 40.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-241216	NO. 1 ENGINE - REVIEW PW307A EMM REV 41.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-241216	NO. 2 ENGINE - REVIEW PW307A EMM REV 41.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-241216	NO. 3 ENGINE - REVIEW PW307A EMM REV 41.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250616	NO. 1 ENGINE - REVIEW PW307A EMM REV 42.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-250616	NO. 2 ENGINE - REVIEW PW307A EMM REV 42.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250616	NO. 3 ENGINE - REVIEW PW307A EMM REV 42.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250728	NO. 1 ENGINE - REVIEW PW307A EMM REV 43.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250728	NO. 2 ENGINE - REVIEW PW307A EMM REV 43.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250728	NO. 3 ENGINE - REVIEW PW307A EMM REV 43.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E07X-250915	NO. 1 ENGINE - REVIEW PW307A EMM REV 44.0							Service ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250915	NO. 2 ENGINE - REVIEW PW307A EMM REV 44.0							Service ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
E07X-250915	NO. 3 ENGINE - REVIEW PW307A EMM REV 44.0							Service ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E07XPROC. REF: RCF E07X								
FA7X-110706 ^U	UPDATE F7X MPD REV 009, APR 15/2011 + CHAPTER 5-40-00 REV001, MAR 29, 2011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-110930 ^U	UPDATE F7X MPD CHAPTER 05-40-00 REV 2, 25AUG2011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-120117 ^U		REVIEW DASSAULT AVIATION FALCON 7X MPD REVISION NO. 010 , DATED SEP 30/2011						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-130613 ^U		REVIEW DASSAULT AVIATION FALCON 7X MPD REVISION NO. 013, DATED MAR 20/2013 - CAMP CHANGE FORM						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-150319-1		REVIEW FALCON 7X 05-40 REV 4 - SUMMARY CHANGE FORM						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-150319-2		REVIEW FALCON 7X MPD CHAPTER 5 REV 15						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-160923-1		REVIEW FALCON 7X - MAINTENANCE PLANNING DOCUMENT (CHAPTER-5) REVISION 16 DATED SEPTEMBER 1, 2016 REQUIREMENT SUMMARY CHANGE FORM						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-160923-2	REVIEW FALCON 7X - AIRWORTHINESS LIMITATIONS CHAPTER 05-40 REVISION 5 DATED SEPTEMBER 1, 2016 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FA7X-170501	REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 17 - MAY 2017 REVISION SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF FA7XPROC. REF: GENERIC NO REF, RCF FA7X								
FA7X-170501A	REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 17 - MAY 2017 - ERATUM REVISION SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FA7X-180322	REVIEW DOCUMENT DISCREPANCIES 1-296747981, 1-296882051, AND 1-304714441 CHANGES FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FA7X-180409	REVIEW FALCON 7X DOCUMENT DISCREPANCY 1-309832825 (09-APR-2018)							Service ATA:00
	MOS/MSC	01-Jun-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-180502	REVIEW FALCON 7X DOCUMENT DISCREPANCY 1-312176699 (02-MAY-2018)							Service ATA:00
	MOS/MSC	01-Jun-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-180601	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 18 - JUNE 2018							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-180601A	REVIEW MAINTENANCE MANUAL AIRWORTHINESS LIMITATIONS CH. 5-40-00 REVISION 6 CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-180824	REVIEW MAINTENANCE MANUAL CHAPTER 5-40-00 REVISION 7 DATED AUGUST 24 2018							Service ATA:00
	MOS/MSC	10-Oct-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-180827	REVIEW MAINTENANCE MANUAL AIRWORTHINESS LIMITATIONS CHAPTER 5-40-00 DOCUMENT DISCREPANCY 1-324310899 CHANGES.							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-180918	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCY DD 1-324160044							Service ATA:00
	MOS/MSC	12-Oct-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-181029	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCY (DD) 1-326917351 CHANGES							Service ATA:00
	MOS/MSC	07-Dec-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-181029B	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCY (DD) 1-324760088 CHANGES							Service ATA:00
	MOS/MSC	06-Dec-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-190821	REVIEW AUDIT FINDING REQUIREMENT CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-210601	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 21 - JUNE 2021							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-210601A	REVIEW AIRWORTHINESS LIMITATIONS CHAPTER 5-40-00 REVISION 10 - JUNE 2021							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-220316 U	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCY (DD) 1-377052387							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
FA7X-220505	REVIEW DOCUMENT DISCREPANCY 1-377052387 - REDACTION							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-220601	MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 22 - JUNE 2022							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-220601A	MAINTENANCE MANUAL CHAPTER 5-40-00 AIRWORTHINESS LIMITATIONS REVISION 11 - JUNE 2022							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-220621	MAINTENANCE PLANNING DOCUMENT CHAPTER 5 DOCUMENT DISCREPANCY 1-382104328 - JUNE 21 2022							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-221019	REVIEW TEMPLATE TASK CODE DESCRIPTION CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-230110	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DESCRIPTION CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
FA7X-230117	REVIEW MPD / ALD DESCRIPTION CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
FA7X-230119	REVIEW TEMPLATE DESCRIPTIONS AUDIT CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-230322	REVIEW DESCRIPTION CHANGES (XML COMPARISON - MARCH 2023)							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-230601	REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 23 - JUNE 2023							Service ATA:00
	MOS/MSC	10-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-230601A	REVIEW AIRWORTHINESS LIMITATIONS CHAPTER 5-40-00 REVISION 12 - JUNE 2023							Service ATA:00
	MOS/MSC	08-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-230726	REVIEW FALCON 7X TASK CODE CHANGES							Service ATA:00
	MOS/MSC	08-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-230804	REVIEW REMOVE TASK CODE 29-11-17-720-801-01A							Service ATA:00
	MOS/MSC	08-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-231017	REVIEW RESTORATION OF PASSENGER LIFE VEST (25-64-17-350-803-01) DESCRIPTION CHANGE							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-240124	REVIEW TEMPLATE TOLERANCE UPDATE - JANUARY 2024							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-240403	REVIEW TASK CODE 32-44-17-220-801-01 TO 32-44-17-801-04 TOLERANCE UPDATE - APRIL 2024							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-240603	REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 24 - JUNE 2024							Service ATA:00
	MOS/MSC	04-Sep-25	-					REQUIREMENT CHANGE FORMS
	HRS	7461:32						
	AFL	2656						
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-240603A	REVIEW AIRWORTHINESS LIMITATIONS CHAPTER 5-40-00 REVISION 13 - JUNE 2024							Service ATA:00
	MOS/MSC	04-Sep-25	-					REQUIREMENT CHANGE FORMS
	HRS	7461:32						
	AFL	2656						
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-240709	REVIEW TASK CODE 05-50-00-910-801-01 ASSOCIATION CHANGE - JULY 2024							Service ATA:00
	MOS/MSC	26-Jul-24	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-240924	REVIEW TEMPLATE TOLERANCE UPDATE - SEPTEMBER 2024							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250110	REVIEW PIN TRUNNION TASK CODE UPDATES - JANUARY 2025							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250204	REVIEW RE-ESTABLISHED 5-40 TASK CODES - FEBRUARY 2025							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250305	REVIEW TEMPLATE DESCRIPTION CHANGES - MARCH 2025							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-250602		REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 25 - JUNE 2025						Service ATA:00
	MOS/MSC	04-Sep-25	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS	7461:32						
	AFL	2656						
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250602A		REVIEW AIRWORTHINESS LIMITATIONS CHAPTER 5-40-00 REVISION 14 - JUNE 2025						Service ATA:00
	MOS/MSC	04-Sep-25	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS	7461:32						
	AFL	2656						
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250731A		REVIEW AIRWORTHINESS LIMITATIONS CHAPTER 5-40-00 REVISION 14 - JUNE 2025 **AUDIT**						Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250806		REVIEW TOLERANCE UPDATES - AUGUST 2025						Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								
FA7X-250926		REVIEW PERIODIC DATABASE LOADING TASK CODE UPDATES - SEPTEMBER 2025						Service ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA7XPROC. REF: RCF FA7X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA7X-26FIRE EX	VERIFY AND RECORD CURRENT POSITION OF PORTABLE FIRE EXTINGUISHERS P/N AND S/N							Service ATA:00
	MOS/MSC		-					
	HRS							
	AFL							
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-00-200-800-01	12M/800FH INSPECTION							Package ATA:05
	MOS	18-Nov-24	12 (+1m)	Adj -17d	01-Nov-25	01-Dec-25	29 d (+30)	
	HRS	7061:12	800 (+40)		7861:12	7901:12	368:38 (+40)	
	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-02	24M/1600FH INSPECTION							Package ATA:05
	MOS	11-Aug-23	24 (+1m)		11-Aug-25	11-Sep-25	OVD	
	HRS	6775:44	1600 (+40)		8375:44	8415:44	883:10 (+40)	
	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-03	36M/2400FH INSPECTION							Package ATA:05
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	
	HRS	6775:44	2400 (+40)		9175:44	9215:44	1683:10 (+40)	
	AFL	2518						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-04	48M/3200FH INSPECTION							Package ATA:05
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	
	HRS	6775:44	3200 (+40)		9975:44	10015:44	2483:10 (+40)	
	AFL	2518						
								PKG:4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-00-200-800-08	800FH INSPECTION							Package ATA:05
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)		7861:12	7901:12	368:38 (+40)	
	AFL	2584						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:8
05-08-00-200-800-09	1600FH INSPECTION							Package ATA:05
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)		7502:02	7542:02	9:28 (+40)	
	AFL	2308						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:9 WO#: JWL-25-049
05-08-00-200-800-31	1B INSPECTION							Package ATA:05
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)		9175:44	9225:44	1683:10 (+50)	
	AFL	2518						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:31
05-08-00-200-800-32	2B INSPECTION							Package ATA:05
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)		9198:30	9248:30	1705:56 (+50)	
	AFL	1825						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:32
05-08-00-200-800-33	3B INSPECTION							Package ATA:05
	MOS	28-Dec-24						
	HRS	7106:42	7200 (+50)		14306:42	14356:42	6814:08 (+50)	
	AFL	2592						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:33

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-00-200-800-34	4B INSPECTION							Package ATA:05
	MOS	12-Jun-07						
	HRS	0	9600 (+50)		9600	9650	2107:26 (+50)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:34
05-08-00-200-800-41	1C INSPECTION							Package ATA:05
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44						
	AFL	2518	4000		6518		3858	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:41
05-08-00-200-800-42	2C INSPECTION							Package ATA:05
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	
	HRS	6775:44						
	AFL	2518	8000		10518		7858	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:42
05-08-00-200-800-43	3C INSPECTION							Package ATA:05
	MOS	12-Jun-07	288 (+2m)		12-Jun-31	12-Aug-31	2078 d (+61)	
	HRS	0						
	AFL	0	12000		12000		9340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:43
05-08-10-200-800-11	NO. 1 ENGINE - 600 HOUR INSPECTION							Package ATA:05
	MOS	18-Jun-25						
	HRS	6807:48	600 (+30)		(7407:48) 7934:09	7437:48	441:35 (+30)	
	ENC	2422						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:11

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-10-200-800-11	NO. 2 ENGINE - 600 HOUR INSPECTION							Package ATA:05
	MOS	18-Jun-25						
	HRS	6878:50	600 (+30)		(7478:50) 7934:09	7508:50	441:35 (+30)	
	ENC	2497						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:11
05-08-10-200-800-11	NO. 3 ENGINE - 600 HOUR INSPECTION							Package ATA:05
	MOS	21-Jun-23						
	HRS	4017:48	600 (+30)		(4617:48) 7430:30	4647:48	OVD	
	ENC	1508						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:11 WO#: JWL-25-049
05-08-10-200-800-12	NO. 1 ENGINE - 800 HOUR INSPECTION							Package ATA:05
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)		(7049:23) 7575:44	7079:23	83:10 (+30)	
	ENC	2307						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:12 WO#: JWL-25-049
05-08-10-200-800-12	NO. 2 ENGINE - 800 HOUR INSPECTION							Package ATA:05
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)		(7120:25) 7575:44	7150:25	83:10 (+30)	
	ENC	2382						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:12 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-10-200-800-12	NO. 3 ENGINE - 800 HOUR INSPECTION							Package ATA:05
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)		(4985:06) 7797:48	5015:06	305:14 (+30)	
	ENC	1547						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:12
05-08-10-200-800-13 ^U	NO. 1 ENGINE - 1800 HOUR INSPECTION							Package ATA:05
	MOS/MSC	18-Aug-06	N/R					
	HRS	0						
	ENC	0						
								PKG:13
05-08-10-200-800-13 ^U	NO. 2 ENGINE - 1800 HOUR INSPECTION							Package ATA:05
	MOS/MSC	23-Aug-06	N/R					
	HRS	0						
	ENC	0						
								PKG:13
05-08-10-200-800-16 ^U	NO. 1 ENGINE - 3600 HOUR INSPECTION							Package ATA:05
	MOS/MSC	18-Aug-06	N/R					
	HRS	0						
	ENC	0						
								PKG:16
05-08-10-200-800-16 ^U	NO. 2 ENGINE - 3600 HOUR INSPECTION							Package ATA:05
	MOS/MSC	13-May-20	N/R					
	HRS	5284:57						
	ENC	2107						
								PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-31-12-200-801-01	^S	INSPECTION OF THE LANDING GEAR BAYS - GENERAL VISUAL INSPECTION OF THE NLG BAY						Service ATA:05
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 05.005	AFL	2518						
PROC. REF: AMM 05-31-12-200-801PROC. REF: AMM 05-31-12-200-801								PKG:3
05-31-12-200-801-01C		INSPECTION OF THE LANDING GEAR BAYS - GENERAL VISUAL INSPECTION OF THE NLG BAY (CPCP)						Service ATA:05
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
WC#: 05.005	AFL	2518						
PROC. REF: AMM 05-31-12-200-801PROC. REF: AMM 05-31-12-200-801								
05-31-12-200-801-02	^S	INSPECTION OF THE LANDING GEAR BAYS - INSPECTION OF THE LH MLG BAY						Service ATA:05
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 05-31-12-200-801PROC. REF: AMM 05-31-12-200-801								PKG:3
05-31-12-200-801-02C		INSPECTION OF THE LANDING GEAR BAYS - INSPECTION OF THE LH MLG BAY (CPCP)						Service ATA:05
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-31-12-200-801PROC. REF: AMM 05-31-12-200-801								
05-31-12-200-801-03	^S	INSPECTION OF THE LANDING GEAR BAYS - INSPECTION OF THE RH MLG BAY						Service ATA:05
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 05-31-12-200-801PROC. REF: AMM 05-31-12-200-801								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-31-12-200-801-03C	INSPECTION OF THE LANDING GEAR BAYS - INSPECTION OF THE RH MLG BAY (CPCP)							Service ATA:05
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-31-12-200-801PROC. REF: AMM 05-31-12-200-801								
05-31-14-220-802-01 ^S	DETAILED INSPECTION OF POTENTIAL IGNITION SOURCE WIRINGS IN THE CABIN UNDERFLOOR F8-F12							Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.020	AFL	2518	4000					
PROC. REF: AMM 05-31-14-220-802PROC. REF: AMM 05-31-14-220-802								
05-31-16-210-803-01 ^S	GENERAL VISUAL INSPECTION OF THE RAT BAY							Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.025	AFL	2518	4000					
PROC. REF: AMM 05-31-16-210-803PROC. REF: AMM 05-31-16-210-803								
05-31-34-210-803-01 ^S	GENERAL VISUAL INSPECTION OF THE ZONES UNDER THE T34 BODY FAIRINGS							Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.050	AFL	2518	4000					
PROC. REF: AMM 05-31-34-210-803PROC. REF: AMM 05-31-34-210-803								
05-31-34-210-803-01C	GENERAL VISUAL INSPECTION OF THE ZONES UNDER THE T34 BODY FAIRINGS (CPCP)							Service ATA:05
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-31-34-210-803PROC. REF: AMM 05-31-34-210-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-31-38-210-801-01	GENERAL VISUAL INSPECTION OF THE FRONT FUEL TANK							Service ATA:05
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-31-38-210-801PROC. REF: AMM 05-31-38-210-801								
05-31-38-210-801-01C	GENERAL VISUAL INSPECTION OF THE FRONT FUEL TANK (CPCP)							Service ATA:05
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-31-38-210-801PROC. REF: AMM 05-31-38-210-801								
05-31-48-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE ZONES UNDER THE LATERAL BODY FAIRINGS F20-F33							Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.085	AFL	2518	4000					
PROC. REF: AMM 05-31-48-210-801PKG:41								
05-31-48-210-801-01C	GENERAL VISUAL INSPECTION OF THE ZONES UNDER THE LATERAL BODY FAIRINGS F20-F33 (CPCP)							Service ATA:05
	MOS	11-Aug-23	96 (+2m)	11-Aug-31	11-Oct-31	2138 d (+61)	CPCP	
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-31-48-210-801PROC. REF: AMM 05-31-48-210-801								
05-31-48-210-802-01 ^S	GENERAL VISUAL INSPECTION OF THE POTENTIAL IGNITION SOURCE WIRING IN THE ZONES UNDER THE LATERAL BODY FAIRINGS F20-F33							Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 05-31-48-210-802PKG:41								
05-31-51-210-802-01	GENERAL VISUAL INSPECTION OF THE FUEL UNIONS IN THE FUEL EQUIPMENT BAY							Service ATA:05
	MOS/MSC	15-Feb-16	O/C					
	HRS	3063:15						
	AFL	1419						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: AMM 05-31-51-210-802PROC. REF: AMM 05-31-51-210-802								
05-31-51-210-803-01	^S	GENERAL VISUAL INSPECTION OF THE WIRING IN THE FUEL EQUIPMENT BAY						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 05-31-51-210-803PROC. REF: AMM 05-31-51-210-803								
05-31-51-210-804-01	^S	GENERAL VISUAL INSPECTION OF THE FUEL EQUIPMENT BAY						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.095	AFL	2518						
								PKG:4
PROC. REF: AMM 05-31-51-210-804PROC. REF: AMM 05-31-51-210-804								
05-31-62-210-801-01		GENERAL VISUAL INSPECTION OF THE REAR SECTION OF THE REAR FUEL TANK						Service ATA:05
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 05.120	AFL	0						
PROC. REF: AMM 05-31-62-210-801PROC. REF: AMM 05-31-62-210-801								
05-31-72-200-801-01	^S	INSPECTION OF THE ECS PACK BAY						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.130	AFL	2518						
								PKG:4
PROC. REF: AMM 05-31-72-200-801PROC. REF: AMM 05-31-72-200-801								
05-31-73-200-801-01	^S	INSPECTION OF THE ZONES UNDER THE BODY FAIRINGS F33-F41						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.140	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 05-31-73-200-801PROC. REF: AMM 05-31-73-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-32-12-200-801-01	^S	INSPECTION OF THE NOSE CONE BAY						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 05-32-12-200-801PROC. REF: AMM 05-32-12-200-801								PKG:41
05-32-12-210-802-01	^S	GENERAL VISUAL INSPECTION OF POTENTIAL IGNITION SOURCE WIRING IN THE NOSE CONE BAY						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.155	AFL	2518	4000					
PROC. REF: AMM 05-32-12-210-802PROC. REF: AMM 05-32-12-210-802								PKG:41
05-32-20-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE T12 SECTION OUTER SIDE						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.160	AFL	2518						
PROC. REF: AMM 05-32-20-210-801PROC. REF: AMM 05-32-20-210-801								PKG:4
05-32-22-200-801-01	^S	INSPECTION OF THE COCKPIT F1-F9						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.165	AFL	2518	4000					
PROC. REF: AMM 05-32-22-200-801PROC. REF: AMM 05-32-22-200-801								PKG:41
05-32-22-210-802-01	^S	GENERAL VISUAL INSPECTION OF THE COCKPIT - CEILING REMOVED						Service ATA:05
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 05-32-22-210-802PROC. REF: AMM 05-32-22-210-802								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-32-42-200-801-01	^S	INSPECTION OF THE CABIN OVERFLOOR AREA F9-F30						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 05-32-42-200-801PROC. REF: AMM 05-32-42-200-801								PKG:41
05-32-42-200-801-01C		INSPECTION OF THE CABIN OVERFLOOR AREA F9-F30 (CPCP)						Service ATA:05
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-32-42-200-801PROC. REF: AMM 05-32-42-200-801								
05-32-42-210-802-01	^S	GENERAL VISUAL INSPECTION OF THE CABIN OVERFLOOR AREA F9-F30 (WITHOUT REMOVAL OF FURNISHINGS)						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 05-32-42-210-802PROC. REF: AMM 05-32-42-210-802								PKG:41
05-32-50-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE T34 AND T5 SECTIONS OUTER SIDE						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.185	AFL	2518	4000					
PROC. REF: AMM 05-32-50-210-801PROC. REF: AMM 05-32-50-210-801								PKG:41
05-32-50-210-801-01A		GENERAL VISUAL INSPECTION OF THE T34 AND T5 SECTIONS OUTER SIDE (MANDATORY 5-40)						Service ATA:05
	MOS	11-Aug-23						ALI / FD
	HRS	6775:44						
	AFL	2518	4000		6518		3858	
PROC. REF: AMM 05-32-50-210-801PROC. REF: AMM 05-32-50-210-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-32-50-210-802-01	^S	GENERAL VISUAL INSPECTION OF A SPECIFIC AREA OF THE T34 SECTION OUTER SIDE						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 05-32-50-210-802PROC. REF: AMM 05-32-50-210-802								PKG:4
05-32-50-210-802-01C		GENERAL VISUAL INSPECTION OF A SPECIFIC AREA OF THE T34 SECTION OUTER SIDE (CPCP)						Service ATA:05
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-32-50-210-802PROC. REF: AMM 05-32-50-210-802								
05-32-52-210-804-01	^S	GENERAL VISUAL INSPECTION OF THE CABIN F12-F30, AREA BEHIND CEILING PANEL						Service ATA:05
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 05-32-52-210-804PROC. REF: AMM 05-32-52-210-804								PKG:42
05-32-61-200-801-01	^S	INSPECTION OF THE AFT TOILET COMPARTMENT						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.200	AFL	2518	4000					
PROC. REF: AMM 05-32-61-200-801PROC. REF: AMM 05-32-61-200-801								PKG:41
05-32-72-200-801-01	^S	INSPECTION OF THE ELECTRICAL AND FBW BAY						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.215	AFL	2518	4000					
PROC. REF: AMM 05-32-72-200-801PROC. REF: AMM 05-32-72-200-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-32-72-200-802-01	^S	INSPECTION OF THE BAGGAGE COMPARTMENT						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.210	AFL	2518	4000					
PROC. REF: AMM 05-32-72-200-802PROC. REF: AMM 05-32-72-200-802								PKG:41
05-32-72-200-802-01A		INSPECTION OF THE BAGGAGE COMPARTMENT (MANDATORY 5-40)						Service ATA:05
	MOS	11-Aug-23						ALI / FD
	HRS	6775:44						
	AFL	2518	4000		6518		3858	
PROC. REF: AMM 05-32-72-200-802PROC. REF: AMM 05-32-72-200-802								
05-33-12-200-801-03	^S	INSPECTION OF THE SERVICING COMPARTMENT						Service ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 05-33-12-200-801PROC. REF: AMM 05-33-12-200-801								PKG:1 WO#: JWL-25-049
05-33-14-200-801-01	^S	INSPECTION OF THE SERVICING COMPARTMENT AREA - GENERAL VISUAL INSPECTION OF THE SERVICING COMPARTMENT INTERNAL STRUCTURE AND ZONES 313, 314						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 05-33-14-200-801PROC. REF: AMM 05-33-14-200-801								PKG:41
05-33-14-200-801-02	^S	INSPECTION OF THE SERVICING COMPARTMENT AREA - SPECIAL DETAILED INSPECTION OF THE SERVICING COMPARTMENT ZONES 313, 314, 315, 316						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 05-33-14-200-801PROC. REF: AMM 05-33-14-200-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-33-20-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.260	AFL	2518	4000					
PROC. REF: AMM 05-33-20-210-801PROC. REF: AMM 05-33-20-210-801								PKG:41
05-33-25-210-803-01	^S	GENERAL VISUAL INSPECTION OF THE STUB						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.265	AFL	2518	4000					
PROC. REF: AMM 05-33-25-210-803PROC. REF: AMM 05-33-25-210-803								PKG:41
05-33-30-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER AND ELEVATORS						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.275	AFL	2518	4000					
PROC. REF: AMM 05-33-30-210-801PROC. REF: AMM 05-33-30-210-801								PKG:41
05-33-50-210-803-01	^S	GENERAL VISUAL INSPECTION OF THE ZONE UNDER THE S-DUCT FAIRINGS						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.280	AFL	2518	4000					
PROC. REF: AMM 05-33-50-210-803PROC. REF: AMM 05-33-50-210-803								PKG:41
05-33-62-210-801-03		GENERAL VISUAL INSPECTION OF THE APU COMPARTMENT OVERFLOOR						Service ATA:05
	MOS	26-Dec-24	12 (+1m)		26-Dec-25	26-Jan-26	84 d (+31)	
	HRS	7106:42						
	AFL	2592						
	APH	4137	750 (+50)		4887	4937	556:30 (+50)	
PROC. REF: AMM 05-33-62-210-801PROC. REF: AMM 05-33-62-210-801								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-33-64-210-802-01	^S	GENERAL VISUAL INSPECTION OF THE APU COMPARTMENT						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.305	AFL	2518	4000					
PROC. REF: AMM 05-33-64-210-802PROC. REF: AMM 05-33-64-210-802								PKG:41
05-34-00-200-801-01	^S	INSPECTION OF THE ENGINES - INSPECTION OF THE ENGINE 1 AND THE POTENTIAL IGNITION SOURCE WIRING OF THE ENGINE 1						Service ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 05.320	AFL	2584						
PROC. REF: AMM 05-34-00-200-801PROC. REF: AMM 05-34-00-200-801								PKG:1 WO#: JWL-25-049
05-34-00-200-801-02	^S	INSPECTION OF THE ENGINES - INSPECTION OF THE ENGINE 2 AND THE POTENTIAL IGNITION SOURCE WIRING OF THE ENGINE 2						Service ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 05.320	AFL	2584						
PROC. REF: AMM 05-34-00-200-801PROC. REF: AMM 05-34-00-200-801								PKG:1 WO#: JWL-25-049
05-34-00-200-801-03	^S	INSPECTION OF THE ENGINES - INSPECTION OF THE ENGINE 3 AND THE POTENTIAL IGNITION SOURCE WIRING OF THE ENGINE 3						Service ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 05.320	AFL	2584						
PROC. REF: AMM 05-34-00-200-801PROC. REF: AMM 05-34-00-200-801								PKG:1 WO#: JWL-25-049
05-34-11-200-801-01	^S	INSPECTION OF ENGINES 1 AND 3 - INSPECTION OF THE ENGINE 1 AND THE AIR INTAKE OF ENGINE 1						Service ATA:05
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 05-34-11-200-801PROC. REF: AMM 05-34-11-200-801								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-34-11-200-801-02	^S	INSPECTION OF ENGINES 1 AND 3 - INSPECTION OF THE ENGINE 3 AND THE AIR INTAKE OF ENGINE 3						Service ATA:05
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 05-34-11-200-801PROC. REF: AMM 05-34-11-200-801								PKG:3
05-34-31-210-803-01	^S	GENERAL VISUAL INSPECTION OF THE ENGINE PYLONS F33-F36 - ENGINE 1 PYLON						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.365	AFL	2518	4000					
PROC. REF: AMM 05-34-31-210-803PROC. REF: AMM 05-34-31-210-803								PKG:41
05-34-31-210-803-02	^S	GENERAL VISUAL INSPECTION OF THE ENGINE PYLONS F33-F36 - ENGINE 3 PYLON						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.365	AFL	2518	4000					
PROC. REF: AMM 05-34-31-210-803PROC. REF: AMM 05-34-31-210-803								PKG:41
05-34-32-210-803-01	^S	GENERAL VISUAL INSPECTION OF THE ENGINE PYLONS F36-F43 - ENGINE 1 PYLON						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.380	AFL	2518						
PROC. REF: AMM 05-34-32-210-803PROC. REF: AMM 05-34-32-210-803								PKG:4
05-34-32-210-803-02	^S	GENERAL VISUAL INSPECTION OF THE ENGINE PYLONS F36-F43 - ENGINE 3 PYLON						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.380	AFL	2518						
PROC. REF: AMM 05-34-32-210-803PROC. REF: AMM 05-34-32-210-803								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-35-00-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE WINGS - ZONAL INSPECTION OF THE LH WING (L9510SK)						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.395	AFL	2518						
PROC. REF: AMM 05-35-00-210-801PROC. REF: AMM 05-35-00-210-801								PKG:4
05-35-00-210-801-01C		GENERAL VISUAL INSPECTION OF THE WINGS - ZONAL INSPECTION OF THE LH WING (L9510SK) (CPCP)						Service ATA:05
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-35-00-210-801PROC. REF: AMM 05-35-00-210-801								
05-35-00-210-801-02	^S	GENERAL VISUAL INSPECTION OF THE WINGS - ZONAL INSPECTION OF THE RH WING (R9510SK)						Service ATA:05
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 05.395	AFL	2518						
PROC. REF: AMM 05-35-00-210-801PROC. REF: AMM 05-35-00-210-801								PKG:4
05-35-00-210-801-02C		GENERAL VISUAL INSPECTION OF THE WINGS - ZONAL INSPECTION OF THE RH WING (R9510SK) (CPCP)						Service ATA:05
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 05-35-00-210-801PROC. REF: AMM 05-35-00-210-801								
05-35-44-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE WING BOX, RIB 26 TO RIB 28 - LH WING BOX, RIB 26 TO RIB 28						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.405	AFL	2518	4000					
PROC. REF: AMM 05-35-44-210-801PROC. REF: AMM 05-35-44-210-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-35-44-210-801-02	^S	GENERAL VISUAL INSPECTION OF THE WING BOX, RIB 26 TO RIB 28 - RH WING BOX, RIB 26 TO RIB 28						Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.405	AFL	2518	4000					
PROC. REF: AMM 05-35-44-210-801PROC. REF: AMM 05-35-44-210-801								
05-35-61-200-801-01		INSPECTION OF THE WING TRAILING EDGE - LH WING TRAILING EDGE						Service ATA:05
	MOS/MSC	01-Mar-22	N/A					
	HRS	6322:16						
	AFL	2423						
PROC. REF: AMM 05-35-61-200-801PROC. REF: AMM 05-35-61-200-801								
05-35-61-200-801-01C		INSPECTION OF THE WING TRAILING EDGE - LH WING TRAILING EDGE (CPCP)						Service ATA:05
	MOS/MSC	01-Mar-22	N/A					
	HRS	6322:16						
	AFL	2423						
PROC. REF: AMM 05-35-61-200-801PROC. REF: AMM 05-35-61-200-801								
05-35-61-200-801-02		INSPECTION OF THE WING TRAILING EDGE - RH WING TRAILING EDGE						Service ATA:05
	MOS/MSC	01-Mar-22	N/A					
	HRS	6322:16						
	AFL	2423						
PROC. REF: AMM 05-35-61-200-801PROC. REF: AMM 05-35-61-200-801								
05-35-61-200-801-02C		INSPECTION OF THE WING TRAILING EDGE - RH WING TRAILING EDGE (CPCP)						Service ATA:05
	MOS/MSC	01-Mar-22	N/A					
	HRS	6322:16						
	AFL	2423						
PROC. REF: AMM 05-35-61-200-801PROC. REF: AMM 05-35-61-200-801								
05-37-00-210-803-05	^S	GENERAL VISUAL INSPECTION OF THE LANDING GEAR AREAS - GENERAL VISUAL INSPECTION OF THE LH MLG AREA						Service ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 32.425	AFL	2584						

PKG:1
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: AMM 05-37-00-210-803PROC. REF: AMM 05-37-00-210-803								
05-37-00-210-803-05C	GENERAL VISUAL INSPECTION OF THE LANDING GEAR AREAS - GENERAL VISUAL INSPECTION OF THE LH MLG AREA (CPCP)						Service	ATA:05
	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	CPCP
	HRS	7061:12						
WC#: 32.425	AFL	2584						
								WO#: JWL-25-049
PROC. REF: AMM 05-37-00-210-803PROC. REF: AMM 05-37-00-210-803								
05-37-00-210-803-06 ^S	GENERAL VISUAL INSPECTION OF THE LANDING GEAR AREAS - GENERAL VISUAL INSPECTION OF THE RH MLG AREA						Service	ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 32.425	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 05-37-00-210-803PROC. REF: AMM 05-37-00-210-803								
05-37-00-210-803-06C	GENERAL VISUAL INSPECTION OF THE LANDING GEAR AREAS - GENERAL VISUAL INSPECTION OF THE RH MLG AREA (CPCP)						Service	ATA:05
	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	CPCP
	HRS	7061:12						
WC#: 32.425	AFL	2584						
								WO#: JWL-25-049
PROC. REF: AMM 05-37-00-210-803PROC. REF: AMM 05-37-00-210-803								
05-37-00-210-803-07 ^S	GENERAL VISUAL INSPECTION OF THE LANDING GEAR AREAS - GENERAL VISUAL INSPECTION OF THE NLG AREA AND BONDING BRAIDS						Service	ATA:05
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 32.435	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 05-37-00-210-803PROC. REF: AMM 05-37-00-210-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-37-00-210-803-07C	GENERAL VISUAL INSPECTION OF THE LANDING GEAR AREAS - GENERAL VISUAL INSPECTION OF THE NLG AREA AND BONDING BRAIDS (CPCP)							Service ATA:05
	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	CPCP
	HRS	7061:12						
WC#: 32.435	AFL	2584						
PROC. REF: AMM 05-37-00-210-803PROC. REF: AMM 05-37-00-210-803								WO#: JWL-25-049
05-38-00-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE PASSENGER, BAGGAGE COMPARTMENT, EMERGENCY EXIT AND SERVICING COMPARTMENT DOORS							Service ATA:05
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 05.420	AFL	2518	4000					
PROC. REF: AMM 05-38-00-210-801PROC. REF: AMM 05-38-00-210-801								PKG:41
05-38-00-210-801-01A	GENERAL VISUAL INSPECTION OF THE PASSENGER, BAGGAGE COMPARTMENT, EMERGENCY EXIT AND SERVICING COMPARTMENT DOORS (MANDATORY 5-40)							Service ATA:05
	MOS	11-Aug-23						ALI / FD
	HRS	6775:44						
	AFL	2518	4000		6518		3858	
PROC. REF: AMM 05-38-00-210-801PROC. REF: AMM 05-38-00-210-801								
05-50-00-100-801-01	CLEANING AFTER ELECTROLYTE SPILLAGE							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-100-801PROC. REF: AMM 05-50-00-100-801								
05-50-00-200-801-01	CHECK AFTER A TOWING INCIDENT							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.445	AFL	0						
PROC. REF: AMM 05-50-00-200-801PROC. REF: AMM 05-50-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-200-802-01		CHECK AFTER HAILSTORM						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.450	AFL	0						
PROC. REF: AMM 05-50-00-200-802PROC. REF: AMM 05-50-00-200-802								
05-50-00-200-803-01		CHECK AFTER A LIGHTNING STRIKE						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.460	AFL	0						
PROC. REF: AMM 05-50-00-200-803PROC. REF: AMM 05-50-00-200-803								
05-50-00-200-804-01		CHECK AFTER A REJECTED TAKE-OFF OR EMERGENCY BRAKING						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.470	AFL	0						
PROC. REF: AMM 05-50-00-200-804PROC. REF: AMM 05-50-00-200-804								
05-50-00-200-805-01		CHECK AFTER FLYING UNDER EXCESSIVE LOAD FACTOR OR THROUGH EXCESSIVE TURBULENCE						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.480	AFL	0						
PROC. REF: AMM 05-50-00-200-805PROC. REF: AMM 05-50-00-200-805								
05-50-00-200-806-01		CHECK AFTER AIRCRAFT TILTING BACKWARD DURING MAINTENANCE OR POWER BACK OPERATIONS						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.490	AFL	0						
PROC. REF: AMM 05-50-00-200-806PROC. REF: AMM 05-50-00-200-806								
05-50-00-200-807-01		CHECK AFTER FLIGHT WITH ENGINE AIR INTAKE ANTI-ICING VALVE FAILED - ENGINE 1 AIR INTAKE						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.500	AFL	0						
PROC. REF: AMM 05-50-00-200-807PROC. REF: AMM 05-50-00-200-807								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-200-808-01 CHECK AFTER POSSIBLE ENGINE FOREIGN OBJECT DAMAGE (FOD)								Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.510	AFL	0						
PROC. REF: AMM 05-50-00-200-808PROC. REF: AMM 05-50-00-200-808								
05-50-00-200-809-01 INSPECTION AFTER SLAT OPERATION IN OVERSPEED CONDITION								Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.720	AFL	0						
PROC. REF: AMM 05-50-00-200-809PROC. REF: AMM 05-50-00-200-809								
05-50-00-200-810-01 INSPECTION AFTER FLAP OPERATION IN OVERSPEED CONDITION								Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.730	AFL	0						
PROC. REF: AMM 05-50-00-200-810PROC. REF: AMM 05-50-00-200-810								
05-50-00-200-811-01 INSPECTION OF THE MLG TRAILING ARM AXLE AFTER MLG WHEEL INSTALLATION WITHOUT APPROPRIATE TOOL								Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.700	AFL	0						
PROC. REF: AMM 05-50-00-200-811PROC. REF: AMM 05-50-00-200-811								
05-50-00-200-812-01 INSPECTION AFTER LANDING GEAR EXTENSION IN OVERSPEED CONDITION								Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-812PROC. REF: AMM 05-50-00-200-812								
05-50-00-200-813-01 CHECK AFTER WHEEL IMPACT WITH AN OBSTACLE AT TAKE OFF OR LANDING								Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-813PROC. REF: AMM 05-50-00-200-813								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-200-817-01	CHECK AFTER COLLISION WITH FOREIGN OBJECT							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-817PROC. REF: AMM 05-50-00-200-817								
05-50-00-200-822-01	OPERATION TO BE PERFORMED AFTER VMO/MMO EXCEEDANCE							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-822PROC. REF: AMM 05-50-00-200-822								
05-50-00-210-802	NO. 1 ENGINE - REPORTING REQUIREMENTS FOR FADEC FAULTS							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-802	NO. 2 ENGINE - REPORTING REQUIREMENTS FOR FADEC FAULTS							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-802 ^S	NO. 3 ENGINE - REPORTING REQUIREMENTS FOR FADEC FAULTS							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-803	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-803	NO. 2 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-803 ^S	NO. 3 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-804	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-804	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-804 ^S	NO. 3 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-805	NO. 1 ENGINE - LOW AND/OR FLUCTUATING OIL PRESSURE							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-805	NO. 2 ENGINE - LOW AND/OR FLUCTUATING OIL PRESSURE							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-805 ^S	NO. 3 ENGINE - LOW AND/OR FLUCTUATING OIL PRESSURE							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-806	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-806	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-806 ^S	NO. 3 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-807	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-807	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-807 ^S	NO. 3 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-808	NO. 1 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-808	NO. 2 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-808 ^S	NO. 3 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-809	NO. 1 ENGINE - ENGINE OPERATION IN VISABLE VOLCANIC ASH							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-809	NO. 2 ENGINE - ENGINE OPERATION IN VISABLE VOLCANIC ASH							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-809 ^S	NO. 3 ENGINE - ENGINE OPERATION IN VISIBLE, REPORTED OR SUSPECTED VOLCANIC ASH CONDITIONS							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-810	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-810	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-810 ^S	NO. 3 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-811	NO. 1 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-811	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-811 ^S	NO. 3 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-812	NO. 1 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-812	NO. 2 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-812 ^S	NO. 3 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-813	NO. 1 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-813	NO. 2 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-813 ^S	NO. 3 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-814	NO. 1 ENGINE - LACK OF ENGINE PRESERVATION							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-814	NO. 2 ENGINE - LACK OF ENGINE PRESERVATION							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-814 ^S	NO. 3 ENGINE - LACK OF ENGINE PRESERVATION							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-815	NO. 1 ENGINE - OIL SYSTEM CONTAMINATION							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-815	NO. 2 ENGINE - OIL SYSTEM CONTAMINATION							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-815 ^S	NO. 3 ENGINE - OIL SYSTEM CONTAMINATION							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-816	NO. 1 ENGINE - ENGINE TAKEOFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-816	NO. 2 ENGINE - ENGINE TAKEOFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-816 ^S	NO. 3 ENGINE - ENGINE TAKEOFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-817	NO. 1 ENGINE - DC GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-817	NO. 2 ENGINE - DC GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-817 ^S	NO. 3 ENGINE - DC GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-818	NO. 1 ENGINE - AIR STARTER UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-818	NO. 2 ENGINE - AIR STARTER UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-818 ^S	NO. 3 ENGINE - AIR STARTER UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-819	NO. 1 ENGINE - AIRFRAME FWD AND AFT HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	18-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-819	NO. 2 ENGINE - AIRFRAME FWD AND AFT HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	23-Aug-06	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-819	^S	NO. 3 ENGINE - AIRFRAME FWD AND AFT HYDRAULIC PUMP UNSCHEDULED REMOVAL						Service ATA:05
	MOS/MSC	14-Jan-08	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-210-820	^S	NO. 3 ENGINE - FUEL CONTAMINATION WITH DEF (DIESEL EXHAUST FLUID)						Service ATA:05
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
05-50-00-620-801-01		SPECIFIC MAINTENANCE FOR A/C OPERATING IN CORROSIVE AMBIENT CONDITIONS						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-620-801PROC. REF: AMM 05-50-00-620-801								
05-50-00-620-801-02	^U	SPECIFIC MAINTENANCE FOR A/C OPERATING IN CORROSIVE AMBIENT CONDITIONS - INSPECTIONS AND ANTI-CORROSION TREATMENTS AT MEDIUM TIME INTERVALS						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
05-50-00-620-803-01		SPECIFIC MAINTENANCE FOR A/C OPERATING IN COLD WEATHER						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-620-803PROC. REF: AMM 05-50-00-620-803								
05-50-00-620-805-01		SPECIFIC MAINTENANCE TO PREVENT FUEL CONTAMINATION - CRITERIA TO DEFINE A/C AT RISK OF FUEL CONTAMINATION						Service ATA:05
	MOS/MSC		O/C					
	HRS							
	AFL							
PROC. REF: AMM 05-50-00-620-805PROC. REF: AMM 05-50-00-620-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-620-805-02		SPECIFIC MAINTENANCE TO PREVENT FUEL CONTAMINATION						Service ATA:05
	MOS/MSC	09-Feb-19	O/C					
	HRS	4689:52						
	AFL	1945						
PROC. REF: AMM 05-50-00-620-805PROC. REF: AMM 05-50-00-620-805								
05-50-00-700-801-01		CHECK AND DECONTAMINATION OF THE AIR CONDITIONING SYSTEM AFTER POLLUTION						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.520	AFL	0						
PROC. REF: AMM 05-50-00-700-801PROC. REF: AMM 05-50-00-700-801								
05-50-00-700-802-01		CHECK AND DECONTAMINATION OF THE AIR PIPES AFTER POLLUTION						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.530	AFL	0						
PROC. REF: AMM 05-50-00-700-802PROC. REF: AMM 05-50-00-700-802								
05-50-00-700-803-01		CHECK AFTER FIRE EXTINGUISHER PERCUSSION						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.540	AFL	0						
PROC. REF: AMM 05-50-00-700-803PROC. REF: AMM 05-50-00-700-803								
05-50-00-700-806-01		CHECK AFTER LANDING ON A TAR-MACADAM RUNWAY IN VERY HOT WEATHER						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.550	AFL	0						
PROC. REF: AMM 05-50-00-700-806PROC. REF: AMM 05-50-00-700-806								
05-50-00-700-807-01		CHECK AFTER LANDING ON A DRY AND DIRTY RUNWAY						Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.560	AFL	0						
PROC. REF: AMM 05-50-00-700-807PROC. REF: AMM 05-50-00-700-807								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-700-808-01	CHECK AFTER HARD/OVERWEIGHT LANDING							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.570	AFL	0						
PROC. REF: AMM 05-50-00-700-808PROC. REF: AMM 05-50-00-700-808								
05-50-00-700-809-01	CLEANING AFTER ELECTROLYTE SPILLAGE							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.580	AFL	0						
05-50-00-700-810-01	CHECK AFTER SAND CONDITION - CHECKS AFTER A FLIGHT THROUGH SAND							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.590	AFL	0						
PROC. REF: AMM 05-50-00-700-810PROC. REF: AMM 05-50-00-700-810								
05-50-00-700-811-01	CHECK AFTER A FLIGHT WITH THE RAT DEPLOYED							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.600	AFL	0						
PROC. REF: AMM 05-50-00-700-811PROC. REF: AMM 05-50-00-700-811								
05-50-00-700-812-01	CHECK AFTER UNCONTROLLABLE HIGH ENGINE THRUST							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.610	AFL	0						
PROC. REF: AMM 05-50-00-700-812PROC. REF: AMM 05-50-00-700-812								
05-50-00-700-813-01	CHECK AFTER ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.620	AFL	0						
PROC. REF: AMM 05-50-00-700-813PROC. REF: AMM 05-50-00-700-813								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-700-814-01	CHECK AFTER FLIGHT WITH LOW AND/OR FLUCTUATING OIL PRESSURE							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.630	AFL	0						
PROC. REF: AMM 05-50-00-700-814PROC. REF: AMM 05-50-00-700-814								
05-50-00-700-815-01	CHECK AFTER ENGINE RUNNING AT OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.640	AFL	0						
PROC. REF: AMM 05-50-00-700-815PROC. REF: AMM 05-50-00-700-815								
05-50-00-700-816-01	CHECK AFTER ENGINE HIGH POWER SHUTDOWN							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.650	AFL	0						
PROC. REF: AMM 05-50-00-700-816PROC. REF: AMM 05-50-00-700-816								
05-50-00-700-817-01	CHECK AFTER ENGINE OIL SYSTEM CONTAMINATION							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.660	AFL	0						
PROC. REF: AMM 05-50-00-700-817PROC. REF: AMM 05-50-00-700-817								
05-50-00-700-819-01	CHECK AFTER ENGINE RUNNING AT INTERSTAGE TURBINE TEMPERATURE OUTSIDE OF LIMITS - ENGINE 1 (L950EZ)							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-819PROC. REF: AMM 05-50-00-700-819								
05-50-00-700-820-01	CHECK AFTER 3-POINT LANDING							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.710	AFL	0						
PROC. REF: AMM 05-50-00-700-820PROC. REF: AMM 05-50-00-700-820								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-700-821-01	CHECK AFTER OIL SMELL IN THE CABIN							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-821PROC. REF: AMM 05-50-00-700-821								
05-50-00-700-822-01	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - CHECKS AFTER A FLIGHT THROUGH A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822PROC. REF: AMM 05-50-00-700-822								
05-50-00-700-822-02	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - FURTHER INSPECTIONS AFTER A FLIGHT THROUGH A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822PROC. REF: AMM 05-50-00-700-822								
05-50-00-700-822-03	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - OPERATIONS AND CHECKS AFTER AN EXCEPTIONAL FLIGHT THROUGH A HIGH VOLCANIC ASH CONCENTRATION AREA							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822PROC. REF: AMM 05-50-00-700-822								
05-50-00-700-822-04	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - OPERATIONS AND CHECKS ON AN AIRCRAFT PARKED IN A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822PROC. REF: AMM 05-50-00-700-822								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-700-822-05	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - OPERATIONS AND CHECKS ON AN AIRCRAFT PARKED IN A HEAVY VOLCANIC ASH FALLOUT AREA							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822PROC. REF: AMM 05-50-00-700-822								
05-50-00-730-801-01	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - CHECK OF THE ENGINE DRIVEN PUMP (EDP) AND FILTERS AFTER RUN DRY							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 05.670	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								
05-50-00-730-801-02	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - CHECK OF THE HYDRAULIC SYSTEM AFTER OVERHEAT							Service ATA:05
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								
05-50-00-730-801-03	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - CHECK AFTER FILTER CLOGGING INDICATION							Service ATA:05
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								
05-50-00-730-801-04	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - CHECK OF THE BACKUP PUMP AFTER INTENSIVE USE IN FLIGHT							Service ATA:05
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								
05-50-00-730-801-05	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - MEASURES TO BE TAKEN AFTER A HYDRAULIC PUMP FAILURE							Service ATA:05
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-730-802-01	CHECK OF THE BRAKING SYSTEM AT ACCELERATION/STOP AFTER TROUBLESHOOTING							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-802PROC. REF: AMM 05-50-00-730-802								
05-50-00-730-803-01	CHECK AFTER INCIDENT ON THE DC GENERATOR							Service ATA:05
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-803PROC. REF: AMM 05-50-00-730-803								
05-50-00-910-801-01	AIRCRAFT CHECK FLIGHT							Service ATA:05
	MOS/MSC	11-Aug-23	96 (+2m) / A/R		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44						
WC#: 05.690	AFL	2518	4000		6518		3858	
PROC. REF: AMM 05-50-00-910-801PROC. REF: AMM 05-50-00-910-801								
05-60-00-200-801-01	BASIC INSPECTION							Service ATA:05
	MOS	In progress	12 (+1m)	Adj -23d	05-Aug-26	05-Sep-26	306 d (+31)	
	HRS	7445:40	400 (+40)		7845:40	7885:40	353:06 (+40)	
	AFL	2653						
PROC. REF: AMM 05-60-00-200-801PROC. REF: AMM 05-60-00-200-801								
05-60-00-200-801-03	BASIC INSPECTION - GROUND SERVICING CHECKS							Service ATA:05
	MOS	In progress	12 (+1m)		28-Aug-26	28-Sep-26	329 d (+31)	
	HRS	7445:40	400 (+40)		7845:40	7885:40	353:06 (+40)	
WC#: 05.440	AFL	2653						
PROC. REF: AMM 05-60-00-200-801PROC. REF: AMM 05-60-00-200-801								
05AA01 ^U	CARRY OUT DAILY SERVICING AS PER DGT 779 (GROUND SERVICING MANUAL)							Service ATA:05
	MOS/MSC	13-Sep-23	A/R					CUSTOMER CODE
	HRS	6778:13						
	AFL	2519						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
MPREF ^U	WORK TO BE PERFORMED IN ACCORDANCE WITH MAINTENANCE PROGRAMME REF KFE-7X-MP ISSUE 2 REV 3 DATED 10-OCT-2018, AND IN ACCORDANCE WITH LATEST AIRCRAFT AND ENGINE MANUALS.							Service ATA:05
	MOS/MSC	14-Sep-21	O/C					
	HRS	6115:26						
	AFL	2379						
ATA 07 - LIFTING AND SHORING								
07-10-00-910-801-01	JACKING THE AIRCRAFT							Service ATA:07
	MOS/MSC	04-Jun-20	O/C					
	HRS	5478:10						
	AFL	2166						
PROC. REF: AMM 07-10-00-910-801PROC. REF: AMM 07-10-00-910-801								
07-10-00-910-807-01	JACKING THE AIRCRAFT FOR REMOVAL OF THE WINGS							Service ATA:07
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 07-10-00-910-807PROC. REF: AMM 07-10-00-910-807								
ATA 08 - LEVELING AND WEIGHING								
08-10-00-910-801-01	WEIGHING THE AIRCRAFT - WEIGHING THE AIRCRAFT ON WHEELS							Service ATA:08
	MOS	03-Aug-23	60		03-Aug-28		1035 d	
	HRS	6775:44						
	AFL	2518						
08-10-00-910-801-02	WEIGHING THE AIRCRAFT - WEIGHING THE AIRCRAFT ON JACKS							Service ATA:08
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 08-10-00-910-801PROC. REF: AMM 08-10-00-910-801								
081002 ^U	SEND REVISED WEIGHT REPORT TO FLIGHT OPERATIONS AND OPERATIONS CONTROL BEFORE FIRST FLIGHT.							Service ATA:08
	MOS/MSC	14-Jul-18	A/R					
	HRS	4398:30						
	AFL	1825						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 08 - LEVELING AND WEIGHING								
ATA 09 - TOWING AND TAXING								
09-10-00-910-810-01	DEBOGGING THE AIRCRAFT							Service ATA:09
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 09.010	AFL	0						
PROC. REF: AMM 09-10-00-910-810PROC. REF: AMM 09-10-00-910-810								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10-00-200-801-01	CHECK AFTER PARKING OF THE AIRCRAFT IN HIGH WIND CONDITIONS							Service ATA:10
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 10.020	AFL	0						
PROC. REF: AMM 10-10-00-200-801PROC. REF: AMM 10-10-00-200-801								
10-10-00-550-801-01	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 2 MONTHS							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-02	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - ADDITIONAL OPERATIONS FOR STORAGE FROM 2 TO 12 MONTHS							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-03	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - STORAGE OF THE AIRCRAFT FOR A PERIOD OF 12 TO 18 MONTHS							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 10.010	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10-00-550-801-04	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY MONTH							Service ATA:10
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 10.010	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-05	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 2 MONTHS							Service ATA:10
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 10.010	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-06	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 6 MONTHS							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 10.010	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-07	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AFTER 2 MONTHS OR LESS							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-08	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AFTER MORE THAN 2 MONTHS							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801								
10-10-00-550-801-09 ^U	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PRE-STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 8 WEEKS (REFER TO PARA. (PRE_STORAGE))							Service ATA:10
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-20-00-910-802-01	MOORING THE AIRCRAFT IN CASE OF SNOWFALL							Service ATA:10
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 10-20-00-910-802PROC. REF: AMM 10-20-00-910-802								
ATA 11 - PLACARDS AND MARKINGS								
11-00-00-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE INTERNAL AND EXTERNAL MARKINGS AND PLACARDS							Service ATA:11
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 11.010	AFL	2518	4000					
PROC. REF: AMM 11-00-00-210-801PROC. REF: AMM 11-00-00-210-801								
PKG:41								
11-00-00-960-801-01	REPLACEMENT OF THE SELF-ADHESIVE PLACARDS							Service ATA:11
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 11-00-00-960-801PROC. REF: AMM 11-00-00-960-801								
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-20-00-900-801-01	REMOVAL / INSTALLATION OF THE ELECTRICAL BONDING BRAIDS							Component ATA:20
PN:30-2305027-00	MOS/MSC	22-Jan-20	O/C	TSN 0				
SN:NSN	HRS	5287:57		TSN 0				
	AFL	2109		TSN 0				
PROC. REF: AMM 20-20-00-900-801PROC. REF: AMM 20-20-00-900-801								
20-20-00-910-801-01	ELECTRICAL BONDING PRINCIPLES AND CHECK							Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 20-20-00-910-801PROC. REF: AMM 20-20-00-910-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-21-31-220-801-01	^S	DETAILED INSPECTION OF THE LIGHTS, ANTENNAS, DETECTORS, PROBES AND DRAIN MASTS						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.010	AFL	2518	4000					
PROC. REF: AMM 20-21-31-220-801PROC. REF: AMM 20-21-31-220-801								PKG:41
20-21-47-220-801-01		DETAILED INSPECTION OF THE PAINT AND BONDING MESH OF THE T34 AND T5 FAIRINGS						Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-21-47-220-801PROC. REF: AMM 20-21-47-220-801								
20-22-11-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE LIGHTNING ARRESTER STRIPS AND METALLIZED SEALS OF THE NOSE CONE						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.030	AFL	2518	4000					
PROC. REF: AMM 20-22-11-210-801PROC. REF: AMM 20-22-11-210-801								PKG:41
20-22-11-210-802-01	^S	GENERAL VISUAL INSPECTION OF THE JUMPER STRAPS OF THE NOSE CONE						Service ATA:20
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 20.040	AFL	2518	8000					
PROC. REF: AMM 20-22-11-210-802PROC. REF: AMM 20-22-11-210-802								PKG:42
20-22-11-220-801-01		DETAILED INSPECTION OF THE DIRECT CONTACTS, PAINT AND BONDING MESH OF THE NOSE CONE						Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-22-11-220-801PROC. REF: AMM 20-22-11-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-23-22-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE LIGHTNING RODS AND DIVERTER OF THE FIN TIP FAIRING						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.060	AFL	2518	4000					
PROC. REF: AMM 20-23-22-210-801PROC. REF: AMM 20-23-22-210-801								PKG:41
20-23-22-220-801-01		DETAILED INSPECTION OF THE PAINT AND BONDING MESH OF THE VERTICAL STABILIZER						Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-23-22-220-801PROC. REF: AMM 20-23-22-220-801								
20-23-32-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE BONDING STRAPS AND STATIC DISCHARGERS OF THE HORIZONTAL STABILIZER AND ELEVATORS						Service ATA:20
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 20.080	AFL	2518						
PROC. REF: AMM 20-23-32-210-801PROC. REF: AMM 20-23-32-210-801								PKG:4
20-23-32-220-801-01		DETAILED INSPECTION OF THE PAINT AND BONDING MESH OF THE HORIZONTAL STABILIZER AND ELEVATORS						Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-23-32-220-801PROC. REF: AMM 20-23-32-220-801								
20-23-53-220-801-01	^S	DETAILED INSPECTION OF THE DIRECT CONTACTS OF THE S-DUCT FAIRINGS						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 20-23-53-220-801PROC. REF: AMM 20-23-53-220-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-24-00-200-801-01	^S	INSPECTION #1 OF THE ENGINES AND THRUST REVERSER L/HIRF PROTECTION - LH POWERPLANT						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.110	AFL	2518	4000					
PROC. REF: AMM 20-24-00-200-801PROC. REF: AMM 20-24-00-200-801								PKG:41
20-24-00-200-801-02	^S	INSPECTION #1 OF THE ENGINES AND THRUST REVERSER L/HIRF PROTECTION - CTR POWERPLANT						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.120	AFL	2518	4000					
PROC. REF: AMM 20-24-00-200-801PROC. REF: AMM 20-24-00-200-801								PKG:41
20-24-00-200-801-03	^S	INSPECTION #1 OF THE ENGINES AND THRUST REVERSER L/HIRF PROTECTION - RH POWERPLANT						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.130	AFL	2518	4000					
PROC. REF: AMM 20-24-00-200-801PROC. REF: AMM 20-24-00-200-801								PKG:41
20-24-00-200-802-01	^S	INSPECTION #2 OF THE ENGINES AND THRUST REVERSER L/HIRF PROTECTION - LH POWERPLANT						Service ATA:20
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 20.140	AFL	2518	8000					
PROC. REF: AMM 20-24-00-200-802PROC. REF: AMM 20-24-00-200-802								PKG:42
20-24-00-200-802-02	^S	INSPECTION #2 OF THE ENGINES AND THRUST REVERSER L/HIRF PROTECTION - CTR POWERPLANT						Service ATA:20
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 20.150	AFL	2518	8000					
PROC. REF: AMM 20-24-00-200-802PROC. REF: AMM 20-24-00-200-802								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-24-00-200-802-03	^S	INSPECTION #2 OF THE ENGINES AND THRUST REVERSER L/HIRF PROTECTION - RH POWERPLANT						Service ATA:20
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 20.160	AFL	2518	8000					
PROC. REF: AMM 20-24-00-200-802PROC. REF: AMM 20-24-00-200-802								PKG:42
20-24-00-210-801-02	^S	GENERAL VISUAL INSPECTION OF THE BONDING STRAPS OF THE ENGINES AND THRUST REVERSER						Service ATA:20
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 20.180	AFL	2518						
PROC. REF: AMM 20-24-00-210-801PROC. REF: AMM 20-24-00-210-801								PKG:4
20-24-11-280-801-01	^S	SPECIAL DETAILED INSPECTION OF THE BONDING STRAPS INSIDE THE AIR INTAKE OF ENGINES 1 AND 3 - ENGINE 1 AIR INTAKE						Service ATA:20
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 20.200	AFL	2518	8000					
PROC. REF: AMM 20-24-11-280-801PROC. REF: AMM 20-24-11-280-801								PKG:42
20-24-11-280-801-02	^S	SPECIAL DETAILED INSPECTION OF THE BONDING STRAPS INSIDE THE AIR INTAKE OF ENGINES 1 AND 3 - ENGINE 3 AIR INTAKE						Service ATA:20
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 20.210	AFL	2518	8000					
PROC. REF: AMM 20-24-11-280-801PROC. REF: AMM 20-24-11-280-801								PKG:42
20-25-00-200-801-01	^S	INSPECTION OF THE SLIDING CONTACTS, BONDING BRAIDS, PAINT AND BONDING MESH OF THE SLATS, FLAPS, AILERONS AND WINGLETS - LH WING						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.220	AFL	2518	4000					
PROC. REF: AMM 20-25-00-200-801PROC. REF: AMM 20-25-00-200-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-25-00-200-801-02	^S	INSPECTION OF THE SLIDING CONTACTS, BONDING BRAIDS, PAINT AND BONDING MESH OF THE SLATS, FLAPS, AILERONS AND WINGLETS - RH WING						Service ATA:20
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 20.220	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 20-25-00-200-801PROC. REF: AMM 20-25-00-200-801								
20-27-17-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE BONDING BRAIDS OF THE LANDING GEARS AND MAIN LANDING GEAR DOORS						Service ATA:20
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 20.240	AFL	2518						
								PKG:4
PROC. REF: AMM 20-27-17-210-801PROC. REF: AMM 20-27-17-210-801								
20-31-00-100-801-01	^U	CLEANING OF THE AIRCRAFT EXTERIOR - CLEANING THE AIRCRAFT EXTERIOR WITH CONVENTIONAL EQUIPMENT						Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 20.255	AFL	0						
20-31-00-100-801-02	^U	CLEANING OF THE AIRCRAFT EXTERIOR - CLEANING THE AIRCRAFT EXTERIOR WITH HIGH-PRESSURE EQUIPMENT						Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 20.255	AFL	0						
20-31-00-100-806-01		CLEANING OF FUEL TANKS AND EQUIPMENT - CLEANING OF THE LH FEEDER TANK						Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 20-31-00-100-806PROC. REF: AMM 20-31-00-100-806								
20-31-00-100-806-02		CLEANING OF FUEL TANKS AND EQUIPMENT - CLEANING OF THE RH FEEDER TANK						Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
PROC. REF: AMM 20-31-00-100-806PROC. REF: AMM 20-31-00-100-806								
20-31-00-100-806-03	CLEANING OF FUEL TANKS AND EQUIPMENT - CLEANING OF THE CTR FEEDER TANK							Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 20-31-00-100-806PROC. REF: AMM 20-31-00-100-806								
20-31-00-100-806-04	CLEANING OF FUEL TANKS AND EQUIPMENT - CLEANING OF THE LH CENTER-WING TANK							Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 20-31-00-100-806PROC. REF: AMM 20-31-00-100-806								
20-31-00-100-806-05	CLEANING OF FUEL TANKS AND EQUIPMENT - CLEANING OF THE RH CENTER-WING TANK							Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 20-31-00-100-806PROC. REF: AMM 20-31-00-100-806								
20-31-00-140-801-01	RINSING THE AIRCRAFT EXTERIOR							Service ATA:20
	MOS/MSC	18-May-15	A/R					
	HRS	2991:27						
WC#: 20.260	AFL	1344						
PROC. REF: AMM 20-31-00-140-801PROC. REF: AMM 20-31-00-140-801								
20-31-00-350-801-01	BRIGHTENING/POLISHING OF THE WING AND AIR INTAKE LEADING EDGES - BRIGHTENING							Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-31-00-350-801PROC. REF: AMM 20-31-00-350-801								
20-31-00-350-801-02	BRIGHTENING/POLISHING OF THE WING AND AIR INTAKE LEADING EDGES - POLISHING							Service ATA:20
	MOS/MSC	15-Feb-16	O/C					
	HRS	3063:15						
	AFL	1419						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
PROC. REF: AMM 20-31-00-350-801PROC. REF: AMM 20-31-00-350-801								
20-31-00-910-801-01	ON-GROUND DE-ICING AND ANTI-ICING TREATMENT - DE-ICING TREATMENT							Service ATA:20
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 20.250	AFL	0						
PROC. REF: AMM 20-31-00-910-801PROC. REF: AMM 20-31-00-910-801								
20-32-00-360-805-01	AIR AND FUEL LEAK TEST OF THE FUEL TANK - AIR LEAK TEST							Service ATA:20
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 20-32-00-360-805PROC. REF: AMM 20-32-00-360-805								
20-32-00-360-805-02	AIR AND FUEL LEAK TEST OF THE FUEL TANK - FUEL LEAK TEST							Service ATA:20
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 20-32-00-360-805PROC. REF: AMM 20-32-00-360-805								
20-33-00-300-804-01	TEMPORARY REPAIR OF A HYDRAULIC OR WATER PIPE USING RYNGLOK FITTINGS							Service ATA:20
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-33-00-300-804PROC. REF: AMM 20-33-00-300-804								
20-43-09-910-802-01	REMOVAL / INSTALLATION OF HELI-COIL THREAD INSERTS							Service ATA:20
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 20-43-09-910-802PROC. REF: AMM 20-43-09-910-802								
20-44-00-960-801-01	REPLACEMENT OF THE VELCRO TYPE STRAPS							Service ATA:20
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
PROC. REF: AMM 20-44-00-960-801PROC. REF: AMM 20-44-00-960-801								
20-60-00-370-801-01	APPLICATION OF ALODINE							Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-60-00-370-801PROC. REF: AMM 20-60-00-370-801								
20-60-00-370-802-02	GENERAL PAINTING INSTRUCTIONS - PAINT TOUCH-UPS							Service ATA:20
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 20-60-00-370-802PROC. REF: AMM 20-60-00-370-802								
20-60-00-370-804-01	APPLICATION OF CELOGLISS PAINT							Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-60-00-370-804PROC. REF: AMM 20-60-00-370-804								
20-60-00-370-813-01	APPLICATION OF THE PAINT SCHEME ON COMPOSITE COMPONENTS - PAINT SCHEME APPLICATION ON COMPOSITE ELEMENTS							Service ATA:20
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-60-00-370-813PROC. REF: AMM 20-60-00-370-813								
20-60-10-370-801-01	GENERAL RULES FOR APPLICATION OF CORROSION INHIBITOR COMPOUND							Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-60-10-370-801PROC. REF: AMM 20-60-10-370-801								
20-92-00-960-802-01	REPLACEMENT OF THE ELEVATOR CONNECTOR BACKSHELLS							Service ATA:20
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 20 - STANDARD PRACTICES - AIRFRAME

PROC. REF: AMM 20-92-00-960-802PROC. REF: AMM 20-92-00-960-802

20-95-00-200-801-01	INSPECTION OF WIRING ROUTING AND SEGREGATION - FEEDERS AND FUEL PIPES						Service	ATA:20
	MOS/MSC	12-Jun-07	O/C				CDCCL	
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-95-00-200-801PROC. REF: AMM 20-95-00-200-801								

20-95-00-200-801-02	INSPECTION OF WIRING ROUTING AND SEGREGATION - FUEL GAUGING PROBE WIRING AND OTHER WIRING						Service	ATA:20
	MOS/MSC	12-Jun-07	O/C				CDCCL	
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-95-00-200-801PROC. REF: AMM 20-95-00-200-801								

ATA 21 - AIR CONDITIONING

21-20-00-710-801-01	^S	OPERATIONAL TEST OF THE RECIRCULATION, CABIN HOT AIR AND COCKPIT COLD AIR NON-RETURN VALVES (NRV) - RECIRCULATION NRV (1601HF)					Service	ATA:21
		MOS	11-Aug-23	96 (+2m)				
		HRS	6775:44					
WC#: 21.005		AFL	2518	4000				
								PKG:41
PROC. REF: AMM 21-20-00-710-801PROC. REF: AMM 21-20-00-710-801								

21-20-00-710-801-02	^S	OPERATIONAL TEST OF THE RECIRCULATION, CABIN HOT AIR AND COCKPIT COLD AIR NON-RETURN VALVES (NRV) - LH AND CABIN HOT AIR NRV (101HD) / (201HD) / (301HD) / (401HD)					Service	ATA:21
		MOS	11-Aug-23	96 (+2m)				
		HRS	6775:44					
WC#: 21.010		AFL	2518	4000				
								PKG:41
PROC. REF: AMM 21-20-00-710-801PROC. REF: AMM 21-20-00-710-801								

21-20-00-710-801-03	^S	OPERATIONAL TEST OF THE RECIRCULATION, CABIN HOT AIR AND COCKPIT COLD AIR NON-RETURN VALVES (NRV) - COCKPIT COLD AIR NRV (403HD)					Service	ATA:21
		MOS	11-Aug-23	96 (+2m)				
		HRS	6775:44					
WC#: 21.015		AFL	2518	4000				
								PKG:41
PROC. REF: AMM 21-20-00-710-801PROC. REF: AMM 21-20-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-20-00-710-802-01 ^S OPERATIONAL TEST OF THE CABIN AIR ANTI-CONTAMINATION NON-RETURN VALVES (NRV) - FRONT CABIN COLD AIR NRV (503HD) Service ATA:21								
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 21.020	AFL	2518	4000					
PROC. REF: AMM 21-20-00-710-802PROC. REF: AMM 21-20-00-710-802								
21-20-00-710-802-02 OPERATIONAL TEST OF THE CABIN AIR ANTI-CONTAMINATION NON-RETURN VALVES (NRV) - LH FILTER NRV (1501HD) / RH FILTER NRV (1601HD) / LH FILTER CALIBRATED BYPASS NRV (1701HD) / RH FILTER CALIBRATED BYPASS NRV (1801HD) Service ATA:21								
	MOS/MS	12-Jun-07	N/A					
	HRS	0						
WC#: 21.020	AFL	0						
PROC. REF: AMM 21-20-00-710-802PROC. REF: AMM 21-20-00-710-802								
21-22-01-900-801-01 REMOVAL / INSTALLATION OF THE CABIN HOT AIR, EMERGENCY COLD AIR AND AFT CABIN COLD AIR NON-RETURN VALVES (NRV) - LH CABIN LH HOT AIR NRV (101HD) Component ATA:21								
PN:3202952-7	MOS/MS	12-Jun-07	O/C	TSN 0				
SN:213	HRS	0		TSN 0				
WC#: 21.025	AFL	0		TSN 0				
PROC. REF: AMM 21-22-01-900-801PROC. REF: AMM 21-22-01-900-801								
21-22-01-900-801-02 REMOVAL / INSTALLATION OF THE CABIN HOT AIR, EMERGENCY COLD AIR AND AFT CABIN COLD AIR NON-RETURN VALVES (NRV) - RH CABIN RH HOT AIR NRV (201HD) Component ATA:21								
PN:3202952-7	MOS/MS	12-Jun-07	O/C	TSN 0				
SN:214	HRS	0		TSN 0				
WC#: 21.025	AFL	0		TSN 0				
PROC. REF: AMM 21-22-01-900-801PROC. REF: AMM 21-22-01-900-801								
21-22-01-900-801-03 REMOVAL / INSTALLATION OF THE CABIN HOT AIR, EMERGENCY COLD AIR AND AFT CABIN COLD AIR NON-RETURN VALVES (NRV) - RH CABIN LH HOT AIR NRV (301HD) Component ATA:21								
PN:3202952-7	MOS/MS	12-Jun-07	O/C	TSN 0				
SN:215	HRS	0		TSN 0				
WC#: 21.030	AFL	0		TSN 0				
PROC. REF: AMM 21-22-01-900-801PROC. REF: AMM 21-22-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-22-01-900-801-04		REMOVAL / INSTALLATION OF THE CABIN HOT AIR, EMERGENCY COLD AIR AND AFT CABIN COLD AIR NON-RETURN VALVES (NRV) - LH CABIN RH HOT AIR NRV (401HD)					Component	ATA:21
PN:3202952-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:212	HRS	0		TSN 0				
WC#: 21.030	AFL	0		TSN 0				
PROC. REF: AMM 21-22-01-900-801PROC. REF: AMM 21-22-01-900-801								
21-22-01-900-801-05		REMOVAL / INSTALLATION OF THE CABIN HOT AIR, EMERGENCY COLD AIR AND AFT CABIN COLD AIR NON-RETURN VALVES (NRV) - COLD AIR NRV (801HD)					Component	ATA:21
PN:3202924-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:116	HRS	0		TSN 0				
WC#: 21.045	AFL	0		TSN 0				
PROC. REF: AMM 21-22-01-900-801PROC. REF: AMM 21-22-01-900-801								
21-22-01-900-801-06		REMOVAL / INSTALLATION OF THE CABIN HOT AIR, EMERGENCY COLD AIR AND AFT CABIN COLD AIR NON-RETURN VALVES (NRV) - EMERGENCY COLD AIR NRV (901HD)					Component	ATA:21
PN:3202954-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:121	HRS	0		TSN 0				
WC#: 21.045	AFL	0		TSN 0				
PROC. REF: AMM 21-22-01-900-801PROC. REF: AMM 21-22-01-900-801								
21-22-05-900-801-01		REMOVAL / INSTALLATION OF THE LOUNGE VALVES - LH LOUNGE VALVE (501HD)					Component	ATA:21
PN:3205056-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:119	HRS	0		TSN 0				
WC#: 21.035	AFL	0		TSN 0				
PROC. REF: AMM 21-22-05-900-801PROC. REF: AMM 21-22-05-900-801								
21-22-05-900-801-02		REMOVAL / INSTALLATION OF THE LOUNGE VALVES - RH LOUNGE VALVE (601HD)					Component	ATA:21
PN:3205056-4	MOS/MSC	27-Jan-11	O/C					
SN:205	HRS	1498:24		TSN 1702				
WC#: 21.035	AFL	625		TSN 781				
PROC. REF: AMM 21-22-05-900-801PROC. REF: AMM 21-22-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-22-09-720-801-01	^S	FUNCTIONAL TEST OF THE CABIN COLD AIR VALVE - CABIN COLD AIR VALVE (1001HD)						Service ATA:21
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 21.085	AFL	2518	4000					
PROC. REF: AMM 21-22-09-720-801PROC. REF: AMM 21-22-09-720-801								
PKG:41								
21-22-09-900-801-01		REMOVAL / INSTALLATION OF THE CABIN COLD AIR VALVE - CABIN COLD AIR VALVE (1001HD)						Component ATA:21
PN:3205036-5	MOS/MSC	23-Dec-14	O/C	TSN 1				
SN:361	HRS	2987:52		TSN 0				
WC#: 21.050	AFL	1341		TSN 0				
PROC. REF: AMM 21-22-09-900-801PROC. REF: AMM 21-22-09-900-801								
21-22-13-900-801-01		REMOVAL / INSTALLATION OF THE GASPER PRESSURE SENSOR - GASPER PRESSURE SENSOR (1101HD)						Component ATA:21
PN:1153092-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00113	HRS	0		TSN 0				
WC#: 21.055	AFL	0		TSN 0				
PROC. REF: AMM 21-22-13-900-801PROC. REF: AMM 21-22-13-900-801								
21-23-01-710-801-01	^S	OPERATIONAL TEST OF THE CABIN / COCKPIT ISOLATION VALVE - CABIN / COCKPIT ISOLATION VALVE (103HD)						Service ATA:21
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 21.090	AFL	2518						
PROC. REF: AMM 21-23-01-710-801PROC. REF: AMM 21-23-01-710-801								
PKG:4								
21-23-01-900-801-01		REMOVAL / INSTALLATION OF THE CABIN / COCKPIT ISOLATION VALVE - CABIN / COCKPIT ISOLATION VALVE (103HD)						Component ATA:21
PN:3225110-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:114	HRS	0		TSN 0				
WC#: 21.100	AFL	0		TSN 0				
PROC. REF: AMM 21-23-01-900-801PROC. REF: AMM 21-23-01-900-801								
21-23-03-900-801-01		REMOVAL / INSTALLATION OF THE CABIN / COCKPIT ISOLATION VALVE MANUAL REMOTE CONTROL - CABIN/COCKPIT ISOLATION VALVE MANUAL REMOTE CONTROL (308HD)						Component ATA:21
PN:4VF2271	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
WC#: 21.175	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-23-03-900-801PROC. REF: AMM 21-23-03-900-801								
21-23-05-900-801-01	REMOVAL / INSTALLATION OF THE COCKPIT COLD AIR VALVE - COCKPIT COLD AIR VALVE (303HD)						Component	ATA:21
PN:3205034-5	MOS/MSC	14-Jul-18	O/C					
SN:217	HRS	4398:30						
WC#: 21.105	AFL	1825						
PROC. REF: AMM 21-23-05-900-801PROC. REF: AMM 21-23-05-900-801								
21-23-09-900-801-01	REMOVAL / INSTALLATION OF THE FORWARD CABIN COLD AIR NON-RETURN VALVE (NRV) - FRONT CABIN COLD AIR NRV (503HD)						Component	ATA:21
PN:3202920-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:107C	HRS	0		TSN 0				
WC#: 21.020	AFL	0		TSN 0				
PROC. REF: AMM 21-23-09-900-801PROC. REF: AMM 21-23-09-900-801								
21-23-13-900-801-01	REMOVAL / INSTALLATION OF THE COCKPIT COLD AIR NON-RETURN VALVES (NRV) - COCKPIT COLD AIR NRV (403HD)						Component	ATA:21
PN:3202926-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:112	HRS	0		TSN 0				
WC#: 21.110	AFL	0		TSN 0				
PROC. REF: AMM 21-23-13-900-801PROC. REF: AMM 21-23-13-900-801								
21-23-17-900-801-01	REMOVAL / INSTALLATION OF THE COCKPIT HOT AIR NON-RETURN VALVE (NRV) - COCKPIT HOT AIR NRV (803HD)						Component	ATA:21
PN:3202954-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:136	HRS	0		TSN 0				
WC#: 21.125	AFL	0		TSN 0				
PROC. REF: AMM 21-23-17-900-801PROC. REF: AMM 21-23-17-900-801								
21-23-21-710-801-01	OPERATIONAL TEST OF THE HOT AIR DISTRIBUTION VALVE - HOT AIR DISTRIBUTION VALVE (703HD)						Service	ATA:21
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 21.140	AFL	912						
PROC. REF: AMM 21-23-21-710-801PROC. REF: AMM 21-23-21-710-801								
21-23-21-900-801-01	REMOVAL / INSTALLATION OF THE HOT AIR DISTRIBUTION VALVE - HOT AIR DISTRIBUTION VALVE (703HD)						Component	ATA:21
PN:3205078-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0014	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-23-21-900-801PROC. REF: AMM 21-23-21-900-801								
21-23-25-900-801-01REMOVAL / INSTALLATION OF THE COCKPIT COLD LINE FLOW SENSOR - COCKPIT COLD LINE FLOW SENSOR (1003HD)								Component ATA:21
PN:1153152-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00121	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
PROC. REF: AMM 21-23-25-900-801PROC. REF: AMM 21-23-25-900-801								
21-23-29-900-801-01REMOVAL / INSTALLATION OF THE COCKPIT HOT LINE DELTA P SENSOR - COCKPIT HOT LINE DIFFERENTIAL PRESSURE SENSOR (1103HD)								Component ATA:21
PN:1153056-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00191	HRS	0		TSN 0				
WC#: 21.135	AFL	0		TSN 0				
PROC. REF: AMM 21-23-29-900-801PROC. REF: AMM 21-23-29-900-801								
21-24-01-900-881-01NOSE CONE TEMPERATURE SWITCH								Component ATA:21
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-28-01-900-881-01MANUAL REMOTE CONTROL FOR CEILING VALVE								Component ATA:21
PN:999S1511	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:27	HRS	0		TSN 0				
WC#: 21.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-28-02-900-881-01MANUAL REMOTE CONTROL FOR WINDSHIELD VALVE								Component ATA:21
PN:999S1464	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:12	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30-00-720-801-01	FUNCTIONAL TEST OF THE ALTITUDE LIMIT THRESHOLD							Service ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 21.185	AFL	2518						
PROC. REF: AMM 21-30-00-720-801PROC. REF: AMM 21-30-00-720-801								
21-30-00-720-801-01A	FUNCTIONAL TEST OF THE ALTITUDE LIMIT THRESHOLD (MANDATORY 5-40)							Service ATA:21
	MOS	11-Aug-23						CMR
	HRS	6775:44	4850		11625:44		4133:10	
WC#: 21.185	AFL	2518						
PROC. REF: AMM 21-30-00-720-801PROC. REF: AMM 21-30-00-720-801								
21-31-00-720-801-01	FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - NOSE CONE PNEUMATIC ACTUATOR (304HD)							Service ATA:21
	MOS	22-Jan-20	96 (+2m)		22-Jan-28	22-Mar-28	841 d (+60)	
	HRS	5287:57	7200 (+50)		12487:57	12537:57	4995:23 (+50)	
WC#: 21.155	AFL	2109						
PROC. REF: AMM 21-31-00-720-801PROC. REF: AMM 21-31-00-720-801								
21-31-00-720-801-02	FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - NOSE CONE PRV (404HD)							Service ATA:21
	MOS	14-Jul-18	96 (+2m)		14-Jul-26	14-Sep-26	284 d (+62)	
	HRS	4398:30	7200 (+50)		11598:30	11648:30	4105:56 (+50)	
WC#: 21.160	AFL	1825						
PROC. REF: AMM 21-31-00-720-801PROC. REF: AMM 21-31-00-720-801								
21-31-00-900-801-01	NOSE CONE PNEUMATIC ACTUATOR							Component ATA:21
PN:7021-200	MOS/MSC	22-Jan-20	O/C	TSR 100				
SN:B05588	HRS	5287:57		TSR 3274:08				
WC#: 21.155	AFL	2109		TSR 1255				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-31-00-900-801-02	NOSE CONE OVER PRESSURE RELIEF VALVE							Component ATA:21
PN:6025-300	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B80116	HRS	0		TSN 0				
WC#: 21.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-01-720-801-01	^S	FUNCTIONAL TEST OF THE NOSE CONE OVERHEAT INDICATING SYSTEM - NOSE CONE OVERHEAT TEMPERATURE SWITCH (204HD)						Service ATA:21
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 21.210	AFL	2518	4000					
PROC. REF: AMM 21-31-01-720-801PROC. REF: AMM 21-31-01-720-801								PKG:41
21-31-01-900-801-01		REMOVAL / INSTALLATION OF THE NOSE CONE OVERHEAT TEMPERATURE SWITCH - NOSE CONE OVERHEAT TEMPERATURE SWITCH (204HD)						Component ATA:21
PN:784-756-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:854	HRS	0		TSN 0				
WC#: 21.150	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01-900-801PROC. REF: AMM 21-31-01-900-801								
21-31-05-200-801-01		INSPECTION OF THE NOSE CONE FREE VALVE FLAPPER						Service ATA:21
	MOS/MSC	15-Dec-16	O/C					
	HRS	3275:03						
WC#: 21.220	AFL	1528						
PROC. REF: AMM 21-31-05-200-801PROC. REF: AMM 21-31-05-200-801								
21-31-09-900-801-01		REMOVAL / INSTALLATION OF THE NOSE CONE VENTILATION FAN - NOSE CONE VENTILATION FAN (104HD)						Component ATA:21
PN:AE1103A01	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:00673	HRS	6775:44		TSR 0				
WC#: 21.145	AFL	2518		TSR 0				
PROC. REF: AMM 21-31-09-900-801PROC. REF: AMM 21-31-09-900-801								
21-32-01-220-801-01	^S	DETAILED INSPECTION OF THE CABIN INTEGRATED PRESSURE CONTROL SYSTEM (IPCS) VALVE - CABIN IPCS VALVE (1001HP)						Service ATA:21
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 21.230	AFL	2518						
PROC. REF: AMM 21-32-01-220-801PROC. REF: AMM 21-32-01-220-801								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-32-01-720-801-02	FUNCTIONAL TEST OF THE MANUAL MODE AND "DUMP" FUNCTION OF THE CABIN INTEGRATED PRESSURE CONTROL SYSTEM (IPCS) VALVE - CABIN IPCS VALVE (1001HP)							Service ATA:21
	MOS	01-Mar-22	96 (+2m)		01-Mar-30	01-May-30	1610 d (+61)	
	HRS	6322:16	4800 (+50)		11122:16	11172:16	3629:42 (+50)	
WC#: 21.230	AFL	2423						
PROC. REF: AMM 21-32-01-720-801PROC. REF: AMM 21-32-01-720-801								
21-32-01-720-801-02A	FUNCTIONAL TEST OF THE MANUAL MODE AND 'DUMP' FUNCTION OF THE CABIN INTEGRATED PRESSURE CONTROL SYSTEM (IPCS) VALVE - CABIN IPCS VALVE (1001HP) (MANDATORY 5-40)							Service ATA:21
	MOS	01-Mar-22						CMR
	HRS	6322:16	4850		11172:16		3679:42	
WC#: 21.230	AFL	2423						
PROC. REF: AMM 21-32-01-720-801PROC. REF: AMM 21-32-01-720-801								
21-32-01-900-801-01	REMOVAL / INSTALLATION OF THE CABIN INTEGRATED PRESSURE CONTROL SYSTEM (IPCS) VALVE - CABIN IPCS VALVE (1001HP)							Component ATA:21
PN:2119168-13	MOS/MSC	14-Dec-17	O/C					
SN:11-A0201	HRS	3964:09						
WC#: 21.230	AFL	1705						
PROC. REF: AMM 21-32-01-900-801PROC. REF: AMM 21-32-01-900-801								
21-32-05-710-802-01	OPERATIONAL TEST OF THE MANUAL MODE OF THE BAGGAGE COMPARTMENT INTEGRATED PRESSURE CONTROL SYSTEM (IPCS) VALVE - BAGGAGE COMPARTMENT IPCS VALVE (602HP)							Service ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	7200 (+50)		13975:44	14025:44	6483:10 (+50)	
WC#: 21.240	AFL	2518						
PROC. REF: AMM 21-32-05-710-802PROC. REF: AMM 21-32-05-710-802								
21-32-05-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT INTEGRATED PRESSURE CONTROL SYSTEM (IPCS) VALVE - BAGGAGE COMPARTMENT IPCS VALVE (602HP)							Component ATA:21
PN:103888-2	MOS/MSC	11-Jun-09	O/C					
SN:37-A0043	HRS	848:35						
WC#: 21.240	AFL	306						
PROC. REF: AMM 21-32-05-900-801PROC. REF: AMM 21-32-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-32-09-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT IPCS VALVE ECU - BAGGAGE COMPARTMENT IPCS ECU (CHANNEL 1) (1002HP)						Component	ATA:21
PN:2119938-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:66-A0050	HRS	0		TSN 0				
WC#: 21.255	AFL	0		TSN 0				
PROC. REF: AMM 21-32-09-900-801PROC. REF: AMM 21-32-09-900-801								
21-32-09-900-801-02	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT IPCS VALVE ECU - BAGGAGE COMPARTMENT IPCS ECU (CHANNEL 2) (1202HP)						Component	ATA:21
PN:2119938-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:66-A0051	HRS	0		TSN 0				
WC#: 21.255	AFL	0		TSN 0				
PROC. REF: AMM 21-32-09-900-801PROC. REF: AMM 21-32-09-900-801								
21-32-13-720-801-01	FUNCTIONAL TEST OF THE CABIN POSITIVE PRESSURE RELIEF VALVE - CABIN POSITIVE PRV (1201HP)						Service	ATA:21
PN:125-A0020	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
SN:19-A0119	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 21.235	AFL	2518						
PROC. REF: AMM 21-32-13-720-801PROC. REF: AMM 21-32-13-720-801								
21-32-13-720-801-01A	FUNCTIONAL TEST OF THE CABIN POSITIVE PRESSURE RELIEF VALVE - CABIN POSITIVE PRV (1201HP) (MANDATORY 5-40)						Service	ATA:21
PN:125-A0020	MOS	11-Aug-23					CMR	
SN:19-A0119	HRS	6775:44	4850		11625:44		4133:10	
WC#: 21.235	AFL	2518						
PROC. REF: AMM 21-32-13-720-801PROC. REF: AMM 21-32-13-720-801								
21-32-13-900-801-01	REMOVAL / INSTALLATION OF THE CABIN POSITIVE PRESSURE RELIEF VALVE - CABIN POSITIVE PRV (1201HP)						Component	ATA:21
PN:125-A0020	MOS/MSC	23-Dec-14	O/C					
SN:19-A0119	HRS	2987:52						
WC#: 21.235	AFL	1341						
PROC. REF: AMM 21-32-13-900-801PROC. REF: AMM 21-32-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-32-17-720-801-01	FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT POSITIVE PRESSURE RELIEF VALVE - BAGGAGE COMPARTMENT POSITIVE PRV (202HP)							Service ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 21.245	AFL	2518						
PROC. REF: AMM 21-32-17-720-801PROC. REF: AMM 21-32-17-720-801								
21-32-17-720-801-01A	FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT POSITIVE PRESSURE RELIEF VALVE - BAGGAGE COMPARTMENT POSITIVE PRV (202HP) (MANDATORY 5-40)							Service ATA:21
	MOS	11-Aug-23						CMR
	HRS	6775:44	4850		11625:44		4133:10	
WC#: 21.245	AFL	2518						
PROC. REF: AMM 21-32-17-720-801PROC. REF: AMM 21-32-17-720-801								
21-32-21-100-801-01	CLEANING OF THE POSITIVE PRESSURE RELIEF VALVE FILTERS - CABIN POSITIVE PRV (1201HP)							Service ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	7200 (+50)		13975:44	14025:44	6483:10 (+50)	
WC#: 21.235	AFL	2518						
PROC. REF: AMM 21-32-21-100-801PROC. REF: AMM 21-32-21-100-801								
21-32-21-100-801-02	CLEANING OF THE POSITIVE PRESSURE RELIEF VALVE FILTERS - BAGGAGE COMPARTMENT POSITIVE PRV (202HP)							Service ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	7200 (+50)		13975:44	14025:44	6483:10 (+50)	
WC#: 21.245	AFL	2518						
PROC. REF: AMM 21-32-21-100-801PROC. REF: AMM 21-32-21-100-801								
21-32-25-710-801-01	OPERATIONAL TEST OF THE COCKPIT NEGATIVE PRESSURE RELIEF VALVE - COCKPIT NEGATIVE PRV (201HP)							Service ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 21.215	AFL	2518						
PROC. REF: AMM 21-32-25-710-801PROC. REF: AMM 21-32-25-710-801								
21-32-25-710-801-01A	OPERATIONAL TEST OF THE COCKPIT NEGATIVE PRESSURE RELIEF VALVE - COCKPIT NEGATIVE PRV (201HP) (MANDATORY 5-40)							Service ATA:21
	MOS	11-Aug-23						CMR
	HRS	6775:44	4850		11625:44		4133:10	
WC#: 21.215	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-32-25-710-801PROC. REF: AMM 21-32-25-710-801								
21-32-25-900-801-01	REMOVAL / INSTALLATION OF THE COCKPIT NEGATIVE PRESSURE RELIEF VALVE - COCKPIT NEGATIVE PRV (201HP)							Component ATA:21
PN:103890-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:34163005	HRS	0		TSN 0				
WC#: 21.215	AFL	0		TSN 0				
PROC. REF: AMM 21-32-25-900-801PROC. REF: AMM 21-32-25-900-801								
21-32-29-710-801-01 ^S	OPERATIONAL TEST OF THE GROUND MODE VENT AND NEGATIVE PRESSURE RELIEF VALVE - GROUND MODE VENT AND NEGATIVE PRV (402HP)							Service ATA:21
	MOS	26-Dec-24						
	HRS	7106:42	7200 (+50)					
WC#: 21.250	AFL	2592						
PROC. REF: AMM 21-32-29-710-801PROC. REF: AMM 21-32-29-710-801								PKG:33
21-32-29-710-802-01	OPERATIONAL TEST OF THE FLAPPER OF THE GROUND MODE VENT AND NEGATIVE PRESSURE RELIEF VALVE - GROUND MODE VENT AND NEGATIVE PRV (402HP)							Service ATA:21
	MOS	22-Jan-20	96 (+2m)	22-Jan-28	22-Mar-28	841 d (+60)		
	HRS	5287:57	4800 (+50)	10087:57	10137:57	2595:23 (+50)		
WC#: 21.250	AFL	2109						
PROC. REF: AMM 21-32-29-710-802PROC. REF: AMM 21-32-29-710-802								
21-32-29-710-802-01A	OPERATIONAL TEST OF THE FLAPPER OF THE GROUND MODE VENT AND NEGATIVE PRESSURE RELIEF VALVE - GROUND MODE VENT AND NEGATIVE PRV (402HP) (MANDATORY 5-40)							Service ATA:21
	MOS	22-Jan-20						CMR
	HRS	5287:57	4850	10137:57		2645:23		
WC#: 21.250	AFL	2109						
PROC. REF: AMM 21-32-29-710-802PROC. REF: AMM 21-32-29-710-802								
21-32-29-900-801-01	REMOVAL / INSTALLATION OF THE GROUND MODE VENT AND NEGATIVE PRV AND THE BAGGAGE COMPARTMENT POSITIVE PRV - GROUND MODE VENT AND NEGATIVE PRV (402HP)							Component ATA:21
PN:103884-8	MOS/MSC	22-Jan-20	O/C	TSN 92				
SN:117-A0064	HRS	5287:57		TSN 3103:08				
WC#: 21.250	AFL	2109		TSN 1197				
PROC. REF: AMM 21-32-29-900-801PROC. REF: AMM 21-32-29-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-32-29-900-801-02	REMOVAL / INSTALLATION OF THE GROUND MODE VENT AND NEGATIVE PRV AND THE BAGGAGE COMPARTMENT POSITIVE PRV - BAGGAGE COMPARTMENT POSITIVE PRV (202HP)							Component ATA:21
PN:103882-3	MOS/MSC	23-Dec-14	O/C	TSN 5				
SN:107-A0061	HRS	2987:52		TSN 0				
WC#: 21.245	AFL	1341		TSN 0				
PROC. REF: AMM 21-32-29-900-801PROC. REF: AMM 21-32-29-900-801								
21-32-29-900-801-03	REMOVAL / INSTALLATION OF THE GROUND MODE VENT AND NEGATIVE PRV AND THE BAGGAGE COMPARTMENT POSITIVE PRV - PRV (1402HP)							Component ATA:21
PN:2119186-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:125-A0016	HRS	0		TSN 0				
WC#: 21.260	AFL	0		TSN 0				
PROC. REF: AMM 21-32-29-900-801PROC. REF: AMM 21-32-29-900-801								
21-32-33-710-801-01	OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT ISOLATION VALVES - LH BAGGAGE COMPARTMENT ISOLATION VALVE (901HP)							Service ATA:21
	MOS	25-Mar-21	96 (+2m)		25-Mar-29	25-May-29	1269 d (+61)	
	HRS	5902:02	4800 (+50)		10702:02	10752:02	3209:28 (+50)	
WC#: 21.225	AFL	2308						
PROC. REF: AMM 21-32-33-710-801PROC. REF: AMM 21-32-33-710-801								
21-32-33-710-801-01A	OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT ISOLATION VALVES - LH BAGGAGE COMPARTMENT ISOLATION VALVE (901HP) (MANDATORY 5-40)							Service ATA:21
	MOS	25-Mar-21						CMR
	HRS	5902:02	4850		10752:02		3259:28	
WC#: 21.225	AFL	2308						
PROC. REF: AMM 21-32-33-710-801PROC. REF: AMM 21-32-33-710-801								
21-32-33-710-801-02	OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT ISOLATION VALVES - RH BAGGAGE COMPARTMENT ISOLATION VALVE (801HP)							Service ATA:21
	MOS	25-Mar-21	96 (+2m)		25-Mar-29	25-May-29	1269 d (+61)	
	HRS	5902:02	4800 (+50)		10702:02	10752:02	3209:28 (+50)	
WC#: 21.225	AFL	2308						
PROC. REF: AMM 21-32-33-710-801PROC. REF: AMM 21-32-33-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-32-33-710-801-02A	OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT ISOLATION VALVES - RH BAGGAGE COMPARTMENT ISOLATION VALVE (801HP) (MANDATORY 5-40)						Service	ATA:21
	MOS	25-Mar-21					CMR	
	HRS	5902:02	4850		10752:02		3259:28	
WC#: 21.225	AFL	2308						
PROC. REF: AMM 21-32-33-710-801PROC. REF: AMM 21-32-33-710-801								
21-32-33-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT ISOLATION VALVES - LH BAGGAGE COMPARTMENT ISOLATION VALVE (901HP)						Component	ATA:21
PN:3205076-4	MOS/MSC	25-Mar-21	O/C	TSN 165				
SN:45-A008	HRS	5902:02		TSN 5902:02				
WC#: 21.225	AFL	2308		TSN 2308				
PROC. REF: AMM 21-32-33-900-801PROC. REF: AMM 21-32-33-900-801								
21-32-33-900-801-02	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT ISOLATION VALVES - RH BAGGAGE COMPARTMENT ISOLATION VALVE (801HP)						Component	ATA:21
PN:3205076-4	MOS/MSC	25-Mar-21	O/C	TSN 165				
SN:55-A0010	HRS	5902:02		TSN 5902:02				
WC#: 21.225	AFL	2308		TSN 2308				
PROC. REF: AMM 21-32-33-900-801PROC. REF: AMM 21-32-33-900-801								
21-51-01-900-801-01	REMOVAL / INSTALLATION OF THE PRESSURE SENSORS - LH PRESSURE SENSOR (101HF)						Component	ATA:21
PN:1153150-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00157	HRS	0		TSN 0				
WC#: 21.265	AFL	0		TSN 0				
PROC. REF: AMM 21-51-01-900-801PROC. REF: AMM 21-51-01-900-801								
21-51-01-900-801-02	REMOVAL / INSTALLATION OF THE PRESSURE SENSORS - RH PRESSURE SENSOR (201HF)						Component	ATA:21
PN:1153150-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00128	HRS	0		TSN 0				
WC#: 21.265	AFL	0		TSN 0				
PROC. REF: AMM 21-51-01-900-801PROC. REF: AMM 21-51-01-900-801								
21-51-05-900-801-01	REMOVAL / INSTALLATION OF THE DELTA P SENSORS - LH DIFFERENTIAL PRESSURE SENSOR (301HF)						Component	ATA:21
PN:1153056-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00212	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-51-05-900-801PROC. REF: AMM 21-51-05-900-801								
21-51-05-900-801-02REMOVAL / INSTALLATION OF THE DELTA P SENSORS - RH DIFFERENTIAL PRESSURE SENSOR (401HF)								Component ATA:21
PN:1153056-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00223	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				
PROC. REF: AMM 21-51-05-900-801PROC. REF: AMM 21-51-05-900-801								
21-51-09-900-801-01REMOVAL / INSTALLATION OF THE ECS CROSSFEED VALVE - ECS CROSSFEED VALVE (601HF)								Component ATA:21
PN:3205054-5	MOS/MSC	14-Jul-18	O/C	TSR 0				
SN:634	HRS	4398:30		TSR 0				
WC#: 21.420	AFL	1825		TSR 0				
PROC. REF: AMM 21-51-09-900-801PROC. REF: AMM 21-51-09-900-801								
21-51-13-900-801-01REMOVAL / INSTALLATION OF THE RECIRCULATION VALVE - RECIRCULATION VALVE (701HD)								Component ATA:21
PN:3205038-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:118	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-51-13-900-801PROC. REF: AMM 21-51-13-900-801								
21-51-17-900-801-01REMOVAL / INSTALLATION OF THE PACK SUPPLY HOT AIR NON-RETURN VALVE (NRV) - PACK SUPPLY HOT AIR NRV (701HF)								Component ATA:21
PN:3202944-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:179	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: AMM 21-51-17-900-801PROC. REF: AMM 21-51-17-900-801								
21-51-21-900-801-01REMOVAL / INSTALLATION OF THE PACK RECIRCULATION NON-RETURN VALVE (NRV) - RECIRCULATION NRV (1601HF)								Component ATA:21
PN:3202916-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:118	HRS	0		TSN 0				
WC#: 21.435	AFL	0		TSN 0				
PROC. REF: AMM 21-51-21-900-801PROC. REF: AMM 21-51-21-900-801								
21-52-01-900-801-01REMOVAL / INSTALLATION OF THE ECS PACK ASSEMBLY - ECS PACK ASSEMBLY (102HF)								Component ATA:21
PN:6112C000-023	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:0279B	HRS	6775:44		TSR 0				
WC#: 21.285	AFL	2518		TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-52-01-900-801PROC. REF: AMM 21-52-01-900-801								
21-52-05-900-801-01	REMOVAL / INSTALLATION OF THE ECS AIR CYCLE MACHINE (ACM) - ECS PACK AIR CYCLE MACHINE (202HF)						Component	ATA:21
PN:1773D000-010	MOS/MSC	11-Aug-23	O/C					
SN:0177	HRS	6775:44						
WC#: 21.345	AFL	2518						
PROC. REF: AMM 21-52-05-900-801PROC. REF: AMM 21-52-05-900-801								
21-52-07-900-881-01	WATER SPRAY NOZZLE						Component	ATA:21
PN:6109C000-002	MOS/MSC	11-Aug-23	O/C					
SN:2445	HRS	6775:44						
WC#: 21.355	AFL	2518						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-52-09-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE ECS SECONDARY HEAT EXCHANGER - ECS PACK SECONDARY HEAT EXCHANGER (402HF)					Service	ATA:21
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 21.340	AFL	2518						
								PKG:4
PROC. REF: AMM 21-52-09-210-801PROC. REF: AMM 21-52-09-210-801								
21-52-09-210-801-02	^S	GENERAL VISUAL INSPECTION OF THE ECS SECONDARY HEAT EXCHANGER - EXHAUST PLENUM (9102HF)					Service	ATA:21
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
								PKG:4
PROC. REF: AMM 21-52-09-210-801PROC. REF: AMM 21-52-09-210-801								
21-52-09-280-801-01	SPECIAL DETAILED INSPECTION OF THE ECS SECONDARY HEAT EXCHANGER						Service	ATA:21
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 21.340	AFL	2518						
PROC. REF: AMM 21-52-09-280-801PROC. REF: AMM 21-52-09-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-09-900-801-01		REMOVAL / INSTALLATION OF THE ECS PRIMARY AND SECONDARY HEAT EXCHANGERS - ECS PACK PRIMARY HEAT EXCHANGER (302HF)					Component	ATA:21
PN:11-811739-2	MOS/MSC	11-Aug-23	O/C					
SN:2197	HRS	6775:44						
WC#: 21.290	AFL	2518						
PROC. REF: AMM 21-52-09-900-801PROC. REF: AMM 21-52-09-900-801								
21-52-09-900-801-02		REMOVAL / INSTALLATION OF THE ECS PRIMARY AND SECONDARY HEAT EXCHANGERS - ECS PACK SECONDARY HEAT EXCHANGER (402HF)					Component	ATA:21
PN:11-821739-3	MOS/MSC	11-Aug-23	O/C					
SN:2150121	HRS	6775:44						
WC#: 21.340	AFL	2518						
PROC. REF: AMM 21-52-09-900-801PROC. REF: AMM 21-52-09-900-801								
21-52-09-900-802-01		REMOVAL / INSTALLATION OF THE EXHAUST PLENUM					Component	ATA:21
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-09-900-802PROC. REF: AMM 21-52-09-900-802								
21-52-13-900-801-01		REMOVAL / INSTALLATION OF THE ECS CONDENSER / REHEATER - ECS PACK CONDENSER / REHEATER HEAT EXCHANGER (502HF)					Component	ATA:21
PN:11-831739-3	MOS/MSC	11-Aug-23	O/C					
SN:248	HRS	6775:44						
WC#: 21.295	AFL	2518						
PROC. REF: AMM 21-52-13-900-801PROC. REF: AMM 21-52-13-900-801								
21-52-17-900-801-01		REMOVAL / INSTALLATION OF THE WATER EXTRACTOR - ECS PACK WATER EXTRACTOR (602HF)					Component	ATA:21
PN:6106C000-007	MOS/MSC	11-Aug-23	O/C					
SN:3009	HRS	6775:44						
WC#: 21.300	AFL	2518						
PROC. REF: AMM 21-52-17-900-801PROC. REF: AMM 21-52-17-900-801								
21-52-26-900-881-01		WATER SPRAY NOZZLE					Component	ATA:21
PN:6109C000-002	MOS/MSC	11-Aug-23	O/C					
SN:2446	HRS	6775:44						
WC#: 21.355	AFL	2518						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-29-900-801-01 REMOVAL / INSTALLATION OF THE ALTITUDE VALVE - ECS PACK ALTITUDE VALVE (1002HF)								Component ATA:21
PN:6157C000-001	MOS/MSC	15-Sep-18	O/C	TSR 0				
SN:0062	HRS	4494:07		TSR 0				
WC#: 21.305	AFL	1880		TSR 0				
PROC. REF: AMM 21-52-29-900-801PROC. REF: AMM 21-52-29-900-801								WO#: JWL-22-112
21-52-31-900-801-01 REMOVAL / INSTALLATION OF THE ECS PACK TURBINE BYPASS VALVE - ECS PACK TURBINE BYPASS VALVE (1602HF)								Component ATA:21
PN:3205120-1	MOS/MSC	11-Aug-23	O/C					
SN:289	HRS	6775:44						
WC#: 21.490	AFL	2518						
PROC. REF: AMM 21-52-31-900-801PROC. REF: AMM 21-52-31-900-801								
21-52-33-900-801-01 REMOVAL / INSTALLATION OF THE ECS ANTI-ICING VALVE - ECS PACK ANTI-ICE VALVE (1502HF)								Component ATA:21
PN:3205048-4	MOS/MSC	11-Aug-23	O/C					
SN:591	HRS	6775:44						
WC#: 21.415	AFL	2518						
PROC. REF: AMM 21-52-33-900-801PROC. REF: AMM 21-52-33-900-801								
21-52-37-900-801-01 REMOVAL / INSTALLATION OF THE ECS TEMPERATURE CONTROL VALVE - ECS PACK TEMPERATURE CONTROL VALVE (1402HF)								Component ATA:21
PN:3205044-4	MOS/MSC	11-Aug-23	O/C					
SN:367	HRS	6775:44						
WC#: 21.440	AFL	2518						
PROC. REF: AMM 21-52-37-900-801PROC. REF: AMM 21-52-37-900-801								
21-52-41-900-801-01 REMOVAL / INSTALLATION OF THE ECS COLD FLOW REGULATION VALVE - ECS PACK COLD FLOW REGULATION VALVE (2302HF)								Component ATA:21
PN:3205046-4	MOS/MSC	11-Aug-23	O/C					
SN:384A	HRS	6775:44						
WC#: 21.425	AFL	2518						
PROC. REF: AMM 21-52-41-900-801PROC. REF: AMM 21-52-41-900-801								
21-52-45-900-801-01 REMOVAL / INSTALLATION OF THE ECS COMPRESSOR OUTLET TEMPERATURE SENSOR - ECS PACK COMPRESSOR OUTLET TEMPERATURE SENSOR (1202HF)								Component ATA:21
PN:1153070-1	MOS/MSC	11-Aug-23	O/C					
SN:1153070-04421	HRS	6775:44						
WC#: 21.310	AFL	2518						
PROC. REF: AMM 21-52-45-900-801PROC. REF: AMM 21-52-45-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-49-900-801-01	REMOVAL / INSTALLATION OF THE ECS PACK HOT AIR TEMPERATURE LIMITING VALVE - ECS PACK HOT AIR TEMPERATURE LIMITING VALVE (1702HF)							Component ATA:21
PN:3205050-4	MOS/MSC	11-Aug-23	O/C					
SN:365	HRS	6775:44						
WC#: 21.315	AFL	2518						
PROC. REF: AMM 21-52-49-900-801PROC. REF: AMM 21-52-49-900-801								
21-52-53-900-801-01	REMOVAL / INSTALLATION OF THE PACK NON-RETURN VALVE (NRV) - ECS PACK COMPRESSOR OUTLET NRV (1802HF)							Component ATA:21
PN:3202922-5	MOS/MSC	11-Aug-23	O/C					
SN:792	HRS	6775:44						
WC#: 21.320	AFL	2518						
PROC. REF: AMM 21-52-53-900-801PROC. REF: AMM 21-52-53-900-801								
21-52-53-900-801-02	REMOVAL / INSTALLATION OF THE PACK NON-RETURN VALVE (NRV) - ECS PACK HOT AIR NRV (1902HF)							Component ATA:21
PN:3202922-5	MOS/MSC	11-Aug-23	O/C					
SN:790	HRS	6775:44						
WC#: 21.430	AFL	2518						
PROC. REF: AMM 21-52-53-900-801PROC. REF: AMM 21-52-53-900-801								
21-52-55-900-801-01	REMOVAL / INSTALLATION OF THE PACK NON-RETURN VALVE - ECS PACK NON-RETURN VALVE (2002HF)							Component ATA:21
PN:3202922-5	MOS/MSC	11-Aug-23	O/C					
SN:793	HRS	6775:44						
WC#: 21.495	AFL	2518						
PROC. REF: AMM 21-52-55-900-801PROC. REF: AMM 21-52-55-900-801								
21-52-57-900-801-01	REMOVAL / INSTALLATION OF THE ECS PACK WATER EXTRACTOR OUTLET TEMPERATURE SENSOR - ECS PACK WATER EXTRACTOR OUTLET TEMPERATURE SENSOR (2102HF)							Component ATA:21
PN:1153070-1	MOS/MSC	11-Aug-23	O/C					
SN:1153070-04425	HRS	6775:44						
WC#: 21.400	AFL	2518						
PROC. REF: AMM 21-52-57-900-801PROC. REF: AMM 21-52-57-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-61-900-801-01	REMOVAL / INSTALLATION OF THE ECS PACK COMPRESSOR OUTLET PRESSURE SENSOR - ECS PACK COMPRESSOR OUTLET PRESSURE SENSOR (2402HF)						Component	ATA:21
PN:1153144-2	MOS/MSC	11-Aug-23	O/C					
SN:1153144-00496	HRS	6775:44						
WC#: 21.365	AFL	2518						
PROC. REF: AMM 21-52-61-900-801PROC. REF: AMM 21-52-61-900-801								
21-53-00-720-801-01	FUNCTIONAL TEST OF THE EMERGENCY COLD AIR SUPPLY SYSTEM						Service	ATA:21
	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	
	HRS	7061:12	600 (+50)		7661:12	7711:12	168:38 (+50)	
WC#: 21.390	AFL	2584						
PROC. REF: AMM 21-53-00-720-801PROC. REF: AMM 21-53-00-720-801								WO#: JWL-25-049
21-53-00-720-801-01A	FUNCTIONAL TEST OF THE EMERGENCY COLD AIR SUPPLY SYSTEM (MANDATORY 5-40)						Service	ATA:21
	MOS	18-Nov-24					CMR	
	HRS	7061:12	650		7711:12		218:38	
WC#: 21.390	AFL	2584						
PROC. REF: AMM 21-53-00-720-801PROC. REF: AMM 21-53-00-720-801								WO#: JWL-25-049
21-53-01-900-801-01	REMOVAL / INSTALLATION OF THE COLD AIR EMERGENCY MODULATION VALVE - COLD AIR EMERGENCY MODULATION VALVE (302HD)						Component	ATA:21
PN:3215906-7	MOS/MSC	30-Nov-16	O/C	TSN 0				
SN:411	HRS	3249:53		TSN 0				
WC#: 21.065	AFL	1521		TSN 0				
PROC. REF: AMM 21-53-01-900-801PROC. REF: AMM 21-53-01-900-801								
21-53-05-900-801-01	REMOVAL / INSTALLATION OF THE RAM AIR DOOR ACTUATOR - RAM AIR DOOR ACTUATOR (402HD)						Component	ATA:21
PN:2741638-3	MOS/MSC	25-May-18	O/C	TSR 2				
SN:P1064	HRS	4334:04		TSR 0				
WC#: 21.070	AFL	1803		TSR 0				
PROC. REF: AMM 21-53-05-900-801PROC. REF: AMM 21-53-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-53-09-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY HEAT EXCHANGER - EMERGENCY HEAT EXCHANGER (502HD)								Component ATA:21
PN:11-861739-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:13	HRS	0		TSN 0				
WC#: 21.080	AFL	0		TSN 0				
PROC. REF: AMM 21-53-09-900-801PROC. REF: AMM 21-53-09-900-801								
21-60-00-720-801-01 FUNCTIONAL TEST OF THE COCKPIT / CABIN MANUAL TEMPERATURE CONTROL FUNCTION								Service ATA:21
	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	
	HRS	7061:12	600 (+50)		7661:12	7711:12	168:38 (+50)	
WC#: 21.445	AFL	2584						
PROC. REF: AMM 21-60-00-720-801PROC. REF: AMM 21-60-00-720-801								WO#: JWL-25-049
21-60-00-720-801-01A FUNCTIONAL TEST OF THE COCKPIT / CABIN MANUAL TEMPERATURE CONTROL FUNCTION (MANDATORY 5-40)								Service ATA:21
	MOS	18-Nov-24						CMR
	HRS	7061:12	650		7711:12		218:38	
WC#: 21.445	AFL	2584						
PROC. REF: AMM 21-60-00-720-801PROC. REF: AMM 21-60-00-720-801								WO#: JWL-25-049
21-61-01-900-801-01 REMOVAL / INSTALLATION OF THE AMSAC MODULES - AMSAC MODULE 1 (303HN)								Component ATA:21
PN:6114C630	MOS/MSC	31-Jan-17	O/C					
SN:6114C250	HRS	3340:57						
WC#: 21.505	AFL	1537						
PROC. REF: AMM 21-61-01-900-801PROC. REF: AMM 21-61-01-900-801								
21-61-01-900-801-02 REMOVAL / INSTALLATION OF THE AMSAC MODULES - AMSAC MODULE 2 (403HN)								Component ATA:21
PN:6114C630	MOS/MSC	30-Jan-24	O/C	TSN 85				
SN:6114C410	HRS	6881:30		TSN 3540:23				
WC#: 21.505	AFL	2548		TSN 1011				
PROC. REF: AMM 21-61-01-900-801PROC. REF: AMM 21-61-01-900-801								
21-61-01-900-801-03 REMOVAL / INSTALLATION OF THE AMSAC MODULES - AMSAC MODULE 3 (503HN)								Component ATA:21
PN:6114C580	MOS/MSC	31-May-12	O/C	TSN 0				
SN:508559-25	HRS	2187:49		TSN 0				
WC#: 21.505	AFL	914		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-61-01-900-801PROC. REF: AMM 21-61-01-900-801								
21-61-05-900-801-01REMOVAL / INSTALLATION OF THE AMSEC ASSEMBLY - AMSEC ASSEMBLY (101HN)								Component ATA:21
PN:6115C000-013	MOS/MSC	30-Jan-24	O/C	TSN 20				
SN:0095	HRS	6881:30		TSN 478:21				
WC#: 21.330	AFL	2548		TSN 111				
PROC. REF: AMM 21-61-05-900-801PROC. REF: AMM 21-61-05-900-801								
21-62-01-900-801-01REMOVAL / INSTALLATION OF THE ECS PACK OUTLET DUAL BEAD TEMPERATURE SENSOR - ECS PACK OUTLET DUAL BEAD TEMPERATURE SENSOR (802HN)								Component ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00161	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: AMM 21-62-01-900-801PROC. REF: AMM 21-62-01-900-801								
21-62-05-900-801-01REMOVAL / INSTALLATION OF THE EMERGENCY OUTLET DUAL BEAD TEMPERATURE SENSOR - EMERGENCY OUTLET DUAL BEAD TEMPERATURE SENSOR (302HN)								Component ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00158	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: AMM 21-62-05-900-801PROC. REF: AMM 21-62-05-900-801								
21-63-01-900-801-01REMOVAL / INSTALLATION OF THE COCKPIT TRIM VALVE - COCKPIT TRIM VALVE (501HF)								Component ATA:21
PN:3205028-5	MOS/MSC	14-Jul-18	O/C					
SN:180A	HRS	4398:30						
WC#: 21.275	AFL	1825						
PROC. REF: AMM 21-63-01-900-801PROC. REF: AMM 21-63-01-900-801								
21-63-05-900-801-01REMOVAL / INSTALLATION OF THE ECS COCKPIT TRIM TEMPERATURE SENSOR - COCKPIT TRIM TEMPERATURE SENSOR (203HN)								Component ATA:21
PN:1153070-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00193	HRS	0		TSN 0				
WC#: 21.360	AFL	0		TSN 0				
PROC. REF: AMM 21-63-05-900-801PROC. REF: AMM 21-63-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-63-09-900-801-01 REMOVAL / INSTALLATION OF THE ZONE TEMPERATURE SENSOR FAN - COCKPIT ZONE TEMPERATURE SENSOR AND FAN (401HN)							Component	ATA:21
PN:1153072-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00154	HRS	0		TSN 0				
WC#: 21.385	AFL	0		TSN 0				
PROC. REF: AMM 21-63-09-900-801PROC. REF: AMM 21-63-09-900-801								
21-63-10-900-881-01 AIR MANAGEMENT SYSTEM (AMS) AUTO CONTROLLER							Component	ATA:21
PN:6114C000-023	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:016	HRS	0		TSN 0				
WC#: 21.325	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-64-01-900-801-01 REMOVAL / INSTALLATION OF THE CABIN TRIM VALVE - CABIN TRIM VALVE (102HD)							Component	ATA:21
PN:3205028-5	MOS/MSC	14-Jul-18	O/C					
SN:305	HRS	4398:30						
WC#: 21.060	AFL	1825						
PROC. REF: AMM 21-64-01-900-801PROC. REF: AMM 21-64-01-900-801								
21-64-09-900-801-01 REMOVAL / INSTALLATION OF THE CABIN ZONE 1 AND ZONE 2 TEMPERATURE SENSORS - CABIN FRONT ZONE TEMPERATURE SENSOR AND FAN (402HN)							Component	ATA:21
PN:1153072-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00159	HRS	0		TSN 0				
WC#: 21.385	AFL	0		TSN 0				
PROC. REF: AMM 21-64-09-900-801PROC. REF: AMM 21-64-09-900-801								
21-64-09-900-801-02 REMOVAL / INSTALLATION OF THE CABIN ZONE 1 AND ZONE 2 TEMPERATURE SENSORS - CABIN REAR ZONE TEMPERATURE SENSOR AND FAN (502HN)							Component	ATA:21
PN:1153072-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00148	HRS	0		TSN 0				
WC#: 21.405	AFL	0		TSN 0				
PROC. REF: AMM 21-64-09-900-801PROC. REF: AMM 21-64-09-900-801								
21-65-05-900-801-01 REMOVAL / INSTALLATION OF THE FCS ZONE TEMPERATURE SENSORS - LH FCS ZONE TEMPERATURE SENSOR (L109HN)							Component	ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00175	HRS	0		TSN 0				
WC#: 21.410	AFL	0		TSN 0				
PROC. REF: AMM 21-65-05-900-801PROC. REF: AMM 21-65-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-65-05-900-801-02		REMOVAL / INSTALLATION OF THE FCS ZONE TEMPERATURE SENSORS - RH FCS ZONE TEMPERATURE SENSOR (R109HN)					Component	ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00173	HRS	0		TSN 0				
WC#: 21.410	AFL	0		TSN 0				
PROC. REF: AMM 21-65-05-900-801PROC. REF: AMM 21-65-05-900-801								
21-65-09-900-801-01		REMOVAL / INSTALLATION OF THE FCS DUCT TEMPERATURE SENSOR - FCS DUCT TEMPERATURE SENSOR (M109HN)					Component	ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00157	HRS	0		TSN 0				
WC#: 21.395	AFL	0		TSN 0				
PROC. REF: AMM 21-65-09-900-801PROC. REF: AMM 21-65-09-900-801								
21-65-17-710-801-01 ^S		OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT VENTILATION FAN PCB - OVERHEAT CONTROL BOARD (R209HN)					Service	ATA:21
	MOS	22-Feb-24						
	HRS	6923:06	9600 (+50)					
WC#: 21.450	AFL	2555						
PROC. REF: AMM 21-65-17-710-801, AMM 21-65-17-710-801PROC. REF: AMM 21-65-17-710-801, AMM 21-65-17-710-801								
21-65-17-710-801-01A		OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT VENTILATION FAN PCB - OVERHEAT CONTROL BOARD (R209HN) (MANDATORY 5-40)					Service	ATA:21
	MOS	22-Feb-24					CMR	
	HRS	6923:06	10000		16923:06		9430:32	
WC#: 21.450	AFL	2555						
PROC. REF: AMM 21-65-17-710-801, AMM 21-65-17-710-801PROC. REF: AMM 21-65-17-710-801, AMM 21-65-17-710-801								
21-65-17-900-801-01		REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT VENTILATION FAN - BAGGAGE COMPARTMENT VENTILATION FAN (109HD)					Component	ATA:21
PN:AE1003B01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00105	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: AMM 21-65-17-900-801PROC. REF: AMM 21-65-17-900-801								
21-66-01-900-801-01		REMOVAL / INSTALLATION OF THE FORWARD DUCT TEMPERATURE SENSOR - FORWARD DUCT TEMPERATURE SENSOR (601HN)					Component	ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00255	HRS	0		TSN 0				
WC#: 21.375	AFL	0		TSN 0				
PROC. REF: AMM 21-66-01-900-801PROC. REF: AMM 21-66-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-66-05-710-801-01 OPERATIONAL TEST OF THE CABIN DUCT TEMPERATURE SENSORS								Service ATA:21
	MOS/MSC	23-Dec-14	O/C					
	HRS	2987:52						
	AFL	1341						
PROC. REF: AMM 21-66-05-710-801PROC. REF: AMM 21-66-05-710-801								
21-66-05-900-801-01 REMOVAL / INSTALLATION OF THE CABIN LH AND RH DUCT TEMPERATURE SENSORS - LH CABIN DUCT TEMPERATURE SENSOR (602HN)								Component ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C					
SN:1153066-00407	HRS	0						
WC#: 21.380	AFL	0						
PROC. REF: AMM 21-66-05-900-801PROC. REF: AMM 21-66-05-900-801								
21-66-05-900-801-02 REMOVAL / INSTALLATION OF THE CABIN LH AND RH DUCT TEMPERATURE SENSORS - RH CABIN DUCT TEMPERATURE SENSOR (702HN)								Component ATA:21
PN:1153066-2	MOS/MSC	12-Jun-07	O/C					
SN:1153066-00408	HRS	0						
WC#: 21.380	AFL	0						
PROC. REF: AMM 21-66-05-900-801PROC. REF: AMM 21-66-05-900-801								
21-71-01-350-801-01 RESTORATION OF THE OZONE CONVERTERS (REGENERATION) - LH OZONE CONVERTER (2201HU)								Service ATA:21
PN:2341836-2	MOS	23-May-12	264 (+3%)		23-May-34	20-Jan-35	3154 d (+242)	
SN:185	HRS	2184:49	7000 (+3%)		9184:49	9394:49	1692:15 (+210)	
WC#: 21.500	AFL	912						
PROC. REF: AMM 21-71-01-350-801PROC. REF: AMM 21-71-01-350-801								
21-71-01-350-801-02 RESTORATION OF THE OZONE CONVERTERS (REGENERATION) - RH OZONE CONVERTER (2301HU)								Service ATA:21
PN:2341836-2	MOS	23-May-12	264 (+3%)		23-May-34	20-Jan-35	3154 d (+242)	
SN:168	HRS	2184:49	7000 (+3%)		9184:49	9394:49	1692:15 (+210)	
WC#: 21.500	AFL	912						
PROC. REF: AMM 21-71-01-350-801PROC. REF: AMM 21-71-01-350-801								
21-71-01-900-801-01 REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - LH OZONE CONVERTER (2201HU)								Component ATA:21
PN:2341836-2	MOS/MSC	23-May-12	O/C	TSN 3				
SN:185	HRS	2184:49		TSN 0				
WC#: 21.500	AFL	912		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-71-01-900-801PROC. REF: AMM 21-71-01-900-801								
21-71-01-900-801-02 REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - RH OZONE CONVERTER (2301HU)								Component ATA:21
PN:2341836-2	MOS/MSC	23-May-12	O/C	TSN 3				
SN:168	HRS	2184:49		TSN 0				
WC#: 21.500	AFL	912		TSN 0				
PROC. REF: AMM 21-71-01-900-801PROC. REF: AMM 21-71-01-900-801								
21-72-00-970-801-01 CHECK OF THE NUMBER OF HUMIDIFIER FILLING CYCLES								Service ATA:21
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 21.470	AFL	0						
PROC. REF: AMM 21-72-00-970-801PROC. REF: AMM 21-72-00-970-801								
21-72-03-710-801-01 OPERATIONAL TEST OF THE HUMIDIFIER "HUMID/OFF" SWITCH								Service ATA:21
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 21.455	AFL	0						
PROC. REF: AMM 21-72-03-710-801PROC. REF: AMM 21-72-03-710-801								
21-72-03-710-801-01A OPERATIONAL TEST OF THE HUMIDIFIER "HUMID/OFF" SWITCH (MANDATORY 5-40)								Service ATA:21
	MOS/MSC	12-Jun-07	N/A					CMR
	HRS	0						
WC#: 21.455	AFL	0						
PROC. REF: AMM 21-72-03-710-801PROC. REF: AMM 21-72-03-710-801								
21-72-29-720-801-01 FUNCTIONAL TEST OF THE HUMIDIFIER PRESSURE SWITCH - HUMIDIFIER PRESSURE SWITCH (7162HX)								Service ATA:21
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 21.475	AFL	0						
PROC. REF: AMM 21-72-29-720-801PROC. REF: AMM 21-72-29-720-801								
21-72-53-710-801-01 OPERATIONAL TEST OF THE HUMIDIFIER WATER CHECK VALVE - HUMIDIFIER WATER CHECK VALVE (7172HX)								Service ATA:21
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 21.480	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-72-53-710-801PROC. REF: AMM 21-72-53-710-801								
21-73-09-900-881-01 LH FILTRATION DEVICE BACTERIA AIR FILTER CARTRIDGE								Component ATA:21
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-73-09-900-881-02 RH FILTRATION DEVICE BACTERIA AIR FILTER CARTRIDGE								Component ATA:21
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-73-09-960-801-01 REPLACEMENT OF THE BACTERIA AIR FILTER CARTRIDGE - LH FILTRATION DEVICE (106HD)								Service ATA:21
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
WC#: 21.460	AFL	0						
PROC. REF: AMM 21-73-09-960-801PROC. REF: AMM 21-73-09-960-801								
21-73-09-960-801-02 REPLACEMENT OF THE BACTERIA AIR FILTER CARTRIDGE - RH FILTRATION DEVICE (206HD)								Service ATA:21
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
WC#: 21.460	AFL	0						
PROC. REF: AMM 21-73-09-960-801PROC. REF: AMM 21-73-09-960-801								
21AA01 ^U THERMAL ANTI-ICE VALVE								Component ATA:21
PN:EA101881H	MOS/MSC	27-Jul-15	O/C					
SN:KCA303	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-10-01-900-801-01	REMOVAL / INSTALLATION OF THE GUIDANCE PANEL CONTROLLER - GUIDANCE PANEL CONTROLLER (601FP)							Component ATA:22
PN:7028660-911	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:12121382	HRS	6775:44		TSR 0				
WC#: 31.055	AFL	2518		TSR 0				
PROC. REF: AMM 22-10-01-900-801PROC. REF: AMM 22-10-01-900-801								
25-52-19-900-801-01 ^U	MANCHE COALESCER							Component ATA:22
PN:8954-012	MOS/MSC	09-Feb-16	O/C					
SN:UNKNOWN	HRS	1219:28						
	AFL	526						
ATA 23 - COMMUNICATIONS								
23-11-00-710-802-02	OPERATIONAL TEST OF THE VHF COMMUNICATION SYSTEM - OPERATIONAL TEST OF VHF 2 SYSTEM							Service ATA:23
	MOS	02-Feb-24	36 (+1m)	02-Feb-27	02-Mar-27	487 d (+28)	NATIONAL AUTHORITY REQUIREMENTS (EASA/TM)	
	HRS	6881:30						
	AFL	2548						
PROC. REF: AMM 23-11-00-710-802PROC. REF: AMM 23-11-00-710-802								
23-11-01-900-801-01	REMOVAL / INSTALLATION OF THE VDR 1 AND VDR 2 MODULES - VDR 1 MODULE (102RC)							Component ATA:23
PN:7026201-812	MOS/MSC	24-Mar-17	O/C					
SN:05021133	HRS	3444:50						
WC#: 23.020	AFL	1564						
PROC. REF: AMM 23-11-01-900-801PROC. REF: AMM 23-11-01-900-801								
23-11-01-900-801-02	REMOVAL / INSTALLATION OF THE VDR 1 AND VDR 2 MODULES - VDR 2 MODULE (202RC)							Component ATA:23
PN:7026201-812	MOS/MSC	22-Feb-24	O/C	TSR 0				
SN:07043290	HRS	6923:06		TSR 0				
WC#: 23.020	AFL	2555		TSR 0				
PROC. REF: AMM 23-11-01-900-801PROC. REF: AMM 23-11-01-900-801								
23-11-05-900-801-01	REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 1 ANTENNA (2502RC)							Component ATA:23
PN:21-38-2	MOS/MSC	26-Aug-17	O/C	TSN 0				
SN:50304	HRS	3819:19		TSN 0				
WC#: 23.040	AFL	1657		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: AMM 23-11-05-900-801PROC. REF: AMM 23-11-05-900-801								
23-11-05-900-801-02 REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 2 ANTENNA (2302RC)								Component ATA:23
PN:S65-8280-10	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:310-14185	HRS	0		TSN 0				
WC#: 23.040	AFL	0		TSN 0				
PROC. REF: AMM 23-11-05-900-801PROC. REF: AMM 23-11-05-900-801								
23-11-05-900-801-03 REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 3 ANTENNA (2402RC)								Component ATA:23
PN:S65-8280-10	MOS/MSC	11-Aug-23	O/C					
SN:310-38311	HRS	6775:44						
WC#: 23.040	AFL	2518						
PROC. REF: AMM 23-11-05-900-801PROC. REF: AMM 23-11-05-900-801								
23-11-09-900-801-01 REMOVAL / INSTALLATION OF THE VDR 3 MODULE - VDR 3 MODULE (302RC)								Component ATA:23
PN:7026201-814	MOS/MSC	15-Jan-18	O/C	TSR 4				
SN:08085111	HRS	4037:50		TSR 0				
WC#: 23.030	AFL	1718		TSR 0				
PROC. REF: AMM 23-11-09-900-801PROC. REF: AMM 23-11-09-900-801								
23-11-13-900-801-01 REMOVAL / INSTALLATION OF THE VDR 3 MINI CABINET ASSEMBLY - VDR 3 MODULE MINI CABINET (9500RC)								Component ATA:23
PN:7026240-902	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14061182	HRS	2987:52		TSN 0				
	AFL	1341		TSN 0				
PROC. REF: AMM 23-11-13-900-801PROC. REF: AMM 23-11-13-900-801								
23-12-00-710-801-02 OPERATIONAL TEST OF THE HF COMMUNICATION SYSTEM - HF COM 2 SYSTEM								Service ATA:23
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 23-12-00-710-801PROC. REF: AMM 23-12-00-710-801								
23-12-01-900-801-01 REMOVAL / INSTALLATION OF THE HF RECEIVER / EXCITER - HF 1 RECEIVER/EXCITER (L103RC)								Component ATA:23
PN:064-01073-5101	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1075	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: AMM 23-12-01-900-801PROC. REF: AMM 23-12-01-900-801								
23-12-01-900-801-02 REMOVAL / INSTALLATION OF THE HF RECEIVER / EXCITER - HF 2 RECEIVER/EXCITER (R103RC)								Component ATA:23
PN:064-01073-5101	MOS/MSC	24-Sep-10	O/C	TSN 0				
SN:2341	HRS	1380:10		TSN 0				
WC#: 23.050	AFL	485		TSN 0				
PROC. REF: AMM 23-12-01-900-801PROC. REF: AMM 23-12-01-900-801								
23-12-0300 ^U VHF 3 RACK								Component ATA:23
PN:7026240-901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:6110847	HRS	0		TSN 0				
	AFL	0		TSN 0				
23-12-05-900-801-01 REMOVAL / INSTALLATION OF THE HF POWER AMPLIFIER - HF 1 POWER AMPLIFIER (L203RC)								Component ATA:23
PN:064-01072-0101	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1065	HRS	0		TSN 0				
WC#: 23.060	AFL	0		TSN 0				
PROC. REF: AMM 23-12-05-900-801PROC. REF: AMM 23-12-05-900-801								
23-12-05-900-801-02 REMOVAL / INSTALLATION OF THE HF POWER AMPLIFIER - HF 2 POWER AMPLIFIER (R203RC)								Component ATA:23
PN:064-01072-0101	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1061	HRS	0		TSN 0				
WC#: 23.060	AFL	0		TSN 0				
PROC. REF: AMM 23-12-05-900-801PROC. REF: AMM 23-12-05-900-801								
23-12-09-610-801-02 SERVICING OF THE HF ANTENNA COUPLER - HF 2 ANTENNA COUPLER (R303RC)								Service ATA:23
	MOS/MSC	29-Nov-19	O/C					
	HRS	5207:49						
	AFL	2085						
PROC. REF: AMM 23-12-09-610-801PROC. REF: AMM 23-12-09-610-801								
23-12-09-900-801-01 REMOVAL / INSTALLATION OF THE HF ANTENNA COUPLER - HF 1 ANTENNA COUPLER (L303RC)								Component ATA:23
PN:064-01074-0101	MOS/MSC	11-Aug-23	O/C					
SN:1405	HRS	6775:44						
WC#: 23.070	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: AMM 23-12-09-900-801PROC. REF: AMM 23-12-09-900-801								
23-12-09-900-801-02 REMOVAL / INSTALLATION OF THE HF ANTENNA COUPLER - HF 2 ANTENNA COUPLER (R303RC)								Component ATA:23
PN:064-01-074-0101	MOS/MSC	16-Dec-11	O/C					
SN:1405	HRS	2013:49						
WC#: 23.070	AFL	854						
PROC. REF: AMM 23-12-09-900-801PROC. REF: AMM 23-12-09-900-801								
23-12-13-900-801-01 REMOVAL / INSTALLATION OF THE HF ANTENNA - HF 1/HF 2 ANTENNA (9510RC)								Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.050	AFL	0		TSN 0				
PROC. REF: AMM 23-12-13-900-801PROC. REF: AMM 23-12-13-900-801								
23-15-00-710-801-01 OPERATIONAL TEST OF THE SATELLITE COMMUNICATION (SATCOM) SYSTEM - CABIN TESTS								Service ATA:23
	MOS/MSC	21-Oct-20	O/C					
	HRS	5710:44						
	AFL	2246						
PROC. REF: AMM 23-15-00-710-801, AMM 23-15-00-710-801PROC. REF: AMM 23-15-00-710-801, AMM 23-15-00-710-801								
23-15-05-900-801-01 REMOVAL / INSTALLATION OF THE HIGH POWER AMPLIFIER (HPA) - HPA (7205RC)								Component ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 23-15-05-900-801PROC. REF: AMM 23-15-05-900-801								
23-15-10-900-800-01 ^U SBU								Component ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-15-13-900-801-01 REMOVAL / INSTALLATION OF THE SATCOM ANTENNA - SATCOM ANTENNA (7505RC)								Component ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: AMM 23-15-13-900-801, AMM 23-15-13-900-801PROC. REF: AMM 23-15-13-900-801, AMM 23-15-13-900-801								
23-15-33-900-801-01 REMOVAL / INSTALLATION OF THE SATCOM TX COUPLER - SATCOM TX COUPLER (8205RC) Component ATA:23								
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 23-15-33-900-801PROC. REF: AMM 23-15-33-900-801								
23-15-37-900-801-01 REMOVAL / INSTALLATION OF THE SATCOM RX SPLITTER - SATCOM RX SPLITTER (8105RC) Component ATA:23								
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 23-15-37-900-801PROC. REF: AMM 23-15-37-900-801								
23-15-405040 ^U CONFIGURATION MODULE Component ATA:23								
PN:405040A-001	MOS/MSC	10-Feb-15	-	TSN 0				
SN:80785567	HRS	3494:58		TSN 0				
	AFL	1573		TSN 0				
23-15-7033 ^U VIP HANDSET PHONE Component ATA:23								
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-15-7041 ^U CRADLE, PHONE CABIN Component ATA:23								
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-15-7121 ^U SWITCH PANEL Component ATA:23								
PN:SPS-F90-5909	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:020700234	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-15-7302 ^U		HANDSET COCKPIT					Component	ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-15-7452 ^U		PC DATA PORT					Component	ATA:23
PN:SPS-F90-5909	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:020700238	HRS	0		TSN 0				
	AFL	0		TSN 0				
23-1A-01-900-801-01 ^U		SATELLITE DATA UNIT					Component	ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-1A-05-900-801-01 ^U		SATCOM LOW NOISE AMPLIFIER (DLNA) DIPLEXER					Component	ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-1A-06-900-801-01 ^U		SATCOM CONFIGURATION MODULE					Component	ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
23-21-01-860-801-01		CONFIGURATION OF THE DCTU/FAST UNIT - UPDATE OF THE "CUSTOMER ACTIVATION FORM"					Service	ATA:23
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 23-21-01-860-801PROC. REF: AMM 23-21-01-860-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-21-01-860-801-02	CONFIGURATION OF THE DCTU/FAST UNIT - DOWNLOAD OF THE DCTU/FAST CONFIGURATION FILES							Service ATA:23
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 23-21-01-860-801PROC. REF: AMM 23-21-01-860-801								
23-21-01-860-801-03	CONFIGURATION OF THE DCTU/FAST UNIT							Service ATA:23
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 23-21-01-860-801PROC. REF: AMM 23-21-01-860-801								
23-21-01-900-801-01	REMOVAL / INSTALLATION OF THE DCTU/FAST UNIT - DCTU/FAST UNIT (7121FZ)							Component ATA:23
PN:FAST-A-010-3	MOS/MSC	22-Feb-24	O/C	TSR 0				
SN:400127	HRS	6923:06		TSR 0				
	AFL	2555		TSR 0				
PROC. REF: AMM 23-21-01-900-801PROC. REF: AMM 23-21-01-900-801								
23-50-00-710-802-01 ^S	OPERATIONAL TEST OF THE "BKUP" AUDIO BUTTON							Service ATA:23
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 23.080	AFL	2518	4000					
PROC. REF: AMM 23-50-00-710-802PROC. REF: AMM 23-50-00-710-802								PKG:41
23-50-01-900-801-01	REMOVAL / INSTALLATION OF THE AUDIO PANEL - LH AUDIO PANEL (1101FP)							Component ATA:23
PN:7511900-94501	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:07010324	HRS	0		TSN 0				
WC#: 31.005	AFL	0		TSN 0				
PROC. REF: AMM 23-50-01-900-801PROC. REF: AMM 23-50-01-900-801								
23-50-01-900-801-02	REMOVAL / INSTALLATION OF THE AUDIO PANEL - RH AUDIO PANEL (1201FP)							Component ATA:23
PN:7511900-94501	MOS/MSC	25-May-12	O/C					
SN:03120590	HRS	2184:49						
WC#: 31.005	AFL	912						
PROC. REF: AMM 23-50-01-900-801PROC. REF: AMM 23-50-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-50-01-900-801-03 REMOVAL / INSTALLATION OF THE AUDIO PANEL - THIRD CREW MEMBER AUDIO PANEL (1301FP)							Component	ATA:23
PN:7511900-94501	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:07083979	HRS	6775:44		TSR 0				
WC#: 31.010	AFL	2518		TSR 0				
PROC. REF: AMM 23-50-01-900-801PROC. REF: AMM 23-50-01-900-801								
23-60-00-900-801-01 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH HS STATIC DISCHARGER (L101RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-02 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH HS STATIC DISCHARGER (R101RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-03 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH ELEVATOR STATIC DISCHARGER 1 (L201RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-04 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH ELEVATOR STATIC DISCHARGER 1 (R201RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-05 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH ELEVATOR STATIC DISCHARGER 2 (L301RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-60-00-900-801-06 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH ELEVATOR STATIC DISCHARGER 2 (R301RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-07 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH WINGLET LOWER STATIC DISCHARGER (L1001RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-08 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH WINGLET LOWER STATIC DISCHARGER (R1001RD)							Component	ATA:23
PN:2-30	MOS/MSC	04-May-18	O/C	TSN 1				
SN:LOT0000481970	HRS	4301:32		TSN 0				
	AFL	1787		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-10 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH WINGLET UPPER STATIC DISCHARGER (R1101RD)							Component	ATA:23
PN:2-30	MOS/MSC	04-May-18	O/C	TSN 1				
SN:LOT0000481970	HRS	4301:32						
	AFL	1787						
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-11 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH AILERON STATIC DISCHARGER (L1201RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-12 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH AILERON STATIC DISCHARGER (R1201RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-60-00-900-801-13 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH HS STATIC DISCHARGER RETAINER (L501RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-14 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH HS STATIC DISCHARGER RETAINER (R501RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-15 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH ELEVATOR STATIC DISCHARGER 1 RETAINER (L601RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-16 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH ELEVATOR STATIC DISCHARGER 1 RETAINER (R601RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-17 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH ELEVATOR STATIC DISCHARGER 2 RETAINER (L701RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-18 REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH ELEVATOR STATIC DISCHARGER 2 RETAINER (R701RD)							Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-60-00-900-801-19		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH WINGLET LOWER STATIC DISCHARGER RETAINER (L1301RD)						Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-20		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH WINGLET LOWER STATIC DISCHARGER RETAINER (R1301RD)						Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-21		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH WINGLET UPPER STATIC DISCHARGER RETAINER (L1401RD)						Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-22		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH WINGLET UPPER STATIC DISCHARGER RETAINER (R1401RD)						Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-23		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LH AILERON STATIC DISCHARGER RETAINER (L1501RD)						Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-60-00-900-801-24		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - RH AILERON STATIC DISCHARGER RETAINER (R1501RD)						Component ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-60-00-900-801-25	REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS - LOWER SATCOM FAIRING STATIC DISCHARGER (M2101RD) / (9550RD)						Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-60-00-900-801PROC. REF: AMM 23-60-00-900-801								
23-73-01-900-801-01	REMOVAL / INSTALLATION OF THE VERTICAL STABILIZER CAMERA - VERTICAL STABILIZER CAMERA (7205XF)						Component	ATA:23
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-73-01-900-801PROC. REF: AMM 23-73-01-900-801								
23-9A-01-900-801-01 ^U	SATCOM ROUTER						Component	ATA:23
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
ATA 24 - ELECTRICAL POWER								
24-00-00-860-804-01	ENERGIZATION / DE-ENERGIZATION OF THE AIRCRAFT SYSTEMS WITH THE APU - ENERGIZATION OF THE AIRCRAFT ELECTRICAL SYSTEM WITH THE APU						Service	ATA:24
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 24-00-00-860-804PROC. REF: AMM 24-00-00-860-804								
24-00-00-860-804-02	ENERGIZATION / DE-ENERGIZATION OF THE AIRCRAFT SYSTEMS WITH THE APU - DE-ENERGIZATION OF THE AIRCRAFT ELECTRICAL SYSTEM FROM THE APU						Service	ATA:24
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 24-00-00-860-804PROC. REF: AMM 24-00-00-860-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-20-00-720-801-01	^S	FUNCTIONAL TEST OF THE PASSENGER AC ELECTRICAL DISTRIBUTION SYSTEM						Service ATA:24
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 24.010	AFL	2518						
PROC. REF: AMM 24-20-00-720-801PROC. REF: AMM 24-20-00-720-801								PKG:31
24-20-05-710-801-01		OPERATIONAL TEST OF THE GROUND FAULT INTERRUPTER (GFI)						Service ATA:24
	MOS	17-Jun-25						
	HRS	7334:09	600 (+50)		7934:09	7984:09	441:35 (+50)	
	AFL	2633						
PROC. REF: AMM 24-20-05-710-801PROC. REF: AMM 24-20-05-710-801								
24-20-05-900-801-01		REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT GROUND FAULT INTERRUPTER (GFI) - BAGGAGE COMPARTMENT GFI (7105PA)						Component ATA:24
PN:106104-1	MOS/MSC	12-Jun-07	O/C					
SN:1340406	HRS	0						
	AFL	0						
PROC. REF: AMM 24-20-05-900-801PROC. REF: AMM 24-20-05-900-801								
24-20-09-710-801-01	^S	OPERATIONAL TEST OF THE AC CONTROL RELAY - AC CONTROL RELAY (7015PA) / (R7015PA)						Service ATA:24
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 24.020	AFL	2518						
PROC. REF: AMM 24-20-09-710-801PROC. REF: AMM 24-20-09-710-801								PKG:31
24-20-17-720-801-01	^S	FUNCTIONAL TEST OF THE AC CONTROL RELAY CUT-OFF POWER WITH CABIN ALTITUDE						Service ATA:24
	MOS	23-Dec-14						
	HRS	2987:52	9600 (+50)					
WC#: 24.410	AFL	1341						
PROC. REF: AMM 24-20-17-720-801PROC. REF: AMM 24-20-17-720-801								PKG:34

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-25-7091 ^U AC CONTROLLER Component ATA:24								
PN:106124-4	MOS/MSC	05-Aug-08	O/C	TSN 0				
SN:3080108	HRS	541		TSN 0				
	AFL	199		TSN 0				
24-25-7092 ^U AC CONTROLLER Component ATA:24								
PN:106124-4	MOS/MSC	12-Jun-07	O/C					
SN:1050805	HRS	0						
	AFL	0						
24-25-7111 ^U AC CONTROLLER Component ATA:24								
PN:106124-4	MOS/MSC	12-Jun-07	O/C					
SN:140805	HRS	0						
	AFL	0						
24-25-7191 ^U AC CONTROLLER Component ATA:24								
PN:106124-4	MOS/MSC	12-Jun-07	O/C					
SN:130805	HRS	0						
	AFL	0						
24-25-7192 ^U AC CONTROLLER Component ATA:24								
PN:106124-4	MOS/MSC	12-Jun-07	O/C					
SN:20605	HRS	0						
	AFL	0						
24-25-7300 ^U AC OUTLET W/REMOTE Component ATA:24								
PN:106101-8	MOS/MSC	12-Jun-07	O/C					
SN:3731106	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-25-7400 ^U		AC OUTLET W/REMOTE						Component ATA:24
PN:106101-8	MOS/MSC	12-Jun-07	O/C					
SN:3020806	HRS	0						
	AFL	0						
24-25-7500 ^U		AC OUTLET W/REMOTE						Component ATA:24
PN:106101-8	MOS/MSC	12-Jun-07	O/C					
SN:3220806	HRS	0						
	AFL	0						
24-25-7591 ^U		AC OUTLET						Component ATA:24
PN:106101-8	MOS/MSC	12-Jun-07	O/C					
SN:3991206	HRS	0						
	AFL	0						
24-25-7602 ^U		AC OUTLET W/REMOTE						Component ATA:24
PN:106101-8	MOS/MSC	12-Jun-07	O/C					
SN:3090806	HRS	0						
	AFL	0						
24-25-7701 ^U		AC OUTLET						Component ATA:24
PN:106101-8	MOS/MSC	12-Jun-07	O/C					
SN:3070806	HRS	0						
	AFL	0						
24-25-8191 ^U		AC OUTLET						Component ATA:24
PN:106135-8	MOS/MSC	12-Jun-07	O/C					
SN:250506	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-00-710-801-01 OPERATIONAL TEST OF THE PRIMARY DC GENERATION SYSTEM								Service ATA:24
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 24-31-00-710-801PROC. REF: AMM 24-31-00-710-801								
24-31-01-350-801-01 RESTORATION OF THE DC GENERATORS - REPLACEMENT OF THE BEARINGS OF ENGINE 1 GENERATOR (L7000PC)								Service ATA:24
PN:30089-006	MOS	24-Dec-21						
SN:P2120	HRS	6277:56	1400 (+3%)		7677:56	7719:56	185:22 (+42)	
WC#: 24.060	AFL	2414						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-01A RESTORATION OF THE DC GENERATORS - REPLACEMENT OF THE BEARINGS OF ENGINE 1 GENERATOR (L7000PC) (MANDATORY 5-40)								Service ATA:24
	MOS	23-Dec-21						ALI
	HRS	6277:56	3000		9277:56		1785:22	
WC#: 24.060	AFL	2414						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-02 RESTORATION OF THE DC GENERATORS - OVERHAUL OF ENGINE 1 GENERATOR (L7000PC)								Service ATA:24
PN:30089-006	MOS	24-Dec-21						OVERHAUL
SN:P2120	HRS	6277:56	3000		9277:56		1785:22	
WC#: 24.060	AFL	2414						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-02A RESTORATION OF THE DC GENERATORS - OVERHAUL OF ENGINE 1 GENERATOR (L7000PC) (MANDATORY 5-40)								Service ATA:24
	MOS	26-Sep-19						ALI
	HRS	5056:37	3000		8056:37		564:03	
WC#: 24.060	AFL	2045						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-03 RESTORATION OF THE DC GENERATORS - REPLACEMENT OF THE BEARINGS OF ENGINE 2 GENERATOR (M7000PC)								Service ATA:24
PN:30089-007	MOS	29-Dec-23						
SN:P1280/2CBB	HRS	6860	1800 (+3%)		8660	8714	1167:26 (+54)	
WC#: 24.060	AFL	2543						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-01-350-801-03A		RESTORATION OF THE DC GENERATORS - REPLACEMENT OF THE BEARINGS OF ENGINE 2 GENERATOR (M7000PC) (MANDATORY 5-40)						Service ATA:24
	MOS	29-Dec-23						ALI
	HRS	6860	3000		9860		2367:26	
WC#: 24.060	AFL	2543						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-04		RESTORATION OF THE DC GENERATORS - OVERHAUL OF ENGINE 2 GENERATOR (M7000PC)						Service ATA:24
PN:30089-007	MOS	29-Dec-23						OVERHAUL
SN:P1280/2CBB	HRS	6860	3000		9860		2367:26	
WC#: 24.060	AFL	2543						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-04A		RESTORATION OF THE DC GENERATORS - OVERHAUL OF ENGINE 2 GENERATOR (M7000PC) (MANDATORY 5-40)						Service ATA:24
	MOS	29-Dec-23						ALI
	HRS	6860	3000		9860		2367:26	
WC#: 24.060	AFL	2543						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-05		RESTORATION OF THE DC GENERATORS - REPLACEMENT OF THE BEARINGS OF ENGINE 3 GENERATOR (R7000PC)						Service ATA:24
PN:30089-006	MOS	11-Oct-22						
SN:P1455	HRS	6595:56	1400 (+3%)		7995:56	8037:56	503:22 (+42)	
WC#: 24.061	AFL	2477						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-05A		RESTORATION OF THE DC GENERATORS - REPLACEMENT OF THE BEARINGS OF ENGINE 3 GENERATOR (R7000PC) (MANDATORY 5-40)						Service ATA:24
	MOS	11-Oct-22						ALI
	HRS	6595:56	3000		9595:56		2103:22	
WC#: 24.061	AFL	2477						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-350-801-06		RESTORATION OF THE DC GENERATORS - OVERHAUL OF ENGINE 3 GENERATOR (R7000PC)						Service ATA:24
PN:30089-006	MOS	11-Oct-22						OVERHAUL
SN:P1455	HRS	6595:56	3000		9595:56		2103:22	
WC#: 24.061	AFL	2477						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-01-350-801-06A	RESTORATION OF THE DC GENERATORS - OVERHAUL OF ENGINE 3 GENERATOR (R7000PC) (MANDATORY 5-40)							Service ATA:24
	MOS	11-Oct-22						ALI
	HRS	6595:56	3000		9595:56		2103:22	
WC#: 24.061	AFL	2477						
PROC. REF: AMM 24-31-01-350-801PROC. REF: AMM 24-31-01-350-801								
24-31-01-900-801-01	REMOVAL / INSTALLATION OF THE DC GENERATORS - ENGINE 1 GENERATOR (L7000PC)							Component ATA:24
PN:30089-006	MOS/MSC	24-Dec-21	H/T					
SN:P2120	HRS	6277:56		TSN 1170				
WC#: 24.060	AFL	2414		TSN 494				
PROC. REF: AMM 24-31-01-900-801PROC. REF: AMM 24-31-01-900-801								
24-31-01-900-801-02	REMOVAL / INSTALLATION OF THE DC GENERATORS - ENGINE 2 GENERATOR (M7000PC)							Component ATA:24
PN:30089-007	MOS/MSC	29-Dec-23	H/T	TSO 0				
SN:P1280/2CBB	HRS	6860		TSO 0				
WC#: 24.060	AFL	2543		TSO 0				
PROC. REF: AMM 24-31-01-900-801PROC. REF: AMM 24-31-01-900-801								
24-31-01-900-801-03	REMOVAL / INSTALLATION OF THE DC GENERATORS - ENGINE 3 GENERATOR (R7000PC)							Component ATA:24
PN:30089-006	MOS/MSC	11-Oct-22	H/T	TSO 0				
SN:P1455	HRS	6595:56		TSO 0				
WC#: 24.061	AFL	2477		TSO 0				
PROC. REF: AMM 24-31-01-900-801PROC. REF: AMM 24-31-01-900-801								
24-31-09-700-801-01	CHECK OF THE GCU MAINTENANCE MESSAGES - ENGINE 1 GCU (5500PC)							Service ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.415	AFL	912						
PROC. REF: AMM 24-31-09-700-801PROC. REF: AMM 24-31-09-700-801								
24-31-09-700-801-02	CHECK OF THE GCU MAINTENANCE MESSAGES - ENGINE 2 GCU (R201PC)							Service ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.415	AFL	912						
PROC. REF: AMM 24-31-09-700-801PROC. REF: AMM 24-31-09-700-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-09-700-801-03	CHECK OF THE GCU MAINTENANCE MESSAGES - ENGINE 3 GCU (6500PC)							Service ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.415	AFL	912						
PROC. REF: AMM 24-31-09-700-801PROC. REF: AMM 24-31-09-700-801								
24-31-09-700-801-04	CHECK OF THE GCU MAINTENANCE MESSAGES - APU STARTER GCU (303PC)							Service ATA:24
	MOS/MSC		O/C					
	HRS							
WC#: 24.420	AFL							
PROC. REF: AMM 24-31-09-700-801PROC. REF: AMM 24-31-09-700-801								
24-31-09-720-801-01	FUNCTIONAL TEST OF THE GCU PARALLELING FUNCTION - ENGINE 1 GCU (5500PC)							Service ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.425	AFL	912						
PROC. REF: AMM 24-31-09-720-801PROC. REF: AMM 24-31-09-720-801								
24-31-09-720-801-02	FUNCTIONAL TEST OF THE GCU PARALLELING FUNCTION - ENGINE 2 GCU (R201PC)							Service ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.425	AFL	912						
PROC. REF: AMM 24-31-09-720-801PROC. REF: AMM 24-31-09-720-801								
24-31-09-720-801-03	FUNCTIONAL TEST OF THE GCU PARALLELING FUNCTION - ENGINE 3 GCU (6500PC)							Service ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.425	AFL	912						
PROC. REF: AMM 24-31-09-720-801PROC. REF: AMM 24-31-09-720-801								
24-31-09-900-801-01	REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - ENGINE 1 GCU (5500PC)							Component ATA:24
PN:80232282	MOS/MSC	16-Dec-11	O/C	TSN 0				
SN:23396	HRS	2013:49		TSN 0				
WC#: 24.400	AFL	854		TSN 0				
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-09-900-801-02 REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - ENGINE 2 GCU (R201PC)							Component	ATA:24
PN:80235444	MOS/MSC	27-Mar-20	O/C					
SN:330193	HRS	5396:02						
WC#: 24.400	AFL	2145						
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801								
24-31-09-900-801-03 REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - ENGINE 3 GCU (6500PC)							Component	ATA:24
PN:80232282	MOS/MSC	16-Dec-11	O/C	TSN 0				
SN:23366	HRS	2013:49		TSN 0				
WC#: 24.400	AFL	854		TSN 0				
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801								
24-31-09-900-801-04 REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - APU STARTER GCU (303PC)							Component	ATA:24
PN:80235444	MOS/MSC	22-Nov-22	O/C	TSR 58				
SN:330351	HRS	6671:52		TSR 2530:03				
WC#: 24.405	AFL	2500		TSR 753				
	APH	3852	0					
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801								
24-31-19-280-802-01 SPECIAL DETAILED INSPECTION OF DC GENERATOR 2 POSITIVE FEEDER							Service	ATA:24
	MOS/MSC	28-Feb-22	O/C					
	HRS	6322:16						
	AFL	2423						
PROC. REF: AMM 24-31-19-280-802PROC. REF: AMM 24-31-19-280-802								
24-32-01-710-801-01 OPERATIONAL TEST OF THE MAIN BATTERY HEATER RELAY - BATTERY 1 HEATER RELAY (L1401PM)							Service	ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 24.465	AFL	0						
PROC. REF: AMM 24-32-01-710-801PROC. REF: AMM 24-32-01-710-801								
24-32-01-710-801-01A OPERATIONAL TEST OF THE MAIN BATTERY HEATER RELAY - BATTERY 1 HEATER RELAY (L1401PM) (MANDATORY 5-40)							Service	ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 24.011	AFL	0						
PROC. REF: AMM 24-32-01-710-801PROC. REF: AMM 24-32-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-32-01-710-801-02 OPERATIONAL TEST OF THE MAIN BATTERY HEATER RELAY - BATTERY 2 HEATER RELAY (R1401PM)								Service ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 24.465	AFL	0						
PROC. REF: AMM 24-32-01-710-801PROC. REF: AMM 24-32-01-710-801								
24-32-01-710-801-02A OPERATIONAL TEST OF THE MAIN BATTERY HEATER RELAY - BATTERY 2 HEATER RELAY (R1401PM) (MANDATORY 5-40)								Service ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 24.011	AFL	0						
PROC. REF: AMM 24-32-01-710-801PROC. REF: AMM 24-32-01-710-801								
24-32-01-710-802-01 OPERATIONAL TEST OF THE MAIN BATTERY THERMOSTAT - BATTERY 1 (L1000PC)								Service ATA:24
PN:9750W0390-5	MOS	27-Sep-23	24 (+3%)	TAC 1	27-Aug-25	18-Sep-25	OVD	
SN:9042W0034M	HRS	6779:18	1800 (+50)	TAC 3:35	8575:43	8625:43	1083:09 (+50)	
WC#: 24.021	AFL	2520						
PROC. REF: AMM 24-32-01-710-802PROC. REF: AMM 24-32-01-710-802								WO#: JWL-25-049
24-32-01-710-802-01A OPERATIONAL TEST OF THE MAIN BATTERY THERMOSTAT - BATTERY 1 (L1000PC) (MANDATORY 5-40)								Service ATA:24
PN:9750W0390-5	MOS	27-Sep-23						CMR
SN:9042W0034M	HRS	6779:18	1850	TAC 3:35	8625:43		1133:09	
WC#: 24.021	AFL	2520						
PROC. REF: AMM 24-32-01-710-802PROC. REF: AMM 24-32-01-710-802								WO#: JWL-25-049
24-32-01-710-802-02 OPERATIONAL TEST OF THE MAIN BATTERY THERMOSTAT - BATTERY 2 (R1000PC)								Service ATA:24
PN:9750W0390-5	MOS	27-Sep-23	24 (+3%)	TAC 1	27-Aug-25	18-Sep-25	OVD	
SN:11309W0006	HRS	6779:18	1800 (+50)	TAC 0	8579:18	8629:18	1086:44 (+50)	
WC#: 24.031	AFL	2520		TAC 0				
PROC. REF: AMM 24-32-01-710-802PROC. REF: AMM 24-32-01-710-802								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-32-01-710-802-02A OPERATIONAL TEST OF THE MAIN BATTERY THERMOSTAT - BATTERY 2 (R1000PC) (MANDATORY 5-40)								Service ATA:24
PN:9750W0390-5	MOS	27-Sep-23						CMR
SN:11309W0006	HRS	6779:18	1850		8629:18		1136:44	
WC#: 24.031	AFL	2520						
PROC. REF: AMM 24-32-01-710-802PROC. REF: AMM 24-32-01-710-802								WO#: JWL-25-049
24-32-01-760-801-01 CAPACITY TEST OF THE MAIN BATTERIES - BATTERY 1 (L1000PC)								Service ATA:24
PN:9750W0390-5	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	
SN:9042W0034M	HRS	7061:12						
WC#: 24.030	AFL	2584						
PROC. REF: AMM 24-32-01-760-801, AMM 24-32-01-760-801, AMM 24-32-01-760-801PROC. REF: AMM 24-32-01-760-801, AMM 24-32-01-760-801, AMM 24-32-01-760-801								WO#: JWL-25-049
24-32-01-760-801-02 CAPACITY TEST OF THE MAIN BATTERIES - BATTERY 2 (R1000PC)								Service ATA:24
PN:9750W0390-5	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	
SN:11309W0006	HRS	7061:12						
WC#: 24.030	AFL	2584						
PROC. REF: AMM 24-32-01-760-801, AMM 24-32-01-760-801, AMM 24-32-01-760-801PROC. REF: AMM 24-32-01-760-801, AMM 24-32-01-760-801, AMM 24-32-01-760-801								WO#: JWL-25-049
24-32-01-900-801-01 REMOVAL / INSTALLATION OF THE MAIN BATTERIES - BATTERY 1 (L1000PC)								Component ATA:24
PN:9750W0390-5	MOS/MSC	18-Nov-24	O/C	TSO 15				
SN:9042W0034M	HRS	7061:12		TSO 284:24				
WC#: 24.030	AFL	2584		TSO 65				
PROC. REF: AMM 24-32-01-900-801PROC. REF: AMM 24-32-01-900-801								WO#: JWL-25-049
24-32-01-900-801-02 REMOVAL / INSTALLATION OF THE MAIN BATTERIES - BATTERY 2 (R1000PC)								Component ATA:24
PN:9750W0390-5	MOS/MSC	18-Nov-24	O/C	TSR 15				
SN:11309W0006	HRS	7061:12		TSR 281:54				
WC#: 24.030	AFL	2584		TSR 64				
PROC. REF: AMM 24-32-01-900-801PROC. REF: AMM 24-32-01-900-801								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-32-01-960-801-01	REBLOCKING OF THE MAIN BATTERIES - BATTERY 1 (L1000PC)							Service ATA:24
PN:9750W0390-5	MOS	27-Sep-23	24 (+3%)	TAC 1	27-Aug-25	18-Sep-25	OVD	
SN:9042W0034M	HRS	6779:18						
	AFL	2520						
								WO#: JWL-25-049
PROC. REF: AMM 24-32-01-960-801PROC. REF: AMM 24-32-01-960-801								
24-32-01-960-801-02	REBLOCKING OF THE MAIN BATTERIES - BATTERY 2 (R1000PC)							Service ATA:24
PN:9750W0390-5	MOS	27-Sep-23	24 (+3%)	TAC 1	27-Aug-25	18-Sep-25	OVD	
SN:11309W0006	HRS	6779:18						
	AFL	2520						
								WO#: JWL-25-049
PROC. REF: AMM 24-32-01-960-801PROC. REF: AMM 24-32-01-960-801								
24-33-01-350-801-01	RESTORATION OF THE APU STARTER-GENERATOR (DISCARD OF BRUSHES AND BEARINGS AND INSPECTION OF DRIVE SPLINED SHAFT) - APU STARTER-GENERATOR (8000PC)							Service ATA:24
PN:23077-007	MOS	22-Nov-22						OVERHAUL
SN:P1089	HRS	6671:52						
WC#: 24.080	AFL	2500						
	APH	3852	1000 (+3%)		4852	4882	521:30 (+30)	
PROC. REF: AMM 24-33-01-350-801PROC. REF: AMM 24-33-01-350-801								
24-33-01-900-801-01	REMOVAL / INSTALLATION OF THE APU STARTER-GENERATOR - APU STARTER-GENERATOR (8000PC)							Component ATA:24
PN:23077-007	MOS/MSC	22-Nov-22	O/C	TSO 2				
SN:P1089	HRS	6671:52		TSO 0				
WC#: 24.080	AFL	2500		TSO 0				
	APH	3852	0					
PROC. REF: AMM 24-33-01-900-801PROC. REF: AMM 24-33-01-900-801								
24-34-00-710-801-02	OPERATIONAL TEST OF THE FLIGHT CONTROL SYSTEM DC GENERATION SYSTEM - LH FCS DC GENERATION SYSTEM (ENGINE 2)							Service ATA:24
	MOS/MSC	12-Jun-20	O/C					
	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 24-34-00-710-801PROC. REF: AMM 24-34-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-34-00-710-802-01	^S	OPERATIONAL TEST OF THE E1 AND E2 MAINTENANCE MODE CAS MESSAGES						Service ATA:24
	MOS	12-Jun-07						
	HRS	0	9600 (+50)					
WC#: 24.190	AFL	0						
PROC. REF: AMM 24-34-00-710-802PROC. REF: AMM 24-34-00-710-802								PKG:34
24-34-01-900-801-01		REMOVAL / INSTALLATION OF THE FCS PERMANENT MAGNET ALTERNATORS (PMA) - ENGINE 1 FCS PMA (L2000PC)						Component ATA:24
PN:BB03301-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:551	HRS	0		TSN 0				
WC#: 24.040	AFL	0		TSN 0				
PROC. REF: AMM 24-34-01-900-801PROC. REF: AMM 24-34-01-900-801								
24-34-01-900-801-02		REMOVAL / INSTALLATION OF THE FCS PERMANENT MAGNET ALTERNATORS (PMA) - ENGINE 2 FCS PMA (M2000PC)						Component ATA:24
PN:BB03301-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:552	HRS	0		TSN 0				
WC#: 24.040	AFL	0		TSN 0				
PROC. REF: AMM 24-34-01-900-801PROC. REF: AMM 24-34-01-900-801								
24-34-09-900-801-01		REMOVAL / INSTALLATION OF THE PERMANENT MAGNET ALTERNATOR (PMA) CONVERTERS - FCS PMA CONVERTER 1 (R107CZ)						Component ATA:24
PN:03N10332-MODA	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
WC#: 27.315	AFL	0		TSN 0				
PROC. REF: AMM 24-34-09-900-801PROC. REF: AMM 24-34-09-900-801								
24-34-09-900-801-02		REMOVAL / INSTALLATION OF THE PERMANENT MAGNET ALTERNATOR (PMA) CONVERTERS - FCS PMA CONVERTER 2 (L107CZ)						Component ATA:24
PN:03N10332-MODA	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0022	HRS	0		TSN 0				
WC#: 27.315	AFL	0		TSN 0				
PROC. REF: AMM 24-34-09-900-801PROC. REF: AMM 24-34-09-900-801								
24-40-05-720-801-01	^S	FUNCTIONAL TEST OF THE ELECTRICAL GROUND POWER SWITCH - ELECTRICAL GROUND POWER SWITCH (3500PC)						Service ATA:24
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 24.200	AFL	2518	4000					
PROC. REF: AMM 24-40-05-720-801PROC. REF: AMM 24-40-05-720-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-50-00-350-801-01	RESTORATION OF THE RAM AIR TURBINE (RAT) - RAT (4000PN)							Service ATA:24
	MOS	12-Jun-07	240		12-Jun-27		617 d	
	HRS	0	60000		60000		52507:26	
	AFL	0						
PROC. REF: AMM 24-50-00-350-801PROC. REF: AMM 24-50-00-350-801								
24-50-00-640-801-01	^S	LUBRICATION OF THE RAT PIVOT - RAM AIR TURBINE (RAT) (4000PN)						
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 24.210	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 24-50-00-640-801PROC. REF: AMM 24-50-00-640-801								
24-50-00-710-801-03	^S	OPERATIONAL TEST OF THE RAT SYSTEM						
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 24.220	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 24-50-00-710-801PROC. REF: AMM 24-50-00-710-801								
24-50-00-720-801-01	^S	FUNCTIONAL TEST OF THE RAT SYSTEM						
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 24.230	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 24-50-00-720-801PROC. REF: AMM 24-50-00-720-801								
24-50-00-720-801-01A		FUNCTIONAL TEST OF THE RAT SYSTEM (MANDATORY 5-40)						
	MOS	11-Aug-23	28		11-Dec-25		69 d	CMR
	HRS	6775:44	1850		8625:44		1133:10	
WC#: 24.230	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 24-50-00-720-801PROC. REF: AMM 24-50-00-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-50-00-900-801-01 REMOVAL / INSTALLATION OF THE RAM AIR TURBINE (RAT) - RAT (4000PN)								Component ATA:24
PN:1705673B	MOS/MSC	22-Jan-20	H/T	TSN 151				
SN:AADL000133	HRS	5287:57		TSN 5287:57				
WC#: 24.290	AFL	2109		TSN 2109				
PROC. REF: AMM 24-50-00-900-801PROC. REF: AMM 24-50-00-900-801								
24-50-00-910-802-01 ^S AUTOMATIC DEPLOYMENT OF THE RAM AIR TURBINE (RAT) - RAT (4000PN)								Service ATA:24
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 24.240	AFL	2518						
PROC. REF: AMM 24-50-00-910-802PROC. REF: AMM 24-50-00-910-802								PKG:4
24-50-00-910-802-01A AUTOMATIC DEPLOYMENT OF THE RAM AIR TURBINE (RAT) - RAT (4000PN) (MANDATORY 5-40)								Service ATA:24
	MOS	11-Aug-23						CMR
	HRS	6775:44	3700		10475:44		2983:10	
WC#: 24.240	AFL	2518						
PROC. REF: AMM 24-50-00-910-802PROC. REF: AMM 24-50-00-910-802								
24-50-00-960-801-01 DISCARD OF THE RAM AIR TURBINE (RAT) - RAT (4000PN)								Service ATA:24
PN:1705673B	MOS/MSC	12-Jun-07	O/C					
SN:AADL000133	HRS	0						
WC#: 24.290	AFL	0						
PROC. REF: AMM 24-50-00-960-801PROC. REF: AMM 24-50-00-960-801								
24-50-01-710-801-01 OPERATIONAL TEST OF THE RAT TRANSFORMER RECTIFIER UNIT (TRU) - RAT TRU (2000PN)								Service ATA:24
	MOS	In progress	12 (+1m)		28-Aug-26	28-Sep-26	329 d (+31)	
	HRS	7445:40	400 (+10%)		7845:40	7885:40	353:06 (+40)	
	AFL	2653						
PROC. REF: AMM 24-50-01-710-801PROC. REF: AMM 24-50-01-710-801								
24-50-01-710-801-01A OPERATIONAL TEST OF THE RAT TRANSFORMER RECTIFIER UNIT (TRU) - RAT TRU (2000PN) (MANDATORY 5-40)								Service ATA:24
	MOS	In progress						CMR
	HRS	7445:40	450		7895:40		403:06	
WC#: 24.395	AFL	2653						
PROC. REF: AMM 24-50-01-710-801PROC. REF: AMM 24-50-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-50-01-900-801-01	REMOVAL / INSTALLATION OF THE RAT TRANSFORMER RECTIFIER UNIT (TRU) - RAT TRU (2000PN)							Component ATA:24
PN:5915825	MOS/MSC	05-Aug-21	O/C	TSN 115				
SN:1099	HRS	6112:41		TSN 3927:52				
WC#: 24.270	AFL	2376		TSN 1464				
PROC. REF: AMM 24-50-01-900-801PROC. REF: AMM 24-50-01-900-801								
24-50-05-710-801-01	^S	OPERATIONAL TEST OF THE RAT GENERATOR CONTROL UNIT (GCU) - RAT GCU (6000PN)						Service ATA:24
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 24.250	AFL	2518						
PROC. REF: AMM 24-50-05-710-801PROC. REF: AMM 24-50-05-710-801								
24-50-05-900-801-01	REMOVAL / INSTALLATION OF THE RAT GENERATOR CONTROL UNIT (GCU) - RAT GCU (6000PN)							Component ATA:24
PN:1705675B	MOS/MSC	22-Jan-20	O/C					
SN:AADK000103	HRS	5287:57						
WC#: 24.310	AFL	2109						
PROC. REF: AMM 24-50-05-900-801PROC. REF: AMM 24-50-05-900-801								
24-50-09-900-801-01	REMOVAL / INSTALLATION OF THE RAT DEPLOYMENT ACTUATOR - RAT DEPLOYMENT ACTUATOR (7000PN)							Component ATA:24
PN:1705677	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AADM00107	HRS	0		TSN 0				
WC#: 24.320	AFL	0		TSN 0				
PROC. REF: AMM 24-50-09-900-801PROC. REF: AMM 24-50-09-900-801								
24-50-13-900-801-01	REMOVAL / INSTALLATION OF THE RAT RESTOW PUMP - RAT RESTOW PUMP (3000PN)							Component ATA:24
PN:5913704	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:C0013	HRS	0		TSN 0				
WC#: 24.280	AFL	0		TSN 0				
PROC. REF: AMM 24-50-13-900-801PROC. REF: AMM 24-50-13-900-801								
24-50-17-900-801-01	REMOVAL / INSTALLATION OF THE RAT UPLOCK ASSEMBLY - RAT UPLOCK DEPLOY SOLENOID (1000PN)							Component ATA:24
PN:1705679	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0107	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: AMM 24-50-17-900-801PROC. REF: AMM 24-50-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-50-21-900-801-01	REMOVAL / INSTALLATION OF THE RAT MANUAL RELEASE CABLE - RAT MANUAL RELEASE CABLE (5000PN)							Component ATA:24
PN:5913705-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0111	HRS	0		TSN 0				
WC#: 24.300	AFL	0		TSN 0				
PROC. REF: AMM 24-50-21-900-801PROC. REF: AMM 24-50-21-900-801								
24-50-25-720-801-01	^S	FUNCTIONAL TEST OF THE RAT HEATER						Service ATA:24
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 24.430	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 24-50-25-720-801PROC. REF: AMM 24-50-25-720-801								
24-50-25-720-801-01A	FUNCTIONAL TEST OF THE RAT HEATER (MANDATORY 5-40)							Service ATA:24
	MOS	11-Aug-23						CMR
	HRS	6775:44	1900		8675:44		1183:10	
WC#: 24.051	AFL	2518						
PROC. REF: AMM 24-50-25-720-801PROC. REF: AMM 24-50-25-720-801								
24-60-00-710-801-03	^S	OPERATIONAL TEST AND INSPECTION OF THE CIRCUIT BREAKERS WITH ELECTRICAL SYSTEMS DE-ENERGIZED						Service ATA:24
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 24-60-00-710-801PROC. REF: AMM 24-60-00-710-801								
24-61-01-900-801-01	REMOVAL / INSTALLATION OF THE PRIMARY-POWER DISTRIBUTION-BOXES (PPDB) - LH PPDB (5000PC)							Component ATA:24
PN:SW02101-05	MOS/MSC	16-Dec-11	O/C					
SN:BX920019	HRS	2013:49						
WC#: 24.050	AFL	854						
PROC. REF: AMM 24-61-01-900-801PROC. REF: AMM 24-61-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-61-01-900-801-02 REMOVAL / INSTALLATION OF THE PRIMARY-POWER DISTRIBUTION-BOXES (PPDB) - RH PPDB (6000PC)							Component	ATA:24
PN:SW02201-05	MOS/MSC	16-Dec-11	O/C					
SN:BX930019	HRS	2013:49						
WC#: 24.050	AFL	854						
PROC. REF: AMM 24-61-01-900-801PROC. REF: AMM 24-61-01-900-801								
24-61-09-700-801-01 CHECK OF THE PDCU OVERCURRENT MAINTENANCE MESSAGES - LH PDCU A (L301PM)							Service	ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.435	AFL	912						
PROC. REF: AMM 24-61-09-700-801PROC. REF: AMM 24-61-09-700-801								
24-61-09-700-801-02 CHECK OF THE PDCU OVERCURRENT MAINTENANCE MESSAGES - RH PDCU A (R301PM)							Service	ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.435	AFL	912						
PROC. REF: AMM 24-61-09-700-801PROC. REF: AMM 24-61-09-700-801								
24-61-09-700-801-03 CHECK OF THE PDCU OVERCURRENT MAINTENANCE MESSAGES - LH PDCU B (L401PM)							Service	ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.435	AFL	912						
PROC. REF: AMM 24-61-09-700-801PROC. REF: AMM 24-61-09-700-801								
24-61-09-700-801-04 CHECK OF THE PDCU OVERCURRENT MAINTENANCE MESSAGES - RH PDCU B (R401PM)							Service	ATA:24
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 24.435	AFL	912						
PROC. REF: AMM 24-61-09-700-801PROC. REF: AMM 24-61-09-700-801								
24-61-09-710-801-01 OPERATIONAL TEST OF THE PDCU CROSS POWER FUNCTION							Service	ATA:24
	MOS/MSC	05-Dec-11	O/C					
	HRS	2013:49						
WC#: 24.440	AFL	854						
PROC. REF: AMM 24-61-09-710-801PROC. REF: AMM 24-61-09-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-61-09-710-802-01		OPERATIONAL TEST OF THE LH POWER DISTRIBUTION CONTROL UNIT A - LH PDCU A (L301PM)						Service ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-61-09-710-802PROC. REF: AMM 24-61-09-710-802								
24-61-09-710-803-01		OPERATIONAL TEST OF THE LH POWER DISTRIBUTION CONTROL UNIT B - LH PDCU B (L401PM)						Service ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-61-09-710-803PROC. REF: AMM 24-61-09-710-803								
24-61-09-710-804-01		OPERATIONAL TEST OF THE RH POWER DISTRIBUTION CONTROL UNIT A - RH PDCU A (R301PM)						Service ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-61-09-710-804PROC. REF: AMM 24-61-09-710-804								
24-61-09-710-805-01		OPERATIONAL TEST OF THE RH POWER DISTRIBUTION CONTROL UNIT B - RH PDCU B (R401PM)						Service ATA:24
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-61-09-710-805PROC. REF: AMM 24-61-09-710-805								
24-61-09-900-801-01		REMOVAL / INSTALLATION OF THE POWER DISTRIBUTION CONTROL UNITS (PDCU) - LH PDCU A (L301PM)						Component ATA:24
PN:80232280	MOS/MSC	16-Dec-11	O/C	TSN 0				
SN:21140	HRS	2013:49		TSN 0				
	AFL	854		TSN 0				
PROC. REF: AMM 24-61-09-900-801PROC. REF: AMM 24-61-09-900-801								
24-61-09-900-801-02		REMOVAL / INSTALLATION OF THE POWER DISTRIBUTION CONTROL UNITS (PDCU) - RH PDCU A (R301PM)						Component ATA:24
PN:80232280	MOS/MSC	16-Dec-11	O/C	TSN 0				
SN:21112	HRS	2013:49		TSN 0				
	AFL	854		TSN 0				
PROC. REF: AMM 24-61-09-900-801PROC. REF: AMM 24-61-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-61-09-900-801-03 REMOVAL / INSTALLATION OF THE POWER DISTRIBUTION CONTROL UNITS (PDCU) - LH PDCU B (L401PM)							Component	ATA:24
PN:80232281	MOS/MSC	16-Dec-11	O/C	TSN 0				
SN:22185	HRS	2013:49		TSN 0				
	AFL	854		TSN 0				
PROC. REF: AMM 24-61-09-900-801PROC. REF: AMM 24-61-09-900-801								
24-61-09-900-801-04 REMOVAL / INSTALLATION OF THE POWER DISTRIBUTION CONTROL UNITS (PDCU) - RH PDCU B (R401PM)							Component	ATA:24
PN:80232281	MOS/MSC	16-Dec-11	O/C	TSN 0				
SN:P2339	HRS	2013:49		TSN 0				
	AFL	854		TSN 0				
PROC. REF: AMM 24-61-09-900-801PROC. REF: AMM 24-61-09-900-801								
24-62-01-900-801-01 REMOVAL / INSTALLATION OF THE FRONT SECONDARY-POWER DISTRIBUTION-BOXES (SPDB) - LH FRONT SPDB (L1000PM)							Component	ATA:24
PN:SPD500-B5	MOS/MSC	04-Dec-08	O/C					
SN:BX900036	HRS	645:05						
WC#: 24.360	AFL	246						
PROC. REF: AMM 24-62-01-900-801PROC. REF: AMM 24-62-01-900-801								
24-62-01-900-801-02 REMOVAL / INSTALLATION OF THE FRONT SECONDARY-POWER DISTRIBUTION-BOXES (SPDB) - RH FRONT SPDB (R1000PM)							Component	ATA:24
PN:SPD600-B2	MOS/MSC	04-Dec-08	O/C					
SN:BX9100027	HRS	645:05						
WC#: 24.360	AFL	246						
PROC. REF: AMM 24-62-01-900-801PROC. REF: AMM 24-62-01-900-801								
24-62-09-900-801-01 REMOVAL / INSTALLATION OF THE REAR SECONDARY-POWER DISTRIBUTION-BOXES (SPDB) - LH REAR SPDB (L2000PM)							Component	ATA:24
PN:SPD300-B4-A8	MOS/MSC	04-Dec-08	O/C					
SN:BX880037	HRS	645:05						
WC#: 24.370	AFL	246						
PROC. REF: AMM 24-62-09-900-801PROC. REF: AMM 24-62-09-900-801								
24-62-09-900-801-02 REMOVAL / INSTALLATION OF THE REAR SECONDARY-POWER DISTRIBUTION-BOXES (SPDB) - RH REAR SPDB (R2000PM)							Component	ATA:24
PN:SPD400-B5-A8	MOS/MSC	04-Dec-08	O/C					
SN:BX890028	HRS	645:05						
WC#: 24.370	AFL	246						
PROC. REF: AMM 24-62-09-900-801PROC. REF: AMM 24-62-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-62-13-900-801-07 LH REAR SECONDARY-POWER DISTRIBUTION-BOX (SPDB) CPU CIRCUIT CARD (L602PM)							Component	ATA:24
PN:80232222-01	MOS/MSC	16-Dec-11	O/C					
SN:X0200285	HRS	2013:49						
WC#: 24.450	AFL	854						
PROC. REF: AMM 24-62-13-900-801PROC. REF: AMM 24-62-13-900-801								
24-63-00-900-801-01 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - HSCB (3801GP)							Component	ATA:24
PN:910364-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:21	HRS	0		TSN 0				
WC#: 24.062	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-02 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - OVERHEAT CONTROL BOARD (R209HN)							Component	ATA:24
PN:5542-4601A	MOS/MSC	22-Feb-24	O/C	TSN 0				
SN:535	HRS	6923:06		TSN 0				
WC#: 24.062	AFL	2555		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-03 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (1010JE)							Component	ATA:24
PN:FE1056	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:729	HRS	0		TSN 0				
WC#: 24.062	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-04 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (1110JE)							Component	ATA:24
PN:FE422	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8645	HRS	0		TSN 0				
WC#: 24.062	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-05 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (1210JE)							Component	ATA:24
PN:FE1718-01	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:299	HRS	2987:52		TSN 0				
WC#: 24.062	AFL	1341		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-63-00-900-801-06 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (1310JE)							Component	ATA:24
PN:FE422-01	MOS/MSC	22-May-14	O/C					
SN:289	HRS	2987:52						
WC#: 24.062	AFL	1341						
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-07 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (1410JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1662	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-08 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (1510JE)							Component	ATA:24
PN:FE422	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8648	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-09 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - PCB (1610JE)							Component	ATA:24
PN:0241-0005-0050	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:240001	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-10 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - PCB (1710JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1663	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-11 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (1810JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1669	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-63-00-900-801-12 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - FRONT LH PCB (1910JE)							Component	ATA:24
PN:FE422	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8657	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-13 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (2010JE)							Component	ATA:24
PN:FE1056	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:730	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-14 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (2110JE)							Component	ATA:24
PN:FE422	MOS/MSC	26-Aug-17	O/C	TSN 11				
SN:20060	HRS	3819:19		TSN 0				
WC#: 24.090	AFL	1657		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-15 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (2210JE)							Component	ATA:24
PN:FE1718-01	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:298	HRS	2987:52		TSN 0				
WC#: 24.090	AFL	1341		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-16 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (2310JE)							Component	ATA:24
PN:FE422-01	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:284	HRS	2987:52		TSN 0				
WC#: 24.090	AFL	1341		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-17 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (2410JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1664	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-63-00-900-801-18 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (2510JE)							Component	ATA:24
PN:FE422	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8652	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-19 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - DIM/BRIGHT PCB (2610JE)							Component	ATA:24
PN:0241-0005-0050	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:240002	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-20 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - PCB (2710JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1665	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-21 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (2810JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1667	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-22 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (2910JE)							Component	ATA:24
PN:FE1056	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:668	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-23 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (3110JE)							Component	ATA:24
PN:FE1718	MOS/MSC	23-May-12	O/C					
SN:1473	HRS	2184:49						
WC#: 24.100	AFL	912						
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-63-00-900-801-24 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (3210JE)							Component	ATA:24
PN:FE1718	MOS/MSC	23-May-12	O/C					
SN:1448	HRS	2184:49						
WC#: 24.100	AFL	912						
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-25 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (3310JE)							Component	ATA:24
PN:FE457	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1668	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-26 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (3410JE)							Component	ATA:24
PN:FE1056	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:684	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-27 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (4110JE)							Component	ATA:24
PN:FE1718	MOS/MSC	23-May-12	O/C					
SN:1734	HRS	2184:49						
WC#: 24.110	AFL	912						
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-28 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (4210JE)							Component	ATA:24
PN:FE422	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8655	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-29 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - RELAY PCB (4310JE)							Component	ATA:24
PN:5519-4601-A	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:460	HRS	6775:44		TSN 0				
WC#: 24.110	AFL	2518		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-63-00-900-801-30 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - COMPONENT PCB (4410JE)							Component	ATA:24
PN:FE1056	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:686	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-32 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - X-TK/X-BP NORMAL 1 PCB (603QD)							Component	ATA:24
PN:FE1509-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:100	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-33 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - X-TK/X-BP STAND-BY PCB (703QD)							Component	ATA:24
PN:FE1509-03	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:100	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-34 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - X-TK/X-BP NORMAL 2 PCB (803QD)							Component	ATA:24
PN:FE1509-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:101	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-35 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - FRONT TANK PCB (408QJ)							Component	ATA:24
PN:FE1663	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:017	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								
24-63-00-900-801-36 REMOVAL / INSTALLATION OF THE PRINTED CIRCUIT BOARDS (PCB) - VENTING PCB (103QP)							Component	ATA:24
PN:FE1509-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:100	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-63-00-900-801PROC. REF: AMM 24-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-64-01-900-801-01		REMOVAL / INSTALLATION OF THE CABIN OPTIONAL DISTRIBUTION BOXES - LH CABIN OPTIONAL DISTRIBUTION BOX (L710PM)					Component	ATA:24
PN:FE1524-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:001	HRS	0		TSN 0				
WC#: 24.350	AFL	0		TSN 0				
PROC. REF: AMM 24-64-01-900-801PROC. REF: AMM 24-64-01-900-801								
24-64-01-900-801-02		REMOVAL / INSTALLATION OF THE CABIN OPTIONAL DISTRIBUTION BOXES - RH CABIN OPTIONAL DISTRIBUTION BOX (R710PM)					Component	ATA:24
PN:FE1525-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:01	HRS	0		TSN 0				
WC#: 24.350	AFL	0		TSN 0				
PROC. REF: AMM 24-64-01-900-801PROC. REF: AMM 24-64-01-900-801								
24-91-0710 ^U		STATIC INVERTER					Component	ATA:24
PN:SB120A	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:156	HRS	6775:44		TSR 0				
	AFL	2518		TSR 0				
							WO#: JWL-25-029	
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01-220-802-01 ^S		DETAILED INSPECTION OF THE LONGITUDINAL LOCKING SYSTEM OF THE PILOT SEATS - LH PILOT SEAT (L1001MP)					Service	ATA:25
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 25.005	AFL	2308						
							PKG:9	
							WO#: JWL-25-049	
PROC. REF: AMM 25-11-01-220-802PROC. REF: AMM 25-11-01-220-802								
25-11-01-220-802-02 ^S		DETAILED INSPECTION OF THE LONGITUDINAL LOCKING SYSTEM OF THE PILOT SEATS - RH PILOT SEAT (R2001MP)					Service	ATA:25
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 25.005	AFL	2308						
							PKG:9	
							WO#: JWL-25-049	
PROC. REF: AMM 25-11-01-220-802PROC. REF: AMM 25-11-01-220-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01-710-801-01	OPERATIONAL TEST OF THE PILOT SEATS - TEST OF THE MECHANICAL VERTICAL ADJUSTMENT SYSTEM							Service ATA:25
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 25.010	AFL	912						
PROC. REF: AMM 25-11-01-710-801PROC. REF: AMM 25-11-01-710-801								
25-11-01-710-801-02	OPERATIONAL TEST OF THE PILOT SEATS - TEST OF THE HYDROLOCKS							Service ATA:25
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 25.015	AFL	0						
PROC. REF: AMM 25-11-01-710-801PROC. REF: AMM 25-11-01-710-801								
25-11-01-900-801-01	REMOVAL / INSTALLATION OF THE PILOT SEATS - LH PILOT SEAT (L1001MP)							Component ATA:25
PN:18521-02-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06T1841	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01-900-801PROC. REF: AMM 25-11-01-900-801								
25-11-01-900-801-02	REMOVAL / INSTALLATION OF THE PILOT SEATS - RH PILOT SEAT (R2001MP)							Component ATA:25
PN:18522-02-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06T1847	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01-900-801PROC. REF: AMM 25-11-01-900-801								
25-11-05-220-801-01 ^S	DETAILED INSPECTION OF THE PILOT SEAT SAFETY BELT ASSEMBLIES - LH PILOT SEAT HARNESS AND SAFETY BELT							Service ATA:25
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.025	AFL	2584						
PROC. REF: AMM 25-11-05-220-801PROC. REF: AMM 25-11-05-220-801								PKG:8
25-11-05-220-801-02 ^S	DETAILED INSPECTION OF THE PILOT SEAT SAFETY BELT ASSEMBLIES - RH PILOT SEAT HARNESS AND SAFETY BELT							Service ATA:25
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.025	AFL	2584						
PROC. REF: AMM 25-11-05-220-801PROC. REF: AMM 25-11-05-220-801								PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-13-900-801-01 REMOVAL / INSTALLATION OF THE PILOT SEAT ACTUATORS - LH PILOT SEAT ACTUATOR (L1002MP) Component ATA:25								
PN:604039-3	MOS/MSC	22-Dec-18	O/C					
SN:1419002	HRS	4650:13						
	AFL	1926						
PROC. REF: AMM 25-11-13-900-801PROC. REF: AMM 25-11-13-900-801								
25-11-13-900-801-02 REMOVAL / INSTALLATION OF THE PILOT SEAT ACTUATORS - RH PILOT SEAT ACTUATOR (R1002MP) Component ATA:25								
PN:185100-700-0	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:5495	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 25-11-13-900-801PROC. REF: AMM 25-11-13-900-801								
25-11-17-960-801-01 REPLACEMENT OF THE PILOT SEAT ROLLER ASSEMBLIES - LH PILOT SEAT (L1001MP) - ROLLERS Service ATA:25								
PN:18521-02-02	MOS	12-Jun-07						LIFE LIMIT
SN:06T1841	HRS	0						
WC#: 25.030	AFL	0	4000		4000		1340	
PROC. REF: AMM 25-11-17-960-801PROC. REF: AMM 25-11-17-960-801								
25-11-17-960-801-02 REPLACEMENT OF THE PILOT SEAT ROLLER ASSEMBLIES - RH PILOT SEAT (R2001MP) - ROLLERS Service ATA:25								
PN:18522-02-02	MOS	12-Jun-07						LIFE LIMIT
SN:06T1847	HRS	0						
WC#: 25.030	AFL	0	4000		4000		1340	
PROC. REF: AMM 25-11-17-960-801PROC. REF: AMM 25-11-17-960-801								
25-11-21-100-801-01 CLEANING OF THE PILOT SEAT TRACKS Service ATA:25								
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 25.040	AFL	1341						
PROC. REF: AMM 25-11-21-100-801PROC. REF: AMM 25-11-21-100-801								
25-12-00-710-801-01 ^S OPERATIONAL TEST OF THE BREAK-OVER AND SLIP CLUTCH SYSTEMS (THIRD CREW MEMBER SEAT) Service ATA:25								
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.045	AFL	2584						

PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-12-00-710-801PROC. REF: AMM 25-12-00-710-801								
25-12-00-710-802-01	^S	OPERATIONAL TEST OF THE INERTIA REEL AND ROTARY BUCKLE (THIRD CREW MEMBER SEAT)					Service	ATA:25
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 25.050	AFL	2518						
PROC. REF: AMM 25-12-00-710-802PROC. REF: AMM 25-12-00-710-802								PKG:31
25-12-00-900-801-01		REMOVAL / INSTALLATION OF THE THIRD CREW MEMBER SEAT - THIRD CREW MEMBER SEAT (M1001MP) .					Component	ATA:25
PN:1000002060-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:31270	HRS	0		TSN 0				
WC#: 25.065	AFL	0		TSN 0				
PROC. REF: AMM 25-12-00-900-801PROC. REF: AMM 25-12-00-900-801								
25-12-01-220-801-01	^S	DETAILED INSPECTION OF THE THIRD CREW MEMBER SEAT SAFETY BELT ASSEMBLY					Service	ATA:25
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.055	AFL	2584						
PROC. REF: AMM 25-12-01-220-801PROC. REF: AMM 25-12-01-220-801								PKG:8
25-12-05-220-802-01	^S	DETAILED INSPECTION OF THE THIRD CREW MEMBER SEAT LOCKING SYSTEM					Service	ATA:25
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
	AFL	2308						
PROC. REF: AMM 25-12-05-220-802PROC. REF: AMM 25-12-05-220-802								PKG:9 WO#: JWL-25-049
25-18-02-900-881-01		PEDESTAL					Component	ATA:25
PN:3F9208E	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:E0020	HRS	0		TSN 0				
WC#: 25.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20-00-220-801-01	^S	INSPECTION / TEST OF THE WASTE CONTAINERS						Service ATA:25
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.075	AFL	2584						
PROC. REF: AMM 25-20-00-220-801PROC. REF: AMM 25-20-00-220-801								PKG:8
25-20-00-220-802-02	^S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - OPERATIONAL TEST OF TAMBOUR DOOR POWER-CUT OFF FUNCTION						Service ATA:25
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 25.080	AFL	2518						
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								PKG:2 WO#: JWL-25-049
25-20-00-220-802-03	^S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - OPERATIONAL TEST OF LOCKING MECHANISMS OF PLUG-IN MONITORS						Service ATA:25
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.080	AFL	2584						
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								PKG:8
25-20-00-220-802-15	^S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - DETAILED INSPECTION OF THE MECHANISM OF THE GALLEY POCKET SLIDING DOOR						Service ATA:25
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								PKG:2 WO#: JWL-25-049
25-20-00-220-802-16	^S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - OPERATIONAL TEST OF DOORS AND DRAWERS AND THEIR LATCHING MECHANISMS						Service ATA:25
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								PKG:2 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								
25-20-00-220-803-01	INSPECTION / TEST OF THE CREW REST AREA LOCKING SYSTEMS - OPERATIONAL CHECK OF THE CABINET PARTIAL BULKHEAD							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 25.016	AFL	0						
PROC. REF: AMM 25-20-00-220-803PROC. REF: AMM 25-20-00-220-803								
25-20-00-220-803-05	INSPECTION / TEST OF THE CREW REST AREA LOCKING SYSTEMS - DETAILED INSPECTION OF THE SINGLE-QUARTER-TURN RETAINER/STRAP/RETAINER							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-20-00-220-803PROC. REF: AMM 25-20-00-220-803								
25-20-00-220-803-06	INSPECTION / TEST OF THE CREW REST AREA LOCKING SYSTEMS - OPERATIONAL TEST OF THE SINGLE-QUARTER-TURN RETAINER							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-20-00-220-803PROC. REF: AMM 25-20-00-220-803								
25-20-00-220-803-07	INSPECTION / TEST OF THE CREW REST AREA LOCKING SYSTEMS - OPERATIONAL TEST OF THE FAX / PRINTER QUARTER-TURN RETAINER /HOOK-AND-LOOPS STRAP / RETAINER							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-20-00-220-803PROC. REF: AMM 25-20-00-220-803								
25-20-00-220-803-08	INSPECTION / TEST OF THE CREW REST AREA LOCKING SYSTEMS - OPERATIONAL TEST OF THE BED PANEL LOCKING MECHANISM							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-20-00-220-803PROC. REF: AMM 25-20-00-220-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20-00-220-803-09	INSPECTION / TEST OF THE CREW REST AREA LOCKING SYSTEMS - DETAILED INSPECTION OF THE BED PANEL LOCKING MECHANISM							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-20-00-220-803PROC. REF: AMM 25-20-00-220-803								
25-20-00-220-804-01	INSPECTION / TEST OF THE CARGO STORAGE NET AND FITTINGS IN THE CREW REST AREA - INSPECTION OF THE NET AND FITTINGS							Service ATA:25
	MOS/MSC	23-May-12	N/A					
	HRS	2184:49						
WC#: 25.021	AFL	912						
PROC. REF: AMM 25-20-00-220-804PROC. REF: AMM 25-20-00-220-804								
25-20-00-220-804-02	INSPECTION / TEST OF THE CARGO STORAGE NET AND FITTINGS IN THE CREW REST AREA - OPERATIONAL CHECK OF THE NET AND FITTINGS							Service ATA:25
	MOS/MSC	23-May-12	N/A					
	HRS	2184:49						
WC#: 25.021	AFL	912						
PROC. REF: AMM 25-20-00-220-804PROC. REF: AMM 25-20-00-220-804								
25-20-00-220-804-03	INSPECTION / TEST OF THE CARGO STORAGE NET AND FITTINGS IN THE CREW REST AREA - INSPECTION AND OPERATIONAL CHECK OF THE NET AND FITTINGS							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-20-00-220-804PROC. REF: AMM 25-20-00-220-804								
25-20-00-220-805-01	INSPECTION / TEST OF THE CREW REST AREA FORWARD DOOR TTOL LOCKING MECHANISM - OPERATIONAL CHECK OF THE FORWARD DOOR TTOL LOCKING MECHANISM							Service ATA:25
	MOS/MSC	23-May-12	N/A					
	HRS	2184:49						
WC#: 25.016	AFL	912						
PROC. REF: AMM 25-20-00-220-805PROC. REF: AMM 25-20-00-220-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-00-220-801-07	^S	DETAILED INSPECTION OF THE PASSENGER SEATS AND DIVAN						Service ATA:25
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
PROC. REF: AMM 25-21-00-220-801PROC. REF: AMM 25-21-00-220-801								PKG:31
25-21-00-220-802-04	^S	INSPECTION / TEST OF THE PASSENGER SEATS AND DIVAN RESTRAINT SYSTEM						Service ATA:25
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 25.105	AFL	2584						
PROC. REF: AMM 25-21-00-220-802PROC. REF: AMM 25-21-00-220-802								PKG:8
25-21-00-350-801-01		RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - LH EMA (L9520MS)						Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								
25-21-00-350-801-01A		RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - LH EMA (L9520MS) (MANDATORY 5-40)						Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								
25-21-00-350-801-02		RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - RH EMA (R9520MS)						Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-00-350-801-02A	RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - RH EMA (R9520MS) (MANDATORY 5-40)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								
25-21-00-350-801-03	RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - LH FORWARD INFLATOR ASSEMBLY (L9530MS)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								
25-21-00-350-801-03A	RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - LH FORWARD INFLATOR ASSEMBLY (L9530MS) (MANDATORY 5-40)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								
25-21-00-350-801-04	RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - RH FORWARD INFLATOR ASSEMBLY (R9530MS)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								
25-21-00-350-801-04A	RESTORATION OF THE INFLATABLE RESTRAINT SYSTEM (EMA BATTERY AND INFLATOR ASSEMBLIES REPLACEMENT) - RH FORWARD INFLATOR ASSEMBLY (R9530MS) (MANDATORY 5-40)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-350-801PROC. REF: AMM 25-21-00-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-00-710-802-01	OPERATIONAL TEST OF THE INFLATABLE RESTRAINT SYSTEM - LH DIVAN INFLATABLE RESTRAINT SYSTEM (L9510MS)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-710-802PROC. REF: AMM 25-21-00-710-802								
25-21-00-710-802-01A	OPERATIONAL TEST OF THE INFLATABLE RESTRAINT SYSTEM - LH DIVAN INFLATABLE RESTRAINT SYSTEM (L9510MS) (MANDATORY 5-40)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-710-802PROC. REF: AMM 25-21-00-710-802								
25-21-00-710-802-02	OPERATIONAL TEST OF THE INFLATABLE RESTRAINT SYSTEM - RH DIVAN INFLATABLE RESTRAINT SYSTEM (R9510MS)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-710-802PROC. REF: AMM 25-21-00-710-802								
25-21-00-710-802-02A	OPERATIONAL TEST OF THE INFLATABLE RESTRAINT SYSTEM - RH DIVAN INFLATABLE RESTRAINT SYSTEM (R9510MS) (MANDATORY 5-40)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-00-710-802PROC. REF: AMM 25-21-00-710-802								
25-21-00-710-803-01 ^S	OPERATIONAL TEST OF THE PASSENGER SEAT LIMITERS							Service ATA:25
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
PROC. REF: AMM 25-21-00-710-803PROC. REF: AMM 25-21-00-710-803								PKG:31
25-21-37-900-807-01	REMOVAL / INSTALLATION OF THE INFLATABLE RESTRAINT SYSTEM - LH FORWARD INFLATOR ASSEMBLY (L9530MS)							Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-21-37-900-807-02	REMOVAL / INSTALLATION OF THE INFLATABLE RESTRAINT SYSTEM - RH FORWARD INFLATOR ASSEMBLY (R9530MS)							Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-21-37-900-807-03	REMOVAL / INSTALLATION OF THE INFLATABLE RESTRAINT SYSTEM - LH MIDDLE INFLATOR ASSEMBLY (L9540MS)							Component ATA:25
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
25-21-37-900-807-04	REMOVAL / INSTALLATION OF THE INFLATABLE RESTRAINT SYSTEM - RH MIDDLE INFLATOR ASSEMBLY (R9540MS)							Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
25-21-37-900-807-05	REMOVAL / INSTALLATION OF THE INFLATABLE RESTRAINT SYSTEM - LH AFT INFLATOR ASSEMBLY (L9550MS)							Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
25-21-37-900-807-06	REMOVAL / INSTALLATION OF THE INFLATABLE RESTRAINT SYSTEM - RH AFT INFLATOR ASSEMBLY (R9550MS)							Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
25-22-01-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES						Service ATA:25
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 25.110	AFL	2518	4000					

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-22-01-210-801PROC. REF: AMM 25-22-01-210-801								
25-22-05-210-801-02		GENERAL VISUAL INSPECTION OF THE OPTIONAL DINING/CONFERENCE TABLE						Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-22-05-210-801PROC. REF: AMM 25-22-05-210-801								
25-22-05-710-801-01		OPERATIONAL TEST OF THE CONFERENCE TABLES						Service ATA:25
	MOS	01-Mar-24						
	HRS	6923:06	800 (+40)		7723:06	7763:06	230:32 (+40)	
WC#: 25.095	AFL	2555						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-22-05-820-801-01		ADJUSTMENT OF THE DINING TABLE MOTOR BELT						Service ATA:25
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-22-05-820-801PROC. REF: AMM 25-22-05-820-801								
25-22-7101 ^U		SINGLE SEAT LH 1						Component ATA:25
PN:603013-53-PA-A20CCCE	MOS/MSC	12-Jun-07	O/C					
SN:32252	HRS	0						
	AFL	0						
25-22-7102 ^U		SINGLE SEAT RH 1						Component ATA:25
PN:603013-54-PA-A20CCQ	MOS/MSC	12-Jun-07	O/C					
SN:32255	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-22-7201 ^U	SINGLE SEAT LH 2							Component ATA:25
PN:603013-51-P5-A20CCCE	MOS/MSC	12-Jun-07	O/C					
SN:32250	HRS	0						
	AFL	0						
25-22-7202 ^U	SINGLE SEAT RH 2							Component ATA:25
PN:603013-52-P5-A20CCCO	MOS/MSC	12-Jun-07	O/C					
SN:32251	HRS	0						
	AFL	0						
25-22-7301 ^U	SINGLE SEAT LH 3							Component ATA:25
PN:603017-53-PA-A20ACCE	MOS/MSC	12-Jun-07	O/C					
SN:32254	HRS	0						
	AFL	0						
25-22-7401 ^U	DOUBLE SEAT LH 4							Component ATA:25
PN:603017-51-PA-A20ACCE	MOS/MSC	12-Jun-07	O/C					
SN:32253	HRS	0						
	AFL	0						
25-22-7801 ^U	LH DIVAN							Component ATA:25
PN:3DAF0001701	MOS/MSC	12-Jun-07	O/C					
SN:060831-01	HRS	0						
	AFL	0						
25-22-7802 ^U	DIVAN, RH AFT							Component ATA:25
PN:3DAF0001502	MOS/MSC	12-Jun-07	O/C					
SN:060620-01	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-24-7100 ^U	DINING TABLE PEDESTAL							Component ATA:25
PN:70222-03S	MOS/MSC	12-Jun-07	O/C					
SN:25029	HRS	0						
	AFL	0						
25-24-7201 ^U	CONSOLE TABLE LH 2							Component ATA:25
PN:53175-24	MOS/MSC	12-Jun-07	O/C					
SN:25670	HRS	0						
	AFL	0						
25-24-7202 ^U	CONSOLE TABLE RH							Component ATA:25
PN:53175-24	MOS/MSC	12-Jun-07	O/C					
SN:25669	HRS	0						
	AFL	0						
25-26-17-710-801-01 ^S	OPERATIONAL TEST OF THE MECHANICAL OVERRIDE OF THE EMERGENCY EXIT DOOR ELECTRICAL WINDOW SHADE - EMERGENCY EXIT WINDOW SHADE (R7905MS)							Service ATA:25
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 25-26-17-710-801PROC. REF: AMM 25-26-17-710-801								
25-33-09-210-801-01	INSPECTION OF THE COFFEE MAKER / ESPRESSO MACHINE							Service ATA:25
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 25-33-09-210-801PROC. REF: AMM 25-33-09-210-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-33-17-210-801-01		GENERAL VISUAL INSPECTION OF THE MICROWAVE OVEN						Service ATA:25
	MOS/MSC	05-Sep-19	O/C					
	HRS	5023:18						
WC#: 25.120	AFL	2036						
PROC. REF: AMM 25-33-17-210-801PROC. REF: AMM 25-33-17-210-801								
25-33-17-710-801-01		OPERATIONAL TEST OF THE MICROWAVE OVEN DOOR ELECTRICAL POWER CUT-OFF FUNCTION						Service ATA:25
PN:400-1338-04-L	MOS	05-Sep-19						
SN:08-06-43668	HRS	5023:18	2400 (+3%)		7423:18	7495:18	TOL (+2:44)	
WC#: 25.120	AFL	2036						
								WO#: JWL-25-049
PROC. REF: AMM 25-33-17-710-801PROC. REF: AMM 25-33-17-710-801								
25-33-25-350-801-01 ^U		RESTORATION CONVECTION (HIGH TEMP) OVEN MOTOR BRUSHES CLEANING REPLACEMENT (AS APPLICABLE)						Service ATA:25
PN:400-1630-01-R	MOS/MSC	23-Jan-12	O/C					
SN:08-07-43979	HRS	2114:18						
WC#: 25.125	AFL	885						
25-33-25-350-801-02 ^U		RESTORATION CONVECTION (HIGH TEMP) OVEN FAN MOTOR REPLACEMENT						Service ATA:25
PN:400-1630-01-R	MOS/MSC	23-Jan-12	O/C					
SN:08-07-43979	HRS	2114:18		TAC 378:20				
WC#: 25.125	AFL	885						
25-33-29-960-801-01		REPLACEMENT OF THE REFRIGERATOR / FREEZER AIR FILTER						Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-33-29-960-801PROC. REF: AMM 25-33-29-960-801								
25-33-37-960-801-01		REPLACEMENT OF THE CHILLER AIR FILTER - REPLACEMENT OF THE GALLEY CHILLER AIR FILTER						Service ATA:25
	MOS/MSC	23-May-12	N/A					
	HRS	2184:49						
WC#: 25.027	AFL	912						
PROC. REF: AMM 25-33-37-960-801PROC. REF: AMM 25-33-37-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-33-37-960-801-02	REPLACEMENT OF THE CHILLER AIR FILTER - REPLACEMENT OF THE GALLEY ANNEX CHILLER AIR FILTER							Service ATA:25
	MOS/MSC	23-May-12	N/A					
	HRS	2184:49						
	AFL	912						
PROC. REF: AMM 25-33-37-960-801PROC. REF: AMM 25-33-37-960-801								
25-38-76-900-801-01	MICROWAVE OVEN							Component ATA:25
PN:400-1338-04-L	MOS/MSC	05-Sep-19	O/C	TSR 0				
SN:08-06-43668	HRS	5023:18		TSR 0				
WC#: 25.120	AFL	2036		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-38-77-900-801-01	CONVECTION (HIGH TEMP) OVEN							Component ATA:25
PN:400-1630-01-R	MOS/MSC	23-Jan-12	O/C					
SN:08-07-43979	HRS	2114:18						
WC#: 25.125	AFL	885						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-3A-01-900-801-01 ^U	COFFEE MAKER							Component ATA:25
PN:MAGIMIXM300	MOS/MSC	24-Sep-10	O/C					
SN:61023072	HRS	1380:10						
	AFL	485						
25-3A-76-900-801-02 ^U	NO. 2 MICROWAVE OVEN							Component ATA:25
PN:400-1630-01-R	MOS/MSC	12-Jun-07	O/C					
SN:05-10-37712	HRS	0						
	AFL	0						
25-3A-77-900-801-01 ^U	CONVECTION OVEN CONTROLLER							Component ATA:25
PN:400-1377-01	MOS/MSC	12-Jun-07	O/C					
SN:06-06-39060	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-40-10-900-801-01 ^U		FWD TOILET DRAIN CAP					Component	ATA:25
PN:51099001	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:0211	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
25-40-10-900-801-02 ^U		AFT TOILET DRAIN CAP					Component	ATA:25
PN:51129001	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:0221	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
25-40-25-710-801-01 ^S		OPERATIONAL TEST OF THE AFT TOILET DOOR HEADER MECHANISM					Service	ATA:25
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 25.130	AFL	1825						
								PKG:32
PROC. REF: AMM 25-40-25-710-801PROC. REF: AMM 25-40-25-710-801								
25-52-05-900-801-01		REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT LADDER - BAGGAGE COMPARTMENT LADDER (9502MK)					Component	ATA:25
PN:F7XC526520000A2	MOS/MSC	18-Nov-24	O/C					
SN:LE037	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 25-52-05-900-801PROC. REF: AMM 25-52-05-900-801								
25-61-00-200-881-01		INSPECTION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM (FAR 91.207)					Service	ATA:25
	MOS	18-Nov-24	12		18-Nov-25		46 d	MANDATORY
	HRS	7061:12						
WC#: 25.145	AFL	2584						
								WO#: JWL-25-049
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-61-00-710-801-01 ^S		OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - SELF-TEST INITIATED FROM THE ELT CONTROL PANEL					Service	ATA:25
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-61-00-710-801, AMM 25-61-00-710-801PROC. REF: AMM 25-61-00-710-801, AMM 25-61-00-710-801								
25-61-00-860-801-01	CONFIGURATION OF THE AIRCRAFT IDENTIFICATION MODULE - ELT AIRCRAFT IDENTIFICATION MODULE (301ME)							Service ATA:25
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-61-00-860-801PROC. REF: AMM 25-61-00-860-801								
25-61-00-860-802-01	CONFIGURATION OF THE NAVIGATION AIRCRAFT IDENTIFICATION MODULE - ELT AIRCRAFT IDENTIFICATION MODULE (301ME)							Service ATA:25
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-61-00-860-802PROC. REF: AMM 25-61-00-860-802								
25-61-01-710-801-01	^S	OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) G-SWITCH						Service ATA:25
	MOS	08-Feb-24	48 (+1m)					
	HRS	7061:12	3200 (+40)					
WC#: 25.140	AFL	2584						
								PKG:4
PROC. REF: AMM 25-61-01-710-801PROC. REF: AMM 25-61-01-710-801								
25-61-01-900-801-01	REMOVAL / INSTALLATION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) - ELT (101ME)							Component ATA:25
PN:1152682-2	MOS/MSC	11-Jan-24	O/C	TSR 27				
SN:1152682-04027	HRS			TSR 0				
WC#: 25.145	AFL			TSR 0				
PROC. REF: AMM 25-61-01-900-801PROC. REF: AMM 25-61-01-900-801								
25-61-09-900-801-01	REMOVAL / INSTALLATION OF THE AIRCRAFT IDENTIFICATION MODULE - ELT AIRCRAFT IDENTIFICATION MODULE (301ME)							Component ATA:25
PN:1152780-1	MOS/MSC	17-Oct-13	O/C					
SN:1153396-00231	HRS	2803:40						
WC#: 25.150	AFL	1202						
PROC. REF: AMM 25-61-09-900-801, AMM 25-61-09-900-801PROC. REF: AMM 25-61-09-900-801, AMM 25-61-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-13-900-801-01 EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY PACK								Component ATA:25
PN:1096801-2	MOS/MSC	14-Jul-18	O/C	TSN 0				
SN:NSN	HRS	4398:30		TSN 0				
	AFL	1825		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-61-13-960-801-01 REPLACEMENT OF THE ELT BATTERY PACK - ELT BATTERY PACK (9510ME)								Service ATA:25
PN:1096801-2	MOS/MSC	14-Jul-18	DUE		01-Oct-30 (M)		1824 d	LIFE LIMIT
SN:NSN	HRS	4398:30						
WC#: 25.145	AFL	1825						
PROC. REF: AMM 25-61-13-960-801PROC. REF: AMM 25-61-13-960-801								
25-61-17-900-801-01 REMOVAL / INSTALLATION OF THE ELT CONTROL PANEL - ELT CONTROL PANEL (701FP)								Component ATA:25
PN:1153236-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:109	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 25-61-17-900-801PROC. REF: AMM 25-61-17-900-801								
25-61-21-220-801-01 ^S DETAILED INSPECTION OF THE ELT ANTENNA - ELT ANTENNA (2401ME)								Service ATA:25
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 25.160	AFL	2518	4000					
PROC. REF: AMM 25-61-21-220-801PROC. REF: AMM 25-61-21-220-801								PKG:41
25-61-21-900-801-01 REMOVAL / INSTALLATION OF THE ELT ANTENNA - ELT ANTENNA (2401ME)								Component ATA:25
PN:1367-82	MOS/MSC	25-Mar-21	O/C	TSN 165				
SN:0015	HRS	5902:02		TSN 5902:02				
WC#: 25.165	AFL	2308		TSN 2308				
PROC. REF: AMM 25-61-21-900-801PROC. REF: AMM 25-61-21-900-801								
25-62-00-350-801-01 RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS INCLUDING BATTERY CHANGE - FDR/CVR 1 UNDERWATER LOCATOR BEACON (9500FZ)								Service ATA:25
PN:DK120/90	MOS/MSC	18-Nov-24	DUE		01-Dec-31 (M)		2250 d	LIFE LIMIT
SN:AT215153	HRS	7061:12						
WC#: 25.370	AFL	2584						
Expiry Date: : 01-Dec-31								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-00-350-801PROC. REF: AMM 25-62-00-350-801								
25-62-00-350-801-02	RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS INCLUDING BATTERY CHANGE - FDR/CVR 2 UNDERWATER LOCATOR BEACON (9501FZ)							Service ATA:25
PN:DK120/90	MOS/MSC	18-Nov-24	DUE		01-Dec-31 (M)		2250 d	LIFE LIMIT
SN:AT215154	HRS	7061:12						
WC#: 25.375	AFL	2584						
Expiry Date: : 01-Dec-31								
PROC. REF: AMM 25-62-00-350-801PROC. REF: AMM 25-62-00-350-801								
25-62-00-720-801-06 ^S	FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR/CVR 1 UNDERWATER LOCATOR BEACON (9500FZ)							Service ATA:25
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PKG:3								
PROC. REF: AMM 25-62-00-720-801PROC. REF: AMM 25-62-00-720-801								
25-62-00-720-801-07 ^S	FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR/CVR 2 UNDERWATER LOCATOR BEACON (9501FZ)							Service ATA:25
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PKG:3								
PROC. REF: AMM 25-62-00-720-801PROC. REF: AMM 25-62-00-720-801								
25-62-00-900-801-01	REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR/CVR 1 UNDERWATER LOCATOR BEACON (9500FZ)							Component ATA:25
PN:DK120/90	MOS/MSC	18-Nov-24	O/C	TSN 0				
SN:AT215153	HRS	7061:12		TSN 0				
WC#: 25.370	AFL	2584		TSN 0				
PROC. REF: AMM 25-62-00-900-801PROC. REF: AMM 25-62-00-900-801								
25-62-00-900-801-02	REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR/CVR 2 UNDERWATER LOCATOR BEACON (9501FZ)							Component ATA:25
PN:DK120/90	MOS/MSC	18-Nov-24	O/C	TSN 1				
SN:AT215154	HRS	7061:12		TSN 0				
WC#: 25.375	AFL	2584		TSN 0				
PROC. REF: AMM 25-62-00-900-801PROC. REF: AMM 25-62-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-10-350-801-01	RESTORATION OF THE LOW FREQUENCY UNDERWATER LOCATOR BEACON INCLUDING BATTERY CHANGE - LOW FREQUENCY UNDERWATER LOCATOR BEACON (9502FZ)							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-10-350-801PROC. REF: AMM 25-62-10-350-801								
25-62-10-720-801-01	FUNCTIONAL TEST OF THE LOW FREQUENCY UNDERWATER LOCATOR BEACON							Service ATA:25
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-62-10-720-801PROC. REF: AMM 25-62-10-720-801								
25-63-00-350-801-01	RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - PILOT EVAS UNIT (L9510MP)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
WC#: 25.305	AFL	0						
PROC. REF: AMM 25-63-00-350-801PROC. REF: AMM 25-63-00-350-801								
25-63-00-350-801-02	RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - COPILOT EVAS UNIT (R9510MP)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
WC#: 25.305	AFL	0						
PROC. REF: AMM 25-63-00-350-801PROC. REF: AMM 25-63-00-350-801								
25-63-00-710-801-01	OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - PILOT EVAS UNIT (L9510MP)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-63-00-710-801PROC. REF: AMM 25-63-00-710-801								
25-63-00-710-801-02	OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - COPILOT EVAS UNIT (R9510MP)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-63-00-710-801PROC. REF: AMM 25-63-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-63-00-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - PILOT EVAS UNIT (L9510MP)								Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.305	AFL	0		TSN 0				
PROC. REF: AMM 25-63-00-900-801PROC. REF: AMM 25-63-00-900-801								
25-63-00-900-801-02 REMOVAL / INSTALLATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - COPILOT EVAS UNIT (R9510MP)								Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.305	AFL	0		TSN 0				
PROC. REF: AMM 25-63-00-900-801PROC. REF: AMM 25-63-00-900-801								
25-63-01-960-801-01 DISCARD OF THE EVAS BATTERY - PILOT EVAS UNIT (L9510MP)								Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-63-01-960-801PROC. REF: AMM 25-63-01-960-801								
25-63-01-960-801-02 DISCARD OF THE EVAS BATTERY - COPILOT EVAS UNIT (R9510MP)								Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-63-01-960-801PROC. REF: AMM 25-63-01-960-801								
25-64-01-220-801-01 ^S DETAILED INSPECTION OF THE AXE - AXE (102ME)								Service ATA:25
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 25.210	AFL	2518						
PROC. REF: AMM 25-64-01-220-801PROC. REF: AMM 25-64-01-220-801								PKG:4
25-64-05-220-801-01 ^S DETAILED INSPECTION OF THE LIFE LINE								Service ATA:25
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 25.215	AFL	2518						
PROC. REF: AMM 25-64-05-220-801PROC. REF: AMM 25-64-05-220-801								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-13-200-801-01	INSPECTION OF THE LIFE RAFTS - LIFE RAFT (L7973ME)							Service ATA:25
PN:69FAUL7J0-1-671	MOS	20-Jun-24	36 (+3%)		20-Jun-27	22-Jul-27	625 d (+32)	
SN:6UL-02785	HRS	6987:22						
	AFL	2568						
PROC. REF: AMM 25-64-13-200-801PROC. REF: AMM 25-64-13-200-801								
25-64-13-200-801-02	INSPECTION OF THE LIFE RAFTS - LIFE RAFT (R7973ME)							Service ATA:25
PN:69FAUL-HJ0-1-671	MOS	20-Jun-24	36 (+3%)		20-Jun-27	22-Jul-27	625 d (+32)	
SN:6UL-02784	HRS	6987:22						
	AFL	2568						
PROC. REF: AMM 25-64-13-200-801PROC. REF: AMM 25-64-13-200-801								
25-64-13-200-801-03	INSPECTION OF THE LIFE RAFTS - LIFE RAFT (9520ME)							Service ATA:25
PN:69FAUL-HJ0-1-671	MOS	20-Jun-24	36 (+3%)		20-Jun-27	22-Jul-27	625 d (+32)	
SN:6UL-02786	HRS	6987:22						
	AFL	2568						
PROC. REF: AMM 25-64-13-200-801PROC. REF: AMM 25-64-13-200-801								
25-64-13-350-801-01	RESTORATION OF THE LIFE RAFT (OVERHAUL) - LIFE RAFT (L7973ME)							Service ATA:25
PN:69FAUL7J0-1-671	MOS	20-Jun-24	72 (+3%)		20-Jun-30	24-Aug-30	1721 d (+65)	OVERHAUL
SN:6UL-02785	HRS	6987:22						
WC#: 25.310	AFL	2568						
PROC. REF: AMM 25-64-13-350-801PROC. REF: AMM 25-64-13-350-801								
25-64-13-350-801-02	RESTORATION OF THE LIFE RAFT (OVERHAUL) - LIFE RAFT (R7973ME)							Service ATA:25
PN:69FAUL-HJ0-1-671	MOS	20-Jun-24	72 (+3%)		20-Jun-30	24-Aug-30	1721 d (+65)	OVERHAUL
SN:6UL-02784	HRS	6987:22						
WC#: 25.310	AFL	2568						
PROC. REF: AMM 25-64-13-350-801PROC. REF: AMM 25-64-13-350-801								
25-64-13-350-801-03	RESTORATION OF THE LIFE RAFT (OVERHAUL) - LIFE RAFT (9520ME)							Service ATA:25
PN:69FAUL-HJ0-1-671	MOS	20-Jun-24	72		20-Jun-30		1721 d	OVERHAUL
SN:6UL-02786	HRS	6987:22						
WC#: 25.315	AFL	2568						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-64-13-350-801PROC. REF: AMM 25-64-13-350-801								
25-64-13-350-801-04	RESTORATION OF THE LIFE RAFTS (OVERHAUL) - LIFE RAFT (9530ME)							Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	A/R					
SN:UNKNOWN	HRS	0						
WC#: 25.315	AFL	0						
PROC. REF: AMM 25-64-13-350-801PROC. REF: AMM 25-64-13-350-801								
25-64-13-900-801-01	NO. 1 LIFE RAFT							Component ATA:25
PN:69FAUL7J0-1-671	MOS/MSC	27-Jun-24	O/C	TSN 0				
SN:6UL-02785	HRS	6987:22		TSN 0				
WC#: 25.310	AFL	2568		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-13-900-801-02	NO. 2 LIFE RAFT							Component ATA:25
PN:69FAUL-HJ0-1-671	MOS/MSC	27-Jun-24	O/C	TSN 0				
SN:6UL-02784	HRS	6987:22		TSN 0				
WC#: 25.310	AFL	2568		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-13-900-801-03	NO. 3 LIFE RAFT							Component ATA:25
PN:69FAUL-HJ0-1-671	MOS/MSC	27-Jun-24	O/C	TSN 0				
SN:6UL-02786	HRS	6987:22		TSN 0				
WC#: 25.315	AFL	2568		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-200-801-01 ^S	VISUAL CHECK OF THE LIFE VESTS - FLIGHT CREW LIFE VESTS							Service ATA:25
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 25-64-17-200-801PROC. REF: AMM 25-64-17-200-801								

PKG:1
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-200-801-02 ^S VISUAL CHECK OF THE LIFE VESTS - PASSENGER LIFE VESTS								Service ATA:25
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 25.240	AFL	2584						
PROC. REF: AMM 25-64-17-200-801PROC. REF: AMM 25-64-17-200-801								PKG:1 WO#: JWL-25-049
25-64-17-350-802-01 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - LH PILOT LIFE VEST (L402ME)								Service ATA:25
PN:63600-505	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L629570	HRS	3065:45						
WC#: 25.190	AFL	1422						
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								
25-64-17-350-802-02 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - RH PILOT LIFE VEST (R402ME)								Service ATA:25
PN:63600-505	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L629545	HRS	3065:45						
WC#: 25.190	AFL	1422						
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								
25-64-17-350-802-03 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - THIRD CREW MEMBER LIFE VEST (M402ME)								Service ATA:25
PN:63600-505	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L655034	HRS	3065:45						
WC#: 25.195	AFL	1422						
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								
25-64-17-350-802-04 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - CREW REST LIFE VEST (R7403ME)								Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								
25-64-17-350-803-01 RESTORATION NO. 1 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L639362	HRS	3065:45						
WC#: 25.320	AFL	1422						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 2 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	Service ATA:25 OVERHAUL
SN:L650953	HRS	3065:45						
WC#: 25.320	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 3 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	Service ATA:25 OVERHAUL
SN:L651041	HRS	3065:45						
WC#: 25.325	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 4 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	Service ATA:25 OVERHAUL
SN:L651042	HRS	3065:45						
WC#: 25.325	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 5 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								
PN:63600-105	MOS	22-Jan-20	120 (+3%)		22-Jan-30	10-May-30	1572 d (+108)	Service ATA:25 OVERHAUL
SN:L143383	HRS	5287:57						
WC#: 25.330	AFL	2109						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 6 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	Service ATA:25 OVERHAUL
SN:L650962	HRS	3065:45						
WC#: 25.330	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-350-803-01		RESTORATION NO. 7 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L650952	HRS	3065:45						
WC#: 25.335	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO. 8 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L650946	HRS	3065:45						
WC#: 25.335	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO. 9 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L650922	HRS	3065:45						
WC#: 25.340	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.10 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L650944	HRS	3065:45						
WC#: 25.340	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.11 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L651040	HRS	3065:45						
WC#: 25.345	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.12 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L651072	HRS	3065:45						
WC#: 25.345	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-350-803-01		RESTORATION NO.13 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L651071	HRS	3065:45						
WC#: 25.350	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.14 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L650945	HRS	3065:45						
WC#: 25.350	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.15 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:63600-105	MOS	20-Jul-16	120 (+3%)		20-Jul-26	07-Nov-26	290 d (+110)	OVERHAUL
SN:L650957	HRS	3065:45						
WC#: 25.355	AFL	1422						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.16 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	A/R					
SN:UNKNOWN	HRS	0						
WC#: 25.355	AFL	0						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.17 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	A/R					
SN:UNKNOWN	HRS	0						
WC#: 25.360	AFL	0						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01		RESTORATION NO.18 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	A/R					
SN:UNKNOWN	HRS	0						
WC#: 25.360	AFL	0						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-350-803-01 RESTORATION NO.19 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)								Service ATA:25
PN:PN	MOS/MSC	12-Jun-07	A/R					
SN:UNKNOWN	HRS	0						
WC#: 25.365	AFL	0						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-900-801-01 PILOT LIFE VEST								Component ATA:25
PN:63600-505	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L629570	HRS	3065:45		TSO 0				
WC#: 25.190	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-801-02 COPILOT LIFE VEST								Component ATA:25
PN:63600-505	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L629545	HRS	3065:45		TSO 0				
WC#: 25.190	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-801-03 THIRD CREW MEMBER LIFE VEST								Component ATA:25
PN:63600-505	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L655034	HRS	3065:45		TSO 0				
WC#: 25.195	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-801-04 CREW REST LIFE VEST								Component ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-01 NO. 1 PASSENGER LIFE VEST								Component ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSN 109, TSO 0				
SN:L639362	HRS	3065:45		TSN 3065:45, TSO 0				
WC#: 25.320	AFL	1422		TSN 1422, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-900-803-02		NO. 2 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650953	HRS	3065:45		TSO 0				
WC#: 25.320	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-03		NO. 3 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L651041	HRS	3065:45		TSO 0				
WC#: 25.325	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-04		NO. 4 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L651042	HRS	3065:45		TSO 0				
WC#: 25.325	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-05		NO. 5 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	22-Jan-20	O/C	TSN 0				
SN:L143383	HRS	5287:57		TSN 0				
WC#: 25.330	AFL	2109		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-06		NO. 6 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650962	HRS	3065:45		TSO 0				
WC#: 25.330	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-07		NO. 7 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650952	HRS	3065:45		TSO 0				
WC#: 25.335	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-900-803-08		NO. 8 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650946	HRS	3065:45		TSO 0				
WC#: 25.335	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-09		NO. 9 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650922	HRS	3065:45		TSO 0				
WC#: 25.340	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-10		NO.10 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650944	HRS	3065:45		TSO 0				
WC#: 25.340	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-11		NO.11 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L651040	HRS	3065:45		TSO 0				
WC#: 25.345	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-12		NO.12 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L651072	HRS	3065:45		TSO 0				
WC#: 25.345	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-13		NO.13 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L651071	HRS	3065:45		TSO 0				
WC#: 25.350	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-900-803-14		NO.14 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650945	HRS	3065:45		TSO 0				
WC#: 25.350	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-15		NO.15 PASSENGER LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	20-Jul-16	O/C	TSO 0				
SN:L650957	HRS	3065:45		TSO 0				
WC#: 25.355	AFL	1422		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-16		NO.16 PASSENGER LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.355	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-17		NO.17 PASSENGER LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-18		NO.18 PASSENGER LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-803-19		NO.19 PASSENGER LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.365	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-900-804-01 ^U		NO. 1 INFANT LIFE VEST						Component ATA:25
PN:P0640-101	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:20040830016	HRS	5902:02		TSN 0				
	AFL	2308		TSN 0				
25-64-17-900-804-02 ^U		NO. 2 INFANT LIFE VEST						Component ATA:25
PN:P0640-101	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:20040830018	HRS	5902:02		TSN 0				
	AFL	2308		TSN 0				
25-64-21-220-801-01		DETAILED INSPECTION OF THE FIRST-AID KIT AND FIRST-AID KIT STOWAGE SYSTEM - DETAILED INSPECTION OF THE FIRST AID KIT						Service ATA:25
	MOS/MSC	23-Jun-25	DUE		23-Jun-26 (M)		263 d	
	HRS	7334:09						
WC#: 25.180	AFL	2633						
Expiry Date: : 23-Jun-26								
PROC. REF: AMM 25-64-21-220-801PROC. REF: AMM 25-64-21-220-801								
25-64-21-220-801-02		DETAILED INSPECTION OF THE FIRST-AID KIT AND FIRST-AID KIT STOWAGE SYSTEM - DETAILED INSPECTION OF THE FIRST AID KIT STOWAGE SYSTEM						Service ATA:25
	MOS/MSC	01-Mar-22	N/A					
	HRS	6322:16						
WC#: 25.180	AFL	2423						
PROC. REF: AMM 25-64-21-220-801PROC. REF: AMM 25-64-21-220-801								
25-68-01-900-881-01		FIRST AID KIT						Component ATA:25
PN:725051/725040	MOS/MSC	24-Jun-24	O/C	TSR 0				
SN:081517018	HRS	6987:22		TSR 0				
WC#: 25.180	AFL	2568		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25AA01 ^U		AIRCRAFT IDENTIFICATION MODULE						Component ATA:25
PN:1153396-1	MOS/MSC	08-Jul-16	-					
SN:1153396-00231	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25AA02 ^U	AIRCRAFT IDENTIFICATION MODULE							Component ATA:25
PN:1153396-1	MOS/MSC	22-Jun-16	-					
SN:1153396-00231	HRS							
	AFL							
25AA03 ^U	TECK JACK ELECTRICAL ASSEMBLY							Component ATA:25
PN:185100-700-0	MOS/MSC	27-Jul-16	O/C					
SN:UNK/SEAT N-3971	HRS							
	AFL							
25CC01 ^U	BABY BELT ASSY							Component ATA:25
PN:2010-5-011-2251	MOS/MSC	21-Oct-16	O/C					CUSTOMER CODE
SN:A0614	HRS							
	AFL							
ATA 26 - FIRE PROTECTION								
26-10-00-220-801-01 ^S	DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT SMOKE DETECTOR							Service ATA:26
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 26-10-00-220-801PROC. REF: AMM 26-10-00-220-801								PKG:4
26-10-00-220-802-01	DETAILED INSPECTION OF THE OPTIONAL SMOKE DETECTORS - FWD TOILET SMOKE DETECTOR (L204WG)							Service ATA:26
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 26-10-00-220-802PROC. REF: AMM 26-10-00-220-802								
26-10-00-220-802-02	DETAILED INSPECTION OF THE OPTIONAL SMOKE DETECTORS - AFT TOILET SMOKE DETECTOR (204WG)							Service ATA:26
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 26-10-00-220-802PROC. REF: AMM 26-10-00-220-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-10-00-220-802-03	DETAILED INSPECTION OF THE OPTIONAL SMOKE DETECTORS - CREW REST AREA SMOKE DETECTOR (R7304WG)							Service ATA:26
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 26-10-00-220-802PROC. REF: AMM 26-10-00-220-802								
26-10-00-220-802-04	DETAILED INSPECTION OF THE OPTIONAL SMOKE DETECTORS - SMOKE DETECTOR (7104WG)							Service ATA:26
	MOS/MSC	17-Oct-13	N/A					
	HRS	2803:40						
	AFL	1202						
PROC. REF: AMM 26-10-00-220-802PROC. REF: AMM 26-10-00-220-802								
26-10-00-220-802-05	DETAILED INSPECTION OF THE OPTIONAL SMOKE DETECTORS - AFT LAVATORY HEADLINER SMOKE DETECTOR (7204WG)							Service ATA:26
	MOS/MSC	17-Oct-13	N/A					
	HRS	2803:40						
	AFL	1202						
PROC. REF: AMM 26-10-00-220-802PROC. REF: AMM 26-10-00-220-802								
26-10-00-220-802-06	DETAILED INSPECTION OF THE OPTIONAL SMOKE DETECTORS - AFT LAVATORY SHOWER SMOKE DETECTOR (7404WG)							Service ATA:26
	MOS/MSC	17-Oct-13	N/A					
	HRS	2803:40						
	AFL	1202						
PROC. REF: AMM 26-10-00-220-802PROC. REF: AMM 26-10-00-220-802								
26-10-00-720-801-01 ^S	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 1 ZONE 1 FIRE DETECTOR (L201WG)							Service ATA:26
	MOS	23-Dec-14	288 (+2m)					
	HRS	2987:52						
WC#: 26.150	AFL	1341	12000					
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								PKG:43
26-10-00-720-801-02 ^S	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 3 ZONE 1 FIRE DETECTOR (R201WG)							Service ATA:26
	MOS	23-Dec-14	288 (+2m)					
	HRS	2987:52						
WC#: 26.150	AFL	1341	12000					
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								PKG:43

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-10-00-720-801-03 ^S FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 2 ZONE 1 FIRE DETECTOR (M201WG) Service ATA:26								
	MOS	23-Dec-14	288 (+2m)					
	HRS	2987:52						
WC#: 26.150	AFL	1341	12000					
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								PKG:43
26-10-00-720-801-04 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 1 ZONE 2 FIRE DETECTOR (L401WG) Service ATA:26								
	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
	HRS	0						
WC#: 26.150	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-05 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 3 ZONE 2 FIRE DETECTOR (R401WG) Service ATA:26								
	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
	HRS	0						
WC#: 26.150	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-06 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 2 ZONE 2 FIRE DETECTOR (M401WG) Service ATA:26								
	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
	HRS	0						
WC#: 26.150	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-07 ^S FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - REAR SERVICING COMPARTMENT FIRE DETECTOR (206WG) Service ATA:26								
	MOS	23-Dec-14	288 (+2m)					
	HRS	2987:52						
WC#: 26.125	AFL	1341	12000					
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								PKG:43

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-10-00-720-801-08	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L203WG)							Service ATA:26
	MOS	12-Jun-07						
	HRS	0	20000		20000		12507:26	
WC#: 26.125	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-08A	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L203WG) (MANDATORY 5-40)							Service ATA:26
	MOS	12-Jun-07						CMR
	HRS	0	20000		20000		12507:26	
WC#: 26.125	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-09	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R203WG)							Service ATA:26
	MOS	12-Jun-07						
	HRS	0	20000		20000		12507:26	
WC#: 26.125	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-09A	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R203WG) (MANDATORY 5-40)							Service ATA:26
	MOS	12-Jun-07						CMR
	HRS	0	20000		20000		12507:26	
WC#: 26.125	AFL	0						
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								
26-10-00-720-801-10 ^S	FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - APU PNEUMATIC FIRE DETECTOR (701KP)							Service ATA:26
	MOS	18-Sep-15	288 (+2m)					
	HRS	3002:12						
WC#: 26.125	AFL	1362	12000					
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801								PKG:43

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-10-01-220-801-02	S	DETAILED INSPECTION OF ENGINE ZONE 1 PNEUMATIC FIRE DETECTORS - DETAILED INSPECTION OF ENGINE 1 ZONE 1 FIRE DETECTOR (L201WG)						Service ATA:26
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 26-10-01-220-801PROC. REF: AMM 26-10-01-220-801								PKG:41
26-10-01-220-801-03	S	DETAILED INSPECTION OF ENGINE ZONE 1 PNEUMATIC FIRE DETECTORS - DETAILED INSPECTION OF ENGINE 2 ZONE 1 FIRE DETECTOR (M201WG)						Service ATA:26
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 26-10-01-220-801PROC. REF: AMM 26-10-01-220-801								PKG:41
26-10-01-220-801-04	S	DETAILED INSPECTION OF ENGINE ZONE 1 PNEUMATIC FIRE DETECTORS - DETAILED INSPECTION OF ENGINE 3 ZONE 1 FIRE DETECTOR (R201WG)						Service ATA:26
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 26-10-01-220-801PROC. REF: AMM 26-10-01-220-801								PKG:41
26-10-01-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE ZONE 1 PNEUMATIC FIRE DETECTORS - ENGINE 1 ZONE 1 FIRE DETECTOR (L201WG)							Component ATA:26
PN:11588-00	MOS/MS	27-Jun-18	O/C	TSN 0				
SN:VM1320	HRS	4379:37		TSN 0				
WC#: 26.065	AFL	1822		TSN 0				
PROC. REF: AMM 26-10-01-900-801PROC. REF: AMM 26-10-01-900-801								
26-10-01-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE ZONE 1 PNEUMATIC FIRE DETECTORS - ENGINE 2 ZONE 1 FIRE DETECTOR (M201WG)							Component ATA:26
PN:10505-01	MOS/MS	09-Aug-18	O/C					
SN:VM1056	HRS	4434:43						
WC#: 26.065	AFL	1844						
PROC. REF: AMM 26-10-01-900-801PROC. REF: AMM 26-10-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-10-01-900-801-03	REMOVAL / INSTALLATION OF THE ENGINE ZONE 1 PNEUMATIC FIRE DETECTORS - ENGINE 3 ZONE 1 FIRE DETECTOR (R201WG)							Component ATA:26
PN:11588-00	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:VM0123	HRS	0		TSN 0				
WC#: 26.065	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01-900-801PROC. REF: AMM 26-10-01-900-801								
26-10-05-220-801-02	DETAILED INSPECTION OF ENGINE ZONE 2 PNEUMATIC FIRE DETECTORS - DETAILED INSPECTION OF ENGINE 1 ZONE 2 FIRE DETECTOR (L401WG)							Service ATA:26
PN:PN	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:UNKNOWN	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 26-10-05-220-801PROC. REF: AMM 26-10-05-220-801								
26-10-05-220-801-03	DETAILED INSPECTION OF ENGINE ZONE 2 PNEUMATIC FIRE DETECTORS - DETAILED INSPECTION OF ENGINE 2 ZONE 2 FIRE DETECTOR (M401WG)							Service ATA:26
PN:PN	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:UNKNOWN	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 26-10-05-220-801PROC. REF: AMM 26-10-05-220-801								
26-10-05-220-801-04	DETAILED INSPECTION OF ENGINE ZONE 2 PNEUMATIC FIRE DETECTORS - DETAILED INSPECTION OF ENGINE 3 ZONE 2 FIRE DETECTOR (R401WG)							Service ATA:26
PN:PN	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:UNKNOWN	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 26-10-05-220-801PROC. REF: AMM 26-10-05-220-801								
26-10-09-220-801-01 ^S	DETAILED INSPECTION OF THE APU PNEUMATIC FIRE DETECTOR							Service ATA:26
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 26-10-09-220-801PROC. REF: AMM 26-10-09-220-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-10-09-900-801-01	REMOVAL / INSTALLATION OF THE APU PNEUMATIC FIRE DETECTOR - APU PNEUMATIC FIRE DETECTOR (701KP)							Component ATA:26
PN:10502-00	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:VR0700	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 26-10-09-900-801PROC. REF: AMM 26-10-09-900-801								
26-10-13-220-801-01	^S	DETAILED INSPECTION OF THE SERVICING COMPARTMENT PNEUMATIC FIRE DETECTOR						Service ATA:26
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 26-10-13-220-801PROC. REF: AMM 26-10-13-220-801								
26-10-13-900-801-01	REMOVAL / INSTALLATION OF THE SERVICING COMPARTMENT PNEUMATIC FIRE DETECTOR - SERVICING COMPARTMENT FIRE DETECTOR (206WG)							Component ATA:26
PN:11534-00	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:VL0108	HRS	0		TSN 0				
WC#: 26.060	AFL	0		TSN 0				
PROC. REF: AMM 26-10-13-900-801PROC. REF: AMM 26-10-13-900-801								
26-10-17-900-801-01	REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR BAY PNEUMATIC FIRE DETECTOR - LH MLG BAY FIRE DETECTOR (L203WG)							Component ATA:26
PN:11819-00	MOS/MSC	14-Dec-17	O/C					
SN:VS0163	HRS	3964:09		TSN 0				
WC#: 26.055	AFL	1705		TSN 0				
PROC. REF: AMM 26-10-17-900-801PROC. REF: AMM 26-10-17-900-801								
26-10-17-900-801-02	REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR BAY PNEUMATIC FIRE DETECTOR - RH MLG BAY FIRE DETECTOR (R203WG)							Component ATA:26
PN:10503-02	MOS/MSC	23-Dec-14	O/C	TSN 91				
SN:VS0191	HRS	2987:52		TSN 0				
WC#: 26.055	AFL	1341		TSN 0				
PROC. REF: AMM 26-10-17-900-801PROC. REF: AMM 26-10-17-900-801								
26-10-21-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT SMOKE DETECTOR - BAGGAGE COMPARTMENT SMOKE DETECTOR (205WG)							Component ATA:26
PN:10056-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:RU0541R	HRS	2803:40		TSN 0				
WC#: 26.050	AFL	1202		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: AMM 26-10-21-900-801PROC. REF: AMM 26-10-21-900-801								
26-10-25-900-801-01		REMOVAL / INSTALLATION OF THE TOILET COMPARTMENT SMOKE DETECTORS - AFT TOILET SMOKE DETECTOR (204WG)					Component	ATA:26
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-10-25-900-801PROC. REF: AMM 26-10-25-900-801								
26-10-25-900-801-02		REMOVAL / INSTALLATION OF THE TOILET COMPARTMENT SMOKE DETECTORS - FWD TOILET SMOKE DETECTOR (L204WG)					Component	ATA:26
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-10-25-900-801PROC. REF: AMM 26-10-25-900-801								
26-10-25-900-801-03		REMOVAL / INSTALLATION OF THE TOILET COMPARTMENT SMOKE DETECTORS - AFT LAVATORY HEADLINER SMOKE DETECTOR (7204WG)					Component	ATA:26
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-10-25-900-801PROC. REF: AMM 26-10-25-900-801								
26-10-25-900-801-04		REMOVAL / INSTALLATION OF THE TOILET COMPARTMENT SMOKE DETECTORS - SMOKE DETECTOR (7104WG)					Component	ATA:26
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-10-25-900-801PROC. REF: AMM 26-10-25-900-801								
26-20-01-710-801-01 ^S		OPERATIONAL TEST OF THE APU SOV AUTOMATIC CLOSURE FUNCTION					Service	ATA:26
	MOS	14-Dec-17						
	HRS	3964:09	4800 (+50)					
WC#: 26.160	AFL	1705						
PROC. REF: AMM 26-20-01-710-801PROC. REF: AMM 26-20-01-710-801								

PKG:32

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-01-710-801-01A	OPERATIONAL TEST OF THE APU SOV AUTOMATIC CLOSURE FUNCTION (MANDATORY 5-40)							Service ATA:26
	MOS	14-Dec-17						CMR
	HRS	3964:09	8100		12064:09		4571:35	
WC#: 26.011	AFL	1705						
PROC. REF: AMM 26-20-01-710-801PROC. REF: AMM 26-20-01-710-801								
26-20-01-710-802-01	^S	OPERATIONAL TEST OF THE FIRE PANEL POWER SUPPLY REDUNDANCY - FIRE PANEL (200WZ)						Service ATA:26
	MOS	28-Dec-24						
	HRS	7106:42	7200 (+50)					
	AFL	2592						
PROC. REF: AMM 26-20-01-710-802PROC. REF: AMM 26-20-01-710-802								PKG:33
26-20-01-720-801-01	^S	FUNCTIONAL TEST OF THE FIRE PANEL DISCHARGE SWITCH/LIGHTS						Service ATA:26
	MOS	28-Dec-24						
	HRS	7106:42	7200 (+50)					
WC#: 26.140	AFL	2592						
PROC. REF: AMM 26-20-01-720-801PROC. REF: AMM 26-20-01-720-801								PKG:33
26-20-01-720-803-01	^S	FUNCTIONAL TEST OF THE FIRE SWITCH/LIGHTS						Service ATA:26
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 26.130	AFL	2584						
PROC. REF: AMM 26-20-01-720-803PROC. REF: AMM 26-20-01-720-803								PKG:8
26-20-01-720-803-01A	FUNCTIONAL TEST OF THE FIRE SWITCH/LIGHTS (MANDATORY 5-40)							Service ATA:26
	MOS	18-Nov-24						CMR
	HRS	7061:12	1150		8211:12		718:38	
	AFL	2584						
PROC. REF: AMM 26-20-01-720-803PROC. REF: AMM 26-20-01-720-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-01-900-801-01	REMOVAL / INSTALLATION OF THE FIRE PANEL - FIRE PANEL (200WZ)							Component ATA:26
PN:10073-11	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UN0039	HRS	0		TSN 0				
WC#: 26.110	AFL	0		TSN 0				
PROC. REF: AMM 26-20-01-900-801PROC. REF: AMM 26-20-01-900-801								
26-20-09-350-801-01	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 1 (1001WB)							Service ATA:26
PN:10053-04	MOS	09-Jun-17	120		09-Jun-27		614 d	OVERHAUL
SN:RR000824	HRS							
WC#: 26.070	AFL							
Restoration Date:: 09-Jun-17								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-350-801-01A	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 1 (1001WB) (MANDATORY 5-40)							Service ATA:26
	MOS	09-Jun-17	120		09-Jun-27		614 d	CMR
	HRS							
WC#: 26.070	AFL							
Restoration Date:: 09-Jun-17								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-350-801-02	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 2 (2001WB)							Service ATA:26
PN:10053-04	MOS	20-Oct-16	120		20-Oct-26		382 d	OVERHAUL
SN:RR000789	HRS							
WC#: 26.075	AFL							
Restoration Date:: 20-Oct-16								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-350-801-02A	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 2 (2001WB) (MANDATORY 5-40)							Service ATA:26
	MOS	30-Sep-16	120		30-Sep-26		362 d	CMR
	HRS							
WC#: 26.075	AFL							
Restoration Date:: 30-Sep-16								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-09-350-801-03	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 3 (3001WB)							Service ATA:26
PN:10700-03	MOS	25-Jul-18	120		25-Jul-28		1026 d	OVERHAUL
SN:RT00100	HRS							
WC#: 26.080	AFL							
Restoration Date:: 25-Jul-18								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-350-801-03A	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 3 (3001WB) (MANDATORY 5-40)							Service ATA:26
	MOS	25-Jul-18	120		25-Jul-28		1026 d	CMR
	HRS							
WC#: 26.080	AFL							
Restoration Date:: 25-Jul-18								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-350-801-04	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 4 (4001WB)							Service ATA:26
PN:10052-04	MOS	31-Aug-22	120		31-Aug-32		2524 d	OVERHAUL
SN:RS00060	HRS							
WC#: 26.085	AFL							
Restoration Date:: 31-Aug-22								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-350-801-04A	RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND OVERHAUL) - FIRE EXTINGUISHER 4 (4001WB) (MANDATORY 5-40)							Service ATA:26
	MOS	31-Aug-22	120		31-Aug-32		2524 d	CMR
	HRS							
WC#: 26.085	AFL							
Restoration Date:: 31-Aug-22								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
26-20-09-780-801-01	FUNCTIONAL CHECK OF THE PRESSURE OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 1 (1001WB)							Service ATA:26
PN:10053-04	MOS	01-Sep-25	24 (+3%)		01-Sep-27	22-Sep-27	698 d (+21)	
SN:RR000824	HRS	7445:40	1600 (+3%)		9045:40	9093:40	1553:06 (+48)	
WC#: 26.070	AFL	2653						
PROC. REF: AMM 26-20-09-780-801PROC. REF: AMM 26-20-09-780-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-09-780-801-02		FUNCTIONAL CHECK OF THE PRESSURE OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 2 (2001WB)						Service ATA:26
PN:10053-04	MOS	01-Sep-25	24 (+3%)		01-Sep-27	22-Sep-27	698 d (+21)	
SN:RR000789	HRS	7445:40	1600 (+3%)		9045:40	9093:40	1553:06 (+48)	
WC#: 26.075	AFL	2653						
PROC. REF: AMM 26-20-09-780-801PROC. REF: AMM 26-20-09-780-801								
26-20-09-780-801-03		FUNCTIONAL CHECK OF THE PRESSURE OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 3 (3001WB)						Service ATA:26
PN:10700-03	MOS	01-Sep-25	24 (+3%)		01-Sep-27	22-Sep-27	698 d (+21)	
SN:RT00100	HRS	7445:40	1600 (+3%)		9045:40	9093:40	1553:06 (+48)	
WC#: 26.080	AFL	2653						
PROC. REF: AMM 26-20-09-780-801PROC. REF: AMM 26-20-09-780-801								
26-20-09-780-801-04		FUNCTIONAL CHECK OF THE PRESSURE OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 4 (4001WB)						Service ATA:26
PN:10052-04	MOS	01-Sep-25	24 (+3%)		01-Sep-27	22-Sep-27	698 d (+21)	
SN:RS00060	HRS	7445:40	1600 (+3%)		9045:40	9093:40	1553:06 (+48)	
WC#: 26.085	AFL	2653						
PROC. REF: AMM 26-20-09-780-801PROC. REF: AMM 26-20-09-780-801								
26-20-09-900-801-01		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 1 (1001WB)						Component ATA:26
PN:10053-04	MOS/MSC	22-Dec-18	O/C	TSN 0				
SN:RR000824	HRS	4650:13		TSN 0				
WC#: 26.070	AFL	1926		TSN 0				
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801								
26-20-09-900-801-02		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 2 (2001WB)						Component ATA:26
PN:10053-04	MOS/MSC	24-Mar-17	O/C	TSN 0				
SN:RR000789	HRS	3444:50		TSN 0				
WC#: 26.075	AFL	1564		TSN 0				
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801								
26-20-09-900-801-03		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 3 (3001WB)						Component ATA:26
PN:10700-03	MOS/MSC	22-Dec-18	O/C	TSO 0				
SN:RT00100	HRS	4650:13		TSO 0				
WC#: 26.080	AFL	1926		TSO 0				
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-09-900-801-04 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - FIRE EXTINGUISHER 4 (4001WB)								Component ATA:26
PN:10052-04	MOS/MSC	18-Oct-23	O/C	TSO 13				
SN:RS00060	HRS	6781:30		TSO 0				
WC#: 26.085	AFL	2527		TSO 0				
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801								
26-20-13-900-801-01 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 1 RED CARTRIDGE (1101WB)								Component ATA:26
PN:10660-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TQ2672	HRS	6987:22		TSN 0				
WC#: 26.010	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-02 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 1 GREEN CARTRIDGE (1201WB)								Component ATA:26
PN:10650-01	MOS/MSC	28-Feb-22	O/C	TSN 1				
SN:TP2164	HRS	6322:16		TSN 0				
WC#: 26.005	AFL	2423		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-03 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 2 RED CARTRIDGE (2101WB)								Component ATA:26
PN:10660-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TQ2671	HRS	6987:22		TSN 0				
WC#: 26.020	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-04 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 2 GREEN CARTRIDGE (2201WB)								Component ATA:26
PN:10650-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TP2165	HRS	6987:22		TSN 0				
WC#: 26.015	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-05 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 3 RED CARTRIDGE (3101WB)								Component ATA:26
PN:10660-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TQ2673	HRS	6987:22		TSN 0				
WC#: 26.030	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-13-900-801-06		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 3 GREEN CARTRIDGE (3201WB)					Component	ATA:26
PN:10650-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TP2170	HRS	6987:22		TSN 0				
WC#: 26.025	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-07		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 4 RED CARTRIDGE (4101WB)					Component	ATA:26
PN:10660-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TQ2670	HRS	6987:22		TSN 0				
WC#: 26.045	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-08		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 4 GREEN CARTRIDGE (4201WB)					Component	ATA:26
PN:10650-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TP2239	HRS	6987:22		TSN 0				
WC#: 26.035	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-09		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 4 GREY CARTRIDGE (4301WB)					Component	ATA:26
PN:10670-01	MOS/MSC	20-Jun-24	O/C	TSN 0				
SN:TR0809	HRS	6987:22		TSN 0				
WC#: 26.040	AFL	2568		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-960-801-01		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 1 RED CARTRIDGE (1101WB)					Service	ATA:26
PN:10660-01	MOS	01-Jan-24	120		01-Jan-34		3012 d	LIFE LIMIT
SN:TQ2672	HRS	6987:22						
WC#: 26.010	AFL	2568						
Manufacture Date:: 01-Jan-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-13-960-801-02		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 1 GREEN CARTRIDGE (1201WB)						Service ATA:26
PN:10650-01	MOS	01-Aug-21	120		01-Aug-31		2128 d	LIFE LIMIT
SN:TP2164	HRS							
WC#: 26.005	AFL							
Manufacture Date:: 01-Aug-21								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-13-960-801-03		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 2 RED CARTRIDGE (2101WB)						Service ATA:26
PN:10660-01	MOS	01-Jan-24	120		01-Jan-34		3012 d	LIFE LIMIT
SN:TQ2671	HRS	6987:22						
WC#: 26.020	AFL	2568						
Manufacture Date:: 01-Jan-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-13-960-801-04		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 2 GREEN CARTRIDGE (2201WB)						Service ATA:26
PN:10650-01	MOS	01-Aug-21	120		01-Aug-31		2128 d	LIFE LIMIT
SN:TP2165	HRS	6987:22						
WC#: 26.015	AFL	2568						
Manufacture Date:: 01-Aug-21								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-13-960-801-05		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 3 RED CARTRIDGE (3101WB)						Service ATA:26
PN:10660-01	MOS	01-Jan-24	120		01-Jan-34		3012 d	LIFE LIMIT
SN:TQ2673	HRS	6987:22						
WC#: 26.030	AFL	2568						
Manufacture Date:: 01-Jan-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-13-960-801-06		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 3 GREEN CARTRIDGE (3201WB)						Service ATA:26
PN:10650-01	MOS	01-Aug-21	120		01-Aug-31		2128 d	LIFE LIMIT
SN:TP2170	HRS	6987:22						
WC#: 26.025	AFL	2568						
Manufacture Date:: 01-Aug-21								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-13-960-801-07		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 4 RED CARTRIDGE (4101WB)						Service ATA:26
PN:10660-01	MOS	01-Jan-24	120		01-Jan-34		3012 d	LIFE LIMIT
SN:TQ2670	HRS	6987:22						
WC#: 26.045	AFL	2568						
Manufacture Date:: 01-Jan-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-13-960-801-08		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 4 GREEN CARTRIDGE (4201WB)						Service ATA:26
PN:10650-01	MOS	01-Nov-21	120		01-Nov-31		2220 d	LIFE LIMIT
SN:TP2239	HRS	6987:22						
WC#: 26.035	AFL	2568						
Manufacture Date:: 01-Nov-21								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-13-960-801-09		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - FIRE EXTINGUISHER 4 GREY CARTRIDGE (4301WB)						Service ATA:26
PN:10670-01	MOS	01-Apr-24	120		01-Apr-34		3102 d	LIFE LIMIT
SN:TR0809	HRS	6987:22						
WC#: 26.040	AFL	2568						
Manufacture Date:: 01-Apr-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
26-20-15-350-801-01		RESTORATION COCKPIT HALON PORTABLE EXTINGUISHER (HYDROSTATIC TEST)						Service ATA:26
PN:898052	MOS	12-Jun-19	144 (+3%)		01-Jul-30 (M)	10-Nov-30	1732 d (+132)	OVERHAUL
SN:Y-77071	HRS	4890:12						
	AFL	2003						
PROC. REF: AMM 26-20-15-350-801PROC. REF: AMM 26-20-15-350-801								
26-20-15-350-801-02		RESTORATION OF THE PORTABLE FIRE EXTINGUISHERS (HYDROSTATIC TEST) - FWD CABIN PORTABLE FIRE EXTINGUISHER (418WB)						Service ATA:26
PN:898052	MOS	01-Oct-20	144 (+3%)		01-Oct-32	09-Feb-33	2555 d (+131)	OVERHAUL
SN:G09447175	HRS							
	AFL							
HydroCheck Date: : 01-Oct-20								
PROC. REF: AMM 26-20-15-350-801PROC. REF: AMM 26-20-15-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-15-350-801-03	RESTORATION OF THE PORTABLE FIRE EXTINGUISHERS (HYDROSTATIC TEST) - AFT CABIN PORTABLE FIRE EXTINGUISHER (618WB)							Service ATA:26
PN:466090	MOS	01-Apr-18	144 (+3%)		01-Apr-30	10-Aug-30	1641 d (+131)	OVERHAUL
SN:E93264318	HRS							
	AFL							
PROC. REF: AMM 26-20-15-350-801PROC. REF: AMM 26-20-15-350-801								
26-20-15-350-801-04	RESTORATION OF THE PORTABLE FIRE EXTINGUISHERS (HYDROSTATIC TEST) - PORTABLE FIRE EXTINGUISHER 4 (9500WB)							Service ATA:26
PN:PN	MOS/MSC		N/A					OVERHAUL
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 26-20-15-350-801PROC. REF: AMM 26-20-15-350-801								
26-20-15-720-801-01	WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - COCKPIT PORTABLE FIRE EXTINGUISHER (218WB)							Service ATA:26
PN:898052	MOS	19-Feb-24	24 (+3%)		19-Feb-26	11-Mar-26	139 d (+20)	
SN:Y-77071	HRS	6923:06						
	AFL	2555						
Test Date: : 19-Feb-24								
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								
26-20-15-720-801-02	WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - FWD CABIN PORTABLE FIRE EXTINGUISHER (418WB)							Service ATA:26
PN:898052	MOS	12-Apr-25	24 (+3%)		12-Apr-27	03-May-27	556 d (+21)	
SN:G09447175	HRS	7202:51						
	AFL	2610						
WeightCheck Date : : 12-Apr-25								
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								
26-20-15-720-801-03	WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - AFT CABIN PORTABLE FIRE EXTINGUISHER (618WB)							Service ATA:26
PN:466090	MOS	19-Feb-24	24 (+3%)		19-Feb-26	11-Mar-26	139 d (+20)	
SN:E93264318	HRS	6923:06						
	AFL	2555						
Test Date: : 19-Feb-24								
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-15-720-801-04	WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - PORTABLE FIRE EXTINGUISHER 4 (9500WB)							Service ATA:26
PN:PN	MOS/MSC	18-Feb-22	N/A					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								
26-20-15-900-801-01	COCKPIT (218WB) PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:898052	MOS/MSC	12-Jun-19	O/C	TSO 0				
SN:Y-77071	HRS	4890:12		TSO 0				
	AFL	2003		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-15-900-801-02	FWD CABIN (418WB) PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:898052	MOS/MSC	20-May-21	O/C	TSN 0				
SN:G09447175	HRS	5993:05		TSN 0				
	AFL	2334		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-15-900-801-03	AFT CABIN PORTABLE FIRE EXTINGUISHER (618WB)							Component ATA:26
PN:466090	MOS/MSC	01-Mar-22	O/C					
SN:E93264318	HRS	6322:16						
	AFL	2423						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-15-900-801-04	PORTABLE FIRE EXTINGUISHER 4 (9500WB) -							Component ATA:26
PN:PN	MOS/MSC	01-Mar-22	O/C					
SN:NOT INSTALLED	HRS	6322:16						
	AFL	2423						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-19-720-801-01	WEIGHING OF THE DISPOSABLE FIRE EXTINGUISHER - CABIN DISPOSABLE FIRE EXTINGUISHER (L7513ME)							Service ATA:26
PN:466090	MOS/MSC	09-Mar-14	N/A	TAC 84				
SN:X-056215	HRS	2924:30						
WC#: 26.115	AFL	1274						
PROC. REF: AMM 26-20-19-720-801PROC. REF: AMM 26-20-19-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-19-720-801-02	WEIGHING OF THE DISPOSABLE FIRE EXTINGUISHER - FWD LAVATORY DISPOSABLE FIRE EXTINGUISHER (9510WB)						Service	ATA:26
PN:PN	MOS/MSC		N/A					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 26-20-19-720-801PROC. REF: AMM 26-20-19-720-801								
26-20-19-720-801-03	WEIGHING OF THE DISPOSABLE FIRE EXTINGUISHER - AFT LAVATORY DISPOSABLE FIRE EXTINGUISHER (9520WB)						Service	ATA:26
PN:PN	MOS/MSC		N/A					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 26-20-19-720-801PROC. REF: AMM 26-20-19-720-801								
26-20-19-900-801-01	DISPOSABLE FIRE EXTINGUISHER						Component	ATA:26
PN:466090	MOS/MSC	09-Mar-14	O/C					
SN:X-056215	HRS	2924:30						
WC#: 26.115	AFL	1274						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-19-900-801-02	FWD LAV DISPOSABLE FIRE EXTINGUISHER						Component	ATA:26
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-19-900-801-03	AFT LAV DISPOSABLE FIRE EXTINGUISHER						Component	ATA:26
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 27 - FLIGHT CONTROLS								
27-00-00-700-801-01	^S	AUTOMATIC ANTI-FLUTTER TEST - TEST OF THE AUTOMATIC ANTI-FLUTTER OF THE AILERON SERVO-ACTUATORS					Service	ATA:27
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 27.505	AFL	2518						

PKG:31

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								
27-00-00-700-801-01A	AUTOMATIC ANTI-FLUTTER TEST - TEST OF THE AUTOMATIC ANTI-FLUTTER OF THE AILERON SERVO-ACTUATORS (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23					CMR	
	HRS	6775:44	4000		10775:44		3283:10	
WC#: 27.505	AFL	2518						
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								
27-00-00-700-801-02	^S	AUTOMATIC ANTI-FLUTTER TEST - TEST OF THE AUTOMATIC ANTI-FLUTTER OF THE ELEVATOR SERVO-ACTUATORS						Service ATA:27
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 27.510	AFL	2518						
PKG:31								
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								
27-00-00-700-801-02A	AUTOMATIC ANTI-FLUTTER TEST - TEST OF THE AUTOMATIC ANTI-FLUTTER OF THE ELEVATOR SERVO-ACTUATORS (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23					CMR	
	HRS	6775:44	4000		10775:44		3283:10	
WC#: 27.510	AFL	2518						
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								
27-00-00-700-801-03	^S	AUTOMATIC ANTI-FLUTTER TEST - TEST OF THE AUTOMATIC ANTI-FLUTTER OF THE RUDDER SERVO-ACTUATOR						Service ATA:27
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 27.515	AFL	2518						
PKG:31								
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								
27-00-00-700-801-03A	AUTOMATIC ANTI-FLUTTER TEST - TEST OF THE AUTOMATIC ANTI-FLUTTER OF THE RUDDER SERVO-ACTUATOR (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23					CMR	
	HRS	6775:44	4000		10775:44		3283:10	
WC#: 27.515	AFL	2518						
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-700-801-04	^S	AUTOMATIC ANTI-FLUTTER TEST - RETENTION TEST						Service ATA:27
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 27.505	AFL	2518						
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								PKG:31
27-00-00-700-801-04A		AUTOMATIC ANTI-FLUTTER TEST - RETENTION TEST (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	4000		10775:44		3283:10	
WC#: 27.505	AFL	2518						
PROC. REF: AMM 27-00-00-700-801PROC. REF: AMM 27-00-00-700-801								
27-00-00-700-802-01		GROUND TEST OF THE FCS						Service ATA:27
	MOS/MSC	25-Mar-21	-					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 27-00-00-700-802PROC. REF: AMM 27-00-00-700-802								
27-00-00-870-801-01		DEGASSING OF THE HYDRAULIC FLIGHT CONTROLS						Service ATA:27
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 27-00-00-870-801PROC. REF: AMM 27-00-00-870-801								
27-11-00-220-801-01	^S	DETAILED INSPECTION OF THE SPOILER CONTROL SYSTEM COMPONENTS						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.670	AFL	2518						
PROC. REF: AMM 27-11-00-220-801PROC. REF: AMM 27-11-00-220-801								PKG:4
27-11-00-870-801-01		BLEEDING OF THE SPOILER HYDRAULIC SYSTEM						Service ATA:27
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 27-11-00-870-801PROC. REF: AMM 27-11-00-870-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-11-01-350-801-01	RESTORATION OF THE SPOILER ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH SPOILER ACTUATOR (L101CR)							Service ATA:27
PN:106137-01	MOS	01-Mar-06	264 (+3%)		01-Mar-28	29-Oct-28	880 d (+242)	OVERHAUL
SN:43	HRS	0						
WC#: 27.310	AFL	0						
Restoration Date:: 01-Mar-06								
PROC. REF: AMM 27-11-01-350-801PROC. REF: AMM 27-11-01-350-801								
27-11-01-350-801-02	RESTORATION OF THE SPOILER ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH SPOILER ACTUATOR (R101CR)							Service ATA:27
PN:106137-01	MOS	26-Sep-22	264 (+3%)		26-Sep-44	23-May-45	6933 d (+239)	OVERHAUL
SN:06	HRS							
WC#: 27.310	AFL							
Restoration Date:: 26-Sep-22								
PROC. REF: AMM 27-11-01-350-801PROC. REF: AMM 27-11-01-350-801								
27-11-01-640-801-01 ^S	LUBRICATION OF THE SPOILER ACTUATOR SPHERICAL BEARING - LH SPOILER ACTUATOR (L101CR)							Service ATA:27
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 27.530	AFL	2584						
PKG:1 WO#: JWL-25-049								
PROC. REF: AMM 27-11-01-640-801PROC. REF: AMM 27-11-01-640-801								
27-11-01-640-801-02 ^S	LUBRICATION OF THE SPOILER ACTUATOR SPHERICAL BEARING - RH SPOILER ACTUATOR (R101CR)							Service ATA:27
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 27.530	AFL	2584						
PKG:1 WO#: JWL-25-049								
PROC. REF: AMM 27-11-01-640-801PROC. REF: AMM 27-11-01-640-801								
27-11-01-710-801-01 ^S	OPERATIONAL TEST OF THE SPOILER CONTROL BACK-UP CHANNEL							Service ATA:27
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 27.520	AFL	2308						
PKG:9 WO#: JWL-25-049								
PROC. REF: AMM 27-11-01-710-801PROC. REF: AMM 27-11-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-11-01-710-801-01A OPERATIONAL TEST OF THE SPOILER CONTROL BACK-UP CHANNEL (MANDATORY 5-40)								Service ATA:27
	MOS	25-Mar-21						CMR
	HRS	5902:02	2000		7902:02		409:28	
WC#: 27.520	AFL	2308						
PROC. REF: AMM 27-11-01-710-801PROC. REF: AMM 27-11-01-710-801								
27-11-01-900-801-01 REMOVAL / INSTALLATION OF THE SPOILER ACTUATORS - LH SPOILER ACTUATOR (L101CR)								Component ATA:27
PN:106137-01	MOS/MSC	25-Mar-21	O/C	TSN 180				
SN:43	HRS	5902:02		TSN 5902:02				
WC#: 27.310	AFL	2308		TSN 2308				
PROC. REF: AMM 27-11-01-900-801PROC. REF: AMM 27-11-01-900-801								
27-11-01-900-801-02 REMOVAL / INSTALLATION OF THE SPOILER ACTUATORS - RH SPOILER ACTUATOR (R101CR)								Component ATA:27
PN:106137-01	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:06	HRS	6775:44		TSN 8253, TSO 0				
WC#: 27.310	AFL	2518		TSN 2792, TSO 0				
PROC. REF: AMM 27-11-01-900-801PROC. REF: AMM 27-11-01-900-801								
27-11-01-960-801-01A REPLACE LH SPOILER ACTUATOR (MANDATORY 5-40)								Service ATA:27
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 27.016	AFL	0						
PROC. REF: AMM 27-11-01-900-801PROC. REF: AMM 27-11-01-900-801								
27-11-01-960-801-02A REPLACE RH SPOILER ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106137-01	MOS	11-Aug-23						LIFE LIMIT
SN:06	HRS	6775:44	50000	TAC 8253	48522:44		41030:10	
WC#: 27.016	AFL	2518	20000	TAC 2792	19726		17066	
PROC. REF: AMM 27-11-01-900-801PROC. REF: AMM 27-11-01-900-801								
27-11-05-350-801-01 RESTORATION OF THE SPOILER SENSORS (OVERHAUL WITH SEAL REPLACEMENT) - LH SPOILER SENSOR (L201CR)								Service ATA:27
PN:016099-01	MOS	01-Nov-05	288 (+3%)		01-Nov-29	20-Jul-30	1490 d (+261)	OVERHAUL
SN:41	HRS	0						
WC#: 27.415	AFL	0						
Restoration Date:: 01-Nov-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-11-05-350-801PROC. REF: AMM 27-11-05-350-801								
27-11-05-350-801-02	RESTORATION OF THE SPOILER SENSORS (OVERHAUL WITH SEAL REPLACEMENT) - RH SPOILER SENSOR (R201CR)							Service ATA:27
PN:016099-01	MOS	01-Nov-04	288 (+3%)		01-Nov-28	20-Jul-29	1125 d (+261)	OVERHAUL
SN:18	HRS	0						
WC#: 27.415	AFL	0						
Restoration Date:: 01-Nov-04								
PROC. REF: AMM 27-11-05-350-801PROC. REF: AMM 27-11-05-350-801								
27-11-05-710-801-01 ^S	OPERATIONAL TEST OF THE SPOILER SENSORS - LH SPOILER SENSOR (L201CR)							Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.525	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 27-11-05-710-801PROC. REF: AMM 27-11-05-710-801								
27-11-05-710-801-01A	OPERATIONAL TEST OF THE SPOILER SENSORS - LH SPOILER SENSOR (L201CR) (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.525	AFL	2518						
PROC. REF: AMM 27-11-05-710-801PROC. REF: AMM 27-11-05-710-801								
27-11-05-710-801-02 ^S	OPERATIONAL TEST OF THE SPOILER SENSORS - RH SPOILER SENSOR (R201CR)							Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.525	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 27-11-05-710-801PROC. REF: AMM 27-11-05-710-801								
27-11-05-710-801-02A	OPERATIONAL TEST OF THE SPOILER SENSORS - RH SPOILER SENSOR (R201CR) (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.525	AFL	2518						
PROC. REF: AMM 27-11-05-710-801PROC. REF: AMM 27-11-05-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-11-05-900-801-01	REMOVAL / INSTALLATION OF THE SPOILER SENSORS - LH SPOILER SENSOR (L201CR)							Component ATA:27
PN:016099-01	MOS/MSC	01-Nov-05	O/C	TSN 0				
SN:41	HRS	0		TSN 0				
WC#: 27.415	AFL	0		TSN 0				
PROC. REF: AMM 27-11-05-900-801PROC. REF: AMM 27-11-05-900-801								
27-11-05-900-801-02	REMOVAL / INSTALLATION OF THE SPOILER SENSORS - RH SPOILER SENSOR (R201CR)							Component ATA:27
PN:016099-01	MOS/MSC	01-Nov-04	O/C	TSN 0				
SN:18	HRS	0		TSN 0				
WC#: 27.415	AFL	0		TSN 0				
PROC. REF: AMM 27-11-05-900-801PROC. REF: AMM 27-11-05-900-801								
27-11-09-350-801-01	RESTORATION OF THE SPOILER POWER CONTROL UNIT (SPPCU) (OVERHAUL WITH SEAL REPLACEMENT) - SPPCU (301CR)							Service ATA:27
PN:108160-02	MOS	11-Aug-23	288 (+3%)	11-Aug-47	30-Apr-48	7982 d (+263)	OVERHAUL	
SN:184	HRS	6775:44						
WC#: 27.485	AFL	2518						
Restoration Date:: 11-Aug-23								
PROC. REF: AMM 27-11-09-350-801PROC. REF: AMM 27-11-09-350-801								
27-11-09-710-801-01 ^S	TEST OF RESERVOIR FILLING AND LOCAL HYDRAULIC GENERATOR OPERATION - EBHA TEST							Service ATA:27
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 27.535	AFL	2584						
PKG:8								
PROC. REF: AMM 27-11-09-710-801PROC. REF: AMM 27-11-09-710-801								
27-11-09-710-801-01A	TEST OF RESERVOIR FILLING AND LOCAL HYDRAULIC GENERATOR OPERATION - EBHA TEST (MANDATORY 5-40)							Service ATA:27
	MOS	18-Nov-24						CMR
	HRS	7061:12	1250	8311:12		818:38		
WC#: 27.535	AFL	2584						
PROC. REF: AMM 27-11-09-710-801PROC. REF: AMM 27-11-09-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-11-09-710-801-02	^S	TEST OF RESERVOIR FILLING AND LOCAL HYDRAULIC GENERATOR OPERATION - RESERVOIR TEST						Service ATA:27
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 27.535	AFL	2584						
PROC. REF: AMM 27-11-09-710-801PROC. REF: AMM 27-11-09-710-801								PKG:8
27-11-09-710-801-02A TEST OF RESERVOIR FILLING AND LOCAL HYDRAULIC GENERATOR OPERATION - RESERVOIR TEST (MANDATORY 5-40)								
	MOS	18-Nov-24						Service ATA:27
	HRS	7061:12	1250		8311:12		818:38	CMR
	AFL	2584						
PROC. REF: AMM 27-11-09-710-801PROC. REF: AMM 27-11-09-710-801								
27-11-09-900-801-01 REMOVAL / INSTALLATION OF THE SPOILER POWER CONTROL UNIT (SPPCU) - SPPCU (301CR)								
PN:108160-02	MOS/MSC	11-Aug-23	O/C	TSO 0				Component ATA:27
SN:184	HRS	6775:44		TSO 0				
WC#: 27.485	AFL	2518		TSO 0				
PROC. REF: AMM 27-11-09-900-801PROC. REF: AMM 27-11-09-900-801								
27-11-13-900-801-01 REMOVAL / INSTALLATION OF THE SPOILER ELECTRICAL CONTROL UNIT (SPECU) - SPECU (401CR)								
PN:051243-01	MOS/MSC	12-Jun-07	O/C	TSN 0				Component ATA:27
SN:15	HRS	0		TSN 0				
WC#: 27.165	AFL	0		TSN 0				
PROC. REF: AMM 27-11-13-900-801PROC. REF: AMM 27-11-13-900-801								
27-12-00-220-801-01 ^S DETAILED INSPECTION OF THE AILERON CONTROL SYSTEM COMPONENTS								
	MOS	11-Aug-23	48 (+1m)					Service ATA:27
	HRS	6775:44	3200 (+40)					
WC#: 27.540	AFL	2518						
PROC. REF: AMM 27-12-00-220-801PROC. REF: AMM 27-12-00-220-801								PKG:4
27-12-00-220-801-01A DETAILED INSPECTION OF THE AILERON CONTROL SYSTEM COMPONENTS (MANDATORY 5-40)								
	MOS	11-Aug-23						Service ATA:27
	HRS	6775:44	10000		16775:44		9283:10	CMR
WC#: 27.540	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-12-00-220-801PROC. REF: AMM 27-12-00-220-801								
27-12-00-640-801-01	^S	LUBRICATION OF THE AILERON CONTROL SYSTEM BEARINGS - LH AILERON CONTROL SYSTEM BEARINGS						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.655	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 27-12-00-640-801PROC. REF: AMM 27-12-00-640-801								
27-12-00-640-801-02	^S	LUBRICATION OF THE AILERON CONTROL SYSTEM BEARINGS - RH AILERON CONTROL SYSTEM BEARINGS						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.655	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 27-12-00-640-801PROC. REF: AMM 27-12-00-640-801								
27-12-00-640-801-03	^{U S}	LUBRICATION OF THE AILERON CONTROL SYSTEM BEARINGS - DETAILED INSPECTION (DET) OF THE BELLCRANKS						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.655	AFL	2518	4000					
PKG:41								
27-12-01-350-801-01		RESTORATION OF THE AILERON SERVO-ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH AILERON SERVO-ACTUATOR (L102CR)						Service ATA:27
PN:103152-12	MOS	16-Mar-23	216 (+3%)		16-Mar-41	30-Sep-41	5643 d (+198)	OVERHAUL
SN:21	HRS							
WC#: 27.170	AFL							
Restoration Date:: 16-Mar-23								
PROC. REF: AMM 27-12-01-350-801PROC. REF: AMM 27-12-01-350-801								
27-12-01-350-801-02		RESTORATION OF THE AILERON SERVO-ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH AILERON SERVO-ACTUATOR (R102CR)						Service ATA:27
PN:103152-12	MOS	01-Feb-23	216 (+3%)		01-Feb-41	15-Aug-41	5600 d (+195)	OVERHAUL
SN:19	HRS							
WC#: 27.175	AFL							
Restoration Date:: 01-Feb-23								
PROC. REF: AMM 27-12-01-350-801PROC. REF: AMM 27-12-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-12-01-900-801-01	REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - LH AILERON SERVO-ACTUATOR (L102CR)							Component ATA:27
PN:103152-12	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:21	HRS	6775:44		TSN 6039, TSO 0				
WC#: 27.170	AFL	2518		TSN 2349, TSO 0				
PROC. REF: AMM 27-12-01-900-801PROC. REF: AMM 27-12-01-900-801								
27-12-01-900-801-02	REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - RH AILERON SERVO-ACTUATOR (R102CR)							Component ATA:27
PN:103152-12	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:19	HRS	6775:44		TSN 6113, TSO 0				
WC#: 27.175	AFL	2518		TSN 2403, TSO 0				
PROC. REF: AMM 27-12-01-900-801PROC. REF: AMM 27-12-01-900-801								
27-12-01-960-801-01A	REPLACE LH AILERON (ROLL) SERVO ACTUATOR (MANDATORY 5-40)							Service ATA:27
	MOS	12-Jun-07						LIFE LIMIT
	HRS	0	50000		50000		42507:26	
WC#: 27.021	AFL	0	20000		20000		17340	
PROC. REF: AMM 27-12-01-900-801PROC. REF: AMM 27-12-01-900-801								
27-12-01-960-801-02A	REPLACE RH AILERON (ROLL) SERVO ACTUATOR (MANDATORY 5-40)							Service ATA:27
	MOS	12-Jun-07						LIFE LIMIT
	HRS	0	50000		50000		42507:26	
WC#: 27.021	AFL	0	20000		20000		17340	
PROC. REF: AMM 27-12-01-900-801PROC. REF: AMM 27-12-01-900-801								
27-20-00-220-801-01 ^S	DETAILED INSPECTION OF THE RUDDER CONTROL SYSTEM COMPONENTS							Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.545	AFL	2518						
PROC. REF: AMM 27-20-00-220-801PROC. REF: AMM 27-20-00-220-801								PKG:4
27-20-00-220-801-01A	DETAILED INSPECTION OF THE RUDDER CONTROL SYSTEM COMPONENTS (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.545	AFL	2518						
PROC. REF: AMM 27-20-00-220-801PROC. REF: AMM 27-20-00-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-21-01-220-801-01	^S	DETAILED INSPECTION OF THE RUDDER AND BRAKE PEDAL ASSEMBLY						Service ATA:27
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 27.675	AFL	2518	8000					
PROC. REF: AMM 27-21-01-220-801PROC. REF: AMM 27-21-01-220-801								PKG:42
27-21-01-900-801-01		REMOVAL / INSTALLATION OF THE RUDDER AND BRAKE PEDAL ASSEMBLY - LH RUDDER/BRAKE PEDALS (L201CL)						Component ATA:27
PN:3FP204D	MOS/MSC	12-Feb-15	O/C					
SN:0588	HRS	2990:02						
WC#: 27.385	AFL	1342						
PROC. REF: AMM 27-21-01-900-801PROC. REF: AMM 27-21-01-900-801								
27-21-01-900-801-02		REMOVAL / INSTALLATION OF THE RUDDER AND BRAKE PEDAL ASSEMBLY - RH RUDDER/BRAKE PEDALS (R201CL)						Component ATA:27
PN:3FP204 D	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0081	HRS	0		TSN 0				
WC#: 27.385	AFL	0		TSN 0				
PROC. REF: AMM 27-21-01-900-801PROC. REF: AMM 27-21-01-900-801								
27-22-00-610-801-03	^S	LUBRICATION OF THE RUDDER BEARINGS AND VISUAL CHECK OF RUDDER HINGE ASSEMBLIES						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 27-22-00-610-801PROC. REF: AMM 27-22-00-610-801								PKG:41
27-22-00-640-801-01	^S	LUBRICATION OF THE LOWER RUDDER BEARING						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 27-22-00-640-801PROC. REF: AMM 27-22-00-640-801								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-22-01-350-801-01		RESTORATION OF THE RUDDER SERVO-ACTUATOR (OVERHAUL WITH SEAL REPLACEMENT) - RUDDER SERVO-ACTUATOR (103CL)						Service ATA:27
PN:103153-05	MOS	23-Jul-07	216 (+3%)		23-Jul-25	06-Feb-26	TOL (+126 d)	OVERHAUL
SN:27	HRS	67:15						
WC#: 27.255	AFL	22						
						Restoration Date:: 23-Jul-07		WO#: JWL-25-049
PROC. REF: AMM 27-22-01-350-801PROC. REF: AMM 27-22-01-350-801								
27-22-01-900-801-01		REMOVAL / INSTALLATION OF THE RUDDER SERVO-ACTUATOR - RUDDER SERVO-ACTUATOR (103CL)						Component ATA:27
PN:103153-05	MOS/MSC	11-Aug-23	O/C					
SN:27	HRS	6775:44						
WC#: 27.255	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 27-22-01-900-801PROC. REF: AMM 27-22-01-900-801								
27-22-01-960-801-01A		REPLACE RUDDER SERVO-ACTUATOR (MANDATORY 5-40)						Service ATA:27
	MOS	12-Jun-07						LIFE LIMIT
	HRS	0	50000		50000		42507:26	
WC#: 27.026	AFL	0	20000		20000		17340	
								WO#: JWL-25-049
PROC. REF: AMM 27-22-01-900-801PROC. REF: AMM 27-22-01-900-801								
27-30-00-220-801-01 ^S		DETAILED INSPECTION OF THE ELEVATOR CONTROL SYSTEM COMPONENTS						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.680	AFL	2518						
								PKG:4
PROC. REF: AMM 27-30-00-220-801PROC. REF: AMM 27-30-00-220-801								
27-30-01-350-801-01		RESTORATION OF THE ELEVATOR ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH ELEVATOR OUTBOARD SERVO-ACTUATOR (L101CP)						Service ATA:27
PN:103154-16	MOS	01-Jun-08	216 (+3%)		01-Jun-26	15-Dec-26	241 d (+197)	OVERHAUL
SN:292	HRS							
WC#: 27.185	AFL							
						Restoration Date:: 01-Jun-08		
PROC. REF: AMM 27-30-01-350-801PROC. REF: AMM 27-30-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30-01-350-801-02		RESTORATION OF THE ELEVATOR ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH ELEVATOR INBOARD SERVO-ACTUATOR (R101CP)						Service ATA:27
PN:103154-16	MOS	23-Jul-07	216 (+3%)		23-Jul-25	06-Feb-26	TOL (+126 d)	OVERHAUL
SN:126	HRS	67:15						
WC#: 27.190	AFL	22						
						Restoration Date:: 23-Jul-07	WO#: JWL-25-049	
PROC. REF: AMM 27-30-01-350-801PROC. REF: AMM 27-30-01-350-801								
27-30-01-350-801-03		RESTORATION OF THE ELEVATOR ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH ELEVATOR INBOARD SERVO-ACTUATOR (L201CP)						Service ATA:27
PN:103154-16	MOS	23-Jul-07	216 (+3%)		23-Jul-25	06-Feb-26	TOL (+126 d)	OVERHAUL
SN:127	HRS							
WC#: 27.180	AFL							
						Restoration Date:: 23-Jul-07	WO#: JWL-25-049	
PROC. REF: AMM 27-30-01-350-801PROC. REF: AMM 27-30-01-350-801								
27-30-01-350-801-04		RESTORATION OF THE ELEVATOR ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH ELEVATOR OUTBOARD SERVO-ACTUATOR (R201CP)						Service ATA:27
PN:103154-16	MOS	23-Jul-07	216 (+3%)		23-Jul-25	06-Feb-26	TOL (+126 d)	OVERHAUL
SN:124	HRS							
WC#: 27.195	AFL							
						Restoration Date:: 23-Jul-07	WO#: JWL-25-049	
PROC. REF: AMM 27-30-01-350-801PROC. REF: AMM 27-30-01-350-801								
27-30-01-710-801-01 S		OPERATIONAL TEST OF THE CENTERED MODE						Service ATA:27
	MOS	12-Jun-07						
	HRS	0	9600 (+50)					
WC#: 27.550	AFL	0						
							PKG:34	
PROC. REF: AMM 27-30-01-710-801PROC. REF: AMM 27-30-01-710-801								
27-30-01-710-801-01A		OPERATIONAL TEST OF THE CENTERED MODE (MANDATORY 5-40)						Service ATA:27
	MOS	12-Jun-07						CMR
	HRS	0	10000		10000		2507:26	
WC#: 27.550	AFL	0						
PROC. REF: AMM 27-30-01-710-801PROC. REF: AMM 27-30-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30-01-900-801-01 REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATORS - LH ELEVATOR OUTBOARD SERVO-ACTUATOR (L101CP)								Component ATA:27
PN:103154-16	MOS/MSC	14-Dec-17	O/C					
SN:292	HRS	3964:09						
WC#: 27.185	AFL	1705						
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								
27-30-01-900-801-02 REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATORS - RH ELEVATOR INBOARD SERVO-ACTUATOR (R101CP)								Component ATA:27
PN:103154-16	MOS/MSC	14-Dec-17	O/C					
SN:126	HRS	3964:09						
WC#: 27.190	AFL	1705						
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								WO#: JWL-25-049
27-30-01-900-801-03 REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATORS - LH ELEVATOR INBOARD SERVO-ACTUATOR (L201CP)								Component ATA:27
PN:103154-16	MOS/MSC	14-Dec-17	O/C					
SN:127	HRS	3964:09						
WC#: 27.180	AFL	1705						
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								WO#: JWL-25-049
27-30-01-900-801-04 REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATORS - RH ELEVATOR OUTBOARD SERVO-ACTUATOR (R201CP)								Component ATA:27
PN:103154-16	MOS/MSC	14-Dec-17	O/C					
SN:124	HRS	3964:09						
WC#: 27.195	AFL	1705						
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								WO#: JWL-25-049
27-30-01-960-801-01A REPLACE LH OUTBOARD ELEVATOR SERVO-ACTUATOR (MANDATORY 5-40)								Service ATA:27
	MOS	18-Apr-14						LIFE LIMIT
	HRS	2978:37	50000	TAC 731	52247:37		44755:03	
WC#: 27.031	AFL	1300	20000	TAC 832	20468		17808	
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30-01-960-801-02A REPLACE RH INBOARD ELEVATOR SERVO-ACTUATOR (MANDATORY 5-40)								Service ATA:27
	MOS	12-Jun-07						LIFE LIMIT
	HRS	0	50000		50000		42507:26	
WC#: 27.031	AFL	0	20000		20000		17340	
								WO#: JWL-25-049
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								
27-30-01-960-801-03A REPLACE LH INBOARD ELEVATOR SERVO-ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:103154-16	MOS	14-Dec-17						LIFE LIMIT
SN:127	HRS	3964:09	50000	TAC 3964:09	50000		42507:26	
WC#: 27.031	AFL	1705	20000	TAC 1705	20000		17340	
								WO#: JWL-25-049
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								
27-30-01-960-801-04A REPLACE RH OUTBOARD ELEVATOR SERVO-ACTUATOR (MANDATORY 5-40)								Service ATA:27
	MOS	18-Apr-14						LIFE LIMIT
	HRS	2978:37	50000	TAC 2978:37	50000		42507:26	
WC#: 27.031	AFL	1300	20000	TAC 1300	20000		17340	
								WO#: JWL-25-049
PROC. REF: AMM 27-30-01-900-801PROC. REF: AMM 27-30-01-900-801								
27-30-05-350-801-01 RESTORATION OF THE REDUCING VALVE AB (OVERHAUL WITH SEAL REPLACEMENT) - REDUCING VALVE AB (301CP)								Service ATA:27
PN:102024-02	MOS	01-Mar-07	288 (+3%)		01-Mar-31	20-Nov-31	1975 d (+264)	OVERHAUL
SN:031	HRS	0						
WC#: 27.495	AFL	0						
								Restoration Date:: 01-Mar-07
PROC. REF: AMM 27-30-05-350-801PROC. REF: AMM 27-30-05-350-801								
27-30-05-900-801-01 REMOVAL / INSTALLATION OF THE REDUCING VALVE AB - REDUCING VALVE AB (301CP)								Component ATA:27
PN:102024-02	MOS/MSC	01-Mar-07	O/C	TSN 0				
SN:031	HRS	0		TSN 0				
WC#: 27.495	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05-900-801PROC. REF: AMM 27-30-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30-09-350-801-01	RESTORATION OF THE REDUCING VALVE AC (OVERHAUL WITH SEAL REPLACEMENT) - REDUCING VALVE AC (401CP)							Service ATA:27
PN:102025-02	MOS	01-Oct-06	288 (+3%)		01-Oct-30	20-Jun-31	1824 d (+262)	OVERHAUL
SN:12	HRS							
WC#: 27.500	AFL							
Restoration Date:: 01-Oct-06								
PROC. REF: AMM 27-30-09-350-801PROC. REF: AMM 27-30-09-350-801								
27-30-09-900-801-01	REMOVAL / INSTALLATION OF THE REDUCING VALVE AC - REDUCING VALVE AC (401CP)							Component ATA:27
PN:102025-02	MOS/MSC	06-Jul-13	O/C	TSN 81, TSR 3				
SN:12	HRS	2780:40		TSN 2661:12, TSR 0				
WC#: 27.500	AFL	1195		TSN 852, TSR 0				
PROC. REF: AMM 27-30-09-900-801PROC. REF: AMM 27-30-09-900-801								
27-40-00-220-801-01 ^S	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER CONTROL SYSTEM COMPONENTS							Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.560	AFL	2518						
PROC. REF: AMM 27-40-00-220-801PROC. REF: AMM 27-40-00-220-801								
PKG:4								
27-40-00-220-801-01A	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER CONTROL SYSTEM COMPONENTS (MANDATORY 5-40)							Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.560	AFL	2518						
PROC. REF: AMM 27-40-00-220-801PROC. REF: AMM 27-40-00-220-801								
27-40-00-710-801-05 ^S	OPERATIONAL TEST OF THE HSTA ELECTRIC MOTOR REVERSION RELAYS							Service ATA:27
	MOS	12-Jun-07						
	HRS	0	4800 (+50)					
	AFL	0						
PROC. REF: AMM 27-40-00-710-801PROC. REF: AMM 27-40-00-710-801								
PKG:32								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40-00-710-801-05A		OPERATIONAL TEST OF THE HSTA ELECTRIC MOTOR REVERSION RELAYS (MANDATORY 5-40)						Service ATA:27
	MOS	12-Jun-07						CMR
	HRS	0	5050		9198:30 (M)		1705:56	
	AFL	0						
PROC. REF: AMM 27-40-00-710-801PROC. REF: AMM 27-40-00-710-801								
27-40-00-710-802-01 ^S		OPERATIONAL TEST OF THE HSTA TRIM EMERG CONTROL						Service ATA:27
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
	AFL	2584						
PKG:8								
PROC. REF: AMM 27-40-00-710-802PROC. REF: AMM 27-40-00-710-802								
27-40-00-710-802-01A		OPERATIONAL TEST OF THE HSTA TRIM EMERG CONTROL (MANDATORY 5-40)						Service ATA:27
	MOS	18-Nov-24						CMR
	HRS	7061:12	1000		8061:12		568:38	
	AFL	2584						
PROC. REF: AMM 27-40-00-710-802PROC. REF: AMM 27-40-00-710-802								
27-40-01-210-801-01 ^S		CHECK OF THE HORIZONTAL STABILIZER TRIM ACTUATOR OIL LEVEL - HSTA (101CH)						Service ATA:27
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 27.240	AFL	2584						
PKG:1								
WO#: JWL-25-049								
PROC. REF: AMM 27-40-01-210-801PROC. REF: AMM 27-40-01-210-801								
27-40-01-280-801-01		SPECIAL DETAILED INSPECTION OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - HSTA (101CH)						Service ATA:27
PN:021173-03	MOS	08-Oct-12						
SN:00029	HRS	2419:30	20000	TAC 337	22082:30		14589:56	
	AFL	998		TAC 210				
PROC. REF: AMM 27-40-01-280-801PROC. REF: AMM 27-40-01-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40-01-280-801-01A	SPECIAL DETAILED INSPECTION THE HORIZONTAL STABILIZER TRIM ACTUATOR - HSTA (101CH) (MANDATORY 5-40)							Service ATA:27
PN:021173-03	MOS	08-Oct-12						CMR
SN:00029	HRS	2419:30	20000	TAC 337	22082:30		14589:56	
	AFL	998		TAC 210				
PROC. REF: AMM 27-40-01-280-801PROC. REF: AMM 27-40-01-280-801								
27-40-01-350-801-02	RESTORATION OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - UPGRADING OF THE HORIZONTAL STABILIZER TRIM ACTUATOR (101CH)							Service ATA:27
PN:021173-03	MOS/MSC	08-Oct-12	O/C					
SN:00029	HRS	2419:30						
WC#: 27.240	AFL	998						
PROC. REF: AMM 27-40-01-350-801PROC. REF: AMM 27-40-01-350-801								
27-40-01-350-801-02A	RESTORATION OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - UPGRADING OF THE HORIZONTAL STABILIZER TRIM ACTUATOR (101CH) (MANDATORY 5-40)							Service ATA:27
PN:021173-03	MOS/MSC	08-Oct-12	O/C					CMR
SN:00029	HRS	2419:30						
WC#: 27.240	AFL	998						
PROC. REF: AMM 27-40-01-350-801PROC. REF: AMM 27-40-01-350-801								
27-40-01-350-801-03	RESTORATION OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - RESTORATION (SEAL REPLACEMENT) OF THE HORIZONTAL STABILIZER TRIM ACTUATOR (101CH)							Service ATA:27
PN:021173-03	MOS	08-Oct-12	288 (+3%)		08-Oct-36	27-Jun-37	4023 d (+262)	
SN:00029	HRS							
	AFL							
PROC. REF: AMM 27-40-01-350-801PROC. REF: AMM 27-40-01-350-801								
27-40-01-610-801-01	SERVICING OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - HSTA (101CH)							Service ATA:27
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	
	HRS	6775:44	2400 (+50)		9175:44	9225:44	1683:10 (+50)	
WC#: 27.240	AFL	2518						
PROC. REF: AMM 27-40-01-610-801PROC. REF: AMM 27-40-01-610-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40-01-640-801-01	^S	GREASING OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - HSTA (101CH)						Service ATA:27
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 27.240	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 27-40-01-640-801PROC. REF: AMM 27-40-01-640-801								
27-40-01-640-801-01A		GREASING OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - HSTA (101CH) (MANDATORY 5-40)						Service ATA:27
	MOS	18-Nov-24						CMR
	HRS	7061:12	2000		9061:12		1568:38	
WC#: 27.240	AFL	2584						
PROC. REF: AMM 27-40-01-640-801PROC. REF: AMM 27-40-01-640-801								
27-40-01-720-802-01	^S	FUNCTIONAL TEST OF THE BACK-UP MOTOR BRAKE TORQUE - HSTA BACK-UP MOTOR (9530CH)						Service ATA:27
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 27.240	AFL	1825						
								PKG:32
PROC. REF: AMM 27-40-01-720-802PROC. REF: AMM 27-40-01-720-802								
27-40-01-900-801-01		REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER TRIM ACTUATOR - HSTA (101CH)						Component ATA:27
PN:021173-03	MOS/MSC	25-Mar-21	H/T					
SN:00029	HRS	5902:02						
WC#: 27.240	AFL	2308						
PROC. REF: AMM 27-40-01-900-801PROC. REF: AMM 27-40-01-900-801								
27-40-01-960-801-01A		REPLACE HORIZONTAL STABILIZER TRIM (HSTA) ACTUATOR (HSTA) (MANDATORY 5-40)						Service ATA:27
	MOS/MSC	08-Oct-12	N/A					
	HRS	2419:30						
WC#: 27.041	AFL	998						
PROC. REF: AMM 27-40-01-900-801PROC. REF: AMM 27-40-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40-05-350-801-01	RESTORATION OF THE HORIZONTAL STABILIZER SENSOR UNIT (HSSU) (OVERHAUL WITH SEAL REPLACEMENT) - HSSU (201CH)							Service ATA:27
PN:016098-01	MOS	31-May-22	288 (+3%)		31-May-46	19-Feb-47	7545 d (+264)	OVERHAUL
SN:472	HRS							
WC#: 27.395	AFL							
Restoration Date:: 31-May-22								
PROC. REF: AMM 27-40-05-350-801PROC. REF: AMM 27-40-05-350-801								
27-40-05-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER SENSOR UNIT (HSSU) - HSSU (201CH)							Component ATA:27
PN:016098-01	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:472	HRS	6775:44		TSN 0				
WC#: 27.395	AFL	2518		TSN 0				
PROC. REF: AMM 27-40-05-900-801PROC. REF: AMM 27-40-05-900-801								
27-40-09-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER ELECTRONIC CONTROL UNIT (HSECU) - HSECU (301CH)							Component ATA:27
PN:051244-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1021	HRS	0		TSN 0				
WC#: 27.065	AFL	0		TSN 0				
PROC. REF: AMM 27-40-09-900-801PROC. REF: AMM 27-40-09-900-801								
27-40-11-900-801-01	REMOVAL / INSTALLATION OF THE HSECU DIODE BOX - HSECU DIODE BOX (501CH)							Component ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.725	AFL	0		TSN 0				
PROC. REF: AMM 27-40-11-900-801PROC. REF: AMM 27-40-11-900-801								
27-40-13-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER ELECTRONIC BACK-UP UNIT (HSEBU) - HSEBU (401CH)							Component ATA:27
PN:051245-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1008	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: AMM 27-40-13-900-801PROC. REF: AMM 27-40-13-900-801								
27-50-00-220-801-01	DETAILED INSPECTION OF THE FLAP CONTROL SYSTEM							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.685	AFL	2548	1000		3548		888	

WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-50-00-220-801PROC. REF: AMM 27-50-00-220-801								
27-50-00-710-801-01	OPERATIONAL TEST OF THE FLAP CONTROL AND INDICATING SYSTEM							Service ATA:27
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 27-50-00-710-801PROC. REF: AMM 27-50-00-710-801								
27-50-00-710-802-01	^S	OPERATIONAL TEST OF THE FLAP BRAKE, AIRBRAKE LOCK AND SFAU POWER MONITOR						Service ATA:27
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 27.565	AFL	2584						
PKG:8								
PROC. REF: AMM 27-50-00-710-802PROC. REF: AMM 27-50-00-710-802								
27-50-00-710-802-01A	OPERATIONAL TEST OF THE FLAP BRAKE, AIRBRAKE LOCK AND SFAU POWER MONITOR (MANDATORY 5-40)							Service ATA:27
	MOS	18-Nov-24						CMR
	HRS	7061:12	850		7911:12		418:38	
WC#: 27.565	AFL	2584						
PROC. REF: AMM 27-50-00-710-802PROC. REF: AMM 27-50-00-710-802								
27-50-00-720-801-01	FUNCTIONAL TEST OF THE FLAP CONTROL AND INDICATING SYSTEM							Service ATA:27
	MOS	23-May-12						
	HRS	2184:49						
WC#: 27.685	AFL	912	2000		2912		252	
PROC. REF: AMM 27-50-00-720-801PROC. REF: AMM 27-50-00-720-801								
27-50-00-720-802-01	FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION CIRCUIT							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4800 (+50)		10957:31	11007:31	3464:57 (+50)	
WC#: 27.570	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-50-00-720-802PROC. REF: AMM 27-50-00-720-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50-00-720-802-01A	FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION CIRCUIT (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	5000		11157:31		3664:57	
WC#: 27.570	AFL	2388						
PROC. REF: AMM 27-50-00-720-802PROC. REF: AMM 27-50-00-720-802								
27-50-00-900-801-01	U	SLAT/FLAP AIRBRAKE UNIT UNIT						Component ATA:27
PN:MY2800-05	MOS/MSC	02-Aug-16	O/C					
SN:0288R	HRS	3066:40						
	AFL	1423						
27-51-01-900-801-01	REMOVAL / INSTALLATION OF THE SLAT / FLAP AND AIRBRAKE UNIT (SFAU) - SFAU (9001CF)							Component ATA:27
PN:TY2800-05	MOS/MSC	03-Aug-16	O/C	TSR 2				
SN:0288R	HRS	3066:40		TSR 0				
WC#: 27.480	AFL	1423		TSR 0				
PROC. REF: AMM 27-51-01-900-801PROC. REF: AMM 27-51-01-900-801								
27-51-05-900-801-01	REMOVAL / INSTALLATION OF THE LH INBOARD FLAP POSITION SENSOR 1 - LH INBOARD FLAP POSITION SENSOR 1 (L9101CF)							Component ATA:27
PN:TY2825-05	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06000809	HRS	0		TSN 0				
WC#: 27.405	AFL	0		TSN 0				
PROC. REF: AMM 27-51-05-900-801PROC. REF: AMM 27-51-05-900-801								
27-51-09-900-801-01	REMOVAL / INSTALLATION OF THE FLAP POSITION SENSORS - RH INBOARD FLAP POSITION SENSOR (R9101CF)							Component ATA:27
PN:TY2809-04	MOS/MSC	14-Sep-21	O/C	TSN 0				
SN:14E00126	HRS	6115:26		TSN 0				
WC#: 27.410	AFL	2379		TSN 0				
PROC. REF: AMM 27-51-09-900-801PROC. REF: AMM 27-51-09-900-801								
27-51-09-900-801-02	REMOVAL / INSTALLATION OF THE FLAP POSITION SENSORS - LH OUTBOARD FLAP POSITION SENSOR (L9201CF)							Component ATA:27
PN:TY2817-05	MOS/MSC	26-Apr-11	O/C	TSN 0				
SN:08M00570	HRS	1516:26		TSN 0				
WC#: 27.405	AFL	674		TSN 0				
PROC. REF: AMM 27-51-09-900-801PROC. REF: AMM 27-51-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-09-900-801-03 REMOVAL / INSTALLATION OF THE FLAP POSITION SENSORS - RH OUTBOARD FLAP POSITION SENSOR (R9201CF)								Component ATA:27
PN:TY2817-05	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06A00035	HRS	0		TSN 0				
WC#: 27.410	AFL	0		TSN 0				
PROC. REF: AMM 27-51-09-900-801PROC. REF: AMM 27-51-09-900-801								
27-51-09-900-801-04 REMOVAL / INSTALLATION OF THE FLAP POSITION SENSORS - LH INBOARD FLAP POSITION SENSOR 2 (9401CF)								Component ATA:27
PN:TY2809-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06O01159	HRS	0		TSN 0				
WC#: 27.400	AFL	0		TSN 0				
PROC. REF: AMM 27-51-09-900-801PROC. REF: AMM 27-51-09-900-801								
27-52-00-640-801-01 ^S LUBRICATION OF THE FLAP TRANSMISSION STEADY BEARINGS - FLAP TRANSMISSION SHAFT 0 (4402CF)								Service ATA:27
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 27.575	AFL	2518						
PROC. REF: AMM 27-52-00-640-801PROC. REF: AMM 27-52-00-640-801								PKG:2 WO#: JWL-25-049
27-52-00-640-801-02 ^S LUBRICATION OF THE FLAP TRANSMISSION STEADY BEARINGS - LH FLAP TRANSMISSION SHAFT 4 (L5402CF)								Service ATA:27
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 27.575	AFL	2518						
PROC. REF: AMM 27-52-00-640-801PROC. REF: AMM 27-52-00-640-801								PKG:2 WO#: JWL-25-049
27-52-00-640-801-03 ^S LUBRICATION OF THE FLAP TRANSMISSION STEADY BEARINGS - RH FLAP TRANSMISSION SHAFT 4 (R5402CF)								Service ATA:27
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 27.575	AFL	2518						
PROC. REF: AMM 27-52-00-640-801PROC. REF: AMM 27-52-00-640-801								PKG:2 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-00-640-801-04	^S	LUBRICATION OF THE FLAP TRANSMISSION STEADY BEARINGS - LH FLAP TRANSMISSION SHAFT 9 (L6402CF)						Service ATA:27
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 27.575	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 27-52-00-640-801PROC. REF: AMM 27-52-00-640-801								
27-52-00-640-801-05	^S	LUBRICATION OF THE FLAP TRANSMISSION STEADY BEARINGS - RH FLAP TRANSMISSION SHAFT 9 (R6402CF)						Service ATA:27
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 27.575	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 27-52-00-640-801PROC. REF: AMM 27-52-00-640-801								
27-52-01-350-801-01		RESTORATION OF THE POWER DRIVE UNIT (PDU MOTOR REPLACEMENT) - FLAPS POWER DRIVE UNIT (3002CF)						Service ATA:27
PN:TY2801-04	MOS/MSC	23-Dec-14	N/A					
SN:0030	HRS	2987:52		TAC 2988				
WC#: 27.320	AFL	1341		TAC 1341				
PROC. REF: AMM 27-52-01-350-801PROC. REF: AMM 27-52-01-350-801								
27-52-01-610-801-01		SERVICING OF THE POWER DRIVE UNIT						Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.690	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-01-610-801PROC. REF: AMM 27-52-01-610-801								
27-52-01-900-801-01		REMOVAL / INSTALLATION OF THE POWER DRIVE UNIT - FLAPS POWER DRIVE UNIT (3002CF)						Component ATA:27
PN:TY2801-04	MOS/MSC	23-Dec-14	O/C					
SN:0030	HRS	2987:52						
WC#: 27.320	AFL	1341						
PROC. REF: AMM 27-52-01-900-801PROC. REF: AMM 27-52-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-05-610-801-01	SERVICING OF THE FLAP TRANSMISSION GEARBOXES - LH 14° FLAP GEARBOX (3802CF)							Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.580	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-05-610-801PROC. REF: AMM 27-52-05-610-801								
27-52-05-610-801-02	SERVICING OF THE FLAP TRANSMISSION GEARBOXES - RH 14° FLAP GEARBOX (4002CF)							Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.580	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-05-610-801PROC. REF: AMM 27-52-05-610-801								
27-52-05-610-801-03	SERVICING OF THE FLAP TRANSMISSION GEARBOXES - LH UPPER 90° FLAP GEARBOX (L3502CF)							Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.580	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-05-610-801PROC. REF: AMM 27-52-05-610-801								
27-52-05-610-801-04	SERVICING OF THE FLAP TRANSMISSION GEARBOXES - RH UPPER 90° FLAP GEARBOX (R3502CF)							Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.580	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-05-610-801PROC. REF: AMM 27-52-05-610-801								
27-52-05-610-801-05	SERVICING OF THE FLAP TRANSMISSION GEARBOXES - LH LOWER 90° FLAP GEARBOX (L3602CF)							Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.580	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-05-610-801PROC. REF: AMM 27-52-05-610-801								
27-52-05-610-801-06	SERVICING OF THE FLAP TRANSMISSION GEARBOXES - RH LOWER 90° FLAP GEARBOX (R3602CF)							Service ATA:27
	MOS	21-Feb-22	48 (+1m)		21-Feb-26	21-Mar-26	141 d (+28)	
	HRS	6322:16						
WC#: 27.580	AFL	2423	2000		4423		1763	
PROC. REF: AMM 27-52-05-610-801PROC. REF: AMM 27-52-05-610-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-05-900-801-01 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION GEARBOXES - LH 14° FLAP GEARBOX (3802CF)							Component	ATA:27
PN:TY2812-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0025	HRS	0		TSN 0				
WC#: 27.330	AFL	0		TSN 0				
PROC. REF: AMM 27-52-05-900-801PROC. REF: AMM 27-52-05-900-801								
27-52-05-900-801-02 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION GEARBOXES - RH 14° FLAP GEARBOX (4002CF)							Component	ATA:27
PN:TY2813-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB008	HRS	0		TSN 0				
WC#: 27.330	AFL	0		TSN 0				
PROC. REF: AMM 27-52-05-900-801PROC. REF: AMM 27-52-05-900-801								
27-52-05-900-801-03 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION GEARBOXES - LH UPPER 90° FLAP GEARBOX (L3502CF)							Component	ATA:27
PN:TY2811-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB035-045	HRS	0		TSN 0				
WC#: 27.335	AFL	0		TSN 0				
PROC. REF: AMM 27-52-05-900-801PROC. REF: AMM 27-52-05-900-801								
27-52-05-900-801-04 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION GEARBOXES - RH UPPER 90° FLAP GEARBOX (R3502CF)							Component	ATA:27
PN:TY2811-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB036-046	HRS	0		TSN 0				
WC#: 27.340	AFL	0		TSN 0				
PROC. REF: AMM 27-52-05-900-801PROC. REF: AMM 27-52-05-900-801								
27-52-05-900-801-05 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION GEARBOXES - LH LOWER 90° FLAP GEARBOX (L3602CF)							Component	ATA:27
PN:TY2811-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0073	HRS	0		TSN 0				
WC#: 27.335	AFL	0		TSN 0				
PROC. REF: AMM 27-52-05-900-801PROC. REF: AMM 27-52-05-900-801								
27-52-05-900-801-06 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION GEARBOXES - RH LOWER 90° FLAP GEARBOX (R3602CF)							Component	ATA:27
PN:TY2811-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB036	HRS	0		TSN 0				
WC#: 27.340	AFL	0		TSN 0				
PROC. REF: AMM 27-52-05-900-801PROC. REF: AMM 27-52-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-13-900-801-01 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 0 - FLAP TRANSMISSION SHAFT 0 (4402CF)							Component	ATA:27
PN:CH2816A1300	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0016	HRS	5287:57		TSN 5287:57				
WC#: 27.420	AFL	2109		TSN 2109				
PROC. REF: AMM 27-52-13-900-801PROC. REF: AMM 27-52-13-900-801								
27-52-13-900-802-01 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 1 AND 2 - LH FLAP TRANSMISSION SHAFT 1 (4602CF)							Component	ATA:27
PN:CH2816A0120	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0014	HRS	0		TSN 0				
WC#: 27.425	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-802PROC. REF: AMM 27-52-13-900-802								
27-52-13-900-802-02 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 1 AND 2 - RH FLAP TRANSMISSION SHAFT 1 (4802CF)							Component	ATA:27
PN:CH2816A0820	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0013	HRS	0		TSN 0				
WC#: 27.425	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-802PROC. REF: AMM 27-52-13-900-802								
27-52-13-900-802-03 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 1 AND 2 - LH FLAP TRANSMISSION SHAFT 2 (L5002CF)							Component	ATA:27
PN:CH2816A0200	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0025	HRS	0		TSN 0				
WC#: 27.435	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-802PROC. REF: AMM 27-52-13-900-802								
27-52-13-900-802-04 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 1 AND 2 - RH FLAP TRANSMISSION SHAFT 2 (R5002CF)							Component	ATA:27
PN:CH2816A0200	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0026	HRS	0		TSN 0				
WC#: 27.435	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-802PROC. REF: AMM 27-52-13-900-802								
27-52-13-900-803-01 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 3 (L5202CF)							Component	ATA:27
PN:CH2816A0320	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0045	HRS	0		TSN 0				
WC#: 27.440	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-13-900-803-02 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 3 (R5202CF)							Component	ATA:27
PN:CH2816A0320-01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB0020	HRS	0		TSN 0				
WC#: 27.440	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-03 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 4 (L5402CF)							Component	ATA:27
PN:CH2816A0400	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0045	HRS	5287:57		TSN 5287:57				
WC#: 27.445	AFL	2109		TSN 2109				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-04 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 4 (R5402CF)							Component	ATA:27
PN:CH2816A0400	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:AB0018	HRS	5287:57		TSN 5287:57				
WC#: 27.445	AFL	2109		TSN 2109				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-05 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 5 (L5602CF)							Component	ATA:27
PN:CH2816A0900	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0041	HRS	0		TSN 0				
WC#: 27.450	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-06 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 5 (R5602CF)							Component	ATA:27
PN:CH2816A0900	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB0016	HRS	0		TSN 0				
WC#: 27.450	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-07 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 6 (L5802CF)							Component	ATA:27
PN:CH2816A0500	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0041	HRS	0		TSN 0				
WC#: 27.455	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-13-900-803-08 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 6 (R5802CF)							Component	ATA:27
PN:CH2816A0500	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB0016	HRS	0		TSN 0				
WC#: 27.455	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-09 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 7 (L6002CF)							Component	ATA:27
PN:CH2816A0600	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0043	HRS	0		TSN 0				
WC#: 27.460	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-10 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 7 (R6002CF)							Component	ATA:27
PN:CH2816A0600	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB0018	HRS	0		TSN 0				
WC#: 27.460	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-11 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 8 (L6202CF)							Component	ATA:27
PN:CH2816A0700	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0041	HRS	0		TSN 0				
WC#: 27.465	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-12 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 8 (R6202CF)							Component	ATA:27
PN:CH2816A0700	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB0016	HRS	0		TSN 0				
WC#: 27.465	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-13 REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 9 (L6402CF)							Component	ATA:27
PN:CH2816A1000	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0043	HRS	5287:57		TSN 5287:57				
WC#: 27.470	AFL	2109		TSN 2109				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-52-13-900-803-14		REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 9 (R6402CF)						Component ATA:27
PN:CH2816A1000	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:AB0018	HRS	5287:57		TSN 5287:57				
WC#: 27.470	AFL	2109		TSN 2109				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-15		REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - LH FLAP TRANSMISSION SHAFT 10 (L6602CF)						Component ATA:27
PN:CH2816A1200	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0043	HRS	0		TSN 0				
WC#: 27.430	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-52-13-900-803-16		REMOVAL / INSTALLATION OF THE FLAP TRANSMISSION SHAFTS 3 TO 10 - RH FLAP TRANSMISSION SHAFT 10 (R6602CF)						Component ATA:27
PN:CH2816A1200	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AB0016	HRS	0		TSN 0				
WC#: 27.430	AFL	0		TSN 0				
PROC. REF: AMM 27-52-13-900-803PROC. REF: AMM 27-52-13-900-803								
27-53-01-610-801-01		SERVICING OF THE FLAP ACTUATORS - LH INBOARD FLAP ACTUATOR 1 (L7003CF)						Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
							WO#: JWL-25-049	
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								
27-53-01-610-801-02		SERVICING OF THE FLAP ACTUATORS - RH INBOARD FLAP ACTUATOR 1 (R7003CF)						Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
							WO#: JWL-25-049	
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-610-801-03	SERVICING OF THE FLAP ACTUATORS - LH INBOARD FLAP ACTUATOR 2 (L7103CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								
27-53-01-610-801-04	SERVICING OF THE FLAP ACTUATORS - RH INBOARD FLAP ACTUATOR 2 (R7103CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								
27-53-01-610-801-05	SERVICING OF THE FLAP ACTUATORS - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								
27-53-01-610-801-06	SERVICING OF THE FLAP ACTUATORS - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								
27-53-01-610-801-07	SERVICING OF THE FLAP ACTUATORS - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-610-801-08	SERVICING OF THE FLAP ACTUATORS - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30						
WC#: 27.585	AFL	2548	1000		3548		888	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-610-801PROC. REF: AMM 27-53-01-610-801								
27-53-01-640-801-01	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH INBOARD FLAP ACTUATOR 1 (L7003CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.200	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-01A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH INBOARD FLAP ACTUATOR 1 (L7003CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.200	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-02	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH INBOARD FLAP ACTUATOR 1 (R7003CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.205	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-02A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH INBOARD FLAP ACTUATOR 1 (R7003CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.205	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-640-801-03	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH INBOARD FLAP ACTUATOR 2 (L7103CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.210	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-03A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH INBOARD FLAP ACTUATOR 2 (L7103CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.210	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-04	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH INBOARD FLAP ACTUATOR 2 (R7103CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.215	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-04A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH INBOARD FLAP ACTUATOR 2 (R7103CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.215	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-05	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.220	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-640-801-05A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.220	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-06	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.225	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-06A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.225	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-07	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.230	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-07A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.230	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-640-801-08	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF)							Service ATA:27
	MOS	30-Jan-24	24 (+1m)	Adj -8d	22-Jan-26	22-Feb-26	111 d (+31)	
	HRS	6881:30	1600 (+50)		8481:30	8531:30	988:56 (+50)	
WC#: 27.235	AFL	2548	400		2948		288	
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-640-801-08A	LUBRICATION OF THE FLAP ACTUATOR SCREWS - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF) (MANDATORY 5-40)							Service ATA:27
	MOS	30-Jan-24						CMR
	HRS	6881:30	2000		8881:30		1388:56	
WC#: 27.235	AFL	2548						
								WO#: JWL-25-049
PROC. REF: AMM 27-53-01-640-801PROC. REF: AMM 27-53-01-640-801								
27-53-01-720-801-01	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH INBOARD FLAP ACTUATOR 1 (L7003CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-01A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH INBOARD FLAP ACTUATOR 1 (L7003CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-02	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH INBOARD FLAP ACTUATOR 1 (R7003CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-720-801-02A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH INBOARD FLAP ACTUATOR 1 (R7003CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-03	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH INBOARD FLAP ACTUATOR 2 (L7103CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-03A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH INBOARD FLAP ACTUATOR 2 (L7103CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-04	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH INBOARD FLAP ACTUATOR 2 (R7103CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-04A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH INBOARD FLAP ACTUATOR 2 (R7103CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.590	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-05	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-720-801-05A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-06	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-06A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-07	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-07A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-801-08	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF)							Service ATA:27
	MOS	15-Oct-21						
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388	1000		3388		728	
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-720-801-08A	FUNCTIONAL TEST OF THE FLAP ACTUATOR BACKLASH - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF) (MANDATORY 5-40)							Service ATA:27
	MOS	15-Oct-21						CMR
	HRS	6157:31	4000		10157:31		2664:57	
WC#: 27.595	AFL	2388						
PROC. REF: AMM 27-53-01-720-801PROC. REF: AMM 27-53-01-720-801								
27-53-01-720-802-01	^S	FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH INBOARD FLAP ACTUATOR 1 (L7003CF)						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.600	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-01A		FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH INBOARD FLAP ACTUATOR 1 (L7003CF) (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.600	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-02	^S	FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH INBOARD FLAP ACTUATOR 1 (R7003CF)						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.600	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-02A		FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH INBOARD FLAP ACTUATOR 1 (R7003CF) (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.600	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-720-802-03	^S	FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH INBOARD FLAP ACTUATOR 2 (L7103CF)						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.600	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								PKG:41
27-53-01-720-802-03A		FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH INBOARD FLAP ACTUATOR 2 (L7103CF) (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23					CMR	
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.600	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-04	^S	FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH INBOARD FLAP ACTUATOR 2 (R7103CF)						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.600	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								PKG:41
27-53-01-720-802-04A		FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH INBOARD FLAP ACTUATOR 2 (R7103CF) (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23					CMR	
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.600	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-05	^S	FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF)						Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.605	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-720-802-05A FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF) (MANDATORY 5-40)								Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.605	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-06 ^S FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF)								Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.605	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								PKG:41
27-53-01-720-802-06A FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF) (MANDATORY 5-40)								Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.605	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-07 ^S FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF)								Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.605	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								PKG:41
27-53-01-720-802-07A FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF) (MANDATORY 5-40)								Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.605	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-720-802-08		S	FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF)					Service ATA:27
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 27.605	AFL	2518	4000					
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-720-802-08A			FUNCTIONAL CHECK OF COMPRESSIVE NO-BACK - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF) (MANDATORY 5-40)					Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	10000		16775:44		9283:10	
WC#: 27.605	AFL	2518						
PROC. REF: AMM 27-53-01-720-802PROC. REF: AMM 27-53-01-720-802								
27-53-01-900-801-01			REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - LH INBOARD FLAP ACTUATOR 1 (L7003CF)					Component ATA:27
PN:TY2826-05	MOS/MSC	22-Jan-20	O/C	TSN 112				
SN:0045	HRS	5287:57		TSN 3907:47				
WC#: 27.200	AFL	2109		TSN 1624				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-53-01-900-801-02			REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - RH INBOARD FLAP ACTUATOR 1 (R7003CF)					Component ATA:27
PN:TY2826-05	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0051	HRS	5287:57		TSN 5287:57				
WC#: 27.205	AFL	2109		TSN 2109				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-53-01-900-801-03			REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - LH INBOARD FLAP ACTUATOR 2 (L7103CF)					Component ATA:27
PN:TY2826-05	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0152	HRS	5287:57		TSN 5287:57				
WC#: 27.210	AFL	2109		TSN 2109				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-53-01-900-801-04			REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - RH INBOARD FLAP ACTUATOR 2 (R7103CF)					Component ATA:27
PN:TY2826-05	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0150	HRS	5287:57		TSN 5287:57				
WC#: 27.215	AFL	2109		TSN 2109				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-01-900-801-05 REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - LH OUTBOARD FLAP ACTUATOR 3 (L7203CF)							Component	ATA:27
PN:TY2827-04	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0049	HRS	5287:57		TSN 5287:57				
WC#: 27.220	AFL	2109		TSN 2109				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-53-01-900-801-06 REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - RH OUTBOARD FLAP ACTUATOR 3 (R7203CF)							Component	ATA:27
PN:TY2827-04	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0017	HRS	5287:57		TSN 5287:57				
WC#: 27.225	AFL	2109		TSN 2109				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-53-01-900-801-07 REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - LH OUTBOARD FLAP ACTUATOR 4 (L7403CF)							Component	ATA:27
PN:TY2828-04	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0042	HRS	5287:57		TSN 5287:57				
WC#: 27.230	AFL	2109		TSN 2109				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-53-01-900-801-08 REMOVAL / INSTALLATION OF THE FLAP ACTUATORS - RH OUTBOARD FLAP ACTUATOR 4 (R7403CF)							Component	ATA:27
PN:TY2828-04	MOS/MSC	22-Jan-20	O/C	TSR 0				
SN:0016	HRS	5287:57		TSN 2460, TSR 0				
WC#: 27.235	AFL	2109		TSN 1090, TSR 0				
PROC. REF: AMM 27-53-01-900-801PROC. REF: AMM 27-53-01-900-801								
27-60-00-220-801-01 ^S DETAILED INSPECTION OF THE AIRBRAKE SYSTEM - LH INBOARD AIRBRAKE ACTUATOR (L802CD)							Service	ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.610	AFL	2518						
PROC. REF: AMM 27-60-00-220-801PROC. REF: AMM 27-60-00-220-801							PKG:4	
27-60-00-220-801-02 ^S DETAILED INSPECTION OF THE AIRBRAKE SYSTEM - RH INBOARD AIRBRAKE ACTUATOR (R802CD)							Service	ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.610	AFL	2518						
PROC. REF: AMM 27-60-00-220-801PROC. REF: AMM 27-60-00-220-801							PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-60-00-220-801-03	^S	DETAILED INSPECTION OF THE AIRBRAKE SYSTEM - LH OUTBOARD AIRBRAKE ACTUATOR (L1002CD)						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.610	AFL	2518						
								PKG:4
PROC. REF: AMM 27-60-00-220-801PROC. REF: AMM 27-60-00-220-801								
27-60-00-220-801-04	^S	DETAILED INSPECTION OF THE AIRBRAKE SYSTEM - RH OUTBOARD AIRBRAKE ACTUATOR (R1002CD)						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.610	AFL	2518						
								PKG:4
PROC. REF: AMM 27-60-00-220-801PROC. REF: AMM 27-60-00-220-801								
27-60-00-220-801-05	^S	DETAILED INSPECTION OF THE AIRBRAKE SYSTEM - AIRBRAKE CONTROL MANIFOLD (202CD)						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.610	AFL	2518						
								PKG:4
PROC. REF: AMM 27-60-00-220-801PROC. REF: AMM 27-60-00-220-801								
27-60-00-710-802-01	^S	OPERATIONAL TEST OF THE AIRBRAKE AUTO RETRACTION LOGIC - AUTOMATIC AIRBRAKE RETRACTION DURING "AB 2" APPROACH						Service ATA:27
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 27.615	AFL	2518						
								PKG:31
PROC. REF: AMM 27-60-00-710-802PROC. REF: AMM 27-60-00-710-802								
27-60-00-710-802-01A		OPERATIONAL TEST OF THE AIRBRAKE AUTO RETRACTION LOGIC - AUTOMATIC AIRBRAKE RETRACTION DURING "AB 2" APPROACH (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23					CMR	
	HRS	6775:44	2500		9275:44		1783:10	
WC#: 27.615	AFL	2518						
PROC. REF: AMM 27-60-00-710-802PROC. REF: AMM 27-60-00-710-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-60-00-710-802-02	S	OPERATIONAL TEST OF THE AIRBRAKE AUTO RETRACTION LOGIC - AUTOMATIC AIRBRAKE RETRACTION WHEN THROTTLES ARE SET TO "TO"						Service ATA:27
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
								PKG:31
PROC. REF: AMM 27-60-00-710-802PROC. REF: AMM 27-60-00-710-802								
27-60-00-710-802-02A		OPERATIONAL TEST OF THE AIRBRAKE AUTO RETRACTION LOGIC - AUTOMATIC AIRBRAKE RETRACTION WHEN THROTTLES ARE SET TO "TO" (MANDATORY 5-40)						Service ATA:27
	MOS	11-Aug-23						CMR
	HRS	6775:44	2500		9275:44		1783:10	
	AFL	2518						
PROC. REF: AMM 27-60-00-710-802PROC. REF: AMM 27-60-00-710-802								
27-62-01-900-801-01		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH INBOARD AIRBRAKE ACTUATOR (L802CD)						Component ATA:27
PN:VN1035-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:173	HRS	0		TSN 0				
WC#: 27.245	AFL	0		TSN 0				
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
27-62-01-900-801-02		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH OUTBOARD AIRBRAKE ACTUATOR (L1002CD)						Component ATA:27
PN:VN1036-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:129	HRS	0		TSN 0				
WC#: 27.250	AFL	0		TSN 0				
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
27-62-01-900-801-03		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH INBOARD AIRBRAKE ACTUATOR (R802CD)						Component ATA:27
PN:VN1035-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:106	HRS	0		TSN 0				
WC#: 27.245	AFL	0		TSN 0				
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
27-62-01-900-801-04		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH OUTBOARD AIRBRAKE ACTUATOR (R1002CD)						Component ATA:27
PN:VN1036-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:106	HRS	0		TSN 0				
WC#: 27.250	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
27-62-05-900-801-01	REMOVAL / INSTALLATION OF THE AIRBRAKE CONTROL MANIFOLD - AIRBRAKE CONTROL MANIFOLD (202CD)							Component ATA:27
PN:BHC1035-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:102	HRS	0		TSN 0				
WC#: 27.375	AFL	0		TSN 0				
PROC. REF: AMM 27-62-05-900-801PROC. REF: AMM 27-62-05-900-801								
27-80-00-220-801-01	^S	DETAILED INSPECTION OF THE SLAT CONTROL SYSTEM COMPONENTS						Service ATA:27
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 27.695	AFL	2518						
PROC. REF: AMM 27-80-00-220-801PROC. REF: AMM 27-80-00-220-801								
27-80-00-710-801-01	^S	OPERATIONAL TEST OF THE SLATS IN NORMAL MODE						Service ATA:27
	MOS	26-Dec-24						
	HRS	7106:42	7200 (+50)					
WC#: 27.695	AFL	2592						
PROC. REF: AMM 27-80-00-710-801PROC. REF: AMM 27-80-00-710-801								
27-80-00-710-801-01A		OPERATIONAL TEST OF THE SLATS IN NORMAL MODE (MANDATORY 5-40)						Service ATA:27
	MOS	28-Dec-24						CMR
	HRS	7106:42	10000		17106:42		9614:08	
WC#: 27.046	AFL	2592						
PROC. REF: AMM 27-80-00-710-801PROC. REF: AMM 27-80-00-710-801								
27-80-00-710-802-01	^S	OPERATIONAL TEST OF THE SLATS IN BACK-UP MODE						Service ATA:27
	MOS	26-Dec-24						
	HRS	7106:42	7200 (+50)					
WC#: 27.695	AFL	2592						
PROC. REF: AMM 27-80-00-710-802PROC. REF: AMM 27-80-00-710-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-00-710-803-01	^S	OPERATIONAL TEST OF SLAT AUTO-EXTENSION						Service ATA:27
	MOS	26-Dec-24						
	HRS	7106:42	7200 (+50)					
WC#: 27.620	AFL	2592						
PROC. REF: AMM 27-80-00-710-803PROC. REF: AMM 27-80-00-710-803								PKG:33
27-80-00-710-803-01A		OPERATIONAL TEST OF SLAT AUTO-EXTENSION (MANDATORY 5-40)						Service ATA:27
	MOS	28-Dec-24						CMR
	HRS	7106:42	7500		14606:42		7114:08	
WC#: 27.620	AFL	2592						
PROC. REF: AMM 27-80-00-710-803PROC. REF: AMM 27-80-00-710-803								
27-80-00-870-801-01		BLEEDING OF THE SLAT HYDRAULIC SYSTEM						Service ATA:27
	MOS/MSC	26-Apr-24	O/C					
	HRS	6960:15						
	AFL	2562						
PROC. REF: AMM 27-80-00-870-801PROC. REF: AMM 27-80-00-870-801								
27-80-01-350-801-01		RESTORATION OF THE SLAT CONTROL MANIFOLD (SCM) (OVERHAUL WITH SEAL REPLACEMENT) - SLAT CONTROL MANIFOLD (101CM)						Service ATA:27
PN:108159-02	MOS	01-Jul-08	288 (+3%)		01-Jul-32	20-Mar-33	2463 d (+262)	OVERHAUL
SN:87	HRS							
WC#: 27.380	AFL							
Restoration Date:: 01-Jul-08								
PROC. REF: AMM 27-80-01-350-801PROC. REF: AMM 27-80-01-350-801								
27-80-01-900-801-01		REMOVAL / INSTALLATION OF THE SLAT CONTROL MANIFOLD (SCM) - SLAT CONTROL MANIFOLD (101CM)						Component ATA:27
PN:108159-02	MOS/MSC	04-Dec-15	O/C	TSN 89, TSR 14				
SN:87	HRS	3061:13		TSR 0				
WC#: 27.380	AFL	1404		TSR 0				
PROC. REF: AMM 27-80-01-900-801PROC. REF: AMM 27-80-01-900-801								
27-80-05-350-801-01		RESTORATION OF THE INBOARD SLAT ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH INBOARD SLAT ACTUATOR (L201CM)						Service ATA:27
PN:106136-02	MOS	01-Oct-06	264 (+3%)		01-Oct-28	29-May-29	1094 d (+240)	OVERHAUL
SN:31	HRS	0						
WC#: 27.280	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-80-05-350-801PROC. REF: AMM 27-80-05-350-801								
27-80-05-350-801-02		RESTORATION OF THE INBOARD SLAT ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH INBOARD SLAT ACTUATOR (R201CM)						Service ATA:27
PN:106136-02	MOS	01-Jun-06	264 (+3%)		01-Jun-28	29-Jan-29	972 d (+242)	OVERHAUL
SN:52	HRS	0						
WC#: 27.295	AFL	0						
PROC. REF: AMM 27-80-05-350-801PROC. REF: AMM 27-80-05-350-801								
27-80-05-900-801-01		REMOVAL / INSTALLATION OF THE INBOARD SLAT ACTUATORS - LH INBOARD SLAT ACTUATOR (L201CM)						Component ATA:27
PN:106136-02	MOS/MSC	01-Oct-06	O/C	TSN 0				
SN:31	HRS	0		TSN 0				
WC#: 27.280	AFL	0		TSN 0				
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
27-80-05-900-801-02		REMOVAL / INSTALLATION OF THE INBOARD SLAT ACTUATORS - RH INBOARD SLAT ACTUATOR (R201CM)						Component ATA:27
PN:106136-02	MOS/MSC	01-Jun-06	O/C	TSN 0				
SN:52	HRS	0		TSN 0				
WC#: 27.295	AFL	0		TSN 0				
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
27-80-05-960-801-01A		REPLACE LH INBOARD SLAT ACTUATOR (MANDATORY 5-40)						Service ATA:27
PN:106136-02	MOS/MSC	12-Jun-07	N/A					
SN:31	HRS	0						
WC#: 27.051	AFL	0						
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
27-80-05-960-801-02A		REPLACE RH INBOARD SLAT ACTUATOR (MANDATORY 5-40)						Service ATA:27
PN:106136-02	MOS/MSC	12-Jun-07	N/A					
SN:52	HRS	0						
WC#: 27.051	AFL	0						
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-09-350-801-01	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH MIDDLE SLAT ACTUATOR (L301CM)							Service ATA:27
PN:106138-02	MOS	01-Jan-08	264 (+3%)		01-Jan-30	29-Aug-30	1551 d (+240)	OVERHAUL
SN:152	HRS							
WC#: 27.285	AFL							
Restoration Date:: 01-Jan-08								
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-02	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH MIDDLE SLAT ACTUATOR (R301CM)							Service ATA:27
PN:106138-02	MOS	01-Mar-06	264 (+3%)		01-Mar-28	29-Oct-28	880 d (+242)	OVERHAUL
SN:47	HRS	0						
WC#: 27.300	AFL	0						
Restoration Date:: 01-Mar-06								
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-03	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH OUTBOARD SLAT ACTUATOR (L401CM)							Service ATA:27
PN:106140-03	MOS	01-Jan-06	264 (+3%)		01-Jan-28	29-Aug-28	820 d (+241)	OVERHAUL
SN:37	HRS	0						
WC#: 27.290	AFL	0						
Restoration Date:: 01-Jan-06								
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-04	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH OUTBOARD SLAT ACTUATOR (R401CM)							Service ATA:27
PN:106140-03	MOS	01-Nov-22	264 (+3%)		01-Nov-44	28-Jun-45	6969 d (+239)	OVERHAUL
SN:18	HRS							
WC#: 27.305	AFL							
Restoration Date:: 01-Nov-22								
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-05	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH MIDDLE SLAT BACK-UP ACTUATOR (L501CM)							Service ATA:27
PN:106139-02	MOS	01-Nov-05	264 (+3%)		01-Nov-27	28-Jun-28	759 d (+240)	OVERHAUL
SN:29	HRS	0						
WC#: 27.260	AFL	0						
Restoration Date:: 01-Nov-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-06	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH MIDDLE SLAT BACK-UP ACTUATOR (R501CM)							Service ATA:27
PN:106139-02	MOS	01-Feb-23	264 (+3%)		01-Feb-45	28-Sep-45	7061 d (+239)	OVERHAUL
SN:04	HRS							
WC#: 27.270	AFL							
Restoration Date:: 01-Feb-23								
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-07	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - LH OUTBOARD SLAT BACK-UP ACTUATOR (L601CM)							Service ATA:27
PN:106141-03	MOS	01-Nov-05	264 (+3%)		01-Nov-27	28-Jun-28	759 d (+240)	OVERHAUL
SN:37	HRS	0						
WC#: 27.265	AFL	0						
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-350-801-08	RESTORATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL AND BACK-UP ACTUATORS (OVERHAUL WITH SEAL REPLACEMENT) - RH OUTBOARD SLAT BACK-UP ACTUATOR (R601CM)							Service ATA:27
PN:106141-03	MOS	01-Feb-23	264 (+3%)		01-Feb-45	28-Sep-45	7061 d (+239)	OVERHAUL
SN:14	HRS							
WC#: 27.275	AFL							
PROC. REF: AMM 27-80-09-350-801PROC. REF: AMM 27-80-09-350-801								
27-80-09-900-801-01	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - LH MIDDLE SLAT ACTUATOR (L301CM)							Component ATA:27
PN:106138-02	MOS/MSC	23-Dec-14	O/C					
SN:152	HRS	2987:52		TSN 261				
WC#: 27.285	AFL	1341		TSN 147				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								
27-80-09-900-801-02	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - RH MIDDLE SLAT ACTUATOR (R301CM)							Component ATA:27
PN:106138-02	MOS/MSC	01-Mar-06	O/C	TSN 0				
SN:47	HRS	0		TSN 0				
WC#: 27.300	AFL	0		TSN 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-09-900-801-03	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - LH OUTBOARD SLAT ACTUATOR (L401CM)						Component	ATA:27
PN:106140-03	MOS/MSC	01-Jan-06	O/C	TSN 0				
SN:37	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								
27-80-09-900-801-04	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - RH OUTBOARD SLAT ACTUATOR (R401CM)						Component	ATA:27
PN:106140-03	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:18	HRS	6775:44		TSN 2272, TSO 0				
WC#: 27.305	AFL	2518		TSN 1081, TSO 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								
27-80-09-900-801-05	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - LH MIDDLE SLAT BACK-UP ACTUATOR (L501CM)						Component	ATA:27
PN:106139-02	MOS/MSC	01-Nov-05	O/C	TSN 0				
SN:29	HRS	0		TSN 0				
WC#: 27.260	AFL	0		TSN 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								
27-80-09-900-801-06	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - RH MIDDLE SLAT BACK-UP ACTUATOR (R501CM)						Component	ATA:27
PN:106139-02	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:04	HRS	6775:44		TSN 8714, TSO 0				
WC#: 27.270	AFL	2518		TSN 2947, TSO 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								
27-80-09-900-801-07	REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - LH OUTBOARD SLAT BACK-UP ACTUATOR (L601CM)						Component	ATA:27
PN:106141-03	MOS/MSC	01-Nov-05	O/C	TSN 0				
SN:37	HRS	0		TSN 0				
WC#: 27.265	AFL	0		TSN 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-09-900-801-08 REMOVAL / INSTALLATION OF THE MIDDLE OR OUTBOARD SLAT NORMAL OR BACK-UP ACTUATORS - RH OUTBOARD SLAT BACK-UP ACTUATOR (R601CM)								Component ATA:27
PN:106141-03	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:14	HRS	6775:44		TSN 6039, TSO 0				
WC#: 27.275	AFL	2518		TSN 2349, TSO 0				
PROC. REF: AMM 27-80-09-900-801PROC. REF: AMM 27-80-09-900-801								
27-80-09-960-801-01A REPLACE LH MIDDLE SLAT ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106138-02	MOS	23-Dec-14						LIFE LIMIT
SN:152	HRS	2987:52	50000	TAC 261	52726:52		45234:18	
WC#: 27.056	AFL	1341	20000	TAC 147	21194		18534	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-09-960-801-02A REPLACE RH MIDDLE SLAT ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106138-02	MOS	12-Jun-07						LIFE LIMIT
SN:47	HRS	0	50000		50000		42507:26	
WC#: 27.056	AFL	0	20000		20000		17340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-09-960-801-03A REPLACE LH OUTBOARD SLAT ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106140-03	MOS	12-Jun-07						LIFE LIMIT
SN:37	HRS	0	50000		50000		42507:26	
WC#: 27.056	AFL	0	20000		20000		17340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-09-960-801-04A REPLACE RH OUTBOARD SLAT ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106140-03	MOS	11-Aug-23						LIFE LIMIT
SN:18	HRS	6775:44	50000	TAC 2272	54503:44		47011:10	
WC#: 27.056	AFL	2518	20000	TAC 1081	21437		18777	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-09-960-801-05A REPLACE LH MIDDLE SLAT BACK-UP ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106139-02	MOS	12-Jun-07						LIFE LIMIT
SN:29	HRS	0	50000		50000		42507:26	
WC#: 27.056	AFL	0	20000		20000		17340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-09-960-801-06A REPLACE RH MIDDLE SLAT BACK-UP ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106139-02	MOS	11-Aug-23						LIFE LIMIT
SN:04	HRS	6775:44	50000	TAC 8714	48061:44		40569:10	
WC#: 27.056	AFL	2518	20000	TAC 2947	19571		16911	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-09-960-801-07A REPLACE LH OUTBOARD SLAT BACK-UP ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106141-03	MOS	12-Jun-07						LIFE LIMIT
SN:37	HRS	0	50000		50000		42507:26	
WC#: 27.056	AFL	0	20000		20000		17340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-09-960-801-08A REPLACE RH OUTBOARD SLAT BACK-UP ACTUATOR (MANDATORY 5-40)								Service ATA:27
PN:106141-03	MOS	11-Aug-23						LIFE LIMIT
SN:14	HRS	6775:44	50000	TAC 6039	50736:44		43244:10	
WC#: 27.056	AFL	2518	20000	TAC 2349	20169		17509	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-80-13-350-801-01 RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - LH OUTBOARD SLAT OUTBOARD HOOK (L1301CM)								Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6157	HRS							
WC#: 27.370	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								
27-80-13-350-801-02 RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - RH OUTBOARD SLAT OUTBOARD HOOK (R1301CM)								Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6163	HRS							
WC#: 27.370	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-13-350-801-03	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - LH OUTBOARD SLAT INBOARD HOOK (L1401CM)							Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6158	HRS							
WC#: 27.350	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								
27-80-13-350-801-04	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - RH OUTBOARD SLAT INBOARD HOOK (R1401CM)							Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6162	HRS							
WC#: 27.360	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								
27-80-13-350-801-05	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - LH MIDDLE SLAT OUTBOARD HOOK (L1501CM)							Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6159	HRS							
WC#: 27.365	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								
27-80-13-350-801-06	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - RH MIDDLE SLAT OUTBOARD HOOK (R1501CM)							Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6161	HRS							
WC#: 27.365	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								
27-80-13-350-801-07	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - LH MIDDLE SLAT INBOARD HOOK (L1601CM)							Service ATA:27
PN:106142-03	MOS	05-Mar-13	264 (+3%)		05-Mar-35	02-Nov-35	3440 d (+242)	OVERHAUL
SN:5562	HRS							
WC#: 27.345	AFL							
Restoration Date:: 05-Mar-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-13-350-801-08	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH SEAL REPLACEMENT) - RH MIDDLE SLAT INBOARD HOOK (R1601CM)							Service ATA:27
PN:106142-03	MOS	29-Aug-13	264 (+3%)		29-Aug-35	26-Apr-36	3617 d (+241)	OVERHAUL
SN:6160	HRS							
WC#: 27.355	AFL							
Restoration Date:: 29-Aug-13								
PROC. REF: AMM 27-80-13-350-801PROC. REF: AMM 27-80-13-350-801								
27-80-13-350-802-01	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - LH OUTBOARD SLAT OUTBOARD HOOK (L1301CM)							Service ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6157	HRS	2803:40						
WC#: 27.370	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-350-802-02	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - RH OUTBOARD SLAT OUTBOARD HOOK (R1301CM)							Service ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6163	HRS	2803:40						
WC#: 27.370	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-350-802-03	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - LH OUTBOARD SLAT INBOARD HOOK (L1401CM)							Service ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6158	HRS	2803:40						
WC#: 27.350	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-350-802-04	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - RH OUTBOARD SLAT INBOARD HOOK (R1401CM)							Service ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6162	HRS	2803:40						
WC#: 27.360	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-13-350-802-05	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - LH MIDDLE SLAT OUTBOARD HOOK (L1501CM)						Service	ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6159	HRS	2803:40						
WC#: 27.365	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-350-802-06	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - RH MIDDLE SLAT OUTBOARD HOOK (R1501CM)						Service	ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6161	HRS	2803:40						
WC#: 27.365	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-350-802-07	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - LH MIDDLE SLAT INBOARD HOOK (L1601CM)						Service	ATA:27
PN:106142-03	MOS/MSC	05-Mar-13	O/C					
SN:5562	HRS	2625:50						
WC#: 27.345	AFL	1075						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-350-802-08	RESTORATION OF THE SLAT HOOKS (OVERHAUL WITH REPLACEMENT OF ATTACHMENTS) - RH MIDDLE SLAT INBOARD HOOK (R1601CM)						Service	ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C					
SN:6160	HRS	2803:40						
WC#: 27.355	AFL	1202						
PROC. REF: AMM 27-80-13-350-802PROC. REF: AMM 27-80-13-350-802								
27-80-13-900-801-01	REMOVAL / INSTALLATION OF THE SLAT HOOKS - LH OUTBOARD SLAT OUTBOARD HOOK (L1301CM)						Component	ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:6157	HRS	2803:40		TSN 0				
WC#: 27.370	AFL	1202		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-13-900-801-02 REMOVAL / INSTALLATION OF THE SLAT HOOKS - RH OUTBOARD SLAT OUTBOARD HOOK (R1301CM)								Component ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:6163	HRS	2803:40		TSN 0				
WC#: 27.370	AFL	1202		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								
27-80-13-900-801-03 REMOVAL / INSTALLATION OF THE SLAT HOOKS - LH OUTBOARD SLAT INBOARD HOOK (L1401CM)								Component ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:6158	HRS	2803:40		TSN 0				
WC#: 27.350	AFL	1202		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								
27-80-13-900-801-04 REMOVAL / INSTALLATION OF THE SLAT HOOKS - RH OUTBOARD SLAT INBOARD HOOK (R1401CM)								Component ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:6162	HRS	2803:40		TSN 0				
WC#: 27.360	AFL	1202		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								
27-80-13-900-801-05 REMOVAL / INSTALLATION OF THE SLAT HOOKS - LH MIDDLE SLAT OUTBOARD HOOK (L1501CM)								Component ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:6159	HRS	2803:40		TSN 0				
WC#: 27.365	AFL	1202		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								
27-80-13-900-801-06 REMOVAL / INSTALLATION OF THE SLAT HOOKS - RH MIDDLE SLAT OUTBOARD HOOK (R1501CM)								Component ATA:27
PN:106142-03	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:6161	HRS	2803:40		TSN 0				
WC#: 27.365	AFL	1202		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								
27-80-13-900-801-07 REMOVAL / INSTALLATION OF THE SLAT HOOKS - LH MIDDLE SLAT INBOARD HOOK (L1601CM)								Component ATA:27
PN:106142-03	MOS/MSC	05-Mar-13	O/C	TSN 9				
SN:5562	HRS	2625:50		TSN 0				
WC#: 27.345	AFL	1075		TSN 0				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-13-900-801-08 REMOVAL / INSTALLATION OF THE SLAT HOOKS - RH MIDDLE SLAT INBOARD HOOK (R1601CM)							Component	ATA:27
PN:106142-03	MOS/MSC	24-Jul-19	O/C	TSN 71				
SN:6160	HRS	4984:17		TSN 2180:37				
WC#: 27.355	AFL	2024		TSN 822				
PROC. REF: AMM 27-80-13-900-801PROC. REF: AMM 27-80-13-900-801								
27-80-17-900-801-01 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - LH OUTBOARD SLAT EXTENDED SWITCH (L701CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-02 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - RH OUTBOARD SLAT EXTENDED SWITCH (R701CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-03 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - LH OUTBOARD SLAT RETRACTED SWITCH (L801CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-04 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - RH OUTBOARD SLAT RETRACTED SWITCH (R801CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-05 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - LH MIDDLE SLAT EXTENDED SWITCH (L901CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-17-900-801-06 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - RH MIDDLE SLAT EXTENDED SWITCH (R901CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-07 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - LH MIDDLE SLAT RETRACTED SWITCH (L1001CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-08 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - RH MIDDLE SLAT RETRACTED SWITCH (R1001CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-09 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - LH INBOARD SLAT EXTENDED SWITCH (L1101CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-10 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - RH INBOARD SLAT EXTENDED SWITCH (R1101CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-17-900-801-11 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - LH INBOARD SLAT RETRACTED SWITCH (L1201CM)							Component	ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-80-17-900-801-12 REMOVAL / INSTALLATION OF THE SLAT POSITION SWITCHES - RH INBOARD SLAT RETRACTED SWITCH (R1201CM)								Component ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-80-17-900-801PROC. REF: AMM 27-80-17-900-801								
27-80-21-350-801-01 RESTORATION OF THE SLAT SUPPLY SELECTOR (WITH SEALS EXCHANGE) - SLAT SUPPLY SELECTOR (1701CM)								Service ATA:27
PN:PN	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 27-80-21-350-801PROC. REF: AMM 27-80-21-350-801								
27-80-21-900-801-01 REMOVAL / INSTALLATION OF THE SLAT SUPPLY SELECTOR - SLAT SUPPLY SELECTOR (1701CM)								Component ATA:27
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.710	AFL	0		TSN 0				
PROC. REF: AMM 27-80-21-900-801PROC. REF: AMM 27-80-21-900-801								
27-90-00-700-801-01 TEST OF THE FCS MODULES								Service ATA:27
	MOS/MSC	28-Aug-22	O/C					
	HRS	6559:24						
	AFL	2472						
PROC. REF: AMM 27-90-00-700-801PROC. REF: AMM 27-90-00-700-801								
27-90-01-900-801-01 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - LH FRONT POWER 4 MODULE (101CZ)								Component ATA:27
PN:00A050-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:193	HRS	0		TSN 0				
WC#: 27.075	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-02 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - LH FRONT POWER 2 MODULE (201CZ)								Component ATA:27
PN:00A050-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:197	HRS	0		TSN 0				
WC#: 27.075	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-801-03 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MAIC 4B MODULE (301CZ)								Component ATA:27
PN:0877X502-04	MOS/MSC	08-Feb-13	O/C	TSR 8				
SN:79	HRS	2565:30		TSR 0				
WC#: 27.100	AFL	1053		TSR 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-04 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MAIC 4A MODULE (401CZ)								Component ATA:27
PN:ENS7X501-27	MOS/MSC	11-Aug-23	O/C					
SN:297	HRS	6775:44						
WC#: 27.100	AFL	2518						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-05 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MAIC 2B MODULE (501CZ)								Component ATA:27
PN:0877X502-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:32	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-06 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MAIC 2A MODULE (601CZ)								Component ATA:27
PN:ENS7X501-25	MOS/MSC	17-Oct-13	O/C					
SN:174	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-07 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - FDC 2 MODULE (701CZ)								Component ATA:27
PN:0877X302-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:16	HRS	0		TSN 0				
WC#: 27.045	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-08 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MFCC 1B MODULE (801CZ)								Component ATA:27
PN:ENS7X102-15	MOS/MSC	17-Oct-13	O/C					
SN:164	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-801-09 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MFCC 1A MODULE (901CZ)								Component ATA:27
PN:ENS7X102-15	MOS/MSC	17-Oct-13	O/C					
SN:123	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-10 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MFCC 2B MODULE (1001CZ)								Component ATA:27
PN:ENS7X102-15	MOS/MSC	17-Oct-13	O/C					
SN:46	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-11 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MFCC 2A MODULE (1101CZ)								Component ATA:27
PN:ENS7X101-15	MOS/MSC	17-Oct-13	O/C					
SN:82	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-12 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MFCC 3B MODULE (1201CZ)								Component ATA:27
PN:ENS7X102-15	MOS/MSC	17-Oct-13	O/C					
SN:113	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-13 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - MFCC 3A MODULE (1301CZ)								Component ATA:27
PN:ENS7X102-15	MOS/MSC	17-Oct-13	O/C					
SN:122	HRS	2803:40						
WC#: 27.100	AFL	1202						
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-801-14 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - FDC 4 MODULE (1401CZ)								Component ATA:27
PN:0877X302-04	MOS/MSC	14-Feb-13	O/C	TSR 25				
SN:151	HRS	2583:30		TSR 0				
WC#: 27.050	AFL	1060		TSR 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-801-15 REMOVAL / INSTALLATION OF THE LH FRONT FCS MODULES - LH FRONT POWER 3 MODULE (1501CZ)							Component	ATA:27
PN:00A050-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:202	HRS	0		TSN 0				
WC#: 27.075	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-801PROC. REF: AMM 27-90-01-900-801								
27-90-01-900-802-01 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - LH REAR POWER 3 MODULE (103CZ)							Component	ATA:27
PN:00A051-04	MOS/MSC	23-May-12	O/C					
SN:229	HRS	2184:49						
WC#: 27.080	AFL	912						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-02 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - SELMON 3 MODULE (303CZ)							Component	ATA:27
PN:0877X407-09	MOS/MSC	18-Oct-10	O/C					
SN:163	HRS	1380:35						
WC#: 27.145	AFL	486						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-03 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - HSTC 3 MODULE (403CZ)							Component	ATA:27
PN:0877X403-13	MOS/MSC	23-Sep-11	O/C					
SN:83	HRS	1788:10						
WC#: 27.070	AFL	777						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-04 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - RH ELEVATOR INBOARD N2 MODULE (503CZ)							Component	ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:666	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-05 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - RH ELEVATOR INBOARD N1 MODULE (603CZ)							Component	ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:670	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-802-06 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - LH ELEVATOR INBOARD S2 MODULE (703CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:627	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-07 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - LH ELEVATOR INBOARD S1 MODULE (803CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:682	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-08 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - RH AILERON N2 MODULE (903CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:667	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-09 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - RH AILERON N1 MODULE (1003CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:665	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-10 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - LH AILERON S2 MODULE (1103CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:636	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-11 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - LH AILERON S1 MODULE (1203CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:667	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-802-12 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - RUDDER S2 MODULE (1303CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:680	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-13 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - RUDDER S1 MODULE (1403CZ)								Component ATA:27
PN:0877X402-11	MOS/MSC	03-Sep-10	O/C					
SN:664	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-14 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - SELMON 2 MODULE (1503CZ)								Component ATA:27
PN:0877X407-09	MOS/MSC	05-Aug-10	O/C					
SN:83	HRS	1380:10						
WC#: 27.025	AFL	485						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-802-15 REMOVAL / INSTALLATION OF THE LH REAR FCS MODULES - LH REAR POWER 2 MODULE (1703CZ)								Component ATA:27
PN:00A051-04	MOS/MSC	23-May-12	O/C					
SN:217	HRS	2184:49						
WC#: 27.025	AFL	912						
PROC. REF: AMM 27-90-01-900-802PROC. REF: AMM 27-90-01-900-802								
27-90-01-900-803-01 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - RH FRONT POWER 4 MODULE (302CZ)								Component ATA:27
PN:00A051-04	MOS/MSC	23-May-12	O/C					
SN:479	HRS	2184:49						
WC#: 27.125	AFL	912						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-02 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - SFCI 4 MODULE (402CZ)								Component ATA:27
PN:0877X601-31	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:1343	HRS	2987:52		TSN 0				
WC#: 27.160	AFL	1341		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-803-03 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - SFCI 3 MODULE (502CZ)								Component ATA:27
PN:0877X601-31	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:1322	HRS	2987:52		TSN 0				
WC#: 27.160	AFL	1341		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-04 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - FDC 1 MODULE (602CZ)								Component ATA:27
PN:0877X301-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23	HRS	0		TSN 0				
WC#: 27.045	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-05 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - FDC 3 MODULE (702CZ)								Component ATA:27
PN:0877X301-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:24	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-06 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - SFCC 1 MODULE (802CZ)								Component ATA:27
PN:ENS7X201-14	MOS/MSC	05-Aug-10	O/C					
SN:18	HRS	1380:10						
WC#: 27.155	AFL	485						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-07 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - SFCC 2 MODULE (902CZ)								Component ATA:27
PN:ENS7X201-14	MOS/MSC	05-Aug-10	O/C					
SN:103	HRS	1380:10						
WC#: 27.155	AFL	485						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-08 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - SFCC 3 MODULE (1002CZ)								Component ATA:27
PN:ENS7X201-14	MOS/MSC	05-Aug-10	O/C					
SN:104	HRS	1380:10						
WC#: 27.155	AFL	485						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-803-09 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - FDC 5 MODULE (1102CZ)								Component ATA:27
PN:0877X301-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:25	HRS	0		TSN 0				
WC#: 27.055	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-10 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - MAIC 3A MODULE (1202CZ)								Component ATA:27
PN:ENS7X501-25	MOS/MSC	17-Oct-13	O/C					
SN:27	HRS	2803:40						
WC#: 27.160	AFL	1202						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-11 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - MAIC 3B MODULE (1302CZ)								Component ATA:27
PN:0877X502-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:33	HRS	0		TSN 0				
WC#: 27.095	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-12 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - MAIC 1A MODULE (1402CZ)								Component ATA:27
PN:ENS7X501-27	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:1176	HRS	6775:44		TSR 0				
WC#: 27.160	AFL	2518		TSR 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-13 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - MAIC 1B MODULE (1502CZ)								Component ATA:27
PN:0877X502-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:35	HRS	0		TSN 0				
WC#: 27.085	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-803-14 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - RH FRONT POWER 1 MODULE (1602CZ)								Component ATA:27
PN:00A051-04	MOS/MSC	23-May-12	O/C					
SN:164	HRS	2184:49						
WC#: 27.125	AFL	912						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-803-15 REMOVAL / INSTALLATION OF THE RH FRONT FCS MODULES - RH FRONT POWER 3 MODULE (1702CZ)							Component	ATA:27
PN:00A051-04	MOS/MSC	23-May-12	O/C					
SN:236	HRS	2184:49						
WC#: 27.125	AFL	912						
PROC. REF: AMM 27-90-01-900-803PROC. REF: AMM 27-90-01-900-803								
27-90-01-900-804-01 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RH REAR POWER 1 MODULE (104CZ)							Component	ATA:27
PN:00A050-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:201	HRS	0		TSN 0				
WC#: 27.130	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-02 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - SELMON 1 MODULE (204CZ)							Component	ATA:27
PN:0877X406-31	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:1349	HRS	2987:52		TSN 0				
WC#: 27.150	AFL	1341		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-03 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RUDDER N1 MODULE (304CZ)							Component	ATA:27
PN:0877X401-08	MOS/MSC	17-Oct-13	O/C					
SN:2600	HRS	2803:40						
WC#: 27.135	AFL	1202						
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-04 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RUDDER N2 MODULE (404CZ)							Component	ATA:27
PN:0877X401-08	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:2602	HRS	0		TSN 0				
WC#: 27.135	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-05 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - LH AILERON N2 MODULE (504CZ)							Component	ATA:27
PN:0877X401-08	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:2599	HRS	0		TSN 0				
WC#: 27.010	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-804-06 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - LH AILERON N1 MODULE (604CZ)							Component	ATA:27
PN:0877X401-08	MOS/MSC	28-Aug-22	O/C	TSR 0				
SN:1797	HRS	6559:24		TSR 0				
WC#: 27.005	AFL	2472		TSR 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-07 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RH AILERON S2 MODULE (704CZ)							Component	ATA:27
PN:0877X401-08	MOS/MSC	28-Aug-22	O/C					
SN:2601	HRS	6559:24						
WC#: 27.020	AFL	2472						
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-08 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RH AILERON S1 MODULE (804CZ)							Component	ATA:27
PN:0877X401-07	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:67	HRS	0		TSN 0				
WC#: 27.015	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-09 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - LH ELEVATOR OUTBOARD N2 MODULE (904CZ)							Component	ATA:27
PN:0877X401-07	MOS/MSC	08-Dec-09	O/C					
SN:85	HRS	1034:55						
WC#: 27.035	AFL	375						
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-10 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - LH ELEVATOR OUTBOARD N1 MODULE (1004CZ)							Component	ATA:27
PN:0877X401-07	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:84	HRS	2803:40		TSN 0				
WC#: 27.035	AFL	1202		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-11 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RH ELEVATOR OUTBOARD S2 MODULE (1104CZ)							Component	ATA:27
PN:0877X401-08	MOS/MSC	17-Oct-13	O/C	TSN 2				
SN:2604	HRS	2803:40		TSN 0				
WC#: 27.040	AFL	1202		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-01-900-804-12 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RH ELEVATOR OUTBOARD S1 MODULE (1204CZ)								Component ATA:27
PN:0877X401-07	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:79	HRS	0		TSN 0				
WC#: 27.040	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-13 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - HSTC 4 MODULE (1304CZ)								Component ATA:27
PN:0877X404-15	MOS/MSC	23-Dec-14	O/C					
SN:35	HRS	2987:52						
WC#: 27.070	AFL	1341						
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-14 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - SELMON 4 MODULE (1604CZ)								Component ATA:27
PN:0877X406-31	MOS/MSC	23-Dec-14	O/C	TSN 7				
SN:1350	HRS	2987:52		TSN 0				
WC#: 27.150	AFL	1341		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-01-900-804-15 REMOVAL / INSTALLATION OF THE RH REAR FCS MODULES - RH REAR POWER 4 MODULE (1704CZ)								Component ATA:27
PN:00A050-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:204	HRS	0		TSN 0				
WC#: 27.130	AFL	0		TSN 0				
PROC. REF: AMM 27-90-01-900-804PROC. REF: AMM 27-90-01-900-804								
27-90-05-900-801-01 REMOVAL / INSTALLATION OF THE LH FRONT FCS RACK - LH FRONT FCS RACK (2001CZ)								Component ATA:27
PN:084011-05	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-90-05-900-801PROC. REF: AMM 27-90-05-900-801								
27-90-05-900-802-01 REMOVAL / INSTALLATION OF THE LH REAR FCS RACK - LH REAR FCS RACK (2003CZ)								Component ATA:27
PN:084013-05	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-90-05-900-802PROC. REF: AMM 27-90-05-900-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-90-05-900-803-01	REMOVAL / INSTALLATION OF THE RH FRONT FCS RACK - RH FRONT FCS RACK (2002CZ)							Component ATA:27
PN:084012-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-90-05-900-803PROC. REF: AMM 27-90-05-900-803								
27-90-05-900-804-01	REMOVAL / INSTALLATION OF THE RH REAR FCS RACK - RH REAR FCS RACK (2004CZ)							Component ATA:27
PN:084014-06	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
WC#: 27.390	AFL	0		TSN 0				
PROC. REF: AMM 27-90-05-900-804PROC. REF: AMM 27-90-05-900-804								
27-91-01-350-801-01	RESTORATION OF THE SIDESTICKS (OVERHAUL WITH SEAL REPLACEMENT) - LH PILOT SIDESTICK (101CK)							Service ATA:27
PN:0CV196-07	MOS	01-Oct-11	216 (+3%)		01-Oct-29	15-Apr-30	1459 d (+196)	OVERHAUL
SN:12	HRS							
WC#: 27.475	AFL							
Restoration Date:: 01-Oct-11								
PROC. REF: AMM 27-91-01-350-801PROC. REF: AMM 27-91-01-350-801								
27-91-01-350-801-02	RESTORATION OF THE SIDESTICKS (OVERHAUL WITH SEAL REPLACEMENT) - RH PILOT SIDESTICK (201CK)							Service ATA:27
PN:0CV197-08	MOS	06-Sep-19	216 (+3%)		06-Sep-37	20-Mar-38	4356 d (+195)	OVERHAUL
SN:139	HRS							
WC#: 27.475	AFL							
Restoration Date:: 06-Sep-19								
PROC. REF: AMM 27-91-01-350-801PROC. REF: AMM 27-91-01-350-801								
27-91-01-710-801-01 ^S	OPERATIONAL TEST OF THE VIBRATING MOTORS AND AP LOCKS OF THE SIDESTICKS							Service ATA:27
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 27.700	AFL	1825						
PROC. REF: AMM 27-91-01-710-801PROC. REF: AMM 27-91-01-710-801								
								PKG:32

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-91-01-710-802-01	OPERATIONAL TEST OF THE SIDESTICK DASH-POTS - LH PILOT SIDESTICK (101CK)							Service ATA:27
PN:0CV196-07	MOS	11-Aug-23						
SN:12	HRS	6775:44						
	AFL	2518	500 (+3%)		3018	3033	358 (+15)	
PROC. REF: AMM 27-91-01-710-802PROC. REF: AMM 27-91-01-710-802								
27-91-01-710-802-02	OPERATIONAL TEST OF THE SIDESTICK DASH-POTS - RH PILOT SIDESTICK (201CK)							Service ATA:27
PN:0CV197-08	MOS	11-Aug-23						
SN:139	HRS	6775:44						
	AFL	2518	500 (+3%)		3018	3033	358 (+15)	
PROC. REF: AMM 27-91-01-710-802PROC. REF: AMM 27-91-01-710-802								
27-91-01-900-801-01	REMOVAL / INSTALLATION OF THE SIDESTICKS - LH PILOT SIDESTICK (101CK)							Component ATA:27
PN:0CV196-07	MOS/MSC	22-Jan-20	O/C	TSR 97				
SN:12	HRS	5287:57		TSR 2300:05				
WC#: 27.475	AFL	2109		TSR 768				
PROC. REF: AMM 27-91-01-900-801PROC. REF: AMM 27-91-01-900-801								
27-91-01-900-801-02	REMOVAL / INSTALLATION OF THE SIDESTICKS - RH PILOT SIDESTICK (201CK)							Component ATA:27
PN:0CV197-08	MOS/MSC	22-Jan-20	O/C	TSO 0				
SN:139	HRS	5287:57		TSO 0				
WC#: 27.475	AFL	2109		TSO 0				
PROC. REF: AMM 27-91-01-900-801PROC. REF: AMM 27-91-01-900-801								
27-91-05-710-801-01 ^S	OPERATIONAL TEST OF THE TRIM UNIT - TEST OF THE ROLL TRIM POSITION							Service ATA:27
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 27.625	AFL	2308						
PROC. REF: AMM 27-91-05-710-801PROC. REF: AMM 27-91-05-710-801								
27-91-05-710-801-01A	OPERATIONAL TEST OF THE TRIM UNIT - TEST OF THE ROLL TRIM POSITION (MANDATORY 5-40)							Service ATA:27
	MOS	25-Mar-21						CMR
	HRS	5902:02	10000		15902:02		8409:28	
WC#: 27.625	AFL	2308						

PKG:9
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-91-05-710-801PROC. REF: AMM 27-91-05-710-801								
27-91-05-710-801-02	^S	OPERATIONAL TEST OF THE TRIM UNIT - TEST OF THE YAW TRIM POSITION						Service ATA:27
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 27.625	AFL	2308						
								PKG:9 WO#: JWL-25-049
PROC. REF: AMM 27-91-05-710-801PROC. REF: AMM 27-91-05-710-801								
27-91-05-710-801-02A		OPERATIONAL TEST OF THE TRIM UNIT - TEST OF THE YAW TRIM POSITION (MANDATORY 5-40)						Service ATA:27
	MOS	25-Mar-21					CMR	
	HRS	5902:02	2000		7902:02		409:28	
WC#: 27.625	AFL	2308						
PROC. REF: AMM 27-91-05-710-801PROC. REF: AMM 27-91-05-710-801								
27-91-05-710-801-03	^S	OPERATIONAL TEST OF THE TRIM UNIT - TEST OF THE PITCH TRIM POSITION						Service ATA:27
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 27.625	AFL	2308						
								PKG:9 WO#: JWL-25-049
PROC. REF: AMM 27-91-05-710-801PROC. REF: AMM 27-91-05-710-801								
27-91-05-900-801-01		REMOVAL / INSTALLATION OF THE TRIM UNIT - TRIM UNIT (106CZ)						Component ATA:27
PN:013023-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:12	HRS	0		TSN 0				
WC#: 27.490	AFL	0		TSN 0				
PROC. REF: AMM 27-91-05-900-801PROC. REF: AMM 27-91-05-900-801								
27-95-01-710-801-01	^S	OPERATIONAL TEST OF THE FCS REVERSION MODES						Service ATA:27
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 27.630	AFL	2308						
								PKG:9 WO#: JWL-25-049
PROC. REF: AMM 27-95-01-710-801PROC. REF: AMM 27-95-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-95-01-710-801-01A	OPERATIONAL TEST OF THE FCS REVERSION MODES (MANDATORY 5-40)							Service ATA:27
	MOS	25-Mar-21						CMR
	HRS	5902:02	2000		7902:02		409:28	
WC#: 27.630	AFL	2308						
PROC. REF: AMM 27-95-01-710-801PROC. REF: AMM 27-95-01-710-801								
27-95-01-900-801-01	REMOVAL / INSTALLATION OF THE BACK-UP ELECTRONIC BOX - BACK-UP ELECTRONIC BOX (105CZ)							Component ATA:27
PN:062241-05	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:5	HRS	0		TSN 0				
WC#: 27.325	AFL	0		TSN 0				
PROC. REF: AMM 27-95-01-900-801PROC. REF: AMM 27-95-01-900-801								
ATA 28 - FUEL								
28-00-00-280-801-01	FUEL CONTAMINATION DETECTION TEST							Service ATA:28
	MOS/MSC	18-Nov-24	N/A					
	HRS	7061:12						
WC#: 28.515	AFL	2584						
PROC. REF: AMM 28-00-00-280-801PROC. REF: AMM 28-00-00-280-801								
28-00-00-290-801-01 ^S	BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH FEEDER TANK							Service ATA:28
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								PKG:1 WO#: JWL-25-049
28-00-00-290-801-02 ^S	BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH FEEDER TANK							Service ATA:28
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								PKG:1 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-00-00-290-801-03	^S	BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE CTR FEEDER TANK						Service ATA:28
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								PKG:1 WO#: JWL-25-049
28-00-00-290-801-04		BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH CENTER-WING TANK						Service ATA:28
	MOS/MSC	18-Nov-24	A/R					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								
28-00-00-290-801-05		BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH CENTER-WING TANK						Service ATA:28
	MOS/MSC	18-Nov-24	A/R					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								
28-00-00-290-801-06		BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE CTR CENTER-WING TANK						Service ATA:28
	MOS/MSC	18-Nov-24	A/R					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								
28-00-00-290-801-07		BOREScope INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE REAR TANK						Service ATA:28
	MOS/MSC	18-Nov-24	A/R					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-00-00-290-801-08	^S	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH WING TANK						Service ATA:28
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								
28-00-00-290-801-09	^S	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH WING TANK						Service ATA:28
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801								
28-00-00-720-801-01	^S	BONDING CHECK OF FUEL SYSTEM CRITICAL COMPONENTS						Service ATA:28
	MOS/MSC	11-Aug-23	192 (+2m) / C/C					
	HRS	6775:44						
WC#: 28.095	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 28-00-00-720-801PROC. REF: AMM 28-00-00-720-801								
28-00-00-720-801-01A		BONDING CHECK OF FUEL SYSTEM CRITICAL COMPONENTS (MANDATORY 5-40)						Service ATA:28
	MOS	11-Aug-23	211		11-Mar-41		5638 d	ALI / CDCCL
	HRS	6775:44						
WC#: 28.095	AFL	2518	8800		11318		8658	
PROC. REF: AMM 28-00-00-720-801PROC. REF: AMM 28-00-00-720-801								
28-00-00-910-802-01		ACCEPTANCE CRITERIA FOR FUEL LEAKS						Service ATA:28
	MOS/MSC	14-Jul-18	O/C					CDCCL
	HRS	4398:30						
	AFL	1825						
PROC. REF: AMM 28-00-00-910-802PROC. REF: AMM 28-00-00-910-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-00-00-910-803-01	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - FUEL INJECTION METHOD							Service ATA:28
	MOS	In progress	4 (+4m)		01-Jan-26	01-May-26	90 d (+120)	CDCCL
	HRS	7445:40						
	AFL	2653						
								WO#: JWL-25-029
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-02	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - GRAVITY POURING METHOD							Service ATA:28
	MOS/MSC	22-Dec-18	A/R					CDCCL
	HRS	4650:13						
	AFL	1926						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-03	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - FUEL INJECTION METHOD							Service ATA:28
	MOS/MSC	12-Jun-07	A/R					CDCCL
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-04	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - GRAVITY POURING METHOD							Service ATA:28
	MOS/MSC	12-Jun-07	A/R					CDCCL
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-06	DECONTAMINATION OF THE FUEL SYSTEMS - CLEANING / REPLACEMENT OF FILTERS							Service ATA:28
	MOS/MSC	26-Dec-24	A/R					
	HRS	7106:42						
	AFL	2592						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-804-01	MEASURES TO BE TAKEN AFTER MAINTENANCE OPERATIONS IN THE FUEL TANKS							Service ATA:28
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-804PROC. REF: AMM 28-00-00-910-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10-00-200-802-01	^S	VISUAL INSPECTION OF THE FUEL PIPE BONDING STRAPS OUTSIDE THE FUEL TANKS						Service ATA:28
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 28.430	AFL	2518	4000					
PROC. REF: AMM 28-10-00-200-802PROC. REF: AMM 28-10-00-200-802								PKG:41
28-10-00-200-802-01A		VISUAL INSPECTION OF THE FUEL PIPE BONDING STRAPS OUTSIDE THE FUEL TANKS (MANDATORY 5-40)						Service ATA:28
	MOS	11-Aug-23	106		11-Jun-32		2443 d	ALI / CDCCL
	HRS	6775:44						
WC#: 28.430	AFL	2518	4400		6918		4258	
PROC. REF: AMM 28-10-00-200-802PROC. REF: AMM 28-10-00-200-802								
28-10-00-200-803-01	^S	VISUAL INSPECTION OF THE BONDING STRAPS INSIDE THE FUEL TANKS						Service ATA:28
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 28.435	AFL	2518	4000					
PROC. REF: AMM 28-10-00-200-803PROC. REF: AMM 28-10-00-200-803								PKG:41
28-10-00-200-803-01A		VISUAL INSPECTION OF THE BONDING STRAPS INSIDE THE FUEL TANKS (MANDATORY 5-40)						Service ATA:28
	MOS	11-Aug-23	106		11-Jun-32		2443 d	ALI / CDCCL
	HRS	6775:44						
WC#: 28.435	AFL	2518	4400		6918		4258	
PROC. REF: AMM 28-10-00-200-803PROC. REF: AMM 28-10-00-200-803								
28-10-00-720-801-01	^S	FUNCTIONAL CHECK OF THE ELECTRICAL BONDING BETWEEN THE HYDRAULIC COUPLINGS AND THE WING TANKS						Service ATA:28
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 28.440	AFL	2518	8000					
PROC. REF: AMM 28-10-00-720-801PROC. REF: AMM 28-10-00-720-801								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10-00-720-801-01A	FUNCTIONAL CHECK OF THE ELECTRICAL BONDING BETWEEN THE HYDRAULIC COUPLINGS AND THE WING TANKS (MANDATORY 5-40)							Service ATA:28
	MOS	11-Aug-23	211		11-Mar-41		5638 d	ALI / CDCCL
	HRS	6775:44						
WC#: 28.440	AFL	2518	8800		11318		8658	
PROC. REF: AMM 28-10-00-720-801PROC. REF: AMM 28-10-00-720-801								
28-11-02-900-881-01	LH FILLER CAP							Component ATA:28
PN:36249001	MOS/MSC	22-Dec-18	O/C	TSN 0				
SN:862	HRS	4650:13		TSN 0				
WC#: 28.050	AFL	1926		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-11-02-900-881-02	RH FILLER CAP							Component ATA:28
PN:36249001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:24	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-20-00-710-801-01	OPERATIONAL TEST OF THE LH AND RH CROSSFEED UNITS AND THE WING TANK CROSS VALVE (XTK) - LH CROSSFEED UNIT (405QD) AND WING TANK CROSS VALVE (XTK) (103QD)							Service ATA:28
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 28.445	AFL	1705						
PROC. REF: AMM 28-20-00-710-801PROC. REF: AMM 28-20-00-710-801								
28-20-00-710-801-02	OPERATIONAL TEST OF THE LH AND RH CROSSFEED UNITS AND THE WING TANK CROSS VALVE (XTK) - RH CROSSFEED UNIT (505QD)							Service ATA:28
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 28.445	AFL	1705						
PROC. REF: AMM 28-20-00-710-801PROC. REF: AMM 28-20-00-710-801								
28-21-00-220-801-01 ^S	DETAILED INSPECTION OF THE DOUBLE COAT PIPES IN THE CABIN/BAGGAGE COMPARTMENT							Service ATA:28
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 28.525	AFL	2518	4000					
PROC. REF: AMM 28-21-00-220-801PROC. REF: AMM 28-21-00-220-801								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-00-710-801-01	^S	OPERATIONAL TEST OF THE CLOSING OF BP 1, 2 AND 3 MANIFOLD AND APU FUEL SHUT-OFF VALVES - TEST OF BP 1, BP 2 AND BP 3 MANIFOLD FUEL SOVS					Service	ATA:28
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 28.450	AFL	2518						
PROC. REF: AMM 28-21-00-710-801PROC. REF: AMM 28-21-00-710-801								PKG:4
28-21-00-710-801-02	^S	OPERATIONAL TEST OF THE CLOSING OF BP 1, 2 AND 3 MANIFOLD AND APU FUEL SHUT-OFF VALVES - TEST OF THE APU FUEL SOV					Service	ATA:28
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 28.450	AFL	2518						
PROC. REF: AMM 28-21-00-710-801PROC. REF: AMM 28-21-00-710-801								PKG:4
28-21-01-900-801-01		NORMAL BOOSTER PUMP 1 (L106QD)					Component	ATA:28
PN:P99C31-601	MOS/MSC	23-Dec-14	O/C				CDCL	
SN:B93806	HRS	2987:52						
WC#: 28.250	AFL	1341						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-02		NORMAL BOOSTER PUMP 2 (M106QD)					Component	ATA:28
PN:P99C31-601	MOS/MSC	23-Dec-14	O/C				CDCL	
SN:B93803	HRS	2987:52						
WC#: 28.245	AFL	1341						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-03		NORMAL BOOSTER PUMP 3 (R106QD)					Component	ATA:28
PN:P99C31-601	MOS/MSC	23-Dec-14	O/C				CDCL	
SN:B93805	HRS	2987:52						
WC#: 28.250	AFL	1341						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-01-900-801-04 STAND-BY BOOSTER PUMP 1 (L206QD)								Component ATA:28
PN:P99C31-601	MOS/MSC	23-Dec-14	O/C					CDCCL
SN:C50793	HRS	2987:52						
WC#: 28.265	AFL	1341						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-05 STAND-BY BOOSTER PUMP 2 (M206QD)								Component ATA:28
PN:P99C31-601	MOS/MSC	23-Dec-14	O/C					CDCCL
SN:B93807	HRS	2987:52						
WC#: 28.260	AFL	1341						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-06 STAND-BY BOOSTER PUMP 3 (R206QD)								Component ATA:28
PN:P99C31-601	MOS/MSC	23-Dec-14	O/C					CDCCL
SN:B93804	HRS	2987:52						
WC#: 28.265	AFL	1341						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-881-01 LH NO. 1 JET PUMP CHECK VALVE								Component ATA:28
PN:L96Z19-003	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B52693	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-21-01-900-881-02 RH NO. 1 JET PUMP CHECK VALVE								Component ATA:28
PN:L96Z19-003	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B52695	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-21-02-900-801-01 REMOVAL / INSTALLATION OF THE JET PUMPS - LH WING INBOARD TANK JET PUMP (L108QD)								Component ATA:28
PN:C17AQ0011	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:13253	HRS	5902:02		TSN 0				
WC#: 28.235	AFL	2308		TSN 0				
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-02-900-801-02		REMOVAL / INSTALLATION OF THE JET PUMPS - RH WING INBOARD TANK JET PUMP (R108QD)						Component	ATA:28
PN:C17AQ0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:5441	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.235	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-03		REMOVAL / INSTALLATION OF THE JET PUMPS - LH WING MIDDLE TANK JET PUMP (L208QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	25-Mar-21	O/C	TSN 0					
SN:7635	HRS	5902:02	TSN 0						
WC#: 28.240	AFL	2308	TSN 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-04		REMOVAL / INSTALLATION OF THE JET PUMPS - RH WING MIDDLE TANK JET PUMP (R208QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:1904	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.240	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-05		REMOVAL / INSTALLATION OF THE JET PUMPS - LH WING OUTBOARD TANK JET PUMP (L308QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:1903	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.255	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-06		REMOVAL / INSTALLATION OF THE JET PUMPS - RH WING OUTBOARD TANK JET PUMP (R308QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:1901	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.255	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-07		REMOVAL / INSTALLATION OF THE JET PUMPS - CTR TANK LH JET PUMP (L408QD)						Component	ATA:28
PN:C17AQ0011	MOS/MSC	25-Mar-21	O/C	TSN 0					
SN:13252	HRS	5902:02	TSN 0						
WC#: 28.225	AFL	2308	TSN 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-02-900-801-08		REMOVAL / INSTALLATION OF THE JET PUMPS - CTR TANK RH JET PUMP (R408QD)						Component	ATA:28
PN:C17AQ0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:5444	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.225	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-09		REMOVAL / INSTALLATION OF THE JET PUMPS - LH FEEDER TANK JET PUMP (L508QD)						Component	ATA:28
PN:C17AQ0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:5442	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.270	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-10		REMOVAL / INSTALLATION OF THE JET PUMPS - RH FEEDER TANK JET PUMP (R508QD)						Component	ATA:28
PN:C17AQ0011	MOS/MSC	25-Mar-21	O/C	TSN 0					
SN:13250	HRS	5902:02	TSN 0						
WC#: 28.270	AFL	2308	TSN 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-11		REMOVAL / INSTALLATION OF THE JET PUMPS - CTR FEEDER TANK LH JET PUMP (608QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	23-Dec-14	O/C	TSN 90, TSR 3					
SN:1910	HRS	2987:52	TSN 2987:52, TSR 0						
WC#: 28.220	AFL	1341	TSN 1341, TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-12		REMOVAL / INSTALLATION OF THE JET PUMPS - CTR FEEDER TANK RH JET PUMP (708QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	23-Dec-14	O/C	TSR 3					
SN:1912	HRS	2987:52	TSR 0						
WC#: 28.215	AFL	1341	TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									
28-21-02-900-801-13		REMOVAL / INSTALLATION OF THE JET PUMPS - CTR FEEDER TANK CTR JET PUMP (808QD)						Component	ATA:28
PN:C17AR0011	MOS/MSC	23-Dec-14	O/C	TSR 3					
SN:1911	HRS	2987:52	TSR 0						
WC#: 28.220	AFL	1341	TSR 0						
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-02-900-801-14 REMOVAL / INSTALLATION OF THE JET PUMPS - LH PRESSURIZATION PIPE JET PUMP (L908QD)								Component ATA:28
PN:C17AQ0011	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:13249	HRS	5902:02		TSN 0				
WC#: 28.230	AFL	2308		TSN 0				
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801								
28-21-02-900-801-15 REMOVAL / INSTALLATION OF THE JET PUMPS - RH PRESSURIZATION PIPE JET PUMP (R908QD)								Component ATA:28
PN:C17AQ0011	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:13251	HRS	5902:02		TSN 0				
WC#: 28.230	AFL	2308		TSN 0				
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801								
28-21-02-900-801-16 REMOVAL / INSTALLATION OF THE JET PUMPS - LH FEEDER SUCTION JET PUMP (L1808QD)								Component ATA:28
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801								
28-21-02-900-801-17 REMOVAL / INSTALLATION OF THE JET PUMPS - RH FEEDER SUCTION JET PUMP (R1808QD)								Component ATA:28
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02-900-801PROC. REF: AMM 28-21-02-900-801								
28-21-02-900-881-01 LH NO. 2 JET PUMP CHECK VALVE								Component ATA:28
PN:L96Z19-003	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B52692	HRS	0		TSN 0				
WC#: 28.375	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-21-02-900-881-02 RH NO. 2 JET PUMP CHECK VALVE								Component ATA:28
PN:L96Z19-003	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B52694	HRS	0		TSN 0				
WC#: 28.375	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-04-900-801-01 REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - NORMAL BOOSTER PUMP 1 CANISTER (L107QD)							Component	ATA:28
PN:F7XCC93R31-601	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:3810716184	HRS	6775:44		TSN 0				
WC#: 28.035	AFL	2518		TSN 0				
PROC. REF: AMM 28-21-04-900-801PROC. REF: AMM 28-21-04-900-801								
28-21-04-900-801-02 REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - NORMAL BOOSTER PUMP 2 CANISTER (M107QD)							Component	ATA:28
PN:C93R31-601	MOS/MSC	11-Aug-23	O/C					
SN:L04307	HRS	6775:44						
WC#: 28.030	AFL	2518						
PROC. REF: AMM 28-21-04-900-801PROC. REF: AMM 28-21-04-900-801								
28-21-04-900-801-03 REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - NORMAL BOOSTER PUMP 3 CANISTER (R107QD)							Component	ATA:28
PN:ET85180	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:K69836	HRS	6775:44		TSN 0				
WC#: 28.035	AFL	2518		TSN 0				
PROC. REF: AMM 28-21-04-900-801PROC. REF: AMM 28-21-04-900-801								
28-21-04-900-801-04 REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - STAND-BY BOOSTER PUMP 1 CANISTER (L207QD)							Component	ATA:28
PN:F7XCC93R31-601	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:3810716177	HRS	6775:44		TSN 0				
WC#: 28.045	AFL	2518		TSN 0				
PROC. REF: AMM 28-21-04-900-801PROC. REF: AMM 28-21-04-900-801								
28-21-04-900-801-05 REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - STAND-BY BOOSTER PUMP 2 CANISTER (M207QD)							Component	ATA:28
PN:C93R31-601	MOS/MSC	11-Aug-23	O/C					
SN:L04305	HRS	6775:44						
WC#: 28.040	AFL	2518						
PROC. REF: AMM 28-21-04-900-801PROC. REF: AMM 28-21-04-900-801								
28-21-04-900-801-06 REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - STAND-BY BOOSTER PUMP 3 CANISTER (R207QD)							Component	ATA:28
PN:ET85180	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:K69837	HRS	6775:44		TSN 0				
WC#: 28.045	AFL	2518		TSN 0				
PROC. REF: AMM 28-21-04-900-801PROC. REF: AMM 28-21-04-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-05-900-801-01 BOOSTER PUMP 1 MANIFOLD (105QD)								Component ATA:28
PN:L88A31-686	MOS/MSC	23-Dec-14	O/C	TSR 15				CDCCL
SN:C17345	HRS	2987:52		TSR 0				
WC#: 28.340	AFL	1341		TSR 0				
PROC. REF: AMM 28-21-05-900-801PROC. REF: AMM 28-21-05-900-801								
28-21-05-900-801-02 BOOSTER PUMP 2 MANIFOLD (205QD)								Component ATA:28
PN:L88A31-690	MOS/MSC	23-Dec-14	O/C	TSR 17				CDCCL
SN:C17266	HRS	2987:52		TSR 0				
WC#: 28.340	AFL	1341		TSR 0				
PROC. REF: AMM 28-21-05-900-801PROC. REF: AMM 28-21-05-900-801								
28-21-05-900-801-03 BOOSTER PUMP 3 MANIFOLD (305QD)								Component ATA:28
PN:L88A31-688	MOS/MSC	23-Dec-14	O/C	TSR 15				CDCCL
SN:C16758	HRS	2987:52		TSR 0				
WC#: 28.345	AFL	1341		TSR 0				
PROC. REF: AMM 28-21-05-900-801PROC. REF: AMM 28-21-05-900-801								
28-21-09-100-801-01 ^S CLEANING OF THE BOOSTER PUMP FILTER - BOOSTER PUMP 2 FILTER (104QD)								Service ATA:28
	MOS	26-Dec-24						
	HRS	7106:42	800 (+40)					
WC#: 28.075	AFL	2592						
PROC. REF: AMM 28-21-09-100-801PROC. REF: AMM 28-21-09-100-801								
28-21-09-900-801-02 NO. 2 BOOSTER PUMP FILTER								Component ATA:28
PN:4L88-0237	MOS/MSC	11-Aug-23	O/C					
SN:NSN	HRS	6775:44						
WC#: 28.075	AFL	2518						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-13-710-801-01	S	OPERATIONAL TEST OF THE TWIN-MOTOR ACTUATORS OF BP1, 2 AND 3 MANIFOLD FUEL SHUT-OFF VALVES - BP 1 MANIFOLD FUEL SOV (9630QD)						Service ATA:28
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 28.340	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801								
28-21-13-710-801-02	S	OPERATIONAL TEST OF THE TWIN-MOTOR ACTUATORS OF BP1, 2 AND 3 MANIFOLD FUEL SHUT-OFF VALVES - BP 2 MANIFOLD FUEL SOV (9640QD)						Service ATA:28
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 28.340	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801								
28-21-13-710-801-03	S	OPERATIONAL TEST OF THE TWIN-MOTOR ACTUATORS OF BP1, 2 AND 3 MANIFOLD FUEL SHUT-OFF VALVES - BP 3 MANIFOLD FUEL SOV (9650QD)						Service ATA:28
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 28.345	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801								
28-21-13-900-801-01		REMOVAL / INSTALLATION OF THE BP MANIFOLD FUEL SHUT-OFF VALVES ACTUATORS - BP 1 MANIFOLD FUEL SOV (9630QD)						Component ATA:28
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-13-900-801PROC. REF: AMM 28-21-13-900-801								
28-21-13-900-801-02		REMOVAL / INSTALLATION OF THE BP MANIFOLD FUEL SHUT-OFF VALVES ACTUATORS - BP 2 MANIFOLD FUEL SOV (9640QD)						Component ATA:28
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-21-13-900-801PROC. REF: AMM 28-21-13-900-801								
28-21-13-900-801-03		REMOVAL / INSTALLATION OF THE BP MANIFOLD FUEL SHUT-OFF VALVES ACTUATORS - BP 3 MANIFOLD FUEL SOV (9650QD)					Component	ATA:28
ACTUATOR								
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-13-900-801PROC. REF: AMM 28-21-13-900-801								
28-21-14-350-801-01		RESTORATION OF BP 1, 2 AND 3 MANIFOLDS AND OF APU FUEL SOV (PRESSURE CALIBRATION TEST OF THE THERMAL EXPANSION SYSTEM) - BOOSTER PUMP 1 MANIFOLD (105QD)					Service	ATA:28
PN:L88A31-686	MOS	08-Dec-14	192 (+3%)		08-Dec-30	31-May-31	1892 d (+174)	
SN:C17345	HRS	2987:52	9600 (+3%)		12587:52	12875:52	5095:18 (+288)	
WC#: 28.340	AFL	1314						
PROC. REF: AMM 28-21-14-350-801PROC. REF: AMM 28-21-14-350-801								
28-21-14-350-801-02		RESTORATION OF BP 1, 2 AND 3 MANIFOLDS AND OF APU FUEL SOV (PRESSURE CALIBRATION TEST OF THE THERMAL EXPANSION SYSTEM) - BOOSTER PUMP 2 MANIFOLD (205QD)					Service	ATA:28
PN:L88A31-690	MOS	08-Dec-14	192 (+3%)		08-Dec-30	31-May-31	1892 d (+174)	
SN:C17266	HRS	2987:52	9600 (+3%)		12587:52	12875:52	5095:18 (+288)	
WC#: 28.340	AFL	1314						
PROC. REF: AMM 28-21-14-350-801PROC. REF: AMM 28-21-14-350-801								
28-21-14-350-801-03		RESTORATION OF BP 1, 2 AND 3 MANIFOLDS AND OF APU FUEL SOV (PRESSURE CALIBRATION TEST OF THE THERMAL EXPANSION SYSTEM) - BOOSTER PUMP 3 MANIFOLD (305QD)					Service	ATA:28
PN:L88A31-688	MOS	08-Dec-14	192 (+3%)		08-Dec-30	31-May-31	1892 d (+174)	
SN:C16758	HRS	2987:52	9600 (+3%)		12587:52	12875:52	5095:18 (+288)	
WC#: 28.345	AFL	1314						
PROC. REF: AMM 28-21-14-350-801PROC. REF: AMM 28-21-14-350-801								
28-21-14-350-801-04		RESTORATION OF BP 1, 2 AND 3 MANIFOLDS AND OF APU FUEL SOV (PRESSURE CALIBRATION TEST OF THE THERMAL EXPANSION SYSTEM) - APU FUEL SOV (102QD)					Service	ATA:28
PN:B97H19-652	MOS/MSC	01-Sep-20	N/A					
SN:K53735	HRS							
	AFL							
PROC. REF: AMM 28-21-14-350-801PROC. REF: AMM 28-21-14-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-15-710-801-01	OPERATIONAL TEST OF BP 1, 2 AND 3 MANIFOLD FUEL TRANSFER VALVES - BP 1 MANIFOLD FUEL TRANSFER VALVE (9631QD)							Service ATA:28
	MOS/MSC	05-Dec-12	O/C					
	HRS	2511:45						
WC#: 28.460	AFL	1031						
PROC. REF: AMM 28-21-15-710-801PROC. REF: AMM 28-21-15-710-801								
28-21-15-710-801-02	OPERATIONAL TEST OF BP 1, 2 AND 3 MANIFOLD FUEL TRANSFER VALVES - BP 2 MANIFOLD FUEL TRANSFER VALVE (9641QD)							Service ATA:28
	MOS/MSC	05-Dec-12	O/C					
	HRS	2511:45						
WC#: 28.460	AFL	1031						
PROC. REF: AMM 28-21-15-710-801PROC. REF: AMM 28-21-15-710-801								
28-21-15-710-801-03	OPERATIONAL TEST OF BP 1, 2 AND 3 MANIFOLD FUEL TRANSFER VALVES - BP 3 MANIFOLD FUEL TRANSFER VALVE (9651QD)							Service ATA:28
	MOS/MSC	05-Dec-12	O/C					
	HRS	2511:45						
WC#: 28.460	AFL	1031						
PROC. REF: AMM 28-21-15-710-801PROC. REF: AMM 28-21-15-710-801								
28-21-17-710-801-01 ^S	OPERATIONAL TEST OF THE TWIN-MOTOR ACTUATOR OF APU FUEL SHUT-OFF VALVE							Service ATA:28
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 28.470	AFL	2518						
PROC. REF: AMM 28-21-17-710-801PROC. REF: AMM 28-21-17-710-801								PKG:2 WO#: JWL-25-049
28-21-17-710-801-01A	OPERATIONAL TEST OF THE TWIN-MOTOR ACTUATOR OF APU FUEL SHUT-OFF VALVE (MANDATORY 5-40)							Service ATA:28
	MOS	11-Aug-23						CMR
	HRS	6775:44	8000		14775:44		7283:10	
WC#: 28.470	AFL	2518						
PROC. REF: AMM 28-21-17-710-801PROC. REF: AMM 28-21-17-710-801								
28-21-17-900-801-01	APU FUEL SHUT-OFF VALVE (SOV) (102QD)							Component ATA:28
PN:B97H19-652	MOS/MSC	11-Aug-23	O/C	TSN 0				CDCCL
SN:K53735	HRS	6775:44		TSN 0				
WC#: 28.085	AFL	2518		TSN 0				
PROC. REF: AMM 28-21-17-900-801PROC. REF: AMM 28-21-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-21-900-801-01	APU FUEL SHUT-OFF VALVE (SOV) ACTUATOR (9680QD)							Component ATA:28
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCL
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-21-900-801PROC. REF: AMM 28-21-21-900-801								
28-21-25-900-801-01	LH CROSSFEED UNIT (405QD)							Component ATA:28
PN:L88A31-682	MOS/MSC	11-May-21	O/C					CDCL
SN:C00866	HRS	5989:12						
WC#: 28.330	AFL	2329						
PROC. REF: AMM 28-21-25-900-801PROC. REF: AMM 28-21-25-900-801								
28-21-25-900-801-02	RH CROSSFEED UNIT (505QD)							Component ATA:28
PN:L88A31-684	MOS/MSC	11-May-21	O/C	TSN 167				CDCL
SN:B81546	HRS	5989:12		TSN 5989:12				
WC#: 28.330	AFL	2329		TSN 2329				
PROC. REF: AMM 28-21-25-900-801PROC. REF: AMM 28-21-25-900-801								
28-21-29-100-801-01 ^S	CLEANING OF THE LH AND RH CROSSFEED UNIT FILTERS - LH CROSSFEED UNIT FILTER							Service ATA:28
	MOS	26-Dec-24						
	HRS	7106:42	800 (+40)					
WC#: 28.480	AFL	2592						
PROC. REF: AMM 28-21-29-100-801PROC. REF: AMM 28-21-29-100-801								
28-21-29-100-801-02 ^S	CLEANING OF THE LH AND RH CROSSFEED UNIT FILTERS - RH CROSSFEED UNIT FILTER							Service ATA:28
	MOS	26-Dec-24						
	HRS	7106:42	800 (+40)					
WC#: 28.480	AFL	2592						
PROC. REF: AMM 28-21-29-100-801PROC. REF: AMM 28-21-29-100-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-32-900-801-01 REMOVAL / INSTALLATION OF THE BOOSTER PUMP 2 / APU CROSS VALVE - BOOSTER PUMP 2 / APU CROSS VALVE (302QD)							Component	ATA:28
PN:B94D25-651	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B57772	HRS	0		TSN 0				
WC#: 28.350	AFL	0		TSN 0				
PROC. REF: AMM 28-21-32-900-801PROC. REF: AMM 28-21-32-900-801								
28-22-00-650-801-01 QUICK TRANSFER OF FUEL BETWEEN TANK GROUPS - TRANSFER FROM LH TANK GROUP TO CENTER TANK GROUP							Service	ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-22-00-650-801PROC. REF: AMM 28-22-00-650-801								
28-22-00-650-801-03 QUICK TRANSFER OF FUEL BETWEEN TANK GROUPS - TRANSFER FROM CENTER TANK GROUP TO LH TANK GROUP							Service	ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-22-00-650-801PROC. REF: AMM 28-22-00-650-801								
28-22-00-650-801-04 QUICK TRANSFER OF FUEL BETWEEN TANK GROUPS - TRANSFER FROM CENTER TANK GROUP TO RH TANK GROUP							Service	ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-22-00-650-801PROC. REF: AMM 28-22-00-650-801								
28-22-00-650-801-05 QUICK TRANSFER OF FUEL BETWEEN TANK GROUPS - TRANSFER FROM RH TANK GROUP TO CENTER TANK GROUP							Service	ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-22-00-650-801PROC. REF: AMM 28-22-00-650-801								
28-22-01-900-801-01 WING TANK CROSS VALVE (XTK) (103QD)							Component	ATA:28
PN:L94C51-651	MOS/MSC	12-Jun-07	O/C	TSN 0			CDCCL	
SN:B61273	HRS	0		TSN 0				
WC#: 28.425	AFL	0		TSN 0				
PROC. REF: AMM 28-22-01-900-801PROC. REF: AMM 28-22-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-30-00-680-801-01	GRAVITY DEFUELING							Service ATA:28
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2190						
PROC. REF: AMM 28-30-00-680-801PROC. REF: AMM 28-30-00-680-801								
28-30-00-680-802-01	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - DRAINING OF THE LH TANK GROUP							Service ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-30-00-680-802PROC. REF: AMM 28-30-00-680-802								
28-30-00-680-802-02	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - DRAINING OF THE CENTER TANK GROUP							Service ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-30-00-680-802PROC. REF: AMM 28-30-00-680-802								
28-30-00-680-802-03	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - DRAINING OF THE RH TANK GROUP							Service ATA:28
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 28-30-00-680-802PROC. REF: AMM 28-30-00-680-802								
28-30-00-680-802-05	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - FUEL SAMPLING							Service ATA:28
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2190						
PROC. REF: AMM 28-30-00-680-802PROC. REF: AMM 28-30-00-680-802								
28-30-00-680-803-01 ^S	DRAINING OF THE GRAVITY DEFUELING LINE							Service ATA:28
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 28-30-00-680-803PROC. REF: AMM 28-30-00-680-803								

PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-30-00-680-804-01		DRAINING WATER FROM THE FUEL TANKS						Service ATA:28
	MOS	In progress	2 (+5d)		01-Nov-25	06-Nov-25	29 d (+5)	
	HRS	7445:40						
	AFL	2653						
PROC. REF: AMM 28-30-00-680-804PROC. REF: AMM 28-30-00-680-804						WO#: JWL-25-029,(RTS-UPDATE OVERDUE)JWL-25-024,JWL-25-049,JWL-25-044		
28-30-01-900-801-01		REMOVAL / INSTALLATION OF THE DEFUELING MANIFOLD - DEFUELING MANIFOLD (101QV)						Component ATA:28
PN:L88A31-703	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:L38077	HRS	6775:44		TSN 0				
WC#: 28.105	AFL	2518		TSN 0				
PROC. REF: AMM 28-30-01-900-801PROC. REF: AMM 28-30-01-900-801								
28-30-11-900-801-01		LH WING INBOARD TANK DRAIN VALVE						Component ATA:28
PN:45EH021	MOS/MSC	11-Aug-23	O/C					
SN:45EH0455	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-02		RH WING INBOARD TANK DRAIN VALVE						Component ATA:28
PN:45EH021	MOS/MSC	11-Aug-23	O/C					
SN:45EH0454	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-03		REMOVAL / INSTALLATION OF THE DRAIN VALVES - CTR CENTER-WING TANK FRONT DRAIN VALVE (502QV)						Component ATA:28
PN:45EG021	MOS/MSC	11-Aug-23	O/C					
SN:45EG2660	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-04		REMOVAL / INSTALLATION OF THE DRAIN VALVES - CTR CENTER-WING TANK MIDDLE DRAIN VALVE (602QV)						Component ATA:28
PN:45EG021	MOS/MSC	11-Aug-23	O/C					
SN:45EG6500	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-30-11-900-801-05 REMOVAL / INSTALLATION OF THE DRAIN VALVES - CTR CENTER-WING TANK REAR DRAIN VALVE (702QV)							Component	ATA:28
PN:142G12-32	MOS/MSC	23-Dec-14	O/C	TSN 3				
SN:J13536	HRS	2987:52		TSN 0				
	AFL	1341		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-06 REMOVAL / INSTALLATION OF THE DRAIN VALVES - LH FEEDER TANK DRAIN VALVE (L702QV)							Component	ATA:28
PN:142G12-32	MOS/MSC	24-Jul-15	O/C	TSN 4				
SN:J28460	HRS	2998:42		TSN 0				
	AFL	1349		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-07 REMOVAL / INSTALLATION OF THE DRAIN VALVES - RH FEEDER TANK DRAIN VALVE (R702QV)							Component	ATA:28
PN:142G12-32	MOS/MSC	23-Dec-14	O/C	TSN 3				
SN:J13538	HRS	2987:52		TSN 0				
	AFL	1341		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-08 REMOVAL / INSTALLATION OF THE DRAIN VALVES - REAR TANK DRAIN VALVE (802QV)							Component	ATA:28
PN:45EG021	MOS/MSC	18-Nov-24	O/C	TSN 31				
SN:45EG6696	HRS	7061:12		TSN 0				
	AFL	2584		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-09 REMOVAL / INSTALLATION OF THE DRAIN VALVES - CTR FEEDER TANK DRAIN VALVE (1002QV)							Component	ATA:28
PN:45EG021	MOS/MSC	11-Aug-23	O/C					
SN:45EG2675	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-960-802-01 ^S DISCARD OF THE FUEL DRAIN CAPS							Service	ATA:28
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 28-30-11-960-802PROC. REF: AMM 28-30-11-960-802								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-01-900-801-01 REMOVAL / INSTALLATION OF THE FUEL QUANTITY MANAGEMENT COMPUTER (FQMC) - FQMC (208QJ)							Component	ATA:28
PN:738521-1-4	MOS/MSC	20-Nov-16	O/C					
SN:00253	HRS	3229:55						
WC#: 28.005	AFL	1517						
PROC. REF: AMM 28-41-01-900-801PROC. REF: AMM 28-41-01-900-801								
28-41-05-900-801-01 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - LH CENTER-WING TANK GAUGING PROBE (L903QJ)							Component	ATA:28
PN:765354-1-0	MOS/MSC	23-Dec-14	O/C	TSR 3				
SN:765354IN00112	HRS	2987:52		TSR 0				
WC#: 28.170	AFL	1341		TSR 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-02 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - RH CENTER-WING TANK GAUGING PROBE (R903QJ)							Component	ATA:28
PN:PN	MOS/MSC	14-Jul-18	O/C					
SN:UNKNOWN	HRS	4398:30						
WC#: 28.170	AFL	1825						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-03 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - LH FEEDER TANK GAUGING PROBE (L1003QJ)							Component	ATA:28
PN:765353-2-0	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:765353IN00926	HRS	6775:44		TSN 0				
WC#: 28.175	AFL	2518		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-04 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - CTR FEEDER TANK GAUGING PROBE (M1003QJ)							Component	ATA:28
PN:765357-2-0	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:765357IN00830	HRS	5902:02		TSN 0				
WC#: 28.135	AFL	2308		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-05 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - RH FEEDER TANK GAUGING PROBE (R1003QJ)							Component	ATA:28
PN:765361-2-0	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:765361IN00850	HRS	6775:44		TSN 0				
WC#: 28.175	AFL	2518		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-05-900-801-06 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - CTR CENTER-WING TANK FRONT GAUGING PROBE (1103QJ)								Component ATA:28
PN:747892-1-0	MOS/MSC	23-Dec-14	O/C	TSN 2				
SN:747892IN00170	HRS	2987:52		TSN 0				
WC#: 28.145	AFL	1341		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-07 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - CTR CENTER-WING TANK REAR GAUGING PROBE (1203QJ)								Component ATA:28
PN:765356-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:IN00106	HRS	0		TSN 0				
WC#: 28.145	AFL	0		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-08 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - REAR TANK RH FRONT GAUGING PROBE (1303QJ)								Component ATA:28
PN:765358-1-0	MOS/MSC	23-Dec-14	O/C					
SN:765358IN00106	HRS	2987:52						
WC#: 28.150	AFL	1341						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-09 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - REAR TANK LH FRONT GAUGING PROBE (1403QJ)								Component ATA:28
PN:765360-1-0	MOS/MSC	05-Aug-21	O/C	TSN 0				
SN:765360IN00548	HRS	6112:41		TSN 0				
WC#: 28.150	AFL	2376		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-10 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - REAR TANK REAR GAUGING PROBE (1503QJ)								Component ATA:28
PN:765359-1-0	MOS/MSC	23-Dec-14	O/C					
SN:765359IN00105	HRS	2987:52						
WC#: 28.155	AFL	1341						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-11 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - LH FRONT TANK GAUGING PROBE (L1602QJ)								Component ATA:28
PN:765732-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:IN00118	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-05-900-801-12 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGING PROBES - RH FRONT TANK GAUGING PROBE (R1602QJ)							Component	ATA:28
PN:765732-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:IN00117	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-09-900-801-01 LH WING INBOARD TANK REAR GAUGING PROBE (L203QJ)							Component	ATA:28
PN:765352-1-0	MOS/MSC	11-Aug-23	O/C	TSN 0				CDCL
SN:765352IN00525	HRS	6775:44		TSN 0				
WC#: 28.185	AFL	2518		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-02 RH WING INBOARD TANK REAR GAUGING PROBE (R203QJ)							Component	ATA:28
PN:765432-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCL
SN:IN00103	HRS	0		TSN 0				
WC#: 28.185	AFL	0		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-03 LH WING INBOARD TANK FRONT GAUGING PROBE (L303QJ)							Component	ATA:28
PN:765351-1-0	MOS/MSC	27-May-19	O/C	TSN 0				CDCL
SN:765351IN00830	HRS	4872:32		TSN 0				
WC#: 28.180	AFL	1993		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-04 RH WING INBOARD TANK FRONT GAUGING PROBE (R303QJ)							Component	ATA:28
PN:765351-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCL
SN:IN00114	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-05 LH WING MIDDLE TANK REAR INBOARD GAUGING PROBE (L403QJ)							Component	ATA:28
PN:765350-1-0	MOS/MSC	11-Aug-23	O/C	TSN 0				CDCL
SN:765350IN00545	HRS	6775:44		TSN 0				
WC#: 28.200	AFL	2518		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-09-900-801-06 RH WING MIDDLE TANK REAR INBOARD GAUGING PROBE (R403QJ)								Component ATA:28
PN:765431-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCCCL
SN:IN00103	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-07 LH WING MIDDLE TANK FRONT INBOARD GAUGING PROBE (L503QJ)								Component ATA:28
PN:765349-1-0	MOS/MSC	11-Aug-23	O/C	TSN 0				CDCCCL
SN:765349IN00898	HRS	6775:44		TSN 0				
WC#: 28.190	AFL	2518		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-08 RH WING MIDDLE TANK FRONT INBOARD GAUGING PROBE (R503QJ)								Component ATA:28
PN:765349-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCCCL
SN:IN00121	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-09 LH WING MIDDLE TANK OUTBOARD GAUGING PROBE (L603QJ)								Component ATA:28
PN:765348-1-0	MOS/MSC	14-Dec-17	O/C	TSN 20				CDCCCL
SN:765348IN00758	HRS	3964:09		TSN 0				
WC#: 28.195	AFL	1705		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-10 RH WING MIDDLE TANK OUTBOARD GAUGING PROBE (R603QJ)								Component ATA:28
PN:765348-1-0	MOS/MSC	26-Jun-17	O/C	TSN 14				CDCCCL
SN:765348IN00757	HRS	3637:56		TSN 0				
WC#: 28.195	AFL	1610		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-11 LH WING OUTBOARD TANK OUTBOARD GAUGING PROBE (L703QJ)								Component ATA:28
PN:765346-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCCCL
SN:IN00136	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-09-900-801-12 RH WING OUTBOARD TANK OUTBOARD GAUGING PROBE (R703QJ)								Component ATA:28
PN:765346-1-0	MOS/MSC	26-Jun-17	O/C	TSN 6				CDCCL
SN:765346IN00833	HRS	3637:56		TSN 0				
WC#: 28.210	AFL	1610		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-13 LH WING OUTBOARD TANK INBOARD GAUGING PROBE (L803QJ)								Component ATA:28
PN:765347-1-0	MOS/MSC	14-Dec-17	O/C	TSR 13				CDCCL
SN:765347IN00394	HRS	3964:09		TSR 0				
WC#: 28.205	AFL	1705		TSR 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-41-09-900-801-14 RH WING OUTBOARD TANK INBOARD GAUGING PROBE (R803QJ)								Component ATA:28
PN:765347-1-0	MOS/MSC	18-Nov-24	O/C	TSN 21				CDCCL
SN:765347IN00993	HRS	7061:12		TSN 0				
WC#: 28.205	AFL	2584		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
28-42-01-900-801-01 REMOVAL / INSTALLATION OF THE FUEL LEVEL CONTROL UNIT (FLCU) - FLCU (308QJ)								Component ATA:28
PN:722807-4-0	MOS/MSC	11-Aug-23	O/C	TSN 34				
SN:722807IN00423	HRS	6775:44		TSN 1065				
WC#: 28.065	AFL	2518		TSN 272				
PROC. REF: AMM 28-42-01-900-801PROC. REF: AMM 28-42-01-900-801								
28-43-01-900-801-01 REMOVAL / INSTALLATION OF THE FUEL TANK TEMPERATURE PROBES - LH TEMPERATURE PROBE (L105QJ)								Component ATA:28
PN:798840-1-0	MOS/MSC	23-Dec-14	O/C	TSN 3				
SN:01158	HRS	2987:52		TSN 0				
WC#: 28.165	AFL	1341		TSN 0				
PROC. REF: AMM 28-43-01-900-801PROC. REF: AMM 28-43-01-900-801								
28-43-01-900-801-02 REMOVAL / INSTALLATION OF THE FUEL TANK TEMPERATURE PROBES - CTR TEMPERATURE PROBE (M105QJ)								Component ATA:28
PN:798840-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:534	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-43-01-900-801PROC. REF: AMM 28-43-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-48-05-900-881-01	MANOMETER							Component ATA:28
PN:MPMC53301-01	MOS/MSC	08-Jan-13	O/C	TSN 6				
SN:172	HRS	2511:45		TSN 0				
WC#: 28.115	AFL	1031		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-50-00-710-801-01	OPERATIONAL TEST OF THE FRONT TANK REFUELING SYSTEM							Service ATA:28
	MOS/MSC	06-Dec-12	O/C					
	HRS	2511:45						
WC#: 28.530	AFL	1031						
PROC. REF: AMM 28-50-00-710-801PROC. REF: AMM 28-50-00-710-801								
28-50-00-760-801-01 ^S	CHECK OF THE GROUNDING CONNECTOR ELECTRICAL BONDING							Service ATA:28
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 28.490	AFL	2518						
PROC. REF: AMM 28-50-00-760-801PROC. REF: AMM 28-50-00-760-801								
28-50-00-760-801-01A	CHECK OF THE GROUNDING CONNECTOR ELECTRICAL BONDING (MANDATORY 5-40)							Service ATA:28
	MOS	11-Aug-23	40	11-Dec-26		434 d		ALI / CDCCL
	HRS	6775:44						
WC#: 28.490	AFL	2518						
PROC. REF: AMM 28-50-00-760-801PROC. REF: AMM 28-50-00-760-801								
28-50-01-900-801-01	REMOVAL / INSTALLATION OF THE REFUELING CONTROL PANEL (RCP) - REFUELING CONTROL PANEL (108QJ)							Component ATA:28
PN:798909-1-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00164	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 28-50-01-900-801PROC. REF: AMM 28-50-01-900-801								
28-50-05-900-801-01	LH WING HIGH-LEVEL SENSOR (L104QJ)							Component ATA:28
PN:722830-1-0	MOS/MSC	11-Aug-23	O/C	TSN 0				CDCCL
SN:722830IN01393	HRS	6775:44		TSN 0				
WC#: 28.295	AFL	2518		TSN 0				
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-50-05-900-801-02		CTR HIGH-LEVEL SENSOR (M104QJ)					Component	ATA:28
PN:722829-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0			CDCCL	
SN:IN00106	HRS	0		TSN 0				
WC#: 28.290	AFL	0		TSN 0				
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801								
28-50-05-900-801-03		RH WING HIGH-LEVEL SENSOR (R104QJ)					Component	ATA:28
PN:722830-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0			CDCCL	
SN:IN00123	HRS	0		TSN 0				
WC#: 28.295	AFL	0		TSN 0				
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801								
28-50-05-900-801-04		LH FRONT HIGH-LEVEL SENSOR (L204QJ)					Component	ATA:28
PN:722829-1-0	MOS/MSC	15-Dec-16	O/C	TSN 49			CDCCL	
SN:IN00947	HRS	3275:03		TSN 0				
WC#: 28.285	AFL	1528		TSN 0				
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801								
28-50-05-900-801-05		RH FRONT HIGH-LEVEL SENSOR (R204QJ)					Component	ATA:28
PN:722829-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0			CDCCL	
SN:IN00136	HRS	0		TSN 0				
WC#: 28.285	AFL	0		TSN 0				
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801								
28-50-09-900-801-01		REMOVAL / INSTALLATION OF THE REFUELING VALVES - CTR FRONT REFUELING VALVE (102QF)					Component	ATA:28
PN:L94E31-654	MOS/MSC	17-Oct-13	O/C	TSR 4				
SN:C60627	HRS	2803:40		TSR 0				
WC#: 28.390	AFL	1202		TSR 0				
PROC. REF: AMM 28-50-09-900-801PROC. REF: AMM 28-50-09-900-801								
28-50-09-900-801-02		REMOVAL / INSTALLATION OF THE REFUELING VALVES - CTR REAR REFUELING VALVE (202QF)					Component	ATA:28
PN:L94E31-654	MOS/MSC	17-Oct-13	O/C	TSR 5				
SN:D64847	HRS	2803:40		TSR 0				
WC#: 28.390	AFL	1202		TSR 0				
PROC. REF: AMM 28-50-09-900-801PROC. REF: AMM 28-50-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-50-09-900-801-03 REMOVAL / INSTALLATION OF THE REFUELING VALVES - LH REFUELING VALVE (302QF)								Component ATA:28
PN:L94E31-654	MOS/MSC	26-Apr-11	O/C	TSR 0				
SN:D30636	HRS	1516:26		TSR 0				
WC#: 28.395	AFL	674		TSR 0				
PROC. REF: AMM 28-50-09-900-801PROC. REF: AMM 28-50-09-900-801								
28-50-09-900-801-04 REMOVAL / INSTALLATION OF THE REFUELING VALVES - RH REFUELING VALVE (402QF)								Component ATA:28
PN:L94E31-654	MOS/MSC	26-Apr-11	O/C	TSR 0				
SN:D30637	HRS	1516:26		TSR 0				
WC#: 28.395	AFL	674		TSR 0				
PROC. REF: AMM 28-50-09-900-801PROC. REF: AMM 28-50-09-900-801								
28-50-09-900-801-05 REMOVAL / INSTALLATION OF THE REFUELING VALVES - LH FRONT TANK REFUELING VALVE (L402QF)								Component ATA:28
PN:L94E31-652	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:C39191	HRS	0		TSN 0				
WC#: 28.365	AFL	0		TSN 0				
PROC. REF: AMM 28-50-09-900-801PROC. REF: AMM 28-50-09-900-801								
28-50-09-900-801-06 REMOVAL / INSTALLATION OF THE REFUELING VALVES - RH FRONT TANK REFUELING VALVE (R402QF)								Component ATA:28
PN:L94E31-652	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:C39192	HRS	0		TSN 0				
WC#: 28.365	AFL	0		TSN 0				
PROC. REF: AMM 28-50-09-900-801PROC. REF: AMM 28-50-09-900-801								
28-50-13-900-801-01 REMOVAL / INSTALLATION OF THE REFUELING MANIFOLD - REFUELING MANIFOLD (303QF)								Component ATA:28
PN:L88A31-677	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B94130	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 28-50-13-900-801PROC. REF: AMM 28-50-13-900-801								
28-50-17-900-801-01 LH GRAVITY REFUELING PORT (L101QS)								Component ATA:28
PN:35469001	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCCL
SN:0050	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-50-17-900-801PROC. REF: AMM 28-50-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-50-17-900-801-02 RH GRAVITY REFUELING PORT (R101QS)								Component ATA:28
PN:35469001	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCCL
SN:0028	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-50-17-900-801PROC. REF: AMM 28-50-17-900-801								
28-51-01-900-881-01 REFUELING CAP								Component ATA:28
PN:K98D63-201	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B56091	HRS	0		TSN 0				
WC#: 28.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-51-02-900-881-01 FILLER CONNECTOR								Component ATA:28
PN:K97-63-206	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B57742	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-54-01-900-881-01 FRONT REFUELING CHECK VALVE								Component ATA:28
PN:L96Z31-201	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B75339	HRS	0		TSN 0				
WC#: 28.385	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-54-02-900-881-01 GROUP 1 REFUELING CHECK VALVE								Component ATA:28
PN:L96Z31-201	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B75338	HRS	0		TSN 0				
WC#: 28.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-54-03-900-881-01 GROUP 3 REFUELING CHECK VALVE								Component ATA:28
PN:L96Z31-201	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B75340	HRS	0		TSN 0				
WC#: 28.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-54-04-900-881-01	LH FRONT TANK REFUELING CHECK VALVE							Component ATA:28
PN:L96Z31-201	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:C17041	HRS	0		TSN 0				
WC#: 28.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-54-04-900-881-02	RH FRONT TANK REFUELING CHECK VALVE							Component ATA:28
PN:L96Z31-201	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:C17040	HRS	0		TSN 0				
WC#: 28.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-54-06-900-881-01	CHECK VALVE MANIFOLD							Component ATA:28
PN:CVM114-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-70-00-720-801-01 ^S	FUNCTIONAL TEST OF THE PRESSURIZATION SYSTEM - CHECK OF THE PRESSURE REDUCER AND OF THE PRESSURE SEALING OF THE FUEL TANKS							Service ATA:28
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 28.500	AFL	2518						
PROC. REF: AMM 28-70-00-720-801PROC. REF: AMM 28-70-00-720-801								PKG:3
28-70-00-720-801-01A	FUNCTIONAL TEST OF THE PRESSURIZATION SYSTEM - CHECK OF THE PRESSURE REDUCER AND OF THE PRESSURE SEALING OF THE FUEL TANKS (MANDATORY 5-40)							Service ATA:28
	MOS	11-Aug-23	53	11-Jan-28		830 d	CMR	
	HRS	6775:44	2700	9475:44		1983:10		
WC#: 28.031	AFL	2518						
PROC. REF: AMM 28-70-00-720-801PROC. REF: AMM 28-70-00-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-00-720-801-02	S	FUNCTIONAL TEST OF THE PRESSURIZATION SYSTEM - LEAK AND VISUAL CHECK OF THE EXTERNAL CRITICAL AREAS OF THE FUEL TANKS						Service ATA:28
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 28.500	AFL	2518						
								PKG:3
PROC. REF: AMM 28-70-00-720-801PROC. REF: AMM 28-70-00-720-801								
28-70-00-720-801-02A		FUNCTIONAL TEST OF THE PRESSURIZATION SYSTEM - LEAK AND VISUAL CHECK OF THE EXTERNAL CRITICAL AREAS OF THE FUEL TANKS (MANDATORY 5-40)						Service ATA:28
	MOS	11-Aug-23	53		11-Jan-28		830 d	ALI / CDCCL
	HRS	6775:44	2700		9475:44		1983:10	
WC#: 28.500	AFL	2518						
PROC. REF: AMM 28-70-00-720-801PROC. REF: AMM 28-70-00-720-801								
28-70-05-350-801-01		RESTORATION OF THE PRESSURE REDUCER (CALIBRATION) - PRESSURE REDUCER (202QP)						Service ATA:28
PN:B14DE2080	MOS	26-Nov-23						
SN:1918	HRS	6851:49	5000 (+3%)		11851:49	12001:49	4359:15 (+150)	
WC#: 28.275	AFL	2541						
PROC. REF: AMM 28-70-05-350-801PROC. REF: AMM 28-70-05-350-801								
28-70-05-350-801-01A		RESTORATION OF THE PRESSURE REDUCER (CALIBRATION) - PRESSURE REDUCER (202QP) (MANDATORY 5-40)						Service ATA:28
	MOS	23-Dec-14						CMR
	HRS	2987:52	9600		12587:52		5095:18	
WC#: 28.275	AFL	1341						
PROC. REF: AMM 28-70-05-350-801PROC. REF: AMM 28-70-05-350-801								
28-70-05-900-801-01		REMOVAL / INSTALLATION OF THE PRESSURE REDUCER - PRESSURE REDUCER (202QP)						Component ATA:28
PN:B14DE2080	MOS/MSC	26-Nov-23	O/C					
SN:1918	HRS	6851:49						
WC#: 28.275	AFL	2541						
PROC. REF: AMM 28-70-05-900-801PROC. REF: AMM 28-70-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-09-350-801-01 RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - VALVE BOX 1 (302QP)								Service ATA:28
PN:B04BA1006	MOS	22-Dec-18						
SN:3853	HRS	4650:13	5000 (+3%)		9650:13	9800:13	2157:39 (+150)	
WC#: 28.335	AFL	1926						
PROC. REF: AMM 28-70-09-350-801PROC. REF: AMM 28-70-09-350-801								
28-70-09-350-801-01A RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - VALVE BOX 1 (302QP) (MANDATORY 5-40)								Service ATA:28
	MOS	22-Dec-18						CMR
	HRS	4650:13	9600		14250:13		6757:39	
WC#: 28.335	AFL	1926						
PROC. REF: AMM 28-70-09-350-801PROC. REF: AMM 28-70-09-350-801								
28-70-09-350-801-02 RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - VALVE BOX 2 (402QP)								Service ATA:28
PN:B04BA1006	MOS	22-Dec-18						
SN:1293	HRS	4650:13	5000 (+3%)		9650:13	9800:13	2157:39 (+150)	
WC#: 28.335	AFL	1926						
PROC. REF: AMM 28-70-09-350-801PROC. REF: AMM 28-70-09-350-801								
28-70-09-350-801-02A RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - VALVE BOX 2 (402QP) (MANDATORY 5-40)								Service ATA:28
	MOS	22-Dec-18						CMR
	HRS	4650:13	9600		14250:13		6757:39	
WC#: 28.335	AFL	1926						
PROC. REF: AMM 28-70-09-350-801PROC. REF: AMM 28-70-09-350-801								
28-70-09-900-801-01 REMOVAL / INSTALLATION OF THE VALVE BOXES - VALVE BOX 1 (302QP)								Component ATA:28
PN:B04BA1006	MOS/MSC	22-Dec-18	O/C	TSR 0				
SN:3853	HRS	4650:13		TSR 0				
WC#: 28.335	AFL	1926		TSR 0				
PROC. REF: AMM 28-70-09-900-801PROC. REF: AMM 28-70-09-900-801								
28-70-09-900-801-02 REMOVAL / INSTALLATION OF THE VALVE BOXES - VALVE BOX 2 (402QP)								Component ATA:28
PN:B04BA1006	MOS/MSC	22-Dec-18	O/C	TSO 0				
SN:1293	HRS	4650:13		TSO 0				
WC#: 28.335	AFL	1926		TSO 0				
PROC. REF: AMM 28-70-09-900-801PROC. REF: AMM 28-70-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-13-720-802-01	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE 1 (L101QP)							Service ATA:28
PN:B06GA1052-1	MOS	14-Jul-18						
SN:6607	HRS	4398:30	5000 (+3%)		9398:30	9548:30	1905:56 (+150)	
WC#: 28.415	AFL	1825						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-720-802-01A	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE 1 (L101QP) (MANDATORY 5-40)							Service ATA:28
	MOS	23-Dec-14						CMR
	HRS	2987:52	9600		12587:52		5095:18	
WC#: 28.415	AFL	1341						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-720-802-02	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE 1 (R101QP)							Service ATA:28
PN:B06GA1052	MOS	22-Dec-18						
SN:6056	HRS	4650:13	5000 (+3%)		9650:13	9800:13	2157:39 (+150)	
WC#: 28.420	AFL	1926						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-720-802-02A	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE 1 (R101QP) (MANDATORY 5-40)							Service ATA:28
	MOS	22-Dec-18						CMR
	HRS	4650:13	9600		14250:13		6757:39	
WC#: 28.420	AFL	1926						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-720-802-03	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE 2 (L201QP)							Service ATA:28
PN:B06GA1052-1	MOS	22-Dec-18						
SN:6872	HRS	4650:13	5000 (+3%)		9650:13	9800:13	2157:39 (+150)	
WC#: 28.415	AFL	1926						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-13-720-802-03A	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE 2 (L201QP) (MANDATORY 5-40)							Service ATA:28
	MOS	23-Dec-14						CMR
	HRS	2987:52	9600		12587:52		5095:18	
WC#: 28.415	AFL	1341						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-720-802-04	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE 2 (R201QP)							Service ATA:28
PN:B06GA1052-1	MOS	14-Dec-17						
SN:6178	HRS	3964:09	5000 (+3%)		8964:09	9114:09	1471:35 (+150)	
WC#: 28.420	AFL	1705						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-720-802-04A	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE 2 (R201QP) (MANDATORY 5-40)							Service ATA:28
	MOS	14-Dec-17						CMR
	HRS	3964:09	9600		13564:09		6071:35	
WC#: 28.420	AFL	1705						
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802								
28-70-13-900-801-01	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE 1 (L101QP)							Component ATA:28
PN:B06GA1052-1	MOS/MSC	14-Jul-18	O/C	TSN 0				
SN:6607	HRS	4398:30		TSN 0				
WC#: 28.415	AFL	1825		TSN 0				
PROC. REF: AMM 28-70-13-900-801PROC. REF: AMM 28-70-13-900-801								
28-70-13-900-801-02	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE 1 (R101QP)							Component ATA:28
PN:B06GA1052	MOS/MSC	22-Dec-18	O/C	TSR 0				
SN:6056	HRS	4650:13		TSR 0				
WC#: 28.420	AFL	1926		TSR 0				
PROC. REF: AMM 28-70-13-900-801PROC. REF: AMM 28-70-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-13-900-801-03	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE 2 (L201QP)							Component ATA:28
PN:B06GA1052-1	MOS/MSC	22-Dec-18	O/C	TSN 0				
SN:6872	HRS	4650:13		TSN 0				
WC#: 28.415	AFL	1926		TSN 0				
PROC. REF: AMM 28-70-13-900-801PROC. REF: AMM 28-70-13-900-801								
28-70-13-900-801-04	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE 2 (R201QP)							Component ATA:28
PN:B06GA1052-1	MOS/MSC	14-Dec-17	O/C	TSR 1				
SN:6178	HRS	3964:09		TSR 0				
WC#: 28.420	AFL	1705		TSR 0				
PROC. REF: AMM 28-70-13-900-801PROC. REF: AMM 28-70-13-900-801								
28-70-17-220-801-01 ^U	DETAILED INSPECTION OF THE ENGINE CHECK VALVES							Service ATA:28
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 28.510	AFL	912						
28-70-17-220-801-02 ^U	REMOVAL/INSTALLATION OF THE NO. 1 ENGINE CHECK VALVE (203QP) AND NO. 1 ENGINE PRESSURIZATION FILTER (403QP)							Service ATA:28
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 28.510	AFL	912						
28-70-17-220-801-03 ^U	REMOVAL/INSTALLATION OF THE NO. 3 ENGINE CHECK VALVE (303QP) AND NO. 3 ENGINE PRESSURIZATION FILTER (503QP)							Service ATA:28
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 28.510	AFL	912						
28-70-17-220-801-04 ^U	REMOVAL / INSTALLATION AND CLEANING OF THE FILTERING ELEMENT OF THE NO. 1 ENGINE PRESSURIZATION FILTER (403QP)							Service ATA:28
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 28.510	AFL	912						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-17-220-801-05	^U	REMOVAL / INSTALLATION AND CLEANING OF THE FILTERING ELEMENT OF THE NO. 3 ENGINE PRESSURIZATION FILTER (503QP)					Service	ATA:28
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 28.510	AFL	912						
28-70-17-710-801-01	^S	OPERATIONAL CHECK OF THE ENGINE CHECK VALVES AND CLEANING OF THE ENGINE PRESSURIZATION FILTERS - OPERATIONAL CHECK OF ENGINE 1 PRESSURIZATION BLEED AIR CHECK VALVE (203QP)					Service	ATA:28
	MOS	23-Dec-14						
	HRS	2987:52	9600 (+50)					
	AFL	1341						
								PKG:34
PROC. REF: AMM 28-70-17-710-801PROC. REF: AMM 28-70-17-710-801								
28-70-17-710-801-02	^S	OPERATIONAL CHECK OF THE ENGINE CHECK VALVES AND CLEANING OF THE ENGINE PRESSURIZATION FILTERS - OPERATIONAL CHECK OF ENGINE 3 PRESSURIZATION BLEED AIR CHECK VALVE (303QP)					Service	ATA:28
	MOS	23-Dec-14						
	HRS	2987:52	9600 (+50)					
	AFL	1341						
								PKG:34
PROC. REF: AMM 28-70-17-710-801PROC. REF: AMM 28-70-17-710-801								
28-70-17-710-801-03	^S	OPERATIONAL CHECK OF THE ENGINE CHECK VALVES AND CLEANING OF THE ENGINE PRESSURIZATION FILTERS - CLEANING OF THE FILTERING ELEMENT OF ENGINE 1 PRESSURIZATION BLEED AIR FILTER (403QP)					Service	ATA:28
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
								PKG:31
PROC. REF: AMM 28-70-17-710-801PROC. REF: AMM 28-70-17-710-801								
28-70-17-710-801-04	^S	OPERATIONAL CHECK OF THE ENGINE CHECK VALVES AND CLEANING OF THE ENGINE PRESSURIZATION FILTERS - CLEANING OF THE FILTERING ELEMENT OF ENGINE 3 PRESSURIZATION BLEED AIR FILTER (503QP)					Service	ATA:28
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
								PKG:31
PROC. REF: AMM 28-70-17-710-801PROC. REF: AMM 28-70-17-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-21-900-801-01 REMOVAL / INSTALLATION OF THE VENT VALVES - CTR VENT VALVE (603QP)								Component ATA:28
PN:B97E38-653	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B81367	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-70-21-900-801PROC. REF: AMM 28-70-21-900-801								
28-70-21-900-801-02 REMOVAL / INSTALLATION OF THE VENT VALVES - LH VENT VALVE (L703QP)								Component ATA:28
PN:B97F38-655	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B97270	HRS	0		TSN 0				
WC#: 28.405	AFL	0		TSN 0				
PROC. REF: AMM 28-70-21-900-801PROC. REF: AMM 28-70-21-900-801								
28-70-21-900-801-03 REMOVAL / INSTALLATION OF THE VENT VALVES - RH VENT VALVE (R703QP)								Component ATA:28
PN:B97F38-655	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B88965	HRS	0		TSN 0				
WC#: 28.405	AFL	0		TSN 0				
PROC. REF: AMM 28-70-21-900-801PROC. REF: AMM 28-70-21-900-801								
28-70-23-900-801-01 REMOVAL / INSTALLATION OF THE WING PRESSURIZATION VALVES - LH WING PRESSURIZATION VALVE (L803QP)								Component ATA:28
PN:B97-26-654	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:C38075	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-70-23-900-801PROC. REF: AMM 28-70-23-900-801								
28-70-23-900-801-02 REMOVAL / INSTALLATION OF THE WING PRESSURIZATION VALVES - RH WING PRESSURIZATION VALVE (R803QP)								Component ATA:28
PN:B97-26-654	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:O38076	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-70-23-900-801PROC. REF: AMM 28-70-23-900-801								
28-70-24-710-801-01 ^S OPERATIONAL TEST OF THE AUTOMATIC DRAIN VALVES								Service ATA:28
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 28.535	AFL	2518	4000					
PROC. REF: AMM 28-70-24-710-801PROC. REF: AMM 28-70-24-710-801								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-70-24-900-801-01		LH AUTOMATIC DRAIN VALVE						Component ATA:28
PN:P177-526	MOS/MSC	22-Dec-18	O/C	TSN 0				
SN:18-04123	HRS	4650:13		TSN 0				
	AFL	1926		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-70-24-900-801-02		RH AUTOMATIC DRAIN VALVE						Component ATA:28
PN:P177-526	MOS/MSC	23-Dec-14	O/C	TSN 4				
SN:14-03194	HRS	2987:52		TSN 0				
	AFL	1341		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-70-2A-900-801-02 ^U		AUTOMATIC DRAIN VALVE						Component ATA:28
PN:P177-526	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:2522246-67	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
28-70-2A-900-801-03 ^U		AUTOMATIC DRAIN VALVE						Component ATA:28
PN:P177-526	MOS/MSC	23-Dec-14	O/C					
SN:13-091159	HRS	2987:52						
	AFL	1341						
28-70-2A-900-801-04 ^U		AUTOMATIC DRAIN VALVE						Component ATA:28
PN:P177-526	MOS/MSC	23-Dec-14	O/C					
SN:14-031966	HRS	2987:52						
	AFL	1341						
28-70-2A-900-801-05 ^U		AUTOMATIC DRAIN VALVE						Component ATA:28
PN:P177-526	MOS/MSC	11-Dec-17	O/C					
SN:17-0217213	HRS	3964:09						
	AFL	1705						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-73-02-900-881-01		NO. 1 CHECK VALVE					Component	ATA:28
PN:L96Z19-003	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B81517	HRS	0		TSN 0				
WC#: 28.355	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-73-03-900-881-01		NO. 2 CHECK VALVE					Component	ATA:28
PN:L96Z19-003	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:B81519	HRS	0		TSN 0				
WC#: 28.355	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-73-04-900-881-01		NO. 1 HOT FILTER					Component	ATA:28
PN:018500AA000NFOA	MOS/MSC	17-Oct-13	O/C	TSN 12				
SN:M766940-013	HRS	2803:40		TSN 0				
WC#: 28.080	AFL	1202		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-73-05-900-881-01		NO. 2 HOT FILTER					Component	ATA:28
PN:018500AA000NFOA	MOS/MSC	17-Oct-13	O/C	TSN 12				
SN:M766940-012	HRS	2803:40		TSN 0				
WC#: 28.080	AFL	1202		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-9A-01-900-801-05 ^U		AFT COMPARTMENT FUEL DRAINING TOOL					Component	ATA:28
PN:FGFB912001A7	MOS/MSC	22-Jul-22	O/C					
SN:TD1169	HRS	6502:45						
	AFL	2460						
ATA 29 - HYDRAULIC POWER								
29-00-00-280-801-01		SAMPLING OF THE HYDRAULIC FLUID - HYDRAULIC SYSTEM A					Service	ATA:29
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-00-00-280-801PROC. REF: AMM 29-00-00-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-00-00-280-801-02	SAMPLING OF THE HYDRAULIC FLUID - HYDRAULIC SYSTEM B							Service ATA:29
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-00-00-280-801PROC. REF: AMM 29-00-00-280-801								
29-00-00-280-801-03	SAMPLING OF THE HYDRAULIC FLUID - HYDRAULIC SYSTEM C							Service ATA:29
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-00-00-280-801PROC. REF: AMM 29-00-00-280-801								
29-00-00-610-801-01	REPLENISHING OF THE HYDRAULIC FLUID RESERVOIRS - HYDRAULIC A RESERVOIR (601GP)							Service ATA:29
	MOS/MSC	28-Dec-24	O/C					
	HRS	7106:43						
	AFL	2592						
PROC. REF: AMM 29-00-00-610-801PROC. REF: AMM 29-00-00-610-801								
29-00-00-610-801-02	REPLENISHING OF THE HYDRAULIC FLUID RESERVOIRS - HYDRAULIC B RESERVOIR (602GP)							Service ATA:29
	MOS/MSC	04-Jun-20	O/C					
	HRS	5478:10						
	AFL	2166						
PROC. REF: AMM 29-00-00-610-801PROC. REF: AMM 29-00-00-610-801								
29-00-00-610-801-03	REPLENISHING OF THE HYDRAULIC FLUID RESERVOIRS - HYDRAULIC C RESERVOIR (603GP)							Service ATA:29
	MOS/MSC	28-Dec-24	O/C					
	HRS	7106:43						
	AFL	2592						
PROC. REF: AMM 29-00-00-610-801PROC. REF: AMM 29-00-00-610-801								
29-00-00-860-803-01	PRESSURIZATION / DE-PRESSURIZATION OF THE HYDRAULIC SYSTEMS WITH THE HYDRAULIC GROUND POWER UNIT (GPU) - HYDRAULIC SYSTEM A							Service ATA:29
	MOS/MSC	18-Nov-24	O/C					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 29-00-00-860-803PROC. REF: AMM 29-00-00-860-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-00-00-860-803-02	PRESSURIZATION / DE-PRESSURIZATION OF THE HYDRAULIC SYSTEMS WITH THE HYDRAULIC GROUND POWER UNIT (GPU) - HYDRAULIC SYSTEM B						Service	ATA:29
	MOS/MSC	18-Nov-24	O/C					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 29-00-00-860-803PROC. REF: AMM 29-00-00-860-803								
29-00-00-860-803-03	PRESSURIZATION / DE-PRESSURIZATION OF THE HYDRAULIC SYSTEMS WITH THE HYDRAULIC GROUND POWER UNIT (GPU) - HYDRAULIC SYSTEM C						Service	ATA:29
	MOS/MSC	04-Jun-20	O/C					
	HRS	5478:10						
	AFL	2166						
PROC. REF: AMM 29-00-00-860-803PROC. REF: AMM 29-00-00-860-803								
29-11-00-870-801-01	BLEEDING OF THE HYDRAULIC PUMP SUCTION LINES - HYDRAULIC PUMP A3 (L201GP)						Service	ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-11-00-870-801PROC. REF: AMM 29-11-00-870-801								
29-11-00-870-801-02	BLEEDING OF THE HYDRAULIC PUMP SUCTION LINES - HYDRAULIC PUMP A1 (R201GP)						Service	ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-11-00-870-801PROC. REF: AMM 29-11-00-870-801								
29-11-00-870-801-03	BLEEDING OF THE HYDRAULIC PUMP SUCTION LINES - HYDRAULIC PUMP B2 (M202GP)						Service	ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-11-00-870-801PROC. REF: AMM 29-11-00-870-801								
29-11-00-870-801-04	BLEEDING OF THE HYDRAULIC PUMP SUCTION LINES - HYDRAULIC PUMP B3 (R202GP)						Service	ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-11-00-870-801PROC. REF: AMM 29-11-00-870-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-11-00-870-801-05		BLEEDING OF THE HYDRAULIC PUMP SUCTION LINES - HYDRAULIC BACKUP PUMP (1002GP)						Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-11-00-870-801PROC. REF: AMM 29-11-00-870-801								
29-11-01-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP A1 (R201GP)						Component ATA:29
PN:51181-02	MOS/MSC	19-Jun-25	O/C	TSR 2				
SN:K0890	HRS	7334		TSR 0				
WC#: 29.035	AFL	2633		TSR 0				
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801								
29-11-01-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP A3 (L201GP)						Component ATA:29
PN:51181-02	MOS/MSC	23-Dec-14	O/C	TSR 2				
SN:K0921	HRS	2987:52		TSR 0				
WC#: 29.035	AFL	1341		TSR 0				
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801								
29-11-01-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP B2 (M202GP)						Component ATA:29
PN:51181-02	MOS/MSC	24-Apr-15	O/C	TSN 0				
SN:1273	HRS	2991:27		TSN 0				
WC#: 29.040	AFL	1344		TSN 0				
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801								
29-11-01-900-801-04		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP B3 (R202GP)						Component ATA:29
PN:51181-02	MOS/MSC	23-Dec-14	O/C	TSR 7				
SN:K0566	HRS	2987:52		TSR 0				
WC#: 29.040	AFL	1341		TSR 0				
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801								
29-11-01-900-801-05		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP C2 (203GP)						Component ATA:29
PN:51187-02	MOS/MSC	12-Dec-12	O/C					
SN:K0039	HRS	2511:45						
WC#: 29.045	AFL	1031						
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-11-13-720-801-01	FUNCTIONAL TEST OF THE HYDRAULIC SYSTEM CONTROL BOARD (HSCB) - HSCB (3801GP)							Service ATA:29
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 29.125	AFL	2518						
PROC. REF: AMM 29-11-13-720-801PROC. REF: AMM 29-11-13-720-801								
29-11-17-720-801-02	FUNCTIONAL TEST OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - FUNCTIONAL TEST OF SYSTEM C HYDRAULIC RESERVOIR TEMPERATURE SWITCH CIRCUIT TO CLOSE ENGINE 2 HYDRAULIC SOV							Service ATA:29
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 29.085	AFL	2518	8000					
PROC. REF: AMM 29-11-17-720-801PROC. REF: AMM 29-11-17-720-801								
29-11-17-720-801-02A	FUNCTIONAL TEST OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - FUNCTIONAL TEST OF SYSTEM C HYDRAULIC RESERVOIR TEMPERATURE SWITCH CIRCUIT TO CLOSE ENGINE 2 HYDRAULIC SHUT-OFF VALVE (MANDATORY 5-40)							Service ATA:29
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 29.085	AFL	2518						
PROC. REF: AMM 29-11-17-720-801PROC. REF: AMM 29-11-17-720-801								
29-11-17-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - HYDRAULIC A TEMPERATURE SWITCH (L9509GP)							Component ATA:29
PN:23178H190	MOS/MSC	11-Aug-23	O/C					
SN:0085	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 29-11-17-900-801PROC. REF: AMM 29-11-17-900-801								
29-11-17-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - HYDRAULIC B TEMPERATURE SWITCH (M9509GP)							Component ATA:29
PN:23178H190	MOS/MSC	11-Aug-23	O/C					
SN:0069	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 29-11-17-900-801PROC. REF: AMM 29-11-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-11-17-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - HYDRAULIC C TEMPERATURE SWITCH (3803GP)					Component	ATA:29
PN:967020-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0011	HRS	0		TSN 0				
WC#: 29.065	AFL	0		TSN 0				
PROC. REF: AMM 29-11-17-900-801PROC. REF: AMM 29-11-17-900-801								
29-11-17-960-801-01 ^S		DISCARD OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - HYDRAULIC A TEMPERATURE SWITCH (L9509GP)					Service	ATA:29
PN:23178H190	MOS	12-Jun-07	192 (+2m)					
SN:0085	HRS	0						
	AFL	0	8000					
PROC. REF: AMM 29-11-17-960-801PROC. REF: AMM 29-11-17-960-801								PKG:42
29-11-17-960-801-02 ^S		DISCARD OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - HYDRAULIC B TEMPERATURE SWITCH (M9509GP)					Service	ATA:29
PN:23178H190	MOS	12-Jun-07	192 (+2m)					
SN:0069	HRS	0						
	AFL	0	8000					
PROC. REF: AMM 29-11-17-960-801PROC. REF: AMM 29-11-17-960-801								PKG:42
29-11-17-960-801-03 ^S		DISCARD OF THE HYDRAULIC RESERVOIR TEMPERATURE SWITCHES - HYDRAULIC C TEMPERATURE SWITCH (3803GP)					Service	ATA:29
PN:967020-1	MOS	12-Jun-07	192 (+2m)					
SN:0011	HRS	0						
	AFL	0	8000					
PROC. REF: AMM 29-11-17-960-801PROC. REF: AMM 29-11-17-960-801								PKG:42
29-11-25-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SWITCHES - HYDRAULIC PUMP A1 PRESSURE SWITCH (L9518GP)					Component	ATA:29
PN:7595159-002	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:0658	HRS	2991:27		TSN 0				
WC#: 29.135	AFL	1344		TSN 0				
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
29-11-25-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SWITCHES - HYDRAULIC PUMP A3 PRESSURE SWITCH (L9519GP)					Component	ATA:29
PN:7595159-003	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:0632	HRS	2991:27		TSN 0				
WC#: 29.135	AFL	1344		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
29-11-25-900-801-03	REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SWITCHES - HYDRAULIC PUMP B3 PRESSURE SWITCH (M9518GP)						Component	ATA:29
PN:7595159-002	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:0659	HRS	2991:27		TSN 0				
WC#: 29.135	AFL	1344		TSN 0				
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
29-11-25-900-801-04	REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SWITCHES - HYDRAULIC PUMP B2 PRESSURE SWITCH (M9519GP)						Component	ATA:29
PN:7595159-003	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:0631	HRS	2991:27		TSN 0				
WC#: 29.135	AFL	1344		TSN 0				
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
29-11-25-900-801-05	REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SWITCHES - HYDRAULIC PUMP C2 PRESSURE SWITCH (R9518GP)						Component	ATA:29
PN:7595159-001	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:0343	HRS	2991:27		TSN 0				
WC#: 29.135	AFL	1344		TSN 0				
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
29-11-25-900-801-06	REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SWITCHES - HYDRAULIC BACKUP PUMP PRESSURE SWITCH (9520GP)						Component	ATA:29
PN:7595159-004	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:0343	HRS	2991:27		TSN 0				
WC#: 29.135	AFL	1344		TSN 0				
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
29-12-01-720-801-01	^S	FUNCTIONAL TEST OF SYSTEM A AND B PRIORITY VALVES - HYDRAULIC A PRIORITY VALVE (1401GP)					Service	ATA:29
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 29.090	AFL	2518						
PROC. REF: AMM 29-12-01-720-801PROC. REF: AMM 29-12-01-720-801								

PKG:31

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-01-720-801-01A	FUNCTIONAL TEST OF SYSTEM A AND B PRIORITY VALVES - HYDRAULIC A PRIORITY VALVE (1401GP) (MANDATORY 5-40)							Service ATA:29
	MOS	11-Aug-23						CMR
	HRS	6775:44	2500		9275:44		1783:10	
WC#: 29.090	AFL	2518						
PROC. REF: AMM 29-12-01-720-801PROC. REF: AMM 29-12-01-720-801								
29-12-01-720-801-02	FUNCTIONAL TEST OF SYSTEM A AND B PRIORITY VALVES - HYDRAULIC B PRIORITY VALVE (1402GP)							Service ATA:29
	MOS	28-Feb-22						
	HRS	6322:16	1200 (+50)		7522:16	7572:16	29:42 (+50)	
WC#: 29.090	AFL	2423						
PROC. REF: AMM 29-12-01-720-801PROC. REF: AMM 29-12-01-720-801								
29-12-01-720-801-02A	FUNCTIONAL TEST OF SYSTEM A AND B PRIORITY VALVES - HYDRAULIC B PRIORITY VALVE (1402GP) (MANDATORY 5-40)							Service ATA:29
	MOS	28-Feb-22						CMR
	HRS	6322:16	1300		7622:16		129:42	
WC#: 29.090	AFL	2423						
PROC. REF: AMM 29-12-01-720-801PROC. REF: AMM 29-12-01-720-801								
29-12-01-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC PRIORITY VALVES - HYDRAULIC A PRIORITY VALVE (1401GP)							Component ATA:29
PN:975298-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0023	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: AMM 29-12-01-900-801PROC. REF: AMM 29-12-01-900-801								
29-12-01-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC PRIORITY VALVES - HYDRAULIC B PRIORITY VALVE (1402GP)							Component ATA:29
PN:975298-1	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0022	HRS	5287:57		TSN 5287:57				
WC#: 29.080	AFL	2109		TSN 2109				
PROC. REF: AMM 29-12-01-900-801PROC. REF: AMM 29-12-01-900-801								
29-12-05-710-804-01	OPERATIONAL TEST OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 1 HYDRAULIC SYSTEM A SOV (L801GP)							Service ATA:29
	MOS	17-Jun-25	48 (+1m)		17-Jun-29	17-Jul-29	1353 d (+30)	
	HRS	7334:09	600 (+50)		7934:09	7984:09	441:35 (+50)	
WC#: 29.095	AFL	2633						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-12-05-710-804PROC. REF: AMM 29-12-05-710-804								
29-12-05-710-804-02	OPERATIONAL TEST OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 3 HYDRAULIC SYSTEM A SOV (R801GP)							Service ATA:29
	MOS	17-Jun-25	48 (+1m)		17-Jun-29	17-Jul-29	1353 d (+30)	
	HRS	7334:09	600 (+50)		7934:09	7984:09	441:35 (+50)	
WC#: 29.095	AFL	2633						
PROC. REF: AMM 29-12-05-710-804PROC. REF: AMM 29-12-05-710-804								
29-12-05-710-804-03	OPERATIONAL TEST OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 3 HYDRAULIC SYSTEM B SOV (R802GP)							Service ATA:29
	MOS	17-Jun-25	48 (+1m)		17-Jun-29	17-Jul-29	1353 d (+30)	
	HRS	7334:09	600 (+50)		7934:09	7984:09	441:35 (+50)	
WC#: 29.095	AFL	2633						
PROC. REF: AMM 29-12-05-710-804PROC. REF: AMM 29-12-05-710-804								
29-12-05-710-804-04	OPERATIONAL TEST OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 2 HYDRAULIC SYSTEM B SOV (M802GP)							Service ATA:29
	MOS	17-Jun-25	48 (+1m)		17-Jun-29	17-Jul-29	1353 d (+30)	
	HRS	7334:09	600 (+50)		7934:09	7984:09	441:35 (+50)	
WC#: 29.095	AFL	2633						
PROC. REF: AMM 29-12-05-710-804PROC. REF: AMM 29-12-05-710-804								
29-12-05-710-804-05	OPERATIONAL TEST OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 2 HYDRAULIC SYSTEM C SOV (803GP)							Service ATA:29
	MOS	17-Jun-25	48 (+1m)		17-Jun-29	17-Jul-29	1353 d (+30)	
	HRS	7334:09	600 (+50)		7934:09	7984:09	441:35 (+50)	
WC#: 29.095	AFL	2633						
PROC. REF: AMM 29-12-05-710-804PROC. REF: AMM 29-12-05-710-804								
29-12-05-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 1 HYDRAULIC SYSTEM A SOV (L801GP)							Component ATA:29
PN:975297-5	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0460	HRS	5287:57		TSN 5287:57				
WC#: 29.005	AFL	2109		TSN 2109				
PROC. REF: AMM 29-12-05-900-801PROC. REF: AMM 29-12-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-05-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 3 HYDRAULIC SYSTEM A SOV (R801GP)					Component	ATA:29
PN:975297-5	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0458	HRS	5287:57		TSN 5287:57				
WC#: 29.005	AFL	2109		TSN 2109				
PROC. REF: AMM 29-12-05-900-801PROC. REF: AMM 29-12-05-900-801								
29-12-05-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 3 HYDRAULIC SYSTEM B SOV (R802GP)					Component	ATA:29
PN:975297-5	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0461	HRS	5287:57		TSN 5287:57				
WC#: 29.010	AFL	2109		TSN 2109				
PROC. REF: AMM 29-12-05-900-801PROC. REF: AMM 29-12-05-900-801								
29-12-05-900-801-04		REMOVAL / INSTALLATION OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 2 HYDRAULIC SYSTEM B SOV (M802GP)					Component	ATA:29
PN:975297-5	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0462	HRS	5287:57		TSN 5287:57				
WC#: 29.010	AFL	2109		TSN 2109				
PROC. REF: AMM 29-12-05-900-801PROC. REF: AMM 29-12-05-900-801								
29-12-05-900-801-05		REMOVAL / INSTALLATION OF THE HYDRAULIC FIREWALL SHUT-OFF VALVES - ENGINE 2 HYDRAULIC SYSTEM C SOV (803GP)					Component	ATA:29
PN:975297-5	MOS/MSC	22-Jan-20	O/C	TSN 151				
SN:0459	HRS	5287:57		TSN 5287:57				
WC#: 29.015	AFL	2109		TSN 2109				
PROC. REF: AMM 29-12-05-900-801PROC. REF: AMM 29-12-05-900-801								
29-13-00-720-801-01		FUNCTIONAL TEST OF THE HYDRAULIC DPI SIGNAL					Service	ATA:29
	MOS/MSC	14-Jul-18	O/C					
	HRS	4398:30						
WC#: 29.130	AFL	1825						
PROC. REF: AMM 29-13-00-720-801PROC. REF: AMM 29-13-00-720-801								
29-13-01-900-801-01		REMOVAL / INSTALLATION OF THE SYSTEM A HYDRAULIC FILTER MANIFOLD - HYDRAULIC A FILTER MANIFOLD (401GP)					Component	ATA:29
PN:945178-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0009	HRS	0		TSN 0				
WC#: 29.025	AFL	0		TSN 0				
PROC. REF: AMM 29-13-01-900-801PROC. REF: AMM 29-13-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-13-02-900-801-01 REMOVAL / INSTALLATION OF THE SYSTEM B HYDRAULIC FILTER MANIFOLD - HYDRAULIC B FILTER MANIFOLD (402GP)								Component ATA:29
PN:945178-6	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:004	HRS	0		TSN 0				
WC#: 29.025	AFL	0		TSN 0				
PROC. REF: AMM 29-13-02-900-801PROC. REF: AMM 29-13-02-900-801								
29-13-05-900-801-01 REMOVAL / INSTALLATION OF THE SYSTEM C HYDRAULIC FILTER MANIFOLD - HYDRAULIC C FILTER MANIFOLD (403GP)								Component ATA:29
PN:945180-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0011	HRS	0		TSN 0				
WC#: 29.030	AFL	0		TSN 0				
PROC. REF: AMM 29-13-05-900-801PROC. REF: AMM 29-13-05-900-801								
29-13-09-900-801-02 ^U HYDRAULIC B PRESSURE FILTER ELEMENT								Component ATA:29
PN:7595150-001	MOS/MSC	21-Jan-17	A/R	TSN 0				
SN:NSN	HRS	3337:52		TSN 0				
	AFL	1534		TSN 0				
29-13-09-900-801-05 ^U HYDRAULIC B RETURN FILTER ELEMENT								Component ATA:29
PN:7595135-001	MOS/MSC	26-Apr-24	A/R	TSN 0				
SN:LOTLT21-00342	HRS	6960:15		TSN 0				
	AFL	2562		TSN 0				
29-13-09-900-801-11 ^U HYDRAULIC B2 CASE DRAIN FILTER ELEMENT								Component ATA:29
PN:759141-001	MOS/MSC	21-Jan-17	A/R	TSN 26				
SN:NSN	HRS	3337:52		TSN 0				
	AFL	1534		TSN 0				
29-13-09-960-801-01 REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC A PRESSURE FILTER ELEMENT (L9511GP)								Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-13-09-960-801-02	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC B PRESSURE FILTER ELEMENT (M9511GP)							Service ATA:29
	MOS/MSC	21-Jan-17	O/C					
	HRS	3337:52						
	AFL	1534						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-03	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC C PRESSURE FILTER ELEMENT (R9511GP)							Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-04	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC A RETURN FILTER ELEMENT (L9512GP)							Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-05	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC B RETURN FILTER ELEMENT (M9512GP)							Service ATA:29
	MOS/MSC	21-Jan-17	O/C					
	HRS	3337:52						
	AFL	1534						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-06	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC C RETURN FILTER ELEMENT (R9512GP)							Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-07	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC A1 CASE DRAIN FILTER ELEMENT (L9510GP)							Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-13-09-960-801-08	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC B3 CASE DRAIN FILTER ELEMENT (M9510GP)							Service ATA:29
	MOS/MSC	04-Feb-20	O/C					
	HRS	5307:07						
	AFL	2114						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-09	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC C2 CASE DRAIN FILTER ELEMENT (R9510GP)							Service ATA:29
	MOS/MSC	22-Jul-22	O/C					
	HRS	6502:45						
	AFL	2460						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-10	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC A3 CASE DRAIN FILTER ELEMENT (L9600GP)							Service ATA:29
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-09-960-801-11	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC B2 CASE DRAIN FILTER ELEMENT (M9600GP)							Service ATA:29
	MOS/MSC	21-Jan-17	O/C					
	HRS	3337:52						
	AFL	1534						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								
29-13-17-900-801-04	REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD DIFFERENTIAL PRESSURE INDICATORS (DPI) - HYDRAULIC A3 CASE DRAIN LINE DELTAP INDICATOR (401GP6)							Component ATA:29
PN:7595279-102	MOS/MSC	18-Oct-11	O/C	TSN 0				
SN:0099	HRS			TSN 0				
WC#: 29.017	AFL			TSN 0				
PROC. REF: AMM 29-13-17-900-801PROC. REF: AMM 29-13-17-900-801								
29-14-00-720-801-01	FUNCTIONAL TEST OF SYSTEM B BOOTSTRAP SYSTEM							Service ATA:29
	MOS	21-Feb-22						
	HRS	6322:16	1200 (+50)		7522:16	7572:16	29:42 (+50)	
WC#: 29.105	AFL	2423						
PROC. REF: AMM 29-14-00-720-801PROC. REF: AMM 29-14-00-720-801								

WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-14-00-720-801-01A	FUNCTIONAL TEST OF SYSTEM B BOOTSTRAP SYSTEM (MANDATORY 5-40)							Service ATA:29
	MOS	21-Feb-22						CMR
	HRS	6322:16	1300		7622:16		129:42	
WC#: 29.105	AFL	2423						
								WO#: JWL-25-049
PROC. REF: AMM 29-14-00-720-801PROC. REF: AMM 29-14-00-720-801								
29-14-00-720-802-01	FUNCTIONAL TEST OF THE RESERVOIR QUANTITY FOR AIR DETECTION							Service ATA:29
	MOS/MSC	18-Dec-12	O/C					
	HRS	2511:45						
	AFL	1031						
PROC. REF: AMM 29-14-00-720-802PROC. REF: AMM 29-14-00-720-802								
29-14-01-900-801-01	REMOVAL / INSTALLATION OF THE SYSTEM A AND SYSTEM B HYDRAULIC RESERVOIRS - HYDRAULIC A RESERVOIR (601GP)							Component ATA:29
PN:960455-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0054	HRS	0		TSN 0				
WC#: 29.055	AFL	0		TSN 0				
PROC. REF: AMM 29-14-01-900-801PROC. REF: AMM 29-14-01-900-801								
29-14-01-900-801-02	REMOVAL / INSTALLATION OF THE SYSTEM A AND SYSTEM B HYDRAULIC RESERVOIRS - HYDRAULIC B RESERVOIR (602GP)							Component ATA:29
PN:960456-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0052	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: AMM 29-14-01-900-801PROC. REF: AMM 29-14-01-900-801								
29-14-05-900-801-01	REMOVAL / INSTALLATION OF THE SYSTEM C HYDRAULIC RESERVOIR - HYDRAULIC C RESERVOIR (603GP)							Component ATA:29
PN:960457-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
WC#: 29.075	AFL	0		TSN 0				
PROC. REF: AMM 29-14-05-900-801PROC. REF: AMM 29-14-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-14-21-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIR PRESSURE MAINTAINING VALVES - HYDRAULIC A PRESSURE-MAINTAINING VALVE (L9502GP)							Component ATA:29
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-14-21-900-801PROC. REF: AMM 29-14-21-900-801								
29-14-21-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIR PRESSURE MAINTAINING VALVES - HYDRAULIC B PRESSURE-MAINTAINING VALVE (M9502GP)							Component ATA:29
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-14-21-900-801PROC. REF: AMM 29-14-21-900-801								
29-14-21-900-801-03	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIR PRESSURE MAINTAINING VALVES - HYDRAULIC C PRESSURE-MAINTAINING VALVE (R9502GP)							Component ATA:29
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-14-21-900-801PROC. REF: AMM 29-14-21-900-801								
29-14-29-900-801-04 ^U	REMOVAL/INSTALLATION GPU HYDRAULIC RETURN QUICK DISCONNECT							Component ATA:29
PN:920327-5	MOS/MSC	18-Nov-24	O/C					
SN:1860	HRS	7061:12		TSN 0				
	AFL	2369		TSN 0				
29-20-01-350-801-01	RESTORATION OF THE HYDRAULIC BACKUP PUMP (WITH REPLACEMENT OF BRUSHES AND BEARINGS) - HYDRAULIC BACKUP PUMP (1002GP)							Service ATA:29
PN:51183-03	MOS	15-Feb-16						
SN:K0170	HRS	3063:15		TAC 2507				
WC#: 29.050	AFL	1419	4000 (+3%)	TAC 1364	4055	4175	1395 (+120)	
PROC. REF: AMM 29-20-01-350-801PROC. REF: AMM 29-20-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-20-01-720-801-01		CHECK OF THE HYDRAULIC BACKUP PUMP BRUSH LENGTH AND INDICATION - HYDRAULIC BACKUP PUMP (1002GP) - BRUSH LENGTH						Service ATA:29
PN:51183-03	MOS	15-Feb-16						
SN:K0170	HRS	3063:15	7200 (+100)	TAC 2507	7756:15	7856:15	263:41 (+100)	
WC#: 29.050	AFL	1419	1800 (+3%)		3219	3273	559 (+54)	
PROC. REF: AMM 29-20-01-720-801PROC. REF: AMM 29-20-01-720-801								
29-20-01-720-801-01A		CHECK OF THE HYDRAULIC BACKUP PUMP BRUSH LENGTH AND INDICATION - HYDRAULIC BACKUP PUMP (1002GP) - BRUSH LENGTH (MANDATORY 5-40)						Service ATA:29
PN:51183-03	MOS	15-Feb-16						CMR
SN:K0170	HRS	3063:15	7300	TAC 2507	7856:15		363:41	
WC#: 29.050	AFL	1419						
PROC. REF: AMM 29-20-01-720-801PROC. REF: AMM 29-20-01-720-801								
29-20-01-720-801-02 ^S		CHECK OF THE HYDRAULIC BACKUP PUMP BRUSH LENGTH AND INDICATION - HYDRAULIC BACKUP PUMP (1002GP) - BRUSH INDICATION						Service ATA:29
	MOS	15-Feb-16						
	HRS	3063:15	9600 (+50)	TAC 2507				
WC#: 29.050	AFL	1419						
PROC. REF: AMM 29-20-01-720-801PROC. REF: AMM 29-20-01-720-801								
29-20-01-720-801-02A		CHECK OF THE HYDRAULIC BACKUP PUMP BRUSH LENGTH AND INDICATION - HYDRAULIC BACKUP PUMP (1002GP) - BRUSH INDICATION (MANDATORY 5-40)						Service ATA:29
	MOS	15-Feb-16						CMR
	HRS	3063:15	10000	TAC 2507	10556:15		3063:41	
WC#: 29.050	AFL	1419						
PROC. REF: AMM 29-20-01-720-801PROC. REF: AMM 29-20-01-720-801								
29-20-01-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC BACKUP PUMP - HYDRAULIC BACKUP PUMP (1002GP)						Component ATA:29
PN:51183-03	MOS/MSC	15-Feb-16	O/C					
SN:K0170	HRS	3063:15		TSN 2507				
WC#: 29.050	AFL	1419		TSN 1364				
PROC. REF: AMM 29-20-01-900-801PROC. REF: AMM 29-20-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-20-05-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC BACKUP PUMP SELECTOR VALVE - HYDRAULIC BACKUP PUMP SELECTOR VALVE (1202GP)							Component ATA:29
PN:975295-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0014	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 29-20-05-900-801PROC. REF: AMM 29-20-05-900-801								
29-30-00-710-801-01	OPERATIONAL TEST OF THE HYDRAULIC QUANTITY INDICATION - HYDRAULIC A RESERVOIR (601GP)							Service ATA:29
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 29.115	AFL	2518						
PROC. REF: AMM 29-30-00-710-801PROC. REF: AMM 29-30-00-710-801								
29-30-00-710-801-02	OPERATIONAL TEST OF THE HYDRAULIC QUANTITY INDICATION - HYDRAULIC B RESERVOIR (602GP)							Service ATA:29
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 29.115	AFL	2518						
PROC. REF: AMM 29-30-00-710-801PROC. REF: AMM 29-30-00-710-801								
29-30-00-710-801-03	OPERATIONAL TEST OF THE HYDRAULIC QUANTITY INDICATION - HYDRAULIC C RESERVOIR (603GP)							Service ATA:29
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 29.115	AFL	2518						
PROC. REF: AMM 29-30-00-710-801PROC. REF: AMM 29-30-00-710-801								
29-30-01-720-801-01 ^S	FUNCTIONAL TEST OF THE HYDRAULIC TEMPERATURE TRANSDUCERS - HYDRAULIC A TEMPERATURE TRANSDUCER (L9522GP)							Service ATA:29
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 29.120	AFL	2518	8000					
PROC. REF: AMM 29-30-01-720-801PROC. REF: AMM 29-30-01-720-801								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-30-01-720-801-01A	FUNCTIONAL TEST OF THE HYDRAULIC TEMPERATURE TRANSDUCERS - HYDRAULIC A TEMPERATURE TRANSDUCER (L9522GP) (MANDATORY 5-40)							Service ATA:29
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 29.120	AFL	2518						
PROC. REF: AMM 29-30-01-720-801PROC. REF: AMM 29-30-01-720-801								
29-30-01-720-801-02 ^S	FUNCTIONAL TEST OF THE HYDRAULIC TEMPERATURE TRANSDUCERS - HYDRAULIC B TEMPERATURE TRANSDUCER (M9522GP)							Service ATA:29
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 29.120	AFL	2518	8000					
PROC. REF: AMM 29-30-01-720-801PROC. REF: AMM 29-30-01-720-801								PKG:42
29-30-01-720-801-02A	FUNCTIONAL TEST OF THE HYDRAULIC TEMPERATURE TRANSDUCERS - HYDRAULIC B TEMPERATURE TRANSDUCER (M9522GP) (MANDATORY 5-40)							Service ATA:29
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 29.120	AFL	2518						
PROC. REF: AMM 29-30-01-720-801PROC. REF: AMM 29-30-01-720-801								
29-30-01-720-801-03 ^S	FUNCTIONAL TEST OF THE HYDRAULIC TEMPERATURE TRANSDUCERS - HYDRAULIC C TEMPERATURE TRANSDUCER (R9522GP)							Service ATA:29
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 29.120	AFL	2518	8000					
PROC. REF: AMM 29-30-01-720-801PROC. REF: AMM 29-30-01-720-801								PKG:42
29-30-01-720-801-03A	FUNCTIONAL TEST OF THE HYDRAULIC TEMPERATURE TRANSDUCERS - HYDRAULIC C TEMPERATURE TRANSDUCER (R9522GP) (MANDATORY 5-40)							Service ATA:29
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 29.120	AFL	2518						
PROC. REF: AMM 29-30-01-720-801PROC. REF: AMM 29-30-01-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-30-05-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE TRANSDUCERS - HYDRAULIC B PRESSURE TRANSDUCER (M9521GP)							Component ATA:29
PN:7595160-001	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1478	HRS	6775:44		TSN 0				
WC#: 29.082	AFL	2518		TSN 0				
PROC. REF: AMM 29-30-05-900-801PROC. REF: AMM 29-30-05-900-801								
ATA 30 - ICE AND RAIN PROTECTION								
30-10-00-710-801-01	OPERATIONAL TEST OF THE WING ANTI-ICING SYSTEM							Service ATA:30
	MOS	23-May-12						
	HRS	2184:49	6000 (+50)		8184:49	8234:49	692:15 (+50)	
WC#: 30.175	AFL	912						
PROC. REF: AMM 30-10-00-710-801PROC. REF: AMM 30-10-00-710-801								
30-10-00-710-803-01 ^S	OPERATIONAL TEST OF THE WING ANTI-ICING TEMPERATURE SENSORS - LH WING ANTI-ICE TEMPERATURE SENSOR (L601DL)							Service ATA:30
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
PROC. REF: AMM 30-10-00-710-803PROC. REF: AMM 30-10-00-710-803								PKG:31
30-10-00-710-803-02 ^S	OPERATIONAL TEST OF THE WING ANTI-ICING TEMPERATURE SENSORS - RH WING ANTI-ICE TEMPERATURE SENSOR (R601DL)							Service ATA:30
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
PROC. REF: AMM 30-10-00-710-803PROC. REF: AMM 30-10-00-710-803								PKG:31
30-10-00-790-801-01	LEAK CHECK OF THE WING ANTI-ICING SYSTEM							Service ATA:30
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 30-10-00-790-801PROC. REF: AMM 30-10-00-790-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-11-00-720-801-01 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH WING INBOARD SLAT TELESCOPIC DUCT (102DL)								Service ATA:30
PN:1765010-01	MOS	11-Aug-23	48 (+3%)		11-Aug-27	24-Sep-27	677 d (+44)	
SN:0021	HRS	6775:44						
WC#: 30.045	AFL	2518	1000 (+3%)		3518	3548	858 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
30-11-00-720-801-02 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH WING MIDDLE SLAT TELESCOPIC DUCT (202DL)								Service ATA:30
PN:1765031	MOS	11-Aug-23	48 (+3%)		11-Aug-27	24-Sep-27	677 d (+44)	
SN:0310	HRS	6775:44						
WC#: 30.050	AFL	2518	1000 (+3%)		3518	3548	858 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
30-11-00-720-801-03 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH WING OUTBOARD SLAT TELESCOPIC DUCT (302DL)								Service ATA:30
PN:1765070	MOS	11-Aug-23	48 (+3%)		11-Aug-27	24-Sep-27	677 d (+44)	
SN:0019	HRS	6775:44						
WC#: 30.055	AFL	2518	1000 (+3%)		3518	3548	858 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
30-11-00-720-801-04 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH WING INBOARD SLAT TELESCOPIC DUCT (402DL)								Service ATA:30
PN:1765000-01	MOS	11-Aug-23	48 (+3%)		11-Aug-27	24-Sep-27	677 d (+44)	
SN:0008	HRS	6775:44						
WC#: 30.060	AFL	2518	1000 (+3%)		3518	3548	858 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
30-11-00-720-801-05 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH WING MIDDLE SLAT TELESCOPIC DUCT (502DL)								Service ATA:30
PN:1765020-06	MOS	11-Aug-23	48 (+3%)		11-Aug-27	24-Sep-27	677 d (+44)	
SN:0031	HRS	6775:44						
WC#: 30.065	AFL	2518	1000 (+3%)		3518	3548	858 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
30-11-00-720-801-06 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH WING OUTBOARD SLAT TELESCOPIC DUCT (602DL)								Service ATA:30
PN:1765060	MOS	11-Aug-23	48 (+3%)		11-Aug-27	24-Sep-27	677 d (+44)	
SN:0011	HRS	6775:44						
WC#: 30.070	AFL	2518	1000 (+3%)		3518	3548	858 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-11-01-900-801-01 REMOVAL / INSTALLATION OF THE INBOARD SLAT TELESCOPIC DUCTS - LH WING INBOARD SLAT TELESCOPIC DUCT (102DL)							Component	ATA:30
PN:1765010-01	MOS/MSC	24-Jul-19	O/C	TSN 145				
SN:0021	HRS	4984:17		TSN 4984:17				
WC#: 30.045	AFL	2024		TSN 2024				
PROC. REF: AMM 30-11-01-900-801PROC. REF: AMM 30-11-01-900-801								
30-11-01-900-801-02 REMOVAL / INSTALLATION OF THE INBOARD SLAT TELESCOPIC DUCTS - RH WING INBOARD SLAT TELESCOPIC DUCT (402DL)							Component	ATA:30
PN:1765000-01	MOS/MSC	24-Jul-19	O/C	TSN 145				
SN:0008	HRS	4984:17		TSN 4984:17				
WC#: 30.060	AFL	2024		TSN 2024				
PROC. REF: AMM 30-11-01-900-801PROC. REF: AMM 30-11-01-900-801								
30-11-05-900-801-01 REMOVAL / INSTALLATION OF THE MIDDLE SLAT TELESCOPIC DUCTS - LH WING MIDDLE SLAT TELESCOPIC DUCT (202DL)							Component	ATA:30
PN:1765031	MOS/MSC	24-Jul-19	O/C	TSR 0				
SN:0310	HRS	4984:17		TSR 0				
WC#: 30.050	AFL	2024		TSR 0				
PROC. REF: AMM 30-11-05-900-801PROC. REF: AMM 30-11-05-900-801								
30-11-05-900-801-02 REMOVAL / INSTALLATION OF THE MIDDLE SLAT TELESCOPIC DUCTS - RH WING MIDDLE SLAT TELESCOPIC DUCT (502DL)							Component	ATA:30
PN:1765020-06	MOS/MSC	24-Jul-19	O/C	TSN 145				
SN:0031	HRS	4984:17		TSN 4984:17				
WC#: 30.065	AFL	2024		TSN 2024				
PROC. REF: AMM 30-11-05-900-801PROC. REF: AMM 30-11-05-900-801								
30-11-09-900-801-01 REMOVAL / INSTALLATION OF THE OUTBOARD SLAT TELESCOPIC DUCTS - LH WING OUTBOARD SLAT TELESCOPIC DUCT (302DL)							Component	ATA:30
PN:1765070	MOS/MSC	24-Jul-19	O/C	TSN 145				
SN:0019	HRS	4984:17		TSN 4984:17				
WC#: 30.055	AFL	2024		TSN 2024				
PROC. REF: AMM 30-11-09-900-801PROC. REF: AMM 30-11-09-900-801								
30-11-09-900-801-02 REMOVAL / INSTALLATION OF THE OUTBOARD SLAT TELESCOPIC DUCTS - RH WING OUTBOARD SLAT TELESCOPIC DUCT (602DL)							Component	ATA:30
PN:1765060	MOS/MSC	24-Jul-19	O/C	TSN 145				
SN:0011	HRS	4984:17		TSN 4984:17				
WC#: 30.070	AFL	2024		TSN 2024				
PROC. REF: AMM 30-11-09-900-801PROC. REF: AMM 30-11-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-01-710-801-01	OPERATIONAL TEST OF THE WING ANTI-ICING TEMPERATURE CONTROL VALVE - WING ANTI-ICE TEMPERATURE CONTROL VALVE (R201DL)							Service ATA:30
	MOS/MSC	28-May-13	O/C					
	HRS	2763:40						
	AFL	1168						
PROC. REF: AMM 30-12-01-710-801PROC. REF: AMM 30-12-01-710-801								
30-12-01-900-801-01	REMOVAL / INSTALLATION OF THE WING ANTI-ICING TEMPERATURE CONTROL VALVE - REMOVAL/INSTALLATION OF THE WING ANTI-ICE TEMPERATURE CONTROL VALVE (R201DL)							Component ATA:30
PN:3205052-5	MOS/MSC	28-May-13	O/C					
SN:168	HRS	2763:40						
WC#: 30.015	AFL	1168						
PROC. REF: AMM 30-12-01-900-801PROC. REF: AMM 30-12-01-900-801								
30-12-05-900-801-01	REMOVAL / INSTALLATION OF THE WING ANTI-ICING PRESSURE SENSORS - LH WING ANTI-ICE PRESSURE SENSOR (L401DL)							Component ATA:30
PN:1153062-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00143	HRS	0		TSN 0				
WC#: 30.095	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05-900-801PROC. REF: AMM 30-12-05-900-801								
30-12-05-900-801-02	REMOVAL / INSTALLATION OF THE WING ANTI-ICING PRESSURE SENSORS - RH WING ANTI-ICE PRESSURE SENSOR (R401DL)							Component ATA:30
PN:1153062-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00158	HRS	0		TSN 0				
WC#: 30.095	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05-900-801PROC. REF: AMM 30-12-05-900-801								
30-12-09-900-801-01	REMOVAL / INSTALLATION OF THE WING ANTI-ICING SKIN TEMPERATURE SENSORS - LH WING ANTI-ICE TEMPERATURE SENSOR (L601DL)							Component ATA:30
PN:1153068-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00187	HRS	0		TSN 0				
WC#: 30.085	AFL	0		TSN 0				
PROC. REF: AMM 30-12-09-900-801PROC. REF: AMM 30-12-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-09-900-801-02	REMOVAL / INSTALLATION OF THE WING ANTI-ICING SKIN TEMPERATURE SENSORS - RH WING ANTI-ICE TEMPERATURE SENSOR (R601DL)						Component	ATA:30
PN:1153068-3	MOS/MSC	22-Oct-09	O/C					
SN:00459	HRS	979:05						
WC#: 30.085	AFL	352						
PROC. REF: AMM 30-12-09-900-801PROC. REF: AMM 30-12-09-900-801								
30-12-13-900-801-01	REMOVAL / INSTALLATION OF THE WING ANTI-ICING PRESSURE SWITCHES - LH WING ANTI-ICING PRESSURE SWITCH (L801DL)						Component	ATA:30
PN:1605010	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0027	HRS	0		TSN 0				
WC#: 30.105	AFL	0		TSN 0				
PROC. REF: AMM 30-12-13-900-801PROC. REF: AMM 30-12-13-900-801								
30-12-13-900-801-02	REMOVAL / INSTALLATION OF THE WING ANTI-ICING PRESSURE SWITCHES - RH WING ANTI-ICING PRESSURE SWITCH (R801DL)						Component	ATA:30
PN:1605010	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0026	HRS	0		TSN 0				
WC#: 30.105	AFL	0		TSN 0				
PROC. REF: AMM 30-12-13-900-801PROC. REF: AMM 30-12-13-900-801								
30-20-00-200-801-04	INSPECTION OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 1						Service	ATA:30
	MOS	11-Aug-23	144 (+2m)		11-Aug-35	11-Oct-35	3599 d (+61)	
	HRS	6775:44	2400 (+50)		9175:44	9225:44	1683:10 (+50)	
	AFL	2518						
PROC. REF: AMM 30-20-00-200-801PROC. REF: AMM 30-20-00-200-801								
30-20-00-200-801-05	INSPECTION OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 2						Service	ATA:30
	MOS	11-Aug-23	144 (+2m)		11-Aug-35	11-Oct-35	3599 d (+61)	
	HRS	6775:44	2400 (+50)		9175:44	9225:44	1683:10 (+50)	
	AFL	2518						
PROC. REF: AMM 30-20-00-200-801PROC. REF: AMM 30-20-00-200-801								
30-20-00-200-801-06	INSPECTION OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 3						Service	ATA:30
	MOS	11-Aug-23	144 (+2m)		11-Aug-35	11-Oct-35	3599 d (+61)	
	HRS	6775:44	2400 (+50)		9175:44	9225:44	1683:10 (+50)	
	AFL	2518						
PROC. REF: AMM 30-20-00-200-801PROC. REF: AMM 30-20-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-20-00-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE ENGINE BLEED AIR ANTI-ICING DUCTING AND ASSOCIATED COMPONENTS - GENERAL VISUAL INSPECTION OF ENGINE 1 BLEED AIR ANTI-ICING DUCTING AND ASSOCIATED COMPONENTS						Service ATA:30
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 30.180	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 30-20-00-210-801PROC. REF: AMM 30-20-00-210-801								
30-20-00-210-801-02	^S	GENERAL VISUAL INSPECTION OF THE ENGINE BLEED AIR ANTI-ICING DUCTING AND ASSOCIATED COMPONENTS - GENERAL VISUAL INSPECTION OF ENGINE 2 BLEED AIR ANTI-ICING DUCTING AND ASSOCIATED COMPONENTS						Service ATA:30
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 30.180	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 30-20-00-210-801PROC. REF: AMM 30-20-00-210-801								
30-20-00-210-801-03	^S	GENERAL VISUAL INSPECTION OF THE ENGINE BLEED AIR ANTI-ICING DUCTING AND ASSOCIATED COMPONENTS - GENERAL VISUAL INSPECTION OF ENGINE 3 BLEED AIR ANTI-ICING DUCTING AND ASSOCIATED COMPONENTS						Service ATA:30
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 30.180	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 30-20-00-210-801PROC. REF: AMM 30-20-00-210-801								
30-20-00-710-801-01		OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - TEST OF ENGINE 1 ANTI-ICING SYSTEM						Service ATA:30
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 30.140	AFL	1341						
PROC. REF: AMM 30-20-00-710-801PROC. REF: AMM 30-20-00-710-801								
30-20-00-710-801-02		OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - TEST OF ENGINE 2 ANTI-ICING SYSTEM						Service ATA:30
	MOS/MSC	01-Mar-24	O/C					
	HRS	6923:06						
WC#: 30.140	AFL	2555						
PROC. REF: AMM 30-20-00-710-801PROC. REF: AMM 30-20-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-20-00-710-801-03 OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - TEST OF ENGINE 3 ANTI-ICING SYSTEM								Service ATA:30
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 30.140	AFL	2518						
PROC. REF: AMM 30-20-00-710-801PROC. REF: AMM 30-20-00-710-801								
30-20-01-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 1 ANTI-ICING VALVE (L102DN)								Component ATA:30
PN:F7XC301910011A8	MOS/MSC	28-Oct-22	O/C	TSR 76				
SN:KCA303	HRS	6628:15		TSR 956:24				
WC#: 30.130	AFL	2494		TSR 256				
PROC. REF: AMM 30-20-01-900-801PROC. REF: AMM 30-20-01-900-801								
30-20-01-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 2 ANTI-ICING VALVE (M102DN)								Component ATA:30
PN:F7XC301910011A8	MOS/MSC	22-Feb-24	O/C	TSO 0				
SN:NFB360	HRS	6923:06		TSO 0				
WC#: 30.125	AFL	2555		TSO 0				
PROC. REF: AMM 30-20-01-900-801PROC. REF: AMM 30-20-01-900-801								
30-20-01-900-801-03 REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 3 ANTI-ICING VALVE (R102DN)								Component ATA:30
PN:F7XC301910011A7	MOS/MSC	02-Feb-12	O/C					
SN:LHA134	HRS	2154:19						
WC#: 30.130	AFL	899						
PROC. REF: AMM 30-20-01-900-801PROC. REF: AMM 30-20-01-900-801								
30-20-05-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING TRANSDUCERS - ENGINE 1 ANTI-ICING TRANSDUCER (L101DN)								Component ATA:30
PN:F7XC301910013A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:ADXAK000156	HRS	0		TSN 0				
WC#: 30.115	AFL	0		TSN 0				
PROC. REF: AMM 30-20-05-900-801PROC. REF: AMM 30-20-05-900-801								
30-20-05-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING TRANSDUCERS - ENGINE 2 ANTI-ICING TRANSDUCER (M101DN)								Component ATA:30
PN:F7XC301910013A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:ADXAK000147	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 30-20-05-900-801PROC. REF: AMM 30-20-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-20-05-900-801-03	REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING TRANSDUCERS - ENGINE 3 ANTI-ICING TRANSDUCER (R101DN)							Component ATA:30
PN:F7XC301910013A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:ADXAK000157	HRS	0		TSN 0				
WC#: 30.115	AFL	0		TSN 0				
PROC. REF: AMM 30-20-05-900-801PROC. REF: AMM 30-20-05-900-801								
30-40-00-720-801-01	^S	FUNCTIONAL TEST OF THE WINDSHIELD WATER-REPELLENT COATING - LH FRONT WINDSHIELD (L101SA)						Service ATA:30
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 30-40-00-720-801PROC. REF: AMM 30-40-00-720-801								
30-40-00-720-801-02	^S	FUNCTIONAL TEST OF THE WINDSHIELD WATER-REPELLENT COATING - RH FRONT WINDSHIELD (R101SA)						Service ATA:30
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 30-40-00-720-801PROC. REF: AMM 30-40-00-720-801								
30-40-00-910-801-01		REFURBISHMENT OF THE WINDSHIELD DRY-COAT - LH FRONT WINDSHIELD (L101SA)						Service ATA:30
	MOS/MSC	12-Jun-20	A/R					
	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 30-40-00-910-801PROC. REF: AMM 30-40-00-910-801								
30-40-00-910-801-02		REFURBISHMENT OF THE WINDSHIELD DRY-COAT - RH FRONT WINDSHIELD (R101SA)						Service ATA:30
	MOS/MSC	12-Jun-20	A/R					
	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 30-40-00-910-801PROC. REF: AMM 30-40-00-910-801								
30-41-00-710-801-01	^S	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM - OPERATIONAL TEST OF THE DE-ICING SYSTEM IN NORMAL MODE						Service ATA:30
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 30.145	AFL	2518						

PKG:31

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801								
30-41-00-710-801-01A	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM - OPERATIONAL TEST OF THE DE-ICING SYSTEM IN NORMAL MODE (MANDATORY 5-40)							Service ATA:30
	MOS	11-Aug-23						CMR
	HRS	6775:44	2450		9225:44		1733:10	
WC#: 30.145	AFL	2518						
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801								
30-41-00-710-801-02 ^S	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM - OPERATIONAL TEST OF THE DE-ICING SYSTEM IN RH BACK-UP MODE							Service ATA:30
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 30.145	AFL	2518						
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801								PKG:31
30-41-00-710-801-02A	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM - OPERATIONAL TEST OF THE DE-ICING SYSTEM IN RH BACK-UP MODE (MANDATORY 5-40)							Service ATA:30
	MOS	11-Aug-23						CMR
	HRS	6775:44	2450		9225:44		1733:10	
WC#: 30.145	AFL	2518						
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801								
30-41-00-710-801-03 ^S	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM - OPERATIONAL TEST OF THE DE-ICING SYSTEM IN LH BACK-UP MODE							Service ATA:30
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 30.145	AFL	2518						
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801								PKG:31
30-41-00-710-801-03A	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM - OPERATIONAL TEST OF THE DE-ICING SYSTEM IN LH BACK-UP MODE (MANDATORY 5-40)							Service ATA:30
	MOS	11-Aug-23						CMR
	HRS	6775:44	2450		9225:44		1733:10	
WC#: 30.145	AFL	2518						
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-41-00-710-802-01	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING POWER SUPPLY CONTROL - TEST OF THE LH WINDSHIELD DE-ICING POWER SUPPLY CONTROL							Service ATA:30
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 30.150	AFL	912						
PROC. REF: AMM 30-41-00-710-802PROC. REF: AMM 30-41-00-710-802								
30-41-00-710-802-02	OPERATIONAL TEST OF THE WINDSHIELD DE-ICING POWER SUPPLY CONTROL - TEST OF THE RH WINDSHIELD DE-ICING POWER SUPPLY CONTROL							Service ATA:30
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 30.150	AFL	912						
PROC. REF: AMM 30-41-00-710-802PROC. REF: AMM 30-41-00-710-802								
30-41-00-710-803-01	OPERATIONAL TEST OF THE SIDE WINDSHIELD TEMPERATURE SENSORS - LH SIDE WINDSHIELD TEMPERATURE SENSORS							Service ATA:30
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 30.155	AFL	912						
PROC. REF: AMM 30-41-00-710-803PROC. REF: AMM 30-41-00-710-803								
30-41-00-710-803-02	OPERATIONAL TEST OF THE SIDE WINDSHIELD TEMPERATURE SENSORS - RH SIDE WINDSHIELD TEMPERATURE SENSORS							Service ATA:30
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 30.155	AFL	912						
PROC. REF: AMM 30-41-00-710-803PROC. REF: AMM 30-41-00-710-803								
30-41-01-900-801-01	REMOVAL / INSTALLATION OF THE WINDSHIELD DE-ICING POWER SUPPLIES - LH WINDSHIELD DE-ICING POWER SUPPLY (L1001DG)							Component ATA:30
PN:06N10716-MODF	MOS/MSC	11-Aug-23	O/C					
SN:07-0214	HRS	6775:44						
WC#: 30.080	AFL	2518						
PROC. REF: AMM 30-41-01-900-801PROC. REF: AMM 30-41-01-900-801								
30-41-01-900-801-02	REMOVAL / INSTALLATION OF THE WINDSHIELD DE-ICING POWER SUPPLIES - RH WINDSHIELD DE-ICING POWER SUPPLY (R1001DG)							Component ATA:30
PN:06N10716-MODF	MOS/MSC	11-Aug-23	O/C					
SN:07-0231	HRS	6775:44			TSR 4303:44			
WC#: 30.080	AFL	2518			TSR 1501			
PROC. REF: AMM 30-41-01-900-801PROC. REF: AMM 30-41-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-41-01-900-801-03	REMOVAL / INSTALLATION OF THE WINDSHIELD DE-ICING POWER SUPPLIES - BACK-UP WINDSHIELD DE-ICING POWER SUPPLY (M1001DG)						Component	ATA:30
PN:16N24334	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:14.0938	HRS	6775:44		TSR 0				
WC#: 30.080	AFL	2518		TSR 0				
PROC. REF: AMM 30-41-01-900-801PROC. REF: AMM 30-41-01-900-801								
30-41-05-900-801-01	REMOVAL / INSTALLATION OF THE WINDSHIELD DE-ICING DISPATCH BOX - WINDSHIELD DE-ICING DISPATCH BOX (2001DG)						Component	ATA:30
PN:02N10555-MODB	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05-0013	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-41-05-900-801PROC. REF: AMM 30-41-05-900-801								
30-41-09-900-801-01	REMOVAL / INSTALLATION OF THE WINDSHIELD DE-ICING 28 V DC DISPATCH CONTACTOR - WINDSHIELD DE-ICING 28 V DC DISPATCH CONTACTOR (3001DG)						Component	ATA:30
PN:02N10556-MODA	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05-0033	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 30-41-09-900-801PROC. REF: AMM 30-41-09-900-801								
30-41-13-900-801-01	REMOVAL / INSTALLATION OF THE WINDSHIELD SURGE ARRESTER BOXES - LH FRONT SURGE ARRESTER BOX (L1001SA)						Component	ATA:30
PN:PNR6N64096	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06-0011	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-41-13-900-801PROC. REF: AMM 30-41-13-900-801								
30-41-13-900-801-02	REMOVAL / INSTALLATION OF THE WINDSHIELD SURGE ARRESTER BOXES - RH FRONT SURGE ARRESTER BOX (R1001SA)						Component	ATA:30
PN:PNR6N64096	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06-0018	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-41-13-900-801PROC. REF: AMM 30-41-13-900-801								
30-41-13-900-801-03	REMOVAL / INSTALLATION OF THE WINDSHIELD SURGE ARRESTER BOXES - LH SIDE SURGE ARRESTER BOX (L1002SA)						Component	ATA:30
PN:04N10031-MODB	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:04-0020	HRS	0		TSN 0				
WC#: 30.025	AFL	0		TSN 0				
PROC. REF: AMM 30-41-13-900-801PROC. REF: AMM 30-41-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-41-13-900-801-04 REMOVAL / INSTALLATION OF THE WINDSHIELD SURGE ARRESTER BOXES - RH SIDE SURGE ARRESTER BOX (R1002SA)							Component	ATA:30
PN:04N10031-MODB	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:04-0018	HRS	0		TSN 0				
WC#: 30.025	AFL	0		TSN 0				
PROC. REF: AMM 30-41-13-900-801PROC. REF: AMM 30-41-13-900-801								
30-48-00-710-801-01 ^S OPERATIONAL TEST OF THE RAIN REPELLENT SYSTEM							Service	ATA:30
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 30.185	AFL	2518						
PROC. REF: AMM 30-48-00-710-801PROC. REF: AMM 30-48-00-710-801								
30-48-01-900-801-01 REMOVAL / INSTALLATION OF THE RAIN REPELLENT SOLENOID VALVES - LH RAIN REPELLENT SOLENOID VALVE (L2008DG)							Component	ATA:30
PN:421U10-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:R05-004409	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 30-48-01-900-801PROC. REF: AMM 30-48-01-900-801								
30-48-01-900-801-02 REMOVAL / INSTALLATION OF THE RAIN REPELLENT SOLENOID VALVES - RH RAIN REPELLENT SOLENOID VALVE (R2008DG)							Component	ATA:30
PN:421U10-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:R04-003035	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 30-48-01-900-801PROC. REF: AMM 30-48-01-900-801								
30-48-05-900-801-01 REMOVAL / INSTALLATION OF THE RAIN REPELLENT GAGE ASSEMBLY - RAIN REPELLENT GAGE ASSEMBLY (3108DG)							Component	ATA:30
PN:4020W35-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:5183	HRS	0		TSN 0				
WC#: 30.075	AFL	0		TSN 0				
PROC. REF: AMM 30-48-05-900-801PROC. REF: AMM 30-48-05-900-801								
30-48-13-900-801-01 RAIN REPELLENT CAN ASSEMBLY							Component	ATA:30
PN:402Q80-1	MOS/MSC	17-Oct-13	O/C	TSN 12				
SN:NSN	HRS	2803:40		TSN 0				
WC#: 30.005	AFL	1202		TSN 0				
PROC. REF: AMM 30-48-13-960-801PROC. REF: AMM 30-48-13-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-48-13-960-801-01	REPLACEMENT OF THE RAIN REPELLENT CAN - RAIN REPELLENT CAN ASSEMBLY (3208DG)							Service ATA:30
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 30-48-13-960-801PROC. REF: AMM 30-48-13-960-801								
30-60-01-900-801-01	REMOVAL / INSTALLATION OF THE S-DUCT ANTI-ICING TEMPERATURE CONTROL VALVE - S-DUCT ANTI-ICE TEMPERATURE CONTROL VALVE (M1401DL)							Component ATA:30
PN:3205080-4	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-60-01-900-801PROC. REF: AMM 30-60-01-900-801								
30-60-05-900-801-01	REMOVAL / INSTALLATION OF THE S-DUCT ANTI-ICING PRESSURE SENSORS - S-DUCT ANTI-ICE PRESSURE SENSOR 1 (M401DL)							Component ATA:30
PN:1153062-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:156	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-60-05-900-801PROC. REF: AMM 30-60-05-900-801								
30-60-05-900-801-02	REMOVAL / INSTALLATION OF THE S-DUCT ANTI-ICING PRESSURE SENSORS - S-DUCT ANTI-ICE PRESSURE SENSOR 2 (M501DL)							Component ATA:30
PN:1153062-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00179	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-60-05-900-801PROC. REF: AMM 30-60-05-900-801								
30-60-09-710-801-01	OPERATIONAL TEST OF THE S-DUCT ANTI-ICING TEMPERATURE SENSORS - S-DUCT ANTI-ICE TEMPERATURE SENSOR 1 (M601DL)							Service ATA:30
	MOS/MSC	14-Jul-18	O/C					
	HRS	4398:30						
	AFL	1825						
PROC. REF: AMM 30-60-09-710-801PROC. REF: AMM 30-60-09-710-801								
30-60-09-710-801-02	OPERATIONAL TEST OF THE S-DUCT ANTI-ICING TEMPERATURE SENSORS - S-DUCT ANTI-ICE TEMPERATURE SENSOR 2 (M801DL)							Service ATA:30
	MOS/MSC	14-Jul-18	O/C					
	HRS	4398:30						
	AFL	1825						
PROC. REF: AMM 30-60-09-710-801PROC. REF: AMM 30-60-09-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-60-09-900-801-01	REMOVAL / INSTALLATION OF THE S-DUCT ANTI-ICING SKIN TEMPERATURE SENSORS - S-DUCT ANTI-ICE TEMPERATURE SENSOR 1 (M601DL)						Component	ATA:30
PN:1153068-3	MOS/MSC	15-Sep-18	O/C	TSN 0				
SN:1153068-02017	HRS	4494:07		TSN 0				
WC#: 30.090	AFL	1880		TSN 0				
PROC. REF: AMM 30-60-09-900-801PROC. REF: AMM 30-60-09-900-801								
30-60-09-900-801-02	REMOVAL / INSTALLATION OF THE S-DUCT ANTI-ICING SKIN TEMPERATURE SENSORS - S-DUCT ANTI-ICE TEMPERATURE SENSOR 2 (M801DL)						Component	ATA:30
PN:1153068-3	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1153068-02434	HRS	6775:44		TSN 0				
WC#: 30.090	AFL	2518		TSN 0				
PROC. REF: AMM 30-60-09-900-801PROC. REF: AMM 30-60-09-900-801								
30-70-01-710-801-01	OPERATIONAL TEST OF THE AUTOMATIC DRAIN HEATER - FR 16 AUTOMATIC DRAIN HEATER (601MV)						Service	ATA:30
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 30.170	AFL	1705						
PROC. REF: AMM 30-70-01-710-801PROC. REF: AMM 30-70-01-710-801								
30-70-07-900-801-01	REMOVAL / INSTALLATION OF THE RIBBON HEATER ASSEMBLIES - LH RIBBON HEATER ASSEMBLY (L303MV)						Component	ATA:30
PN:HR104	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:HM8534	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 30-70-07-900-801PROC. REF: AMM 30-70-07-900-801								
30-70-07-900-801-02	REMOVAL / INSTALLATION OF THE RIBBON HEATER ASSEMBLIES - CTR RIBBON HEATER ASSEMBLY (M303MV)						Component	ATA:30
PN:HR103	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:HP5954	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 30-70-07-900-801PROC. REF: AMM 30-70-07-900-801								
30-70-07-900-801-03	REMOVAL / INSTALLATION OF THE RIBBON HEATER ASSEMBLIES - RH RIBBON HEATER ASSEMBLY (R303MV)						Component	ATA:30
PN:HR105	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:HM0723	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 30-70-07-900-801PROC. REF: AMM 30-70-07-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-80-01-900-801-01 REMOVAL / INSTALLATION OF THE ICE DETECTORS - LH ICE DETECTOR (L101DD)								Component ATA:30
PN:0871LM1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:99	HRS	0		TSN 0				
WC#: 30.035	AFL	0		TSN 0				
PROC. REF: AMM 30-80-01-900-801PROC. REF: AMM 30-80-01-900-801								
30-80-01-900-801-02 REMOVAL / INSTALLATION OF THE ICE DETECTORS - RH ICE DETECTOR (R101DD)								Component ATA:30
PN:0871LM1-1	MOS/MSC	19-May-19	O/C	TSR 0				
SN:0142	HRS	4866:07		TSR 0				
WC#: 30.035	AFL	1989		TSR 0				
PROC. REF: AMM 30-80-01-900-801PROC. REF: AMM 30-80-01-900-801								
30-90-01-900-801-01 REMOVAL / INSTALLATION OF THE BRAKE HEATING VALVE - BRAKE HEATING VALVE (1201HD)								Component ATA:30
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-90-01-900-801PROC. REF: AMM 30-90-01-900-801								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-11-00-710-801-01 ^S OPERATIONAL TEST OF THE OVERHEAD PANEL CONTROLS WITH ASSOCIATED LIGHTS AND SAFETY EFFECT								Service ATA:31
	MOS	12-Jun-07						
	HRS	0	9600 (+50)					
WC#: 31.210	AFL	0						
PROC. REF: AMM 31-11-00-710-801PROC. REF: AMM 31-11-00-710-801								PKG:34
31-11-01-900-801-01 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL - OVERHEAD PANEL (5000PM)								Component ATA:31
PN:FE1385S3-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:015	HRS	0		TSN 0				
WC#: 24.380	AFL	0		TSN 0				
PROC. REF: AMM 31-11-01-900-801PROC. REF: AMM 31-11-01-900-801								
31-11-05-900-801-01 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL LIGHTING FRONT PANEL - LIGHTING FRONT PANEL (R9990PM)								Component ATA:31
PN:OO382000	MOS/MSC	14-Jul-18	O/C	TSN 0				
SN:0002	HRS	4398:30		TSN 0				
WC#: 24.390	AFL	1825		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-11-05-900-801PROC. REF: AMM 31-11-05-900-801								
31-11-09-350-801-01	RESTORATION OF THE OVERHEAD PANEL (DISCARD OF THE EMERG LIGHT MODULE) - OVERHEAD PANEL (5000PM)							Service ATA:31
PN:FE1385S3-5	MOS	12-Jun-07						LIFE LIMIT
SN:015	HRS	0	12000		12000		4507:26	
WC#: 31.190	AFL	0						
PROC. REF: AMM 31-11-09-350-801PROC. REF: AMM 31-11-09-350-801								
31-11-09-900-801-37	REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - PRESSU MAN MODULE (9530HP)							Component ATA:31
PN:00374208	MOS/MSC	23-Dec-14	O/C	TSN 1				
SN:5011	HRS	2987:52		TSN 0				
WC#: 31.545	AFL	1341		TSN 0				
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-47	REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - FASTEN BELTS MODULE (9500LC)							Component ATA:31
PN:00374218	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:0090	HRS	6775:44		TSN 0				
WC#: 31.575	AFL	2518		TSN 0				
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-49	REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - EMERG LIGHT MODULE (9520LC)							Component ATA:31
PN:00374277	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-51	REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - OVERHEAD PANEL MODULE (9540LC)							Component ATA:31
PN:00484981	MOS/MSC	20-Dec-10	O/C					
SN:5105	HRS	1433:52						
WC#: 31.590	AFL	554						
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-52	REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - ANTICOL MODULE (9500LX)							Component ATA:31
PN:00374256	MOS/MSC	23-Dec-14	O/C	TSN 1				
SN:0012	HRS	2987:52		TSN 0				
WC#: 31.595	AFL	1341		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-58 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - TAXI MODULE (9570LX)								Component ATA:31
PN:00374216	MOS/MSC	05-Aug-21	O/C	TSN 0				
SN:0031	HRS	6112:41		TSN 0				
WC#: 31.620	AFL	2376		TSN 0				
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-60 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - LH MASTER MODULE (9510PC)								Component ATA:31
PN:374203	MOS/MSC	14-Jul-18	O/C	TSN 0				
SN:5010	HRS	4398:30		TSN 0				
WC#: 31.630	AFL	1825		TSN 0				
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-09-900-801-65 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL MODULES - LH ISOL MODULE (9570PC)								Component ATA:31
PN:00374242	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:0033	HRS	5902:02		TSN 0				
WC#: 31.645	AFL	2308		TSN 0				
PROC. REF: AMM 31-11-09-900-801PROC. REF: AMM 31-11-09-900-801								
31-11-17-700-801-01 CHECK OF THE OVERHEAD PANEL POWER SUPPLY MAINTENANCE MESSAGES								Service ATA:31
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 31.340	AFL	1341						
PROC. REF: AMM 31-11-17-700-801PROC. REF: AMM 31-11-17-700-801								
31-11-25-350-801-01 ^U RESTORATION OF THE OVERHEAD PANEL (DISCARD OF THE BAT/BUS TIE/RAT AND DIM-BRIGHT/SHIELD MODULE) - OVERHEAD PANEL (5000PM)								Service ATA:31
PN:00374284	MOS/MSC	12-Jun-07	O/C					
SN:UNKNOWN	HRS	0						
WC#: 31.185	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-11-25-900-801-01 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL BAT/BUS TIE/RAT MODULE - BAT/BUS TIE/RAT MODULE (9530PC)								Component ATA:31
PN:00374284	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.185	AFL	0		TSN 0				
PROC. REF: AMM 31-11-25-900-801PROC. REF: AMM 31-11-25-900-801								
31-12-01-900-801-01 REMOVAL / INSTALLATION OF THE CONFIGURATION / WARNING PANELS - LH CONFIGURATION/WARNING PANEL (L1000FW)								Component ATA:31
PN:FE1550-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:110	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: AMM 31-12-01-900-801PROC. REF: AMM 31-12-01-900-801								
31-12-01-900-801-02 REMOVAL / INSTALLATION OF THE CONFIGURATION / WARNING PANELS - RH CONFIGURATION/WARNING PANEL (R1000FW)								Component ATA:31
PN:FE1551-02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:103	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: AMM 31-12-01-900-801PROC. REF: AMM 31-12-01-900-801								
31-13-01-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY SWITCH BOX - EMERGENCY SWITCH BOX (1001FW)								Component ATA:31
PN:FE1574-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
WC#: 31.175	AFL	0		TSN 0				
PROC. REF: AMM 31-13-01-900-801PROC. REF: AMM 31-13-01-900-801								
31-14-01-900-801-01 REMOVAL / INSTALLATION OF THE MAINTENANCE PANEL - MAINTENANCE PANEL (1010TP)								Component ATA:31
PN:FE1526-05	MOS/MSC	17-Oct-13	O/C					
SN:182	HRS	2803:40						
WC#: 45.020	AFL	1202						
PROC. REF: AMM 31-14-01-900-801PROC. REF: AMM 31-14-01-900-801								
31-31-00-720-801-01 FUNCTIONAL TEST OF THE 88-PARAMETER FDR								Service ATA:31
	MOS	11-Oct-22	60 (+1m)		11-Oct-27	11-Nov-27	738 d (+31)	NATIONAL REQUIREMENT
	HRS	6595:56						
	AFL	2477						
PROC. REF: AMM 31-31-00-720-801PROC. REF: AMM 31-31-00-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-00-970-803-01	DOWNLOAD OF THE FLIGHT DATA RECORDER (FDR) / COCKPIT VOICE RECORDER (CVR) - DOWNLOAD OF THE FDR/CVR 1 UNIT (101FZ)							Service ATA:31
PN:980-6050-043	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	
SN:010-01866	HRS	7061:12						
	AFL	2584						
								WO#: JWL-25-049
PROC. REF: AMM 31-31-00-970-803, AMM 31-31-00-970-803PROC. REF: AMM 31-31-00-970-803, AMM 31-31-00-970-803								
31-31-00-970-803-02	DOWNLOAD OF THE FLIGHT DATA RECORDER (FDR) / COCKPIT VOICE RECORDER (CVR) - DOWNLOAD OF THE FDR/CVR 2 UNIT (201FZ)							Service ATA:31
PN:980-6050-043	MOS	18-Nov-24	12 (+1m)		18-Nov-25	18-Dec-25	46 d (+30)	
SN:010-01865	HRS	7061:12						
	AFL	2584						
								WO#: JWL-25-049
PROC. REF: AMM 31-31-00-970-803, AMM 31-31-00-970-803PROC. REF: AMM 31-31-00-970-803, AMM 31-31-00-970-803								
31-31-01-900-801-01	REMOVAL / INSTALLATION OF THE FLIGHT DATA RECORDER (FDR) / COCKPIT VOICE RECORDER (CVR) UNITS - FDR/CVR 1 UNIT (101FZ)							Component ATA:31
PN:980-6050-043	MOS/MSC	25-Mar-21	O/C					
SN:010-01866	HRS	5902:02						
WC#: 31.195	AFL	2308						
PROC. REF: AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801PROC. REF: AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801								
31-31-01-900-801-02	REMOVAL / INSTALLATION OF THE FLIGHT DATA RECORDER (FDR) / COCKPIT VOICE RECORDER (CVR) UNITS - FDR/CVR 2 UNIT (201FZ)							Component ATA:31
PN:980-6050-043	MOS/MSC	25-Mar-21	O/C					
SN:010-01865	HRS	5902:02						
WC#: 31.195	AFL	2308						
PROC. REF: AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801PROC. REF: AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801, AMM 31-31-01-900-801								
31-31-05-900-801-01	REMOVAL / INSTALLATION OF THE CVR MICROPHONES - CVR 1 MICROPHONE (801FP)							Component ATA:31
PN:980-6113-010	MOS/MSC	21-Apr-18	O/C	TSR 11				
SN:2408	HRS	4277:24		TSR 0				
WC#: 31.105	AFL	1778		TSR 0				
PROC. REF: AMM 31-31-05-900-801PROC. REF: AMM 31-31-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-05-900-801-02 REMOVAL / INSTALLATION OF THE CVR MICROPHONES - CVR 2 MICROPHONE (1401FP)								Component ATA:31
PN:980-6113-010	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:03586	HRS	0		TSN 0				
WC#: 31.105	AFL	0		TSN 0				
PROC. REF: AMM 31-31-05-900-801PROC. REF: AMM 31-31-05-900-801								
31-31-09-710-801-01 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - FDR/CVR 1 ACCELERATION CONTACT (1001FZ)								Service ATA:31
PN:400-10B	MOS/MSC	23-May-12	O/C					
SN:8005	HRS	2184:49						
	AFL	912						
PROC. REF: AMM 31-31-09-710-801PROC. REF: AMM 31-31-09-710-801								
31-31-09-710-801-02 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - FDR/CVR 2 ACCELERATION CONTACT (1101FZ)								Service ATA:31
PN:400-10B	MOS/MSC	23-May-12	O/C					
SN:8002	HRS	2184:49						
	AFL	912						
PROC. REF: AMM 31-31-09-710-801PROC. REF: AMM 31-31-09-710-801								
31-31-09-720-801-01 ^U FUNCTIONAL TEST OF THE NO. 1 FDR / CVR ACCELERATION CONTACT								Service ATA:31
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 31.345	AFL	912						
31-31-09-720-801-02 ^U FUNCTIONAL TEST OF THE NO. 2 FDR / CVR ACCELERATION CONTACT								Service ATA:31
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 31.345	AFL	912						
31-31-09-900-801-01 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - FDR/CVR 1 ACCELERATION CONTACT (1001FZ)								Component ATA:31
PN:400-10B	MOS/MSC	23-May-12	O/C	TSN 0				
SN:8005	HRS	2184:49		TSN 0				
WC#: 31.180	AFL	912		TSN 0				
PROC. REF: AMM 31-31-09-900-801PROC. REF: AMM 31-31-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-09-900-801-02 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - FDR/CVR 2 ACCELERATION CONTACT (1101FZ)								Component ATA:31
PN:400-10B	MOS/MSC	23-May-12	O/C	TSN 0				
SN:8002	HRS	2184:49		TSN 0				
WC#: 31.180	AFL	912		TSN 0				
PROC. REF: AMM 31-31-09-900-801PROC. REF: AMM 31-31-09-900-801								
31-31-09-960-801-01 REPLACEMENT OF THE FDR/CVR ACCELERATION CONTACTS - FDR/CVR 1 ACCELERATION CONTACT (1001FZ)								Service ATA:31
PN:400-10B	MOS	12-Jun-07	240		12-Jun-27		617 d	REPLACE
SN:8005	HRS	0						
	AFL	0						
PROC. REF: AMM 31-31-09-960-801PROC. REF: AMM 31-31-09-960-801								
31-31-09-960-801-02 REPLACEMENT OF THE FDR/CVR ACCELERATION CONTACTS - FDR/CVR 2 ACCELERATION CONTACT (1101FZ)								Service ATA:31
PN:400-10B	MOS	12-Jun-07	240		12-Jun-27		617 d	REPLACE
SN:8002	HRS	0						
	AFL	0						
PROC. REF: AMM 31-31-09-960-801PROC. REF: AMM 31-31-09-960-801								
31-31-53-710-801-01 OPERATIONAL TEST OF THE RECORDER INDEPENDENT POWER SUPPLY (RIPS)								Service ATA:31
	MOS/MSC	17-Oct-13	N/A					
	HRS	2803:40						
	AFL	1202						
PROC. REF: AMM 31-31-53-710-801PROC. REF: AMM 31-31-53-710-801								
31-31-53-900-801-01 REMOVAL / INSTALLATION OF THE RECORDER INDEPENDENT POWER SUPPLY (RIPS) - RIPS (301FZ)								Component ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-53-900-801PROC. REF: AMM 31-31-53-900-801								
31-32-00-710-801-01 OPERATIONAL TEST OF THE QUICK ACCESS RECORDER (QAR) (7101FZ)								Service ATA:31
PN:200-010-1100	MOS/MSC	14-Dec-17	O/C					
SN:214	HRS	3964:09						
WC#: 31.200	AFL	1705						
PROC. REF: AMM 31-32-00-710-801, AMM 31-32-00-710-801, AMM 31-32-00-710-801, AMM 31-32-00-710-801PROC. REF: AMM 31-32-00-710-801, AMM 31-32-00-710-801, AMM 31-32-00-710-801, AMM 31-32-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-32-01-900-801-01	REMOVAL / INSTALLATION OF THE QUICK ACCESS RECORDER (QAR) UNIT - QAR (7101FZ)							Component ATA:31
PN:200-010-1100	MOS/MSC	14-Dec-17	O/C	TSN 3				
SN:214	HRS	3964:09		TSN 0				
WC#: 31.200	AFL	1705		TSN 0				
PROC. REF: AMM 31-32-01-900-801, AMM 31-32-01-900-801, AMM 31-32-01-900-801, AMM 31-32-01-900-801PROC. REF: AMM 31-32-01-900-801, AMM 31-32-01-900-801, AMM 31-32-01-900-801, AMM 31-32-01-900-801								
31-32-05-350-801-02	RESTORATION OF THE QUICK ACCESS RECORDER (QAR BATTERY REPLACEMENT) - QAR (7101FZ)							Service ATA:31
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 31-32-05-350-801, AMM 31-32-05-350-801PROC. REF: AMM 31-32-05-350-801, AMM 31-32-05-350-801								
31-32-05-900-801-01	QUICK ACCESS RECORDER (QAR) BATTERY							Component ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								WO#: JWL-25-049
31-32-05-960-801-01	REPLACEMENT OF THE QUICK ACCESS RECORDER (QAR) BATTERY							Service ATA:31
PN:PN	MOS	01-Sep-17	96		01-Sep-25		OVD	LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 31.200	AFL	0						
PROC. REF: AMM 31-32-05-960-801PROC. REF: AMM 31-32-05-960-801								WO#: JWL-25-049
31-41-00-960-801-37	DISCARD OF THE MAU MODULES - MAU MODULES							Service ATA:31
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 31.205	AFL	0						
PROC. REF: AMM 31-41-00-960-801PROC. REF: AMM 31-41-00-960-801								
31-41-00-960-801-37A	DISCARD OF THE MAU MODULES - MAU MODULES (MANDATORY 5-40)							Service ATA:31
	MOS/MSC	12-Jun-07	O/C					ALI
	HRS	0						
WC#: 31.205	AFL	0						
PROC. REF: AMM 31-41-00-960-801PROC. REF: AMM 31-41-00-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-01-900-801-01 REMOVAL / INSTALLATION OF THE MAU CHASSIS - MAU 1 CHASSIS (101FY)								Component ATA:31
PN:7029782-1913	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:04120663	HRS	6775:44		TSN 6775:44				
WC#: 31.110	AFL	2518		TSN 2518				
PROC. REF: AMM 31-41-01-900-801PROC. REF: AMM 31-41-01-900-801								
31-41-01-900-801-02 REMOVAL / INSTALLATION OF THE MAU CHASSIS - MAU 2 CHASSIS (201FY)								Component ATA:31
PN:7029782-1913	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05040760	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: AMM 31-41-01-900-801PROC. REF: AMM 31-41-01-900-801								
31-41-01-960-801-01 DISCARD OF THE MAU CHASSIS - MAU 1 CHASSIS (101FY)								Service ATA:31
PN:7029782-1913	MOS/MSC	12-Jun-07	O/C					
SN:04120663	HRS	0						
WC#: 31.110	AFL	0						
PROC. REF: AMM 31-41-01-960-801PROC. REF: AMM 31-41-01-960-801								
31-41-01-960-801-01A DISCARD OF THE MAU CHASSIS - MAU 1 CHASSIS (101FY) (MANDATORY 5-40)								Service ATA:31
PN:7029782-1913	MOS/MSC	12-Jun-07	O/C					ALI
SN:04120663	HRS	0						
WC#: 31.220	AFL	0						
PROC. REF: AMM 31-41-01-960-801PROC. REF: AMM 31-41-01-960-801								
31-41-01-960-801-02 DISCARD OF THE MAU CHASSIS - MAU 2 CHASSIS (201FY)								Service ATA:31
PN:7029782-1913	MOS/MSC	12-Jun-07	O/C					
SN:05040760	HRS	0						
WC#: 31.110	AFL	0						
PROC. REF: AMM 31-41-01-960-801PROC. REF: AMM 31-41-01-960-801								
31-41-01-960-801-02A DISCARD OF THE MAU CHASSIS - MAU 2 CHASSIS (201FY) (MANDATORY 5-40)								Service ATA:31
PN:7029782-1913	MOS/MSC	12-Jun-07	O/C					ALI
SN:05040760	HRS	0						
	AFL	0						
PROC. REF: AMM 31-41-01-960-801PROC. REF: AMM 31-41-01-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-02-900-801-01 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (L1501FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-02 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (R1501FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-03 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (M1501FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-04 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (L1511FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-05 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (R1511FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-06 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (M1511FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-02-900-801-07 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (L1521FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-08 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (R1521FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-09 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (M1521FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-10 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (L1531FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-11 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (R1531FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-12 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (M1531FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-02-900-801-13 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (L1541FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-14 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (R1541FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-15 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (M1541FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-900-801-16 REMOVAL / INSTALLATION OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNT (L1551FY)								Component ATA:31
PN:E1E11S48EC	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02-900-801PROC. REF: AMM 31-41-02-900-801								
31-41-02-960-801-17 DISCARD OF THE MAU ANTI-VIBRATION MOUNTS - ANTI-VIBRATION MOUNTS								Service ATA:31
	MOS	12-Jun-07	288		12-Jun-31		2078 d	LIFE LIMIT
	HRS	0	25000		25000		17507:26	
WC#: 31.021	AFL	0						
PROC. REF: AMM 31-41-02-960-801PROC. REF: AMM 31-41-02-960-801								
31-41-03-900-801-05 REMOVAL / INSTALLATION OF THE MAU FANS - MAU 2 FAN 2 (7501FY)								Component ATA:31
PN:7038737-901	MOS/MSC	05-Jul-17	O/C	TSN 2				
SN:170518144	HRS	3670:57		TSN 0				
WC#: 31.420	AFL	1616		TSN 0				
PROC. REF: AMM 31-41-03-900-801PROC. REF: AMM 31-41-03-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-05-900-801-01 REMOVAL / INSTALLATION OF THE POWER SUPPLY MODULES - MAU 1 POWER SUPPLY 1 MODULE (1101FY)							Component	ATA:31
PN:7024440-1901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05063364	HRS	0		TSN 0				
WC#: 31.165	AFL	0		TSN 0				
PROC. REF: AMM 31-41-05-900-801PROC. REF: AMM 31-41-05-900-801								
31-41-05-900-801-02 REMOVAL / INSTALLATION OF THE POWER SUPPLY MODULES - MAU 1 POWER SUPPLY 2 MODULE (1201FY)							Component	ATA:31
PN:7024440-1901	MOS/MSC	25-Jun-24	O/C	TSR 1				
SN:06086079	HRS	6987:22		TSR 0				
WC#: 31.165	AFL	2568		TSR 0				
PROC. REF: AMM 31-41-05-900-801PROC. REF: AMM 31-41-05-900-801								
31-41-05-900-801-03 REMOVAL / INSTALLATION OF THE POWER SUPPLY MODULES - MAU 2 POWER SUPPLY 1 MODULE (1301FY)							Component	ATA:31
PN:7024440-1901	MOS/MSC	18-Sep-07	O/C	TSN 0				
SN:06065689	HRS	190:45		TSN 0				
WC#: 31.170	AFL	60		TSN 0				
PROC. REF: AMM 31-41-05-900-801PROC. REF: AMM 31-41-05-900-801								
31-41-05-900-801-04 REMOVAL / INSTALLATION OF THE POWER SUPPLY MODULES - MAU 2 POWER SUPPLY 2 MODULE (1401FY)							Component	ATA:31
PN:7024440-1901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05063356	HRS	0		TSN 0				
WC#: 31.170	AFL	0		TSN 0				
PROC. REF: AMM 31-41-05-900-801PROC. REF: AMM 31-41-05-900-801								
31-41-09-900-801-02* ^U NO. 10 MODULAR AVIONICS UNIT (MAU2) PROCESSOR MODULE							Component	ATA:31
PN:7027208-1903	MOS/MSC	27-Jul-10	O/C					
SN:07031906	HRS	1380:10						
WC#: 31.095	AFL	485						
31-41-09-900-801-06* ^U NO. 9 MODULAR AVIONICS UNIT (MAU2) PROCESSOR MODULE							Component	ATA:31
PN:7027208-1903	MOS/MSC	27-Jul-10	O/C	TSN 0				
SN:1004A868	HRS	1380:10		TSN 0				
WC#: 31.090	AFL	485		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-09-900-802-01 REMOVAL / INSTALLATION OF THE PROCESSOR MODULES - PROCESSOR 5 MODULE (2501FY)							Component	ATA:31
PN:7034056-1901	MOS/MSC	30-Jul-10	O/C					
SN:09010362	HRS	1380:10						
WC#: 31.080	AFL	485						
PROC. REF: AMM 31-41-09-900-802PROC. REF: AMM 31-41-09-900-802								
31-41-09-900-802-02 REMOVAL / INSTALLATION OF THE PROCESSOR MODULES - PROCESSOR 6 MODULE (2601FY)							Component	ATA:31
PN:7034056-1901	MOS/MSC	30-Jul-10	O/C					
SN:09040450	HRS	1380:10						
WC#: 31.080	AFL	485						
PROC. REF: AMM 31-41-09-900-802PROC. REF: AMM 31-41-09-900-802								
31-41-09-900-802-03 REMOVAL / INSTALLATION OF THE PROCESSOR MODULES - PROCESSOR 7 MODULE (2701FY)							Component	ATA:31
PN:7034056-1901	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14052106	HRS	2987:52		TSN 0				
WC#: 31.085	AFL	1341		TSN 0				
PROC. REF: AMM 31-41-09-900-802PROC. REF: AMM 31-41-09-900-802								
31-41-09-900-802-04 REMOVAL / INSTALLATION OF THE PROCESSOR MODULES - PROCESSOR 8 MODULE (2801FY)							Component	ATA:31
PN:7034056-1901	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14052104	HRS	2987:52		TSN 0				
WC#: 31.085	AFL	1341		TSN 0				
PROC. REF: AMM 31-41-09-900-802PROC. REF: AMM 31-41-09-900-802								
31-41-17-900-801-01 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9301FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								
31-41-17-900-801-02 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9001FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-41-17-900-801-03 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9101FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								
31-41-17-900-801-04 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9201FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								
31-41-17-900-801-05 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9401FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								
31-41-17-900-801-06 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9501FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								
31-41-17-900-801-07 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9601FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.425	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								
31-41-17-900-801-08 REMOVAL / INSTALLATION OF THE AIR MANAGEMENT MODULES - AIR MANAGEMENT MODULE (9701FY)							Component	ATA:31
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-17-900-801PROC. REF: AMM 31-41-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-42-01-900-801-01 REMOVAL / INSTALLATION OF THE NIC / PROCESSOR MODULES - NIC/PROCESSOR 1 MODULE (2101FY)								Component ATA:31
PN:7038231-1901	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14058496	HRS	2987:52		TSN 0				
WC#: 31.155	AFL	1341		TSN 0				
PROC. REF: AMM 31-42-01-900-801PROC. REF: AMM 31-42-01-900-801								
31-42-01-900-801-02 REMOVAL / INSTALLATION OF THE NIC / PROCESSOR MODULES - NIC/PROCESSOR 2 MODULE (2201FY)								Component ATA:31
PN:7038231-1901	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14058493	HRS	2987:52		TSN 0				
WC#: 31.155	AFL	1341		TSN 0				
PROC. REF: AMM 31-42-01-900-801PROC. REF: AMM 31-42-01-900-801								
31-42-01-900-801-03 REMOVAL / INSTALLATION OF THE NIC / PROCESSOR MODULES - NIC/PROCESSOR 3 MODULE (2301FY)								Component ATA:31
PN:7038231-1901	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14058504	HRS	2987:52		TSN 0				
WC#: 31.160	AFL	1341		TSN 0				
PROC. REF: AMM 31-42-01-900-801PROC. REF: AMM 31-42-01-900-801								
31-42-01-900-801-04 REMOVAL / INSTALLATION OF THE NIC / PROCESSOR MODULES - NIC/PROCESSOR 4 MODULE (2401FY)								Component ATA:31
PN:7038231-1901	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:14048468	HRS	2987:52		TSN 0				
WC#: 31.160	AFL	1341		TSN 0				
PROC. REF: AMM 31-42-01-900-801PROC. REF: AMM 31-42-01-900-801								
31-42-05-900-801-01 REMOVAL / INSTALLATION OF THE CONTROL I/O 2 MODULE - CONTROL I/O 2 MODULE (3201FY)								Component ATA:31
PN:7026534-1902	MOS/MSC	11-Aug-23	O/C	TSN 194, TSR 0				
SN:05011155	HRS	6775:44		TSN 6775:44, TSR 0				
WC#: 31.115	AFL	2518		TSN 2518, TSR 0				
PROC. REF: AMM 31-42-05-900-801PROC. REF: AMM 31-42-05-900-801								
31-42-09-900-801-01 REMOVAL / INSTALLATION OF THE CONTROL/VIDEO I/O 1 MODULE - CONTROL/VIDEO I/O 1 MODULE (3101FY)								Component ATA:31
PN:7026531-1902	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06030863	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: AMM 31-42-09-900-801PROC. REF: AMM 31-42-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-42-13-900-801-01 REMOVAL / INSTALLATION OF THE GENERIC I/O MODULES - GENERIC I/O 1 MODULE (4101FY)								Component ATA:31
PN:7025365-1901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:04010656	HRS	0		TSN 0				
WC#: 31.045	AFL	0		TSN 0				
PROC. REF: AMM 31-42-13-900-801PROC. REF: AMM 31-42-13-900-801								
31-42-13-900-801-02 REMOVAL / INSTALLATION OF THE GENERIC I/O MODULES - GENERIC I/O 2 MODULE (4201FY)								Component ATA:31
PN:7025365-1901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:06021919	HRS	0		TSN 0				
WC#: 31.045	AFL	0		TSN 0				
PROC. REF: AMM 31-42-13-900-801PROC. REF: AMM 31-42-13-900-801								
31-42-13-900-801-03 REMOVAL / INSTALLATION OF THE GENERIC I/O MODULES - GENERIC I/O 3 MODULE (4301FY)								Component ATA:31
PN:7025365-1901	MOS/MSC	10-Nov-23	O/C	TSN 199				
SN:05011162	HRS	6834		TSN 6834:01				
WC#: 31.050	AFL	2537		TSN 2537				
PROC. REF: AMM 31-42-13-900-801PROC. REF: AMM 31-42-13-900-801								
31-42-13-900-801-04 REMOVAL / INSTALLATION OF THE GENERIC I/O MODULES - GENERIC I/O 4 MODULE (4401FY)								Component ATA:31
PN:7025365-1901	MOS/MSC	14-Dec-23	O/C	TSR 0				
SN:07093039	HRS	6860		TSR 0				
WC#: 31.050	AFL	2543		TSR 0				
PROC. REF: AMM 31-42-13-900-801PROC. REF: AMM 31-42-13-900-801								
31-42-13-900-801-05 REMOVAL / INSTALLATION OF THE GENERIC I/O MODULES - GENERIC I/O 5 MODULE (4501FY)								Component ATA:31
PN:7025364-1901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:03120483	HRS	0		TSN 0				
WC#: 31.150	AFL	0		TSN 0				
PROC. REF: AMM 31-42-13-900-801PROC. REF: AMM 31-42-13-900-801								
31-42-17-900-801-01 REMOVAL / INSTALLATION OF THE ASCB BUS COUPLERS - MAU 1 ASCB BUS COUPLER MODULE (5101FY)								Component ATA:31
PN:7027566-901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05011166	HRS	0		TSN 0				
WC#: 31.015	AFL	0		TSN 0				
PROC. REF: AMM 31-42-17-900-801PROC. REF: AMM 31-42-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-42-17-900-801-02 REMOVAL / INSTALLATION OF THE ASCB BUS COUPLERS - MAU 2 ASCB BUS COUPLER MODULE (5201FY)								Component ATA:31
PN:7027566-901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05011167	HRS	0		TSN 0				
WC#: 31.015	AFL	0		TSN 0				
PROC. REF: AMM 31-42-17-900-801PROC. REF: AMM 31-42-17-900-801								
31-42-21-900-801-01 ^U NO. 1 MODULAR AVIONICS UNIT (MAU1) DATABASE MODULE								Component ATA:31
PN:7027208-1903	MOS/MSC	06-Sep-10	O/C	TSN 0				
SN:08128226	HRS	1380:10		TSN 0				
WC#: 31.125	AFL	485		TSN 0				
31-42-21-900-801-02 ^U NO. 2 MODULAR AVIONICS UNIT (MAU2) DATABASE MODULE								Component ATA:31
PN:7027208-1903	MOS/MSC	06-Sep-10	O/C	TSN 0				
SN:1004A865	HRS	1380:10		TSN 0				
WC#: 31.125	AFL	485		TSN 0				
31-42-25-900-801-01 REMOVAL / INSTALLATION OF THE MAU CONFIGURATION MODULES - MAU 1 CONFIGURATION MODULE (6101FY)								Component ATA:31
PN:7519272-901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05012405	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: AMM 31-42-25-900-801PROC. REF: AMM 31-42-25-900-801								
31-42-25-900-801-02 REMOVAL / INSTALLATION OF THE MAU CONFIGURATION MODULES - MAU 2 CONFIGURATION MODULE (6201FY)								Component ATA:31
PN:7519272-901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05012406	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: AMM 31-42-25-900-801PROC. REF: AMM 31-42-25-900-801								
31-43-01-900-801-01 REMOVAL / INSTALLATION OF THE MODULAR RADIO CABINET (MRC) - MRC 1 (101NZ)								Component ATA:31
PN:7517959-904	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:05061249	HRS	6775:44		TSN 6775:44				
WC#: 34.040	AFL	2518		TSN 2518				
PROC. REF: AMM 31-43-01-900-801PROC. REF: AMM 31-43-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-43-01-900-801-02 REMOVAL / INSTALLATION OF THE MODULAR RADIO CABINET (MRC) - MRC 2 (201NZ)								Component ATA:31
PN:7517959-904	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05061248	HRS	0		TSN 0				
WC#: 34.040	AFL	0		TSN 0				
PROC. REF: AMM 31-43-01-900-801PROC. REF: AMM 31-43-01-900-801								
31-43-05-900-801-01 REMOVAL / INSTALLATION OF THE NETWORK INTERFACE MODULES (NIM) - NIM 1 MODULE (1101NZ)								Component ATA:31
PN:7517964-913	MOS/MSC	12-Jun-07	O/C	TSN 0	RTS-OVD			
SN:03090455	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 31-43-05-900-801PROC. REF: AMM 31-43-05-900-801								WO#: (RTS-UPDATE OVERDUE)JWL-25-022
31-43-05-900-801-02 REMOVAL / INSTALLATION OF THE NETWORK INTERFACE MODULES (NIM) - NIM 2 MODULE (1201NZ)								Component ATA:31
PN:7517964-913	MOS/MSC	10-Jul-20	O/C	TSR 0				
SN:08115058	HRS	5536:13		TSR 0				
WC#: 34.130	AFL	2185		TSR 0				
PROC. REF: AMM 31-43-05-900-801PROC. REF: AMM 31-43-05-900-801								
31-57-01-710-801-01 OPERATIONAL TEST OF THE LOW-HEIGHT CONSOLE TABLE MICROSWITCH AND ALERT SYSTEM								Service ATA:31
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 31-57-01-710-801PROC. REF: AMM 31-57-01-710-801								
31-57-02-710-801-01 OPERATIONAL TEST OF CABIN CONFIGURATION MONITORING SYSTEM								Service ATA:31
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 31-57-02-710-801PROC. REF: AMM 31-57-02-710-801								
31-60-00-710-801-08 ^S OPERATIONAL TEST OF THE CENTRAL DISPLAY SYSTEM (CDS) - TEST OF THE REVERSION CONTROLLER - DU SHUTDOWN								Service ATA:31
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 31.240	AFL	2518						
PROC. REF: AMM 31-60-00-710-801PROC. REF: AMM 31-60-00-710-801								

PKG:31

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-60-00-710-801-09 ^S OPERATIONAL TEST OF THE CENTRAL DISPLAY SYSTEM (CDS) - TEST OF THE LH PDU REVERSION RELAY Service ATA:31								
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 31.245	AFL	2518						
PROC. REF: AMM 31-60-00-710-801PROC. REF: AMM 31-60-00-710-801								PKG:31
31-60-00-710-801-20 ^S OPERATIONAL TEST OF THE CENTRAL DISPLAY SYSTEM (CDS) - TEST OF THE CURSOR CONTROL DEVICE AND REVERSION COMMANDS Service ATA:31								
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 31.225	AFL	2518						
PROC. REF: AMM 31-60-00-710-801PROC. REF: AMM 31-60-00-710-801								PKG:31
31-60-00-710-801-20A OPERATIONAL TEST OF THE CENTRAL DISPLAY SYSTEM (CDS) - TEST OF THE CURSOR CONTROL DEVICE AND REVERSION COMMANDS (MANDATORY 5-40) Service ATA:31								
	MOS/MSC	11-Aug-23	N/A					
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 31-60-00-710-801PROC. REF: AMM 31-60-00-710-801								
31-60-05-900-801-01 REMOVAL / INSTALLATION OF THE CHECKLIST CONTROLLERS - LH CHECKLIST CONTROLLER (401FP) Component ATA:31								
PN:7030900-907	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05010299	HRS	0		TSN 0				
WC#: 31.025	AFL	0		TSN 0				
PROC. REF: AMM 31-60-05-900-801PROC. REF: AMM 31-60-05-900-801								
31-60-05-900-801-02 REMOVAL / INSTALLATION OF THE CHECKLIST CONTROLLERS - RH CHECKLIST CONTROLLER (501FP) Component ATA:31								
PN:7030900-905	MOS/MSC	03-May-17	O/C					
SN:08121089	HRS	3540:56						
WC#: 31.025	AFL	1584						
PROC. REF: AMM 31-60-05-900-801PROC. REF: AMM 31-60-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-60-06-900-801-01 REMOVAL / INSTALLATION OF THE CURSOR CONTROL DEVICES (CCD) - LH CCD (L201FP)								Component ATA:31
PN:7028640-901	MOS/MSC	18-Jan-24	O/C	TSR 0				
SN:14072207	HRS	6881		TSR 0				
WC#: 31.020	AFL	2547		TSR 0				
PROC. REF: AMM 31-60-06-900-801PROC. REF: AMM 31-60-06-900-801								
31-60-06-900-801-02 REMOVAL / INSTALLATION OF THE CURSOR CONTROL DEVICES (CCD) - RH CCD (R201FP)								Component ATA:31
PN:7028640-901	MOS/MSC	06-Jun-19	O/C	TSN 0				
SN:18122697	HRS	4883:33		TSN 0				
WC#: 31.020	AFL	2001		TSN 0				
PROC. REF: AMM 31-60-06-900-801PROC. REF: AMM 31-60-06-900-801								
31-60-09-710-801-01 ^S OPERATIONAL TEST OF THE "BKUP VHF" AND "BKUP NAV" PUSHBUTTONS								Service ATA:31
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 31.350	AFL	2518						
PROC. REF: AMM 31-60-09-710-801PROC. REF: AMM 31-60-09-710-801								PKG:31
31-60-09-900-801-01 REMOVAL / INSTALLATION OF THE MULTIFUNCTION KEYBOARDS (MKB) - LH MKB (L101FP)								Component ATA:31
PN:7028560-921	MOS/MSC	23-Dec-14	O/C					
SN:06040465	HRS	2987:52						
WC#: 31.065	AFL	1341						
PROC. REF: AMM 31-60-09-900-801PROC. REF: AMM 31-60-09-900-801								
31-60-09-900-801-02 REMOVAL / INSTALLATION OF THE MULTIFUNCTION KEYBOARDS (MKB) - RH MKB (R101FP)								Component ATA:31
PN:7028560-921	MOS/MSC	23-Dec-14	O/C					
SN:10102801	HRS	2987:52						
WC#: 31.065	AFL	1341						
PROC. REF: AMM 31-60-09-900-801PROC. REF: AMM 31-60-09-900-801								
31-60-13-900-801-01 REMOVAL / INSTALLATION OF THE DISPLAY UNITS - LH PDU (L101FD)								Component ATA:31
PN:7028140-901	MOS/MSC	29-Nov-19	O/C					
SN:06011513	HRS	5207:49						
WC#: 31.075	AFL	2085						
PROC. REF: AMM 31-60-13-900-801PROC. REF: AMM 31-60-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-60-13-900-801-02 REMOVAL / INSTALLATION OF THE DISPLAY UNITS - RH PDU (R101FD)								Component ATA:31
PN:7028140-901	MOS/MSC	11-Aug-23	O/C					
SN:08043193	HRS	6775:44						
WC#: 31.075	AFL	2518						
PROC. REF: AMM 31-60-13-900-801PROC. REF: AMM 31-60-13-900-801								
31-60-13-900-801-03 REMOVAL / INSTALLATION OF THE DISPLAY UNITS - UPPER MDU (M101FD)								Component ATA:31
PN:7028140-901	MOS/MSC	12-Feb-15	O/C					
SN:06031619	HRS	2990:02						
WC#: 31.070	AFL	1342						
PROC. REF: AMM 31-60-13-900-801PROC. REF: AMM 31-60-13-900-801								
31-60-13-900-801-04 REMOVAL / INSTALLATION OF THE DISPLAY UNITS - LOWER MDU (201FD)								Component ATA:31
PN:60003040-903	MOS/MSC	14-Feb-25	O/C	TSN 2				
SN:24117088	HRS	7163:32		TSN 0				
WC#: 31.070	AFL	2602		TSN 0				
PROC. REF: AMM 31-60-13-900-801PROC. REF: AMM 31-60-13-900-801								
31-60-17-900-801-01 REMOVAL / INSTALLATION OF THE ADVANCED GRAPHICS MODULES (AGM) - AGM 1 MODULE (2101FD)								Component ATA:31
PN:7036410-1903	MOS/MSC	31-Oct-22	O/C	TSN 2				
SN:2207J230	HRS	6628:15		TSN 0				
WC#: 31.135	AFL	2494		TSN 0				
PROC. REF: AMM 31-60-17-900-801PROC. REF: AMM 31-60-17-900-801								
31-60-17-900-801-02 REMOVAL / INSTALLATION OF THE ADVANCED GRAPHICS MODULES (AGM) - AGM 2 MODULE (2301FD)								Component ATA:31
PN:7036410-1903	MOS/MSC	23-Dec-14	O/C					
SN:10096543	HRS	2987:52						
WC#: 31.140	AFL	1341						
PROC. REF: AMM 31-60-17-900-801PROC. REF: AMM 31-60-17-900-801								
31-60-17-900-801-03 REMOVAL / INSTALLATION OF THE ADVANCED GRAPHICS MODULES (AGM) - AGM 3 MODULE (2201FD)								Component ATA:31
PN:7036410-1903	MOS/MSC	28-Aug-22	O/C					
SN:1810F900	HRS	6559:24						
WC#: 31.135	AFL	2472						
PROC. REF: AMM 31-60-17-900-801PROC. REF: AMM 31-60-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-60-17-900-801-04	REMOVAL / INSTALLATION OF THE ADVANCED GRAPHICS MODULES (AGM) - AGM 4 MODULE (2401FD)							Component ATA:31
PN:7036410-1903	MOS/MSC	23-Dec-14	O/C					
SN:11037456	HRS	2987:52						
WC#: 31.140	AFL	1341						
PROC. REF: AMM 31-60-17-900-801PROC. REF: AMM 31-60-17-900-801								
31-60-21-900-801-01	REMOVAL / INSTALLATION OF THE REVERSION CONTROLLER - REVERSION CONTROLLER (301FP)							Component ATA:31
PN:7029270-903	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05010184	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
PROC. REF: AMM 31-60-21-900-801PROC. REF: AMM 31-60-21-900-801								
ATA 32 - LANDING GEAR								
32-10-00-200-801-01 ^S	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - LH MLG DRESSED (L1003GA)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 32.280	AFL	2518	4000					
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								PKG:41
32-10-00-200-801-01C	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - LH MLG DRESSED (L1003GA) (CPCP)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)	11-Aug-31	11-Oct-31	2138 d (+61)	CPCP	
	HRS	6775:44						
WC#: 32.280	AFL	2518						
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								
32-10-00-200-801-02 ^S	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - RH MLG DRESSED (R1003GA)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 32.280	AFL	2518	4000					
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-200-801-02C	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - RH MLG DRESSED (R1003GA) (CPCP)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 32.280	AFL	2518						
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								
32-10-00-200-801-03 ^S	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - LH MLG FOLDING BRACE (L105GA)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 32.280	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								
32-10-00-200-801-03C	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - LH MLG FOLDING BRACE (L105GA) (CPCP)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 32.280	AFL	2518						
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								
32-10-00-200-801-04 ^S	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - RH MLG FOLDING BRACE (R105GA)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 32.280	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								
32-10-00-200-801-04C	DETAILED INSPECTION OF THE EXTERNAL SURFACES OF THE MLG LEGS, MLG LEGS PINS AND FOLDING BRACES - RH MLG FOLDING BRACE (R105GA) (CPCP)							Service ATA:32
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 32.280	AFL	2518						
PROC. REF: AMM 32-10-00-200-801PROC. REF: AMM 32-10-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-640-801-01	LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG MAIN DOORS							Service ATA:32
	MOS	15-Jul-25	6 (+1m)	Adj -58d	18-Nov-25	18-Dec-25	46 d (+30)	
	HRS	7369:45						
WC#: 32.355	AFL	2639	400		3039		379	
							WO#: JWL-25-029,JWL-25-049	
PROC. REF: AMM 32-10-00-640-801PROC. REF: AMM 32-10-00-640-801								
32-10-00-840-801-01	RESTORATION OF THE MAIN LANDING GEARS (MLG) - LH MLG DRESSED (L1003GA)							Service ATA:32
PN:10-235301-018	MOS/MSC	11-Aug-23	O/C					
SN:DCL019-05	HRS	6775:44						
WC#: 32.065	AFL	2518						
PROC. REF: AMM 32-10-00-840-801PROC. REF: AMM 32-10-00-840-801								
32-10-00-840-801-02	RESTORATION OF THE MAIN LANDING GEARS (MLG) - RH MLG DRESSED (R1003GA)							Service ATA:32
PN:10-235401-18	MOS/MSC	11-Aug-23	O/C					
SN:DCL016-05	HRS	6775:44						
WC#: 32.070	AFL	2518						
PROC. REF: AMM 32-10-00-840-801PROC. REF: AMM 32-10-00-840-801								
32-11-00-200-801-01 ^S	DETAILED INSPECTION OF THE RUBBER SEALANT AROUND THE MLG BUSHING FLANGES - LH MLG DRESSED (L1003GA)							Service ATA:32
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 32.300	AFL	2518						
							PKG:3	
PROC. REF: AMM 32-11-00-200-801PROC. REF: AMM 32-11-00-200-801								
32-11-00-200-801-01C	DETAILED INSPECTION OF THE RUBBER SEALANT AROUND THE MLG BUSHING FLANGES - LH MLG DRESSED (L1003GA) (CPCP)							Service ATA:32
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
WC#: 32.300	AFL	2518						
PROC. REF: AMM 32-11-00-200-801PROC. REF: AMM 32-11-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-200-801-02	^S	DETAILED INSPECTION OF THE RUBBER SEALANT AROUND THE MLG BUSHING FLANGES - RH MLG DRESSED (R1003GA)						Service ATA:32
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 32.300	AFL	2518						
PROC. REF: AMM 32-11-00-200-801PROC. REF: AMM 32-11-00-200-801								PKG:3
32-11-00-200-801-02C		DETAILED INSPECTION OF THE RUBBER SEALANT AROUND THE MLG BUSHING FLANGES - RH MLG DRESSED (R1003GA) (CPCP)						Service ATA:32
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
WC#: 32.300	AFL	2518						
PROC. REF: AMM 32-11-00-200-801PROC. REF: AMM 32-11-00-200-801								
32-11-00-350-802-01		RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - LH MLG DRESSED (L1003GA) UPPER SHOCK ABSORBER PIN						Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.175	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								
32-11-00-350-802-01A		RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - LH MLG DRESSED (L1003GA) UPPER SHOCK ABSORBER PIN (MANDATORY 5-40)						Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								
32-11-00-350-802-02		RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - RH MLG DRESSED (R1003GA) UPPER SHOCK ABSORBER PIN						Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.175	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-350-802-02A	RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - RH MLG DRESSED (R1003GA) UPPER SHOCK ABSORBER PIN (MANDATORY 5-40)							Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								
32-11-00-350-802-03	RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - LH MLG DRESSED (L1003GA) LOWER SHOCK ABSORBER PIN							Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								
32-11-00-350-802-03A	RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - LH MLG DRESSED (L1003GA) LOWER SHOCK ABSORBER PIN (MANDATORY 5-40)							Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								
32-11-00-350-802-04	RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - RH MLG DRESSED (R1003GA) LOWER SHOCK ABSORBER PIN							Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								
32-11-00-350-802-04A	RESTORATION OF THE MLG DRESSED (DISCARD OF THE SHOCK ABSORBER PIN) - RH MLG DRESSED (R1003GA) LOWER SHOCK ABSORBER PIN (MANDATORY 5-40)							Service ATA:32
PN:55-2355013-00	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	15000		15000		12340	
PROC. REF: AMM 32-11-00-350-802PROC. REF: AMM 32-11-00-350-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-350-804-01 RESTORATION OF THE MLG DRESSED (DISCARD OF THE TRAILING ARM) - LH MLG DRESSED (L1003GA)								Service ATA:32
PN:30-2355079-00	MOS/MSC	11-Aug-23	O/C					
SN:13MDT0622	HRS	6775:44						
WC#: 32.410	AFL	2518						
PROC. REF: AMM 32-11-00-350-804PROC. REF: AMM 32-11-00-350-804								
32-11-00-350-804-01A RESTORATION OF THE MLG DRESSED (DISCARD OF THE TRAILING ARM) - LH MLG DRESSED (L1003GA) (MANDATORY 5-40)								Service ATA:32
PN:30-2355079-00	MOS/MSC	11-Aug-23	O/C					
SN:13MDT0622	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-00-350-804PROC. REF: AMM 32-11-00-350-804								
32-11-00-350-804-02 RESTORATION OF THE MLG DRESSED (DISCARD OF THE TRAILING ARM) - RH MLG DRESSED (R1003GA)								Service ATA:32
PN:30-2355079-00	MOS/MSC	11-Aug-23	O/C					
SN:13MDT0630	HRS	6775:44						
WC#: 32.415	AFL	2518						
PROC. REF: AMM 32-11-00-350-804PROC. REF: AMM 32-11-00-350-804								
32-11-00-350-804-02A RESTORATION OF THE MLG DRESSED (DISCARD OF THE TRAILING ARM) - RH MLG DRESSED (R1003GA) (MANDATORY 5-40)								Service ATA:32
PN:30-2355079-00	MOS/MSC	11-Aug-23	O/C					
SN:13MDT0630	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-00-350-804PROC. REF: AMM 32-11-00-350-804								
32-11-00-350-805-01 RESTORATION OF THE MLG DRESSED (DISCARD OF THE MLG BUSHINGS) - LH MLG DRESSED (L1003GA)								Service ATA:32
PN:10-235301-018	MOS	11-Aug-23						LIFE LIMIT
SN:DCL019-05	HRS	6775:44						
	AFL	2518	8000		10518		7858	
PROC. REF: AMM 32-11-00-350-805PROC. REF: AMM 32-11-00-350-805								
32-11-00-350-805-02 RESTORATION OF THE MLG DRESSED (DISCARD OF THE MLG BUSHINGS) - RH MLG DRESSED (R1003GA)								Service ATA:32
PN:10-235401-18	MOS	11-Aug-23						LIFE LIMIT
SN:DCL016-05	HRS	6775:44						
	AFL	2518	8000		10518		7858	
PROC. REF: AMM 32-11-00-350-805PROC. REF: AMM 32-11-00-350-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-900-801-01 REMOVAL / INSTALLATION OF THE MLG LEGS - LH MLG DRESSED (L1003GA)								Component ATA:32
PN:10-235301-018	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:DCL019-05	HRS	6775:44		TSN 6775, TSO 0				
WC#: 32.065	AFL	2518		TSN 2518, TSO 0				
PROC. REF: AMM 32-11-00-900-801PROC. REF: AMM 32-11-00-900-801								
32-11-00-900-801-02 REMOVAL / INSTALLATION OF THE MLG LEGS - RH MLG DRESSED (R1003GA)								Component ATA:32
PN:10-235401-18	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:DCL016-05	HRS	6775:44		TSN 6776, TSO 0				
WC#: 32.070	AFL	2518		TSN 2518, TSO 0				
PROC. REF: AMM 32-11-00-900-801PROC. REF: AMM 32-11-00-900-801								
32-11-00-960-801-01 REPLACEMENT OF THE MLG DRESSED (DISCARD OF THE LIFE LIMITED PARTS) - LH MLG DRESSED (L1003GA)								Service ATA:32
PN:10-235301-018	MOS	12-Jun-07						LIFE LIMIT
SN:DCL019-05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-11-00-960-801PROC. REF: AMM 32-11-00-960-801								
32-11-00-960-801-01A REPLACEMENT OF THE MLG DRESSED (DISCARD OF THE LIFE LIMITED PARTS) - LH MLG DRESSED (L1003GA) (MANDATORY 5-40)								Service ATA:32
PN:10-235301-018	MOS	17-Oct-13						LIFE LIMIT
SN:DCL019-05	HRS	2803:40						
WC#: 32.011	AFL	1202	20000		21202		18542	
PROC. REF: AMM 32-11-00-900-801, AMM 32-11-00-960-801PROC. REF: AMM 32-11-00-900-801, AMM 32-11-00-960-801								
32-11-00-960-801-02 REPLACEMENT OF THE MLG DRESSED (DISCARD OF THE LIFE LIMITED PARTS) - RH MLG DRESSED (R1003GA)								Service ATA:32
PN:10-235401-18	MOS	12-Jun-07						LIFE LIMIT
SN:DCL016-05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-11-00-960-801PROC. REF: AMM 32-11-00-960-801								
32-11-00-960-801-02A REPLACEMENT OF THE MLG DRESSED (DISCARD OF THE LIFE LIMITED PARTS) - RH MLG DRESSED (R1003GA) (MANDATORY 5-40)								Service ATA:32
PN:10-235401-18	MOS	17-Oct-13						LIFE LIMIT
SN:DCL016-05	HRS	2803:40						
WC#: 32.011	AFL	1202	20000		21202		18542	
PROC. REF: AMM 32-11-00-900-801, AMM 32-11-00-960-801PROC. REF: AMM 32-11-00-900-801, AMM 32-11-00-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-03-900-801-01 REMOVAL / INSTALLATION OF THE MLG PINTLE PIN - LH MLG PINTLE PIN (L9501GA)								Component ATA:32
PN:552355007-01	MOS/MSC	11-Aug-23	H/T	TSN 0				
SN:19EXC3047270636	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 32-11-03-900-801PROC. REF: AMM 32-11-03-900-801								
32-11-03-900-801-02 REMOVAL / INSTALLATION OF THE MLG PINTLE PIN - RH MLG PINTLE PIN (R9501GA)								Component ATA:32
PN:55-2355007-01	MOS/MSC	11-Aug-23	H/T	TSN 0				
SN:19EXC3047270635	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 32-11-03-900-801PROC. REF: AMM 32-11-03-900-801								
32-11-03-960-801-01 DISCARD OF THE MLG PINTLE PIN - LH MLG PINTLE PIN (L9501GA)								Service ATA:32
PN:552355007-01	MOS	11-Aug-23						LIFE LIMIT
SN:19EXC3047270636	HRS	6775:44						
WC#: 32.065	AFL	2518	7300		9818		7158	
PROC. REF: AMM 32-11-03-960-801PROC. REF: AMM 32-11-03-960-801								
32-11-03-960-801-01A DISCARD OF THE MLG PINTLE PIN - LH MLG PINTLE PIN (L9501GA) (MANDATORY 5-40)								Service ATA:32
PN:552355007-01	MOS	11-Aug-23						LIFE LIMIT
SN:19EXC3047270636	HRS	6775:44						
WC#: 32.065	AFL	2518	7300		9818		7158	
PROC. REF: AMM 32-11-03-960-801PROC. REF: AMM 32-11-03-960-801								
32-11-03-960-801-02 DISCARD OF THE MLG PINTLE PIN - RH MLG PINTLE PIN (R9501GA)								Service ATA:32
PN:55-2355007-01	MOS	11-Aug-23						LIFE LIMIT
SN:19EXC3047270635	HRS	6775:44						
WC#: 32.070	AFL	2518	7300		9818		7158	
PROC. REF: AMM 32-11-03-960-801PROC. REF: AMM 32-11-03-960-801								
32-11-03-960-801-02A DISCARD OF THE MLG PINTLE PIN - RH MLG PINTLE PIN (R9501GA) (MANDATORY 5-40)								Service ATA:32
PN:55-2355007-01	MOS	11-Aug-23						LIFE LIMIT
SN:19EXC3047270635	HRS	6775:44						
WC#: 32.070	AFL	2518	7300		9818		7158	
PROC. REF: AMM 32-11-03-960-801PROC. REF: AMM 32-11-03-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-05-610-801-01	SERVICING OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (L203GA)							Service ATA:32
PN:10-235901-009	MOS/MSC	11-Aug-23	O/C					
SN:DCL049/06	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-05-610-801PROC. REF: AMM 32-11-05-610-801								
32-11-05-610-801-02	SERVICING OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (R203GA)							Service ATA:32
PN:10-235901-009	MOS/MSC	11-Aug-23	O/C					
SN:DCL048/06	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-05-610-801PROC. REF: AMM 32-11-05-610-801								
32-11-05-780-801-01	CHECK OF THE CHARGING PRESSURE OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (L203GA)							Service ATA:32
	MOS	11-Aug-23	24 (+1m)		11-Aug-25	11-Sep-25	OVD	
	HRS	6775:44						
WC#: 32.305	AFL	2518	1000		3518		858	
								WO#: JWL-25-049
PROC. REF: AMM 32-11-05-780-801PROC. REF: AMM 32-11-05-780-801								
32-11-05-780-801-02	CHECK OF THE CHARGING PRESSURE OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (R203GA)							Service ATA:32
	MOS	11-Aug-23	24 (+1m)		11-Aug-25	11-Sep-25	OVD	
	HRS	6775:44						
WC#: 32.305	AFL	2518	1000		3518		858	
								WO#: JWL-25-049
PROC. REF: AMM 32-11-05-780-801PROC. REF: AMM 32-11-05-780-801								
32-11-05-840-801-01	RESTORATION OF THE MLG SHOCK ABSORBER (OVERHAUL) - LH MLG SHOCK ABSORBER (L203GA)							Service ATA:32
PN:10-235901-009	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	OVERHAUL
SN:DCL049/06	HRS							
	AFL							
PROC. REF: AMM 32-11-05-840-801PROC. REF: AMM 32-11-05-840-801								
32-11-05-840-801-01C	RESTORATION OF THE MLG SHOCK ABSORBER (OVERHAUL) - LH MLG SHOCK ABSORBER (L203GA) (CPCP)							Service ATA:32
PN:10-235901-009	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	CPCP
SN:DCL049/06	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-11-05-840-801PROC. REF: AMM 32-11-05-840-801								
32-11-05-840-801-02	RESTORATION OF THE MLG SHOCK ABSORBER (OVERHAUL) - RH MLG SHOCK ABSORBER (R203GA)							Service ATA:32
PN:10-235901-009	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	OVERHAUL
SN:DCL048/06	HRS							
	AFL							
PROC. REF: AMM 32-11-05-840-801PROC. REF: AMM 32-11-05-840-801								
32-11-05-840-801-02C	RESTORATION OF THE MLG SHOCK ABSORBER (OVERHAUL) - RH MLG SHOCK ABSORBER (R203GA) (CPCP)							Service ATA:32
PN:10-235901-009	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	CPCP
SN:DCL048/06	HRS							
	AFL							
PROC. REF: AMM 32-11-05-840-801PROC. REF: AMM 32-11-05-840-801								
32-11-05-900-801-01	REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (L203GA)							Component ATA:32
PN:10-235901-009	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:DCL049/06	HRS	6775:44		TSO 0				
WC#: 32.175	AFL	2518		TSO 0				
PROC. REF: AMM 32-11-05-900-801PROC. REF: AMM 32-11-05-900-801								
32-11-05-900-801-02	REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (R203GA)							Component ATA:32
PN:10-235901-009	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:DCL048/06	HRS	6775:44		TSO 0				
WC#: 32.175	AFL	2518		TSO 0				
PROC. REF: AMM 32-11-05-900-801PROC. REF: AMM 32-11-05-900-801								
32-11-09-840-801-01	RESTORATION OF THE MLG TRAILING ARMS (OVERHAUL) - LH MLG TRAILING ARM (1203GA)							Service ATA:32
PN:30-2355079-00	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	OVERHAUL
SN:13MDT0622	HRS							
	AFL							
PROC. REF: AMM 32-11-09-840-801PROC. REF: AMM 32-11-09-840-801								
32-11-09-840-801-01C	RESTORATION OF THE MLG TRAILING ARMS (OVERHAUL) - LH MLG TRAILING ARM (1203GA) (CPCP)							Service ATA:32
PN:30-2355079-00	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	CPCP
SN:13MDT0622	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-11-09-840-801PROC. REF: AMM 32-11-09-840-801								
32-11-09-840-801-02	RESTORATION OF THE MLG TRAILING ARMS (OVERHAUL) - RH MLG TRAILING ARM (1204GA)							Service ATA:32
PN:30-2355079-00	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	OVERHAUL
SN:13MDT0630	HRS							
	AFL							
PROC. REF: AMM 32-11-09-840-801PROC. REF: AMM 32-11-09-840-801								
32-11-09-840-801-02C	RESTORATION OF THE MLG TRAILING ARMS (OVERHAUL) - RH MLG TRAILING ARM (1204GA) (CPCP)							Service ATA:32
PN:30-2355079-00	MOS	28-Apr-23	192 (+3%)		28-Apr-39	20-Oct-39	4955 d (+175)	CPCP
SN:13MDT0630	HRS							
	AFL							
PROC. REF: AMM 32-11-09-840-801PROC. REF: AMM 32-11-09-840-801								
32-11-09-900-801-01	REMOVAL / INSTALLATION OF THE MLG TRAILING ARMS - LH MLG TRAILING ARM (1203GA)							Component ATA:32
PN:30-2355079-00	MOS/MSC	11-Aug-23	H/T	TSN 0				
SN:13MDT0622	HRS	6775:44		TSN 0				
WC#: 32.410	AFL	2518		TSN 0				
PROC. REF: AMM 32-11-09-900-801PROC. REF: AMM 32-11-09-900-801								
32-11-09-900-801-02	REMOVAL / INSTALLATION OF THE MLG TRAILING ARMS - RH MLG TRAILING ARM (1204GA)							Component ATA:32
PN:30-2355079-00	MOS/MSC	11-Aug-23	H/T	TSN 0				
SN:13MDT0630	HRS	6775:44		TSN 0				
WC#: 32.415	AFL	2518		TSN 0				
PROC. REF: AMM 32-11-09-900-801PROC. REF: AMM 32-11-09-900-801								
32-11-15-840-801-01	RESTORATION OF THE MLG MAIN FITTING (OVERHAUL) - LH MLG MAIN FITTING (1103GA)							Service ATA:32
PN:50-2355001-00	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:DCL009	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-15-840-801PROC. REF: AMM 32-11-15-840-801								
32-11-15-840-801-01C	RESTORATION OF THE MLG MAIN FITTING (OVERHAUL) - LH MLG MAIN FITTING (1103GA) (CPCP)							Service ATA:32
PN:50-2355001-00	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	CPCP
SN:DCL009	HRS	6775:44						
	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-11-15-840-801PROC. REF: AMM 32-11-15-840-801								
32-11-15-840-801-02	RESTORATION OF THE MLG MAIN FITTING (OVERHAUL) - RH MLG MAIN FITTING (1104GA)							Service ATA:32
PN:50-2356001-00	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:DCL014	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-15-840-801PROC. REF: AMM 32-11-15-840-801								
32-11-15-840-801-02C	RESTORATION OF THE MLG MAIN FITTING (OVERHAUL) - RH MLG MAIN FITTING (1104GA) (CPCP)							Service ATA:32
PN:50-2356001-00	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	CPCP
SN:DCL014	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-15-840-801PROC. REF: AMM 32-11-15-840-801								
32-11-15-900-801-01	REMOVAL / INSTALLATION OF THE MLG MAIN FITTING - LH MLG MAIN FITTING (1103GA)							Component ATA:32
PN:50-2355001-00	MOS/MSC	11-Aug-23	O/C					
SN:DCL009	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-15-900-801PROC. REF: AMM 32-11-15-900-801								
32-11-15-900-801-02	REMOVAL / INSTALLATION OF THE MLG MAIN FITTING - RH MLG MAIN FITTING (1104GA)							Component ATA:32
PN:50-2356001-00	MOS/MSC	11-Aug-23	O/C					
SN:DCL014	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-11-15-900-801PROC. REF: AMM 32-11-15-900-801								
32-11-17-900-801-01	LH UPPER MAIN LANDING GEAR (MLG) SHOCK ABSORBER PIN							Component ATA:32
PN:55-2355013-00	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-11-17-900-801-02	RH UPPER MAIN LANDING GEAR (MLG) SHOCK ABSORBER PIN							Component ATA:32
PN:55-2355013-00	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-11-17-900-801-03 LH LOWER MAIN LANDING GEAR (MLG) SHOCK ABSORBER PIN								Component ATA:32
PN:55-2355013-00	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-11-17-900-801-04 RH LOWER MAIN LANDING GEAR (MLG) SHOCK ABSORBER PIN								Component ATA:32
PN:55-2355013-00	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-12-00-220-801-01 ^S DETAILED INSPECTION OF THE MLG MAIN DOOR UPLOCKS AND MLG UPLOCKS								Service ATA:32
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 32.360	AFL	2308						
PROC. REF: AMM 32-12-00-220-801PROC. REF: AMM 32-12-00-220-801								
32-12-01-840-801-01 RESTORATION OF THE MLG FOLDING BRACES (OVERHAUL) - LH MLG FOLDING BRACE (L105GA)								Service ATA:32
PN:10-238101-005	MOS	27-Apr-23	192 (+3%)	27-Apr-39	19-Oct-39	4954 d (+175)	OVERHAUL	
SN:RA19941226-DA18SCD	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-12-01-840-801PROC. REF: AMM 32-12-01-840-801								
32-12-01-840-801-01C RESTORATION OF THE MLG FOLDING BRACES (OVERHAUL) - LH MLG FOLDING BRACE (L105GA) (CPCP)								Service ATA:32
PN:10-238101-005	MOS	27-Apr-23	192 (+3%)	27-Apr-39	19-Oct-39	4954 d (+175)	CPCP	
SN:RA19941226-DA18SCD	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-12-01-840-801PROC. REF: AMM 32-12-01-840-801								

PKG:9
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-12-01-840-801-02		RESTORATION OF THE MLG FOLDING BRACES (OVERHAUL) - RH MLG FOLDING BRACE (R105GA)						Service ATA:32
PN:10-238201-005	MOS	27-Apr-23	192 (+3%)		27-Apr-39	19-Oct-39	4954 d (+175)	OVERHAUL
SN:DCL010/05	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-12-01-840-801PROC. REF: AMM 32-12-01-840-801								
32-12-01-840-801-02C		RESTORATION OF THE MLG FOLDING BRACES (OVERHAUL) - RH MLG FOLDING BRACE (R105GA) (CPCP)						Service ATA:32
PN:10-238201-005	MOS	27-Apr-23	192 (+3%)		27-Apr-39	19-Oct-39	4954 d (+175)	CPCP
SN:DCL010/05	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-12-01-840-801PROC. REF: AMM 32-12-01-840-801								
32-12-01-900-801-01		REMOVAL / INSTALLATION OF THE MLG FOLDING BRACES - LH MLG FOLDING BRACE (L105GA)						Component ATA:32
PN:10-238101-005	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:RA19941226-DA18SCD	HRS	6775:44		TSO 0				
WC#: 32.085	AFL	2518		TSO 0				
PROC. REF: AMM 32-12-01-900-801PROC. REF: AMM 32-12-01-900-801								
32-12-01-900-801-02		REMOVAL / INSTALLATION OF THE MLG FOLDING BRACES - RH MLG FOLDING BRACE (R105GA)						Component ATA:32
PN:10-238201-005	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:DCL010/05	HRS	6775:44		TSN 6775:44, TSO 0				
WC#: 32.085	AFL	2518		TSN 2518, TSO 0				
PROC. REF: AMM 32-12-01-900-801PROC. REF: AMM 32-12-01-900-801								
32-12-01-960-801-01		REPLACEMENT OF THE MLG FOLDING BRACES (DISCARD OF THE LIFE LIMITED PARTS) - LH MLG FOLDING BRACE (L105GA)						Service ATA:32
PN:10-238101-005	MOS	11-Aug-23						LIFE LIMIT
SN:RA19941226-DA18SCD	HRS	6775:44		TAC 6775:44				
	AFL	2518	20000	TAC 2518	20000		17340	
PROC. REF: AMM 32-12-01-960-801PROC. REF: AMM 32-12-01-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-12-01-960-801-01A	REPLACEMENT OF THE MLG FOLDING BRACES (DISCARD OF THE LIFE LIMITED PARTS) - LH MLG FOLDING BRACE (L105GA) (MANDATORY 5-40)							Service ATA:32
PN:10-238101-005	MOS	11-Aug-23						LIFE LIMIT
SN:RA19941226-DA18SCD	HRS	6775:44		TAC 6775:44				
WC#: 32.012	AFL	2518	20000	TAC 2518	20000		17340	
PROC. REF: AMM 32-12-01-900-801, AMM 32-12-01-960-801PROC. REF: AMM 32-12-01-900-801, AMM 32-12-01-960-801								
32-12-01-960-801-02	REPLACEMENT OF THE MLG FOLDING BRACES (DISCARD OF THE LIFE LIMITED PARTS) - RH MLG FOLDING BRACE (R105GA)							Service ATA:32
PN:10-238201-005	MOS	12-Jun-07						LIFE LIMIT
SN:DCL010/05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-01-960-801PROC. REF: AMM 32-12-01-960-801								
32-12-01-960-801-02A	REPLACEMENT OF THE MLG FOLDING BRACES (DISCARD OF THE LIFE LIMITED PARTS) - RH MLG FOLDING BRACE (R105GA) (MANDATORY 5-40)							Service ATA:32
PN:10-238201-005	MOS	12-Jun-07						LIFE LIMIT
SN:DCL010/05	HRS	0						
WC#: 32.012	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-01-900-801, AMM 32-12-01-960-801PROC. REF: AMM 32-12-01-900-801, AMM 32-12-01-960-801								
32-12-05-900-801-02	REMOVAL / INSTALLATION OF THE MLG FOLDING BRACE UNLOCK ACTUATORS - RH MLG UNLOCK ACTUATOR (R505GA)							Component ATA:32
PN:10-237901-000	MOS/MSC	11-Aug-23	O/C					
SN:DCL023	HRS	6775:44		TSN 6775:44				
	AFL	2518		TSN 2518				
PROC. REF: AMM 32-12-05-900-801PROC. REF: AMM 32-12-05-900-801								
32-12-09-900-802-01	REMOVAL / INSTALLATION OF THE MLG FOLDING BRACE POST SPRING - LH MLG FOLDING BRACE SPRING POST (L9525GA)							Component ATA:32
PN:55-2381031-00	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:19MER633045	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 32-12-09-900-802PROC. REF: AMM 32-12-09-900-802								
32-12-09-900-802-02	REMOVAL / INSTALLATION OF THE MLG FOLDING BRACE POST SPRING - RH MLG FOLDING BRACE SPRING POST (R9525GA)							Component ATA:32
PN:55-2381031-00	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:19MER633043	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-12-09-900-802PROC. REF: AMM 32-12-09-900-802								
32-12-09-960-801-01	DISCARD OF THE MLG FOLDING BRACE SPRING POST - LH MLG FOLDING BRACE SPRING POST (L9525GA)							Service ATA:32
PN:55-2381031-00	MOS	11-Aug-23	96		11-Aug-31		2138 d	DISCARD
SN:19MER633045	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-12-09-960-801PROC. REF: AMM 32-12-09-960-801								
32-12-09-960-801-02	DISCARD OF THE MLG FOLDING BRACE SPRING POST - RH MLG FOLDING BRACE SPRING POST (R9525GA)							Service ATA:32
PN:55-2381031-00	MOS	08-Oct-20	96		08-Oct-28		1101 d	DISCARD
SN:19MER633043	HRS							
	AFL							
PROC. REF: AMM 32-12-09-960-801PROC. REF: AMM 32-12-09-960-801								
32-12-13-350-802-01	RESTORATION OF THE MLG RETRACT ACTUATORS (DISCARD OF THE CYLINDER) - LH MLG RETRACT ACTUATOR (L106GM)							Service ATA:32
PN:10-239701-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL012/05	HRS	0						
WC#: 32.045	AFL	0	15700		15700		13040	
PROC. REF: AMM 32-12-13-350-802PROC. REF: AMM 32-12-13-350-802								
32-12-13-350-802-01A	RESTORATION OF THE MLG RETRACT ACTUATORS (DISCARD OF THE CYLINDER) - LH MLG RETRACT ACTUATOR (L106GM) (MANDATORY 5-40)							Service ATA:32
PN:10-239701-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL012/05	HRS	0						
	AFL	0	15700		15700		13040	
PROC. REF: AMM 32-12-13-350-802PROC. REF: AMM 32-12-13-350-802								
32-12-13-350-802-02	RESTORATION OF THE MLG RETRACT ACTUATORS (DISCARD OF THE CYLINDER) - RH MLG RETRACT ACTUATOR (R106GM)							Service ATA:32
PN:10-239801-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL010/05	HRS	0						
WC#: 32.050	AFL	0	15700		15700		13040	
PROC. REF: AMM 32-12-13-350-802PROC. REF: AMM 32-12-13-350-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-12-13-350-802-02A	RESTORATION OF THE MLG RETRACT ACTUATORS (DISCARD OF THE CYLINDER) - RH MLG RETRACT ACTUATOR (R106GM) (MANDATORY 5-40)							Service ATA:32
PN:10-239801-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL010/05	HRS	0						
	AFL	0	15700		15700		13040	
PROC. REF: AMM 32-12-13-350-802PROC. REF: AMM 32-12-13-350-802								
32-12-13-900-801-01	REMOVAL / INSTALLATION OF THE MLG RETRACT ACTUATORS - LH MLG RETRACT ACTUATOR (L106GM)							Component ATA:32
PN:10-239701-000	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DCL012/05	HRS	0		TSN 0				
WC#: 32.045	AFL	0		TSN 0				
PROC. REF: AMM 32-12-13-900-801PROC. REF: AMM 32-12-13-900-801								
32-12-13-900-801-02	REMOVAL / INSTALLATION OF THE MLG RETRACT ACTUATORS - RH MLG RETRACT ACTUATOR (R106GM)							Component ATA:32
PN:10-239801-000	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DCL010/05	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 32-12-13-900-801PROC. REF: AMM 32-12-13-900-801								
32-12-13-960-802-01	REPLACEMENT OF THE MLG RETRACT ACTUATORS (DISCARD OF LIFE LIMITED PARTS) - LH MLG RETRACT ACTUATOR (L106GM)							Service ATA:32
PN:10-239701-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL012/05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-13-960-802PROC. REF: AMM 32-12-13-960-802								
32-12-13-960-802-01A	REPLACEMENT OF THE MLG RETRACT ACTUATORS (DISCARD OF LIFE LIMITED PARTS) - LH MLG RETRACT ACTUATOR (L106GM) (MANDATORY 5-40)							Service ATA:32
PN:10-239701-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL012/05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-13-960-802PROC. REF: AMM 32-12-13-960-802								
32-12-13-960-802-02	REPLACEMENT OF THE MLG RETRACT ACTUATORS (DISCARD OF LIFE LIMITED PARTS) - RH MLG RETRACT ACTUATOR (R106GM)							Service ATA:32
PN:10-239801-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL010/05	HRS	0						
	AFL	0	20000		20000		17340	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-12-13-960-802PROC. REF: AMM 32-12-13-960-802								
32-12-13-960-802-02A	REPLACEMENT OF THE MLG RETRACT ACTUATORS (DISCARD OF LIFE LIMITED PARTS) - RH MLG RETRACT ACTUATOR (R106GM) (MANDATORY 5-40)							Service ATA:32
PN:10-239801-000	MOS	12-Jun-07						LIFE LIMIT
SN:DCL010/05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-13-960-802PROC. REF: AMM 32-12-13-960-802								
32-12-17-350-801-01	RESTORATION OF THE MLG UPLOCKS (OVERHAUL WITH SPRING REPLACEMENT) - LH MLG UPLOCK (L1007GM)							Service ATA:32
PN:10-240101-005	MOS/MSC	07-Jun-10	O/C					
SN:DH-0001-05	HRS	1310:05						
WC#: 32.220	AFL	460						
PROC. REF: AMM 32-12-17-350-801PROC. REF: AMM 32-12-17-350-801								
32-12-17-350-801-02	RESTORATION OF THE MLG UPLOCKS (OVERHAUL WITH SPRING REPLACEMENT) - RH MLG UPLOCK (R1007GM)							Service ATA:32
PN:10-240101-005	MOS/MSC	07-Jun-10	O/C					
SN:08HTD064	HRS	1310:05						
WC#: 32.220	AFL	460						
PROC. REF: AMM 32-12-17-350-801PROC. REF: AMM 32-12-17-350-801								
32-12-17-900-801-01	REMOVAL / INSTALLATION OF THE MLG UPLOCKS - LH MLG UPLOCK (L1007GM)							Component ATA:32
PN:10-240101-005	MOS/MSC	07-Jun-10	O/C					
SN:DH-0001-05	HRS	1310:05						
WC#: 32.220	AFL	460						
PROC. REF: AMM 32-12-17-900-801PROC. REF: AMM 32-12-17-900-801								
32-12-17-900-801-02	REMOVAL / INSTALLATION OF THE MLG UPLOCKS - RH MLG UPLOCK (R1007GM)							Component ATA:32
PN:10-240101-005	MOS/MSC	07-Jun-10	O/C	TSN 0				
SN:08HTD064	HRS	1310:05		TSN 0				
WC#: 32.220	AFL	460		TSN 0				
PROC. REF: AMM 32-12-17-900-801PROC. REF: AMM 32-12-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-12-17-960-801-01 REPLACEMENT OF THE MLG UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - LH MLG UPLOCK (L1007GM)								Service ATA:32
PN:10-240101-005	MOS	12-Jun-07						LIFE LIMIT
SN:DH-0001-05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-17-960-801PROC. REF: AMM 32-12-17-960-801								
32-12-17-960-801-01A REPLACEMENT OF THE MLG UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - LH MLG UPLOCK (L1007GM) (MANDATORY 5-40)								Service ATA:32
PN:10-240101-005	MOS	12-Jun-07						LIFE LIMIT
SN:DH-0001-05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-17-960-801PROC. REF: AMM 32-12-17-960-801								
32-12-17-960-801-02 REPLACEMENT OF THE MLG UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - RH MLG UPLOCK (R1007GM)								Service ATA:32
PN:10-240101-005	MOS	12-Jun-07						LIFE LIMIT
SN:08HTD064	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-17-960-801PROC. REF: AMM 32-12-17-960-801								
32-12-17-960-801-02A REPLACEMENT OF THE MLG UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - RH MLG UPLOCK (R1007GM) (MANDATORY 5-40)								Service ATA:32
PN:10-240101-005	MOS	12-Jun-07						LIFE LIMIT
SN:08HTD064	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-17-960-801PROC. REF: AMM 32-12-17-960-801								
32-12-25-900-801-01 REMOVAL / INSTALLATION OF THE MLG MAIN DOOR ACTUATORS - LH MLG MAIN DOOR ACTUATOR (L101GM)								Component ATA:32
PN:10-250301-002	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DCL022/05	HRS	0		TSN 0				
WC#: 32.040	AFL	0		TSN 0				
PROC. REF: AMM 32-12-25-900-801PROC. REF: AMM 32-12-25-900-801								
32-12-25-900-801-02 REMOVAL / INSTALLATION OF THE MLG MAIN DOOR ACTUATORS - RH MLG MAIN DOOR ACTUATOR (R101GM)								Component ATA:32
PN:10-250301-002	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DCL021/05	HRS	0		TSN 0				
WC#: 32.040	AFL	0		TSN 0				
PROC. REF: AMM 32-12-25-900-801PROC. REF: AMM 32-12-25-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-12-29-350-801-01	RESTORATION OF THE MLG MAIN DOOR UPLOCKS (OVERHAUL WITH SPRING REPLACEMENT) - LH MLG MAIN DOOR UPLOCK (L1001GM)							Service ATA:32
PN:10-250501-004	MOS	24-Sep-10						OVERHAUL
SN:08HTD055	HRS	1380:10						
WC#: 32.215	AFL	485	18000 (+3%)		18485	19025	15825 (+540)	
PROC. REF: AMM 32-12-29-350-801PROC. REF: AMM 32-12-29-350-801								
32-12-29-350-801-02	RESTORATION OF THE MLG MAIN DOOR UPLOCKS (OVERHAUL WITH SPRING REPLACEMENT) - RH MLG MAIN DOOR UPLOCK (R1001GM)							Service ATA:32
PN:10-250601-004	MOS	24-Sep-10						OVERHAUL
SN:DH-0014-05	HRS	1380:10						
WC#: 32.215	AFL	485	18000 (+3%)		18485	19025	15825 (+540)	
PROC. REF: AMM 32-12-29-350-801PROC. REF: AMM 32-12-29-350-801								
32-12-29-900-801-01	REMOVAL / INSTALLATION OF THE MLG MAIN DOOR UPLOCKS - LH MLG MAIN DOOR UPLOCK (L1001GM)							Component ATA:32
PN:10-250501-004	MOS/MSC	24-Sep-10	O/C	TSN 0				
SN:08HTD055	HRS	1380:10		TSN 0				
WC#: 32.215	AFL	485		TSN 0				
PROC. REF: AMM 32-12-29-900-801PROC. REF: AMM 32-12-29-900-801								
32-12-29-900-801-02	REMOVAL / INSTALLATION OF THE MLG MAIN DOOR UPLOCKS - RH MLG MAIN DOOR UPLOCK (R1001GM)							Component ATA:32
PN:10-250601-004	MOS/MSC	24-Sep-10	O/C					
SN:DH-0014-05	HRS	1380:10						
WC#: 32.215	AFL	485						
PROC. REF: AMM 32-12-29-900-801PROC. REF: AMM 32-12-29-900-801								
32-12-29-960-801-01	REPLACEMENT OF THE MLG MAIN DOOR UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - LH MLG MAIN DOOR UPLOCK (L1001GM)							Service ATA:32
PN:10-250501-004	MOS	12-Jun-07						LIFE LIMIT
SN:08HTD055	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-29-960-801PROC. REF: AMM 32-12-29-960-801								
32-12-29-960-801-01A	REPLACEMENT OF THE MLG MAIN DOOR UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - LH MLG MAIN DOOR UPLOCK (L1001GM) (MANDATORY 5-40)							Service ATA:32
PN:10-250501-004	MOS	12-Jun-07						LIFE LIMIT
SN:08HTD055	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-29-960-801PROC. REF: AMM 32-12-29-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-12-29-960-801-02	REPLACEMENT OF THE MLG MAIN DOOR UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - RH MLG MAIN DOOR UPLOCK (R1001GM)							Service ATA:32
PN:10-250601-004	MOS	12-Jun-07						LIFE LIMIT
SN:DH-0014-05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-29-960-801PROC. REF: AMM 32-12-29-960-801								
32-12-29-960-801-02A	REPLACEMENT OF THE MLG MAIN DOOR UPLOCKS (DISCARD OF LIFE LIMITED PARTS) - RH MLG MAIN DOOR UPLOCK (R1001GM) (MANDATORY 5-40)							Service ATA:32
PN:10-250601-004	MOS	12-Jun-07						LIFE LIMIT
SN:DH-0014-05	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-12-29-960-801PROC. REF: AMM 32-12-29-960-801								
32-20-00-200-801-01 ^S	DETAILED INSPECTION OF THE EXPOSED EXTERNAL SURFACES OF THE NLG LEG, NLG LEG PINS, BUSHED TORQUE LINKS AND DRAG BRACE - NLG LEG (101GB)							Service ATA:32
	MOS	18-Nov-24	96 (+2m)					
	HRS	7061:12						
WC#: 32.310	AFL	2584	4000					
								PKG:41
PROC. REF: AMM 32-20-00-200-801PROC. REF: AMM 32-20-00-200-801								
32-20-00-200-801-01C	DETAILED INSPECTION OF THE EXPOSED EXTERNAL SURFACES OF THE NLG LEG, NLG LEG PINS, BUSHED TORQUE LINKS AND DRAG BRACE - NLG LEG (101GB) (CPCP)							Service ATA:32
	MOS	18-Nov-24	96 (+2m)		18-Nov-32	18-Jan-33	2603 d (+61)	CPCP
	HRS	7061:12						
WC#: 32.310	AFL	2584						
PROC. REF: AMM 32-20-00-200-801PROC. REF: AMM 32-20-00-200-801								
32-20-00-200-801-02 ^S	DETAILED INSPECTION OF THE EXPOSED EXTERNAL SURFACES OF THE NLG LEG, NLG LEG PINS, BUSHED TORQUE LINKS AND DRAG BRACE - NLG DRAG BRACE (102GB)							Service ATA:32
	MOS	18-Nov-24	96 (+2m)					
	HRS	7061:12						
WC#: 32.310	AFL	2584	4000					
								PKG:41
PROC. REF: AMM 32-20-00-200-801PROC. REF: AMM 32-20-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20-00-200-801-02C	DETAILED INSPECTION OF THE EXPOSED EXTERNAL SURFACES OF THE NLG LEG, NLG LEG PINS, BUSHED TORQUE LINKS AND DRAG BRACE - NLG DRAG BRACE (102GB) (CPCP)							Service ATA:32
	MOS	18-Nov-24	96 (+2m)		18-Nov-32	18-Jan-33	2603 d (+61)	CPCP
	HRS	7061:12						
WC#: 32.310	AFL	2584						
PROC. REF: AMM 32-20-00-200-801PROC. REF: AMM 32-20-00-200-801								
32-20-00-640-801-01	LUBRICATION OF THE NOSE LANDING GEAR (NLG) AND NLG DOORS							Service ATA:32
	MOS	14-May-25	6 (+1m)		14-Nov-25	14-Dec-25	42 d (+30)	
	HRS	7263:05						
WC#: 32.365	AFL	2620	400		3020		360	
								WO#: JWL-25-029,JWL-25-049
PROC. REF: AMM 32-20-00-640-801PROC. REF: AMM 32-20-00-640-801								
32-21-00-200-801-01 ^S	DETAILED INSPECTION OF THE RUBBER SEALANT AROUND THE NLG BUSHING FLANGES							Service ATA:32
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 32.370	AFL	2518						
								PKG:3
PROC. REF: AMM 32-21-00-200-801PROC. REF: AMM 32-21-00-200-801								
32-21-00-200-801-01C	DETAILED INSPECTION OF THE RUBBER SEALANT AROUND THE NLG BUSHING FLANGES (CPCP)							Service ATA:32
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-21-00-200-801PROC. REF: AMM 32-21-00-200-801								
32-21-00-210-801-01 ^S	DIMENSIONAL CHECK OF THE NLG TORQUE LINKS							Service ATA:32
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 32-21-00-210-801PROC. REF: AMM 32-21-00-210-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-00-350-802-01	RESTORATION OF THE NLG DRESSED (DISCARD OF THE NLG BUSHINGS) - NLG LEG (101GB)							Service ATA:32
PN:10-230201-017	MOS	19-Nov-24						LIFE LIMIT
SN:B11	HRS	7061:12		TAC 6755				
	AFL	2584	8000	TAC 2518	8066		5406	
PROC. REF: AMM 32-21-00-350-802PROC. REF: AMM 32-21-00-350-802								
32-21-00-900-801-01	REMOVAL / INSTALLATION OF THE NLG LEG - NLG LEG (101GB)							Component ATA:32
PN:10-230201-017	MOS/MSC	19-Nov-24	O/C	TSO 5				
SN:B11	HRS	7061:12		TSN 6755, TSO 0				
WC#: 32.075	AFL	2584		TSN 2518, TSO 0				
PROC. REF: AMM 32-21-00-900-801PROC. REF: AMM 32-21-00-900-801								
32-21-00-960-801-01	REPLACEMENT OF THE NLG DRESSED (DISCARD OF THE LIFE LIMITED PARTS) - NLG LEG (101GB)							Service ATA:32
PN:10-230201-017	MOS	19-Nov-24						LIFE LIMIT
SN:B11	HRS	7061:12		TAC 6755				
	AFL	2584	20000	TAC 2518	20066		17406	
PROC. REF: AMM 32-21-00-900-801, AMM 32-21-00-960-801PROC. REF: AMM 32-21-00-900-801, AMM 32-21-00-960-801								
32-21-00-960-801-01A	REPLACEMENT OF THE NLG DRESSED (DISCARD OF THE LIFE LIMITED PARTS) - NLG LEG (101GB) (MANDATORY 5-40)							Service ATA:32
PN:10-230201-017	MOS	19-Nov-24						LIFE LIMIT
SN:B11	HRS	7061:12		TAC 6755				
WC#: 32.211	AFL	2584	20000	TAC 2518	20066		17406	
PROC. REF: AMM 32-21-00-900-801, AMM 32-21-00-960-801PROC. REF: AMM 32-21-00-900-801, AMM 32-21-00-960-801								
32-21-01-610-801-01	SERVICING OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (1001GB)							Service ATA:32
PN:PN	MOS/MSC	18-Nov-24	O/C					
SN:UNKNOWN	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 32-21-01-610-801PROC. REF: AMM 32-21-01-610-801								
32-21-01-610-802-01	CHARGING OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (1001GB)							Service ATA:32
	MOS/MSC	04-Jun-20	O/C					
	HRS	5478:10						
	AFL	2166						
PROC. REF: AMM 32-21-01-610-802PROC. REF: AMM 32-21-01-610-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-01-780-801-01	CHECK OF THE CHARGING PRESSURE OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (1001GB)							Service ATA:32
	MOS	11-Aug-23	24 (+1m)		11-Aug-25	11-Sep-25	OVD	
	HRS	6775:44						
WC#: 32.375	AFL	2518	1000		3518		858	
WO#: JWL-25-049								
PROC. REF: AMM 32-21-01-780-801PROC. REF: AMM 32-21-01-780-801								
32-21-01-840-801-01	RESTORATION OF THE NLG SHOCK ABSORBER (OVERHAUL) - NLG SHOCK ABSORBER (1001GB)							Service ATA:32
PN:PN	MOS	18-Nov-24	192 (+3%)		18-Nov-40	10-May-41	5525 d (+173)	OVERHAUL
SN:UNKNOWN	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 32-21-01-840-801PROC. REF: AMM 32-21-01-840-801								
32-21-01-840-801-01C	RESTORATION OF THE NLG SHOCK ABSORBER (OVERHAUL) - NLG SHOCK ABSORBER (1001GB) (CPCP)							Service ATA:32
PN:PN	MOS	18-Nov-24	192 (+3%)		18-Nov-40	10-May-41	5525 d (+173)	CPCP
SN:UNKNOWN	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 32-21-01-840-801PROC. REF: AMM 32-21-01-840-801								
32-21-01-900-801-01	REMOVAL / INSTALLATION OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (1001GB)							Component ATA:32
PN:PN	MOS/MSC	18-Nov-24	O/C					
SN:UNKNOWN	HRS	7061:12						
WC#: 32.075	AFL	2584						
PROC. REF: AMM 32-21-01-900-801PROC. REF: AMM 32-21-01-900-801								
32-21-11-840-801-01	RESTORATION OF THE NLG MAIN FITTING (OVERHAUL) - NLG MAIN FITTING (501GB)							Service ATA:32
PN:PN	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:UNKNOWN	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-21-11-840-801PROC. REF: AMM 32-21-11-840-801								
32-21-11-840-801-01C	RESTORATION OF THE NLG MAIN FITTING (OVERHAUL) - NLG MAIN FITTING (501GB) (CPCP)							Service ATA:32
PN:PN	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	CPCP
SN:UNKNOWN	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-21-11-840-801PROC. REF: AMM 32-21-11-840-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-11-900-802-01	REMOVAL / INSTALLATION OF THE NLG MAIN FITTING - NLG MAIN FITTING (501GB)							Component ATA:32
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:UNKNOWN	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-21-11-900-802PROC. REF: AMM 32-21-11-900-802								
32-21-11-900-803-02	REMOVAL / INSTALLATION OF THE NLG LOWER TORQUE LINK - CHECK OF THE NLG SHOCK ABSORBER (1001GB)							Service ATA:32
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	AFL							
32-21-11-900-804-03	REMOVAL/INSTALLATION OF THE NLG LOWER TORQUE LINK PIN GREASE SUPPLY DUCT - CHECK OF THE NLG SHOCK ABSORBER (1001GB)							Service ATA:32
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	AFL							
32-22-01-350-802-01	RESTORATION OF THE NLG DRAG BRACE (DISCARD OF THE UPPER ARM BUSHED) - NLG DRAG BRACE (102GB)							Service ATA:32
PN:10-232101-001	MOS	18-Nov-24						LIFE LIMIT
SN:B7	HRS	7061:12		TAC 6775				
	AFL	2584	8000	TAC 2518	8066		5406	
PROC. REF: AMM 32-22-01-350-802PROC. REF: AMM 32-22-01-350-802								
32-22-01-350-802-01A	RESTORATION OF THE NLG DRAG BRACE (DISCARD OF THE UPPER ARM BUSHED) - NLG DRAG BRACE (102GB) (MANDATORY 5-40)							Service ATA:32
PN:10-232101-001	MOS	18-Nov-24						LIFE LIMIT
SN:B7	HRS	7061:12		TAC 6775				
	AFL	2584	8000	TAC 2518	8066		5406	
PROC. REF: AMM 32-22-01-350-802PROC. REF: AMM 32-22-01-350-802								
32-22-01-350-803-01	RESTORATION OF THE NLG DRAG BRACE (DISCARD OF THE PIN TRUNNION)							Service ATA:32
	MOS	18-Nov-24						LIFE LIMIT
	HRS	7061:12		TAC 6775				
	AFL	2584	20000	TAC 2518	20066		17406	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-22-01-350-803PROC. REF: AMM 32-22-01-350-803								
32-22-01-350-803-02		RESTORATION OF THE NLG DRAG BRACE (DISCARD OF THE PIN TRUNNION) - PIN TRUNNION (R7002GB)						Service ATA:32
PN:PN	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-22-01-350-803PROC. REF: AMM 32-22-01-350-803								
32-22-01-840-801-01		RESTORATION OF THE NLG DRAG BRACE (OVERHAUL) - NLG DRAG BRACE (102GB)						Service ATA:32
PN:10-232101-001	MOS	06-Sep-24	192 (+3%)		06-Sep-40	27-Feb-41	5452 d (+174)	OVERHAUL
SN:B7	HRS							
	AFL							
PROC. REF: AMM 32-22-01-840-801PROC. REF: AMM 32-22-01-840-801								
32-22-01-840-801-01C		RESTORATION OF THE NLG DRAG BRACE (OVERHAUL) - NLG DRAG BRACE (102GB) (CPCP)						Service ATA:32
PN:10-232101-001	MOS	06-Sep-24	192 (+3%)		06-Sep-40	27-Feb-41	5452 d (+174)	CPCP
SN:B7	HRS							
	AFL							
PROC. REF: AMM 32-22-01-840-801PROC. REF: AMM 32-22-01-840-801								
32-22-01-900-801-01		REMOVAL / INSTALLATION OF THE NLG DRAG BRACE - NLG DRAG BRACE (102GB)						Component ATA:32
PN:10-232101-001	MOS/MSC	18-Nov-24	O/C	TSO 2				
SN:B7	HRS	7061:12		TSN 6775, TSO 0				
WC#: 32.080	AFL	2584		TSN 2518, TSO 0				
PROC. REF: AMM 32-22-01-900-801PROC. REF: AMM 32-22-01-900-801								
32-22-01-960-802-01		REPLACEMENT OF THE NLG DRAG BRACE (DISCARD OF LIFE LIMITED PARTS) - NLG DRAG BRACE (102GB)						Service ATA:32
PN:10-232101-001	MOS	18-Nov-24						LIFE LIMIT
SN:B7	HRS	7061:12		TAC 6775				
	AFL	2584	20000	TAC 2518	20066		17406	
PROC. REF: AMM 32-22-01-960-802PROC. REF: AMM 32-22-01-960-802								
32-22-01-960-802-01A		REPLACEMENT OF THE NLG DRAG BRACE (DISCARD OF LIFE LIMITED PARTS) - NLG DRAG BRACE (102GB) (MANDATORY 5-40)						Service ATA:32
PN:10-232101-001	MOS	18-Nov-24						LIFE LIMIT
SN:B7	HRS	7061:12		TAC 6775				
	AFL	2584	20000	TAC 2518	20066		17406	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-22-01-960-802PROC. REF: AMM 32-22-01-960-802								
32-22-01-960-803-01A		REPLACEMENT OF THE NLG DRAG BRACE PIN TRUNNION (MANDATORY 5-40)						Service ATA:32
PN:PN	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-22-05-280-801-01		SPECIAL DETAILED INSPECTION (FLUORESCENT PENETRANT INSPECTION) OF NLG DRAG BRACE LOCKING SPRINGS - NLG DRAG BRACE LOCKING SPRING 1 (L6002GB)						Service ATA:32
PN:10-232301-000	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:20COU7212800159	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-22-05-280-801PROC. REF: AMM 32-22-05-280-801								
32-22-05-280-801-01C		SPECIAL DETAILED INSPECTION (FLUORESCENT PENETRANT INSPECTION) OF NLG DRAG BRACE LOCKING SPRINGS - NLG DRAG BRACE LOCKING SPRING 1 (L6002GB) (CPCP)						Service ATA:32
PN:10-232301-000	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:20COU7212800159	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-22-05-280-801PROC. REF: AMM 32-22-05-280-801								
32-22-05-280-801-02		SPECIAL DETAILED INSPECTION (FLUORESCENT PENETRANT INSPECTION) OF NLG DRAG BRACE LOCKING SPRINGS - NLG DRAG BRACE LOCKING SPRING 2 (R6002GB)						Service ATA:32
PN:10-232301-000	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:20COU7212800158	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-22-05-280-801PROC. REF: AMM 32-22-05-280-801								
32-22-05-280-801-02C		SPECIAL DETAILED INSPECTION (FLUORESCENT PENETRANT INSPECTION) OF NLG DRAG BRACE LOCKING SPRINGS - NLG DRAG BRACE LOCKING SPRING 2 (R6002GB) (CPCP)						Service ATA:32
PN:10-232301-000	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:20COU7212800158	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-22-05-280-801PROC. REF: AMM 32-22-05-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-22-05-900-801-01	REMOVAL / INSTALLATION OF THE NLG DRAG BRACE LOCKING SPRING - NLG DRAG BRACE LOCKING SPRING 1 (L6002GB)							Component ATA:32
PN:10-232301-000	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:20COU7212800159	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 32-22-05-900-801PROC. REF: AMM 32-22-05-900-801								
32-22-05-900-801-02	REMOVAL / INSTALLATION OF THE NLG DRAG BRACE LOCKING SPRING - NLG DRAG BRACE LOCKING SPRING 2 (R6002GB)							Component ATA:32
PN:10-232301-000	MOS/MSC	11-Aug-23	O/C					
SN:20COU7212800158	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-22-05-900-801PROC. REF: AMM 32-22-05-900-801								
32-22-09-900-801-01	REMOVAL / INSTALLATION OF THE NLG DRAG BRACE UNLOCK ACTUATOR - NLG UNLOCK ACTUATOR (4002GB)							Component ATA:32
PN:10-232401-001	MOS/MSC	11-Aug-23	O/C					
SN:20MA0440	HRS	6775:44						
WC#: 32.060	AFL	2518						
PROC. REF: AMM 32-22-09-900-801PROC. REF: AMM 32-22-09-900-801								
32-22-13-900-801-01	REMOVAL / INSTALLATION OF THE NLG RETRACT ACTUATOR - NLG RETRACT ACTUATOR (108GM)							Component ATA:32
PN:10-233101-001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0MA0011	HRS	0		TSN 0				
WC#: 32.055	AFL	0		TSN 0				
PROC. REF: AMM 32-22-13-900-801PROC. REF: AMM 32-22-13-900-801								
32-22-13-960-801-01	REPLACEMENT OF THE NLG RETRACT ACTUATOR (DISCARD OF LIFE LIMITED PARTS) - NLG RETRACT ACTUATOR (108GM)							Service ATA:32
PN:10-233101-001	MOS	12-Jun-07						LIFE LIMIT
SN:0MA0011	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-22-13-960-801PROC. REF: AMM 32-22-13-960-801								
32-22-17-220-801-01 ^S	DETAILED INSPECTION OF THE NLG UPLOCK - NLG UPLOCK (105GM)							Service ATA:32
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 32.380	AFL	2308						
PROC. REF: AMM 32-22-17-220-801PROC. REF: AMM 32-22-17-220-801								

PKG:9
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-22-17-350-801-01	RESTORATION OF THE NLG UPLOCK (OVERHAUL WITH SPRING REPLACEMENT) - NLG UPLOCK (105GM)							Service ATA:32
PN:10-234101-002	MOS/MSC	23-May-12	O/C					
SN:07MAN00044	HRS	2184:49						
WC#: 32.225	AFL	912						
PROC. REF: AMM 32-22-17-350-801PROC. REF: AMM 32-22-17-350-801								
32-22-17-900-801-01	REMOVAL / INSTALLATION OF THE NLG UPLOCK - NLG UPLOCK (105GM)							Component ATA:32
PN:10-234101-002	MOS/MSC	23-May-12	O/C	TSR 4				
SN:07MAN00044	HRS	2184:49		TSR 0				
WC#: 32.225	AFL	912		TSR 0				
PROC. REF: AMM 32-22-17-900-801PROC. REF: AMM 32-22-17-900-801								
32-22-17-960-801-01	REPLACEMENT OF THE NLG UPLOCK (DISCARD OF LIFE LIMITED PARTS) - NLG UPLOCK (105GM)							Service ATA:32
PN:10-234101-002	MOS	12-Jun-07						LIFE LIMIT
SN:07MAN00044	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-22-17-960-801PROC. REF: AMM 32-22-17-960-801								
32-22-17-960-801-01A	REPLACEMENT OF THE NLG UPLOCK (DISCARD OF LIFE LIMITED PARTS) - NLG UPLOCK (105GM) (MANDATORY 5-40)							Service ATA:32
PN:10-234101-002	MOS	12-Jun-07						LIFE LIMIT
SN:07MAN00044	HRS	0						
	AFL	0	20000		20000		17340	
PROC. REF: AMM 32-22-17-960-801PROC. REF: AMM 32-22-17-960-801								
32-22-29-900-801-01	REMOVAL / INSTALLATION OF THE NLG FORWARD DOOR MECHANISM SPRINGS - NLG LH FORWARD DOOR MECHANISM (L102GM)							Component ATA:32
PN:10-252301-001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DCL013	HRS	0		TSN 0				
WC#: 32.030	AFL	0		TSN 0				
PROC. REF: AMM 32-22-29-900-801PROC. REF: AMM 32-22-29-900-801								
32-22-29-900-801-02	REMOVAL / INSTALLATION OF THE NLG FORWARD DOOR MECHANISM SPRINGS - NLG RH FORWARD DOOR MECHANISM (R102GM)							Component ATA:32
PN:10-252401-001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DCL009	HRS	0		TSN 0				
WC#: 32.030	AFL	0		TSN 0				
PROC. REF: AMM 32-22-29-900-801PROC. REF: AMM 32-22-29-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-31-00-860-801-03	EXTENSION / RETRACTION OF THE LANDING GEAR - SLOW EXTENSION/RETRACTION							Service ATA:32
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-31-00-860-801PROC. REF: AMM 32-31-00-860-801								
32-31-01-900-801-01	REMOVAL / INSTALLATION OF THE LANDING GEAR CONTROL HANDLE - LANDING GEAR CONTROL HANDLE (303GM)							Component ATA:32
PN:10-248502001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0027	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01-900-801PROC. REF: AMM 32-31-01-900-801								
32-31-05-710-801-01 ^S	OPERATIONAL TEST OF THE LANDING GEAR SYSTEM POWER SUPPLY							Service ATA:32
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
PROC. REF: AMM 32-31-05-710-801PROC. REF: AMM 32-31-05-710-801								PKG:31
32-31-05-900-801-01	REMOVAL / INSTALLATION OF THE LANDING GEAR AND STEERING CONTROL UNIT (LGSCU) - LGSCU (203GM)							Component ATA:32
PN:10-247102-003	MOS/MSC	18-Nov-24	O/C					
SN:08-224	HRS	7061:12						
WC#: 32.120	AFL	2584						
PROC. REF: AMM 32-31-05-900-801PROC. REF: AMM 32-31-05-900-801								
32-31-09-900-801-01	REMOVAL / INSTALLATION OF THE LANDING GEAR CONTROL HYDRAULIC MODULE - LANDING GEAR CONTROL HYDRAULIC MODULE (103GM)							Component ATA:32
PN:10-249501-005	MOS/MSC	18-Nov-24	O/C	TSN 84, TSR 1				
SN:LHC-0521	HRS	7061:12		TSR 0				
WC#: 32.125	AFL	2584		TSN 857, TSR 0				
PROC. REF: AMM 32-31-09-900-801PROC. REF: AMM 32-31-09-900-801								
32-32-00-700-801-01	CHECK AFTER LANDING GEAR EMERGENCY EXTENSION							Service ATA:32
	MOS/MSC	12-Jun-07	A/R					
	HRS	0						
WC#: 32.440	AFL	0						
PROC. REF: AMM 32-32-00-700-801PROC. REF: AMM 32-32-00-700-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-32-00-710-801-01	OPERATIONAL TEST OF THE LANDING GEAR EMERGENCY EXTENSION							Service ATA:32
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 32.385	AFL	912						
PROC. REF: AMM 32-32-00-710-801PROC. REF: AMM 32-32-00-710-801								
32-32-00-720-801-01 ^S	FUNCTIONAL TEST OF THE LANDING GEAR EMERGENCY EXTENSION							Service ATA:32
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 32.385	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 32-32-00-720-801PROC. REF: AMM 32-32-00-720-801								
32-32-05-900-801-01	REMOVAL / INSTALLATION OF THE MLG EMERGENCY TELEFORCE CONTROLS - LH MLG EMERGENCY TELEFORCE CONTROL (309GM)							Component ATA:32
PN:52CF10235	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8	HRS	0		TSN 0				
WC#: 32.015	AFL	0		TSN 0				
								WO#: JWL-25-049
PROC. REF: AMM 32-32-05-900-801PROC. REF: AMM 32-32-05-900-801								
32-32-05-900-801-02	REMOVAL / INSTALLATION OF THE MLG EMERGENCY TELEFORCE CONTROLS - RH MLG EMERGENCY TELEFORCE CONTROL (409GM)							Component ATA:32
PN:52CF10234	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:8	HRS	0		TSN 0				
WC#: 32.015	AFL	0		TSN 0				
								WO#: JWL-25-049
PROC. REF: AMM 32-32-05-900-801PROC. REF: AMM 32-32-05-900-801								
32-32-09-900-801-01	REMOVAL / INSTALLATION OF THE NLG EMERGENCY TELEFORCE CONTROL - NLG EMERGENCY TELEFORCE CONTROL (509GM)							Component ATA:32
PN:52CF10337	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:3	HRS	0		TSN 0				
WC#: 32.015	AFL	0		TSN 0				
PROC. REF: AMM 32-32-09-900-801PROC. REF: AMM 32-32-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40-00-870-801-01	BLEEDING OF THE BRAKE HYDRAULIC SYSTEM - BRAKE SYSTEM A LH BLEEDING							Service ATA:32
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-40-00-870-801PROC. REF: AMM 32-40-00-870-801								
32-40-00-870-801-02	BLEEDING OF THE BRAKE HYDRAULIC SYSTEM - BRAKE SYSTEM A RH BLEEDING							Service ATA:32
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 32-40-00-870-801PROC. REF: AMM 32-40-00-870-801								
32-40-00-870-801-03	BLEEDING OF THE BRAKE HYDRAULIC SYSTEM - BRAKE SYSTEM B LH BLEEDING							Service ATA:32
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-40-00-870-801PROC. REF: AMM 32-40-00-870-801								
32-40-00-870-801-04	BLEEDING OF THE BRAKE HYDRAULIC SYSTEM - BRAKE SYSTEM B RH BLEEDING							Service ATA:32
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 32-40-00-870-801PROC. REF: AMM 32-40-00-870-801								
32-40-00-870-801-05	BLEEDING OF THE BRAKE HYDRAULIC SYSTEM - PARK / EMERGENCY BRAKE SYSTEM BLEEDING							Service ATA:32
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-40-00-870-801PROC. REF: AMM 32-40-00-870-801								
32-40-00-870-801-06	BLEEDING OF THE BRAKE HYDRAULIC SYSTEM - PARK / EMERGENCY BRAKE ACCUMULATOR BLEEDING							Service ATA:32
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-40-00-870-801PROC. REF: AMM 32-40-00-870-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-01-900-801-01 REMOVAL / INSTALLATION OF THE ELECTRONIC BRAKE CONTROL MODULES - EBCM 1 (L301GC)								Component ATA:32
PN:90003532-3	MOS/MSC	16-Dec-11	O/C					
SN:F9B05-0022	HRS	2013:49						
WC#: 32.420	AFL	854						
PROC. REF: AMM 32-41-01-900-801PROC. REF: AMM 32-41-01-900-801								
32-41-01-900-801-02 REMOVAL / INSTALLATION OF THE ELECTRONIC BRAKE CONTROL MODULES - EBCM 2 (R301GC)								Component ATA:32
PN:90003532-3	MOS/MSC	16-Dec-11	O/C					
SN:F9B05-0021	HRS	2013:49						
WC#: 32.420	AFL	854						
PROC. REF: AMM 32-41-01-900-801PROC. REF: AMM 32-41-01-900-801								
32-41-02-900-801-01 REMOVAL / INSTALLATION OF THE BCU - BCU (201GC)								Component ATA:32
PN:90003171-3	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:FEB05-0010	HRS	6775:44		TSN 6775:44				
	AFL	2518		TSN 2518				
PROC. REF: AMM 32-41-02-900-801PROC. REF: AMM 32-41-02-900-801								
32-41-05-900-801-01 REMOVAL / INSTALLATION OF THE PEDAL POSITION TRANSDUCERS - LH SEAT LH BRAKE PPT (L1001GC)								Component ATA:32
PN:90002747-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:3094	HRS	0		TSN 0				
WC#: 32.195	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05-900-801PROC. REF: AMM 32-41-05-900-801								
32-41-05-900-801-02 REMOVAL / INSTALLATION OF THE PEDAL POSITION TRANSDUCERS - LH SEAT RH BRAKE PPT (R1001GC)								Component ATA:32
PN:90002747-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:3093	HRS	0		TSN 0				
WC#: 32.195	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05-900-801PROC. REF: AMM 32-41-05-900-801								
32-41-05-900-801-03 REMOVAL / INSTALLATION OF THE PEDAL POSITION TRANSDUCERS - RH SEAT LH BRAKE PPT (L1101GC)								Component ATA:32
PN:90002747-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:3092	HRS	0		TSN 0				
WC#: 32.190	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05-900-801PROC. REF: AMM 32-41-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-05-900-801-04	REMOVAL / INSTALLATION OF THE PEDAL POSITION TRANSDUCERS - RH SEAT RH BRAKE PPT (R1101GC)							Component ATA:32
PN:90002747-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:3096	HRS	0		TSN 0				
WC#: 32.190	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05-900-801PROC. REF: AMM 32-41-05-900-801								
32-41-09-720-801-01	^S	FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM A LH HYDRAULIC FUSE (L1801GC)						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 32.325	AFL	1825						
PKG:32								
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								
32-41-09-720-801-01A		FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM A LH HYDRAULIC FUSE (L1801GC) (MANDATORY 5-40)						Service ATA:32
	MOS	14-Jul-18						CMR
	HRS	4398:30	4850		9248:30		1755:56	
WC#: 32.416	AFL	1825						
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								
32-41-09-720-801-02	^S	FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM A RH HYDRAULIC FUSE (R1801GC)						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 32.325	AFL	1825						
PKG:32								
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								
32-41-09-720-801-02A		FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM A RH HYDRAULIC FUSE (R1801GC) (MANDATORY 5-40)						Service ATA:32
	MOS	14-Jul-18						CMR
	HRS	4398:30	4850		9248:30		1755:56	
WC#: 32.416	AFL	1825						
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-09-720-801-03	^S	FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM B LH HYDRAULIC FUSE (L2001GC)						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 32.325	AFL	1825						
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								PKG:32
32-41-09-720-801-03A		FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM B LH HYDRAULIC FUSE (L2001GC) (MANDATORY 5-40)						Service ATA:32
	MOS	14-Jul-18						CMR
	HRS	4398:30	4850		9248:30		1755:56	
WC#: 32.416	AFL	1825						
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								
32-41-09-720-801-04	^S	FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM B RH HYDRAULIC FUSE (R2001GC)						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 32.325	AFL	1825						
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								PKG:32
32-41-09-720-801-04A		FUNCTIONAL TEST OF THE HYDRAULIC FUSES - SYSTEM B RH HYDRAULIC FUSE (R2001GC) (MANDATORY 5-40)						Service ATA:32
	MOS	14-Jul-18						CMR
	HRS	4398:30	4850		9248:30		1755:56	
WC#: 32.416	AFL	1825						
PROC. REF: AMM 32-41-09-720-801PROC. REF: AMM 32-41-09-720-801								
32-41-09-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC FUSES - SYSTEM A LH HYDRAULIC FUSE (L1801GC)						Component ATA:32
PN:90002665	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09-900-801PROC. REF: AMM 32-41-09-900-801								
32-41-09-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC FUSES - SYSTEM A RH HYDRAULIC FUSE (R1801GC)						Component ATA:32
PN:90002665	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0048	HRS	0		TSN 0				
WC#: 32.135	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-09-900-801PROC. REF: AMM 32-41-09-900-801								
32-41-09-900-801-03 REMOVAL / INSTALLATION OF THE HYDRAULIC FUSES - SYSTEM B LH HYDRAULIC FUSE (L2001GC)								Component ATA:32
PN:90002665	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0047	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09-900-801PROC. REF: AMM 32-41-09-900-801								
32-41-09-900-801-04 REMOVAL / INSTALLATION OF THE HYDRAULIC FUSES - SYSTEM B RH HYDRAULIC FUSE (R2001GC)								Component ATA:32
PN:90002665	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0049	HRS	0		TSN 0				
WC#: 32.135	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09-900-801PROC. REF: AMM 32-41-09-900-801								
32-41-13-900-801-01 REMOVAL / INSTALLATION OF THE COMBINED WHEEL SPEED INTERFACE UNITS (CWSIU) - LH OUTBOARD CWSIU (L2401GC)								Component ATA:32
PN:J20003001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:132	HRS	0		TSN 0				
WC#: 32.005	AFL	0		TSN 0				
PROC. REF: AMM 32-41-13-900-801PROC. REF: AMM 32-41-13-900-801								
32-41-13-900-801-02 REMOVAL / INSTALLATION OF THE COMBINED WHEEL SPEED INTERFACE UNITS (CWSIU) - LH INBOARD CWSIU (L2601GC)								Component ATA:32
PN:J20003001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00133	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				
PROC. REF: AMM 32-41-13-900-801PROC. REF: AMM 32-41-13-900-801								
32-41-13-900-801-03 REMOVAL / INSTALLATION OF THE COMBINED WHEEL SPEED INTERFACE UNITS (CWSIU) - RH INBOARD CWSIU (R2601GC)								Component ATA:32
PN:J20003001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00134	HRS	0		TSN 0				
WC#: 32.005	AFL	0		TSN 0				
PROC. REF: AMM 32-41-13-900-801PROC. REF: AMM 32-41-13-900-801								
32-41-13-900-801-04 REMOVAL / INSTALLATION OF THE COMBINED WHEEL SPEED INTERFACE UNITS (CWSIU) - RH OUTBOARD CWSIU (R2401GC)								Component ATA:32
PN:J20003001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00135	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-13-900-801PROC. REF: AMM 32-41-13-900-801								
32-41-17-900-801-01 REMOVAL / INSTALLATION OF THE SHUT-OFF VALVES - SYSTEM A SOV (L401GC)								Component ATA:32
PN:90002808-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:44	HRS	0		TSN 0				
WC#: 32.245	AFL	0		TSN 0				
PROC. REF: AMM 32-41-17-900-801PROC. REF: AMM 32-41-17-900-801								
32-41-17-900-801-02 REMOVAL / INSTALLATION OF THE SHUT-OFF VALVES - SYSTEM B SOV (R401GC)								Component ATA:32
PN:90002808-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:70	HRS	0		TSN 0				
WC#: 32.245	AFL	0		TSN 0				
PROC. REF: AMM 32-41-17-900-801PROC. REF: AMM 32-41-17-900-801								
32-41-21-900-801-01 REMOVAL / INSTALLATION OF THE BRAKE CONTROL VALVES - SYSTEM A LH BCV (L601GC)								Component ATA:32
PN:90002662-1	MOS/MSC	14-Dec-17	O/C	TSR 3				
SN:07-02-0219	HRS	3964:09		TSR 0				
WC#: 32.235	AFL	1705		TSR 0				
PROC. REF: AMM 32-41-21-900-801PROC. REF: AMM 32-41-21-900-801								
32-41-21-900-801-02 REMOVAL / INSTALLATION OF THE BRAKE CONTROL VALVES - SYSTEM A RH BCV (R601GC)								Component ATA:32
PN:90002662-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0041	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: AMM 32-41-21-900-801PROC. REF: AMM 32-41-21-900-801								
32-41-21-900-801-03 REMOVAL / INSTALLATION OF THE BRAKE CONTROL VALVES - SYSTEM B LH BCV (L801GC)								Component ATA:32
PN:90002662-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0044	HRS	0		TSN 0				
WC#: 32.235	AFL	0		TSN 0				
PROC. REF: AMM 32-41-21-900-801PROC. REF: AMM 32-41-21-900-801								
32-41-21-900-801-04 REMOVAL / INSTALLATION OF THE BRAKE CONTROL VALVES - SYSTEM B RH BCV (R801GC)								Component ATA:32
PN:90002662-1	MOS/MSC	14-Dec-17	O/C					
SN:09-02-0527	HRS	3964:09						
WC#: 32.240	AFL	1705						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



03-Oct-2025 07:43 AM

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-29-900-801PROC. REF: AMM 32-41-29-900-801								
32-41-33-900-801-01REMOVAL / INSTALLATION OF THE BRAKE TEMPERATURE SENSORS - LH OUTBOARD BRAKE TEMPERATURE SENSOR (L207GC)								Component ATA:32
PN:90002672	MOS/MSC	10-Aug-12	O/C					
SN:JUN08-0419	HRS	2322:12						
WC#: 32.160	AFL	959						
PROC. REF: AMM 32-41-33-900-801PROC. REF: AMM 32-41-33-900-801								
32-41-33-900-801-02REMOVAL / INSTALLATION OF THE BRAKE TEMPERATURE SENSORS - LH INBOARD BRAKE TEMPERATURE SENSOR (L407GC)								Component ATA:32
PN:90002672	MOS/MSC	18-Nov-24	O/C	TSN 9				
SN:AUG19-2376	HRS	7061:12		TSN 0				
WC#: 32.160	AFL	2584		TSN 0				
PROC. REF: AMM 32-41-33-900-801PROC. REF: AMM 32-41-33-900-801								
32-41-33-900-801-03REMOVAL / INSTALLATION OF THE BRAKE TEMPERATURE SENSORS - RH INBOARD BRAKE TEMPERATURE SENSOR (R407GC)								Component ATA:32
PN:90002672	MOS/MSC	16-Nov-12	O/C	TSR 0				
SN:MAR06-0144	HRS	2472		TSR 0				
WC#: 32.165	AFL	1017		TSR 0				
PROC. REF: AMM 32-41-33-900-801PROC. REF: AMM 32-41-33-900-801								
32-41-33-900-801-04REMOVAL / INSTALLATION OF THE BRAKE TEMPERATURE SENSORS - RH OUTBOARD BRAKE TEMPERATURE SENSOR (R207GC)								Component ATA:32
PN:90002672	MOS/MSC	02-Jan-13	O/C	TSR 0				
SN:MAR11-0800	HRS			TSR 0				
WC#: 32.165	AFL			TSR 0				
PROC. REF: AMM 32-41-33-900-801PROC. REF: AMM 32-41-33-900-801								
32-42-00-820-801-01ADJUSTMENT OF THE PARK BRAKE CONTROL - PARK BRAKE CABLE (604GC)								Service ATA:32
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-42-00-820-801PROC. REF: AMM 32-42-00-820-801								
32-42-01-900-801-01REMOVAL / INSTALLATION OF THE PARK EMERGENCY VALVE - PARK EMERGENCY VALVE (204GC)								Component ATA:32
PN:90002664-2	MOS/MSC	22-Jan-20	O/C	TSR 0				
SN:JAN06-0029	HRS	5287:57		TSR 0				
WC#: 32.230	AFL	2109		TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-42-01-900-801PROC. REF: AMM 32-42-01-900-801								
32-42-05-720-801-01	^S	FUNCTIONAL TEST OF THE PARK BRAKE ACCUMULATOR CAPACITY - PARK BRAKE ACCUMULATOR (404GC)						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 32.330	AFL	1825						
PKG:32								
PROC. REF: AMM 32-42-05-720-801PROC. REF: AMM 32-42-05-720-801								
32-42-05-720-801-01A		FUNCTIONAL TEST OF THE PARK BRAKE ACCUMULATOR CAPACITY - PARK BRAKE ACCUMULATOR (404GC) (MANDATORY 5-40)						Service ATA:32
	MOS	14-Jul-18						CMR
	HRS	4398:30	4850		9248:30		1755:56	
WC#: 32.330	AFL	1825						
PROC. REF: AMM 32-42-05-720-801PROC. REF: AMM 32-42-05-720-801								
32-42-05-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE SYSTEM ACCUMULATOR - PARK BRAKE ACCUMULATOR (404GC)						Component ATA:32
PN:90002921	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
WC#: 32.035	AFL	0		TSN 0				
PROC. REF: AMM 32-42-05-900-801PROC. REF: AMM 32-42-05-900-801								
32-42-09-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE HANDLE - PARK BRAKE HANDLE (804GC)						Component ATA:32
PN:90002670-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:MAY06-0047	HRS	0		TSN 0				
WC#: 32.145	AFL	0		TSN 0				
PROC. REF: AMM 32-42-09-900-801PROC. REF: AMM 32-42-09-900-801								
32-42-13-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE CABLE - PARK BRAKE CABLE (604GC)						Component ATA:32
PN:90002671-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:11	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 32-42-13-900-801PROC. REF: AMM 32-42-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-43-01-900-801-01 REMOVAL / INSTALLATION OF THE TIRE PRESSURE MONITORING UNIT (TPMU) - TPMU (205GC)								Component ATA:32
PN:J20000005-0401	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:119	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-43-01-900-801PROC. REF: AMM 32-43-01-900-801								
32-43-05-900-801-01 REMOVAL / INSTALLATION OF THE MAIN ROTATING PRESSURE SENSOR ASSEMBLIES (MRPSA) - LH OUTBOARD MRPSA (L405GC)								Component ATA:32
PN:J20001003	MOS/MSC	26-Apr-24	O/C	TSR 0				
SN:NOV11-1214	HRS	6960:09		TSR 0				
WC#: 32.020	AFL	2562		TSR 0				
PROC. REF: AMM 32-43-05-900-801PROC. REF: AMM 32-43-05-900-801								WO#: JWL-25-029
32-43-05-900-801-02 REMOVAL / INSTALLATION OF THE MAIN ROTATING PRESSURE SENSOR ASSEMBLIES (MRPSA) - LH INBOARD MRPSA (L605GC)								Component ATA:32
PN:J20001003	MOS/MSC	18-Nov-24	O/C	TSN 203, TSR 4				
SN:DEC07-0400	HRS	7061:12		TSR 0				
WC#: 32.025	AFL	2584		TSR 0				
PROC. REF: AMM 32-43-05-900-801PROC. REF: AMM 32-43-05-900-801								
32-43-05-900-801-03 REMOVAL / INSTALLATION OF THE MAIN ROTATING PRESSURE SENSOR ASSEMBLIES (MRPSA) - RH INBOARD MRPSA (R605GC)								Component ATA:32
PN:J20001002	MOS/MSC	11-Aug-23	O/C					
SN:SEP05-0189	HRS	6775:44						
WC#: 32.020	AFL	2518						
PROC. REF: AMM 32-43-05-900-801PROC. REF: AMM 32-43-05-900-801								
32-43-05-900-801-04 REMOVAL / INSTALLATION OF THE MAIN ROTATING PRESSURE SENSOR ASSEMBLIES (MRPSA) - RH OUTBOARD MRPSA (R405GC)								Component ATA:32
PN:J20001003	MOS/MSC	19-Nov-24	O/C	TSR 0				
SN:MAR10-0789	HRS	7061:12		TSR 0				
WC#: 32.025	AFL	2584		TSR 0				
PROC. REF: AMM 32-43-05-900-801PROC. REF: AMM 32-43-05-900-801								
32-43-09-900-801-01 REMOVAL / INSTALLATION OF THE NOSE ROTATING PRESSURE SENSOR ASSEMBLIES (NRPSA) - LH NRPSA (L805GC)								Component ATA:32
PN:J20002002	MOS/MSC	05-Sep-19	O/C					
SN:C289	HRS	5023:18						
WC#: 32.170	AFL	2036						
PROC. REF: AMM 32-43-09-900-801PROC. REF: AMM 32-43-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-43-09-900-801-02	REMOVAL / INSTALLATION OF THE NOSE ROTATING PRESSURE SENSOR ASSEMBLIES (NRPSA) - RH NRPSA (R805GC)							Component ATA:32
PN:J20002002	MOS/MSC	05-Sep-19	O/C					
SN:APR11-0602	HRS	5023:18						
WC#: 32.170	AFL	2036						
PROC. REF: AMM 32-43-09-900-801PROC. REF: AMM 32-43-09-900-801								
32-43-13-900-801-01	REMOVAL / INSTALLATION OF THE NOSE STATIC INTERFACE UNITS (NSIU) - LH NSIU (L1005GC)							Component ATA:32
PN:J20004001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:113	HRS	0		TSN 0				
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 32-43-13-900-801PROC. REF: AMM 32-43-13-900-801								
32-43-13-900-801-02	REMOVAL / INSTALLATION OF THE NOSE STATIC INTERFACE UNITS (NSIU) - RH NSIU (R1005GC)							Component ATA:32
PN:J20004001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:119	HRS	0		TSN 0				
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 32-43-13-900-801PROC. REF: AMM 32-43-13-900-801								
32-44-00-220-801-01	DETAILED INSPECTION OF THE MLG AND NLG WHEEL TIRES							Service ATA:32
	MOS/MSC	15-Oct-21	O/C					
	HRS	6157:31						
	AFL	2388						
PROC. REF: AMM 32-44-00-220-801PROC. REF: AMM 32-44-00-220-801								
32-44-00-640-801-01	LUBRICATION OF THE MLG AND NLG WHEEL BEARINGS - LH MLG OUTBOARD WHEEL (L609GC)							Service ATA:32
PN:90002745-4PSHMIC02	MOS	22-Feb-24	18 (+1m)		22-Aug-25	22-Sep-25	OVD	
SN:MAR14-1442	HRS	6923:06						
WC#: 32.270	AFL	2555	400		2955		295	
								WO#: JWL-25-049
PROC. REF: AMM 32-44-00-640-801PROC. REF: AMM 32-44-00-640-801								
32-44-00-640-801-02	LUBRICATION OF THE MLG AND NLG WHEEL BEARINGS - LH MLG INBOARD WHEEL (L809GC)							Service ATA:32
	MOS	27-Dec-24	18 (+1m)		27-Jun-26	27-Jul-26	267 d (+30)	
	HRS	7106:42						
WC#: 32.255	AFL	2592	400		2992		332	
								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-44-00-640-801PROC. REF: AMM 32-44-00-640-801								
32-44-00-640-801-03	LUBRICATION OF THE MLG AND NLG WHEEL BEARINGS - RH MLG INBOARD WHEEL (R809GC)							Service ATA:32
	MOS	28-Aug-25	18 (+1m)		28-Feb-27	31-Mar-27	513 d (+31)	
	HRS	7492:30						
WC#: 32.265	AFL	2660	400		3060		400	
PROC. REF: AMM 32-44-00-640-801PROC. REF: AMM 32-44-00-640-801								
32-44-00-640-801-04	LUBRICATION OF THE MLG AND NLG WHEEL BEARINGS - RH MLG OUTBOARD WHEEL (R609GC)							Service ATA:32
	MOS	22-Feb-24	18 (+1m)		22-Aug-25	22-Sep-25	OVD	
	HRS	6923:06						
WC#: 32.275	AFL	2555	400		2955		295	
WO#: JWL-25-049								
PROC. REF: AMM 32-44-00-640-801PROC. REF: AMM 32-44-00-640-801								
32-44-00-640-801-05	LUBRICATION OF THE MLG AND NLG WHEEL BEARINGS - LH NLG WHEEL (L208GC)							Service ATA:32
PN:90002746-1PSHMIC	MOS	18-Nov-24	18 (+1m)		18-May-26	18-Jun-26	227 d (+31)	
SN:DEC04-0028	HRS	7061:12						
WC#: 32.250	AFL	2584	400		2984		324	
WO#: JWL-25-049								
PROC. REF: AMM 32-44-00-640-801PROC. REF: AMM 32-44-00-640-801								
32-44-00-640-801-06	LUBRICATION OF THE MLG AND NLG WHEEL BEARINGS - RH NLG WHEEL (R208GC)							Service ATA:32
PN:90002746-1PSHMIC	MOS	18-Nov-24	18 (+1m)		18-May-26	18-Jun-26	227 d (+31)	
SN:DEC08-0293	HRS	7061:12						
WC#: 32.260	AFL	2584	400		2984		324	
WO#: JWL-25-049								
PROC. REF: AMM 32-44-00-640-801PROC. REF: AMM 32-44-00-640-801								
32-44-00-780-801-01	PRESSURE CHECK OF THE MLG AND NLG WHEEL TIRES							Service ATA:32
	MOS/MSC	28-Aug-25	A/R					
	HRS	7492:30						
	AFL	2660						
PROC. REF: AMM 32-44-00-780-801PROC. REF: AMM 32-44-00-780-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-01-220-801-01	DETAILED INSPECTION OF THE NLG WHEEL HUBS - LH NLG WHEEL (L208GC)							Service ATA:32
	MOS	18-Nov-24						
	HRS	7061:12						
	AFL	2584	80		2664		4	
WO#: JWL-25-049								
PROC. REF: AMM 32-44-01-220-801PROC. REF: AMM 32-44-01-220-801								
32-44-01-220-801-02	DETAILED INSPECTION OF THE NLG WHEEL HUBS - RH NLG WHEEL (R208GC)							Service ATA:32
	MOS	18-Nov-24						
	HRS	7061:12						
	AFL	2584	80		2664		4	
WO#: JWL-25-049								
PROC. REF: AMM 32-44-01-220-801PROC. REF: AMM 32-44-01-220-801								
32-44-01-280-801-01	SPECIAL DETAILED INSPECTION OF THE NLG WHEELS - LH NLG WHEEL (L208GC) - EDDY CURRENT INSPECTION OF THE BEAD SEAT AREA							Service ATA:32
PN:90002746-1PSHMIC	MOS	11-Aug-23						
SN:DEC04-0028	HRS	6775:44						
WC#: 32.270	AFL	2518	2000 (+3%)		4518	4578	1858 (+60)	
PROC. REF: AMM 32-44-01-280-801PROC. REF: AMM 32-44-01-280-801								
32-44-01-280-801-02	SPECIAL DETAILED INSPECTION OF THE NLG WHEELS - RH NLG WHEEL (R208GC) - EDDY CURRENT INSPECTION OF THE BEAD SEAT AREA							Service ATA:32
PN:90002746-1PSHMIC	MOS	11-Aug-23						
SN:DEC08-0293	HRS	6775:44						
WC#: 32.275	AFL	2518	2000 (+3%)		4518	4578	1858 (+60)	
PROC. REF: AMM 32-44-01-280-801PROC. REF: AMM 32-44-01-280-801								
32-44-01-280-801-03	SPECIAL DETAILED INSPECTION OF THE NLG WHEELS - LH NLG WHEEL (L208GC) - PENETRANT CRACK DETECTION							Service ATA:32
PN:90002746-1PSHMIC	MOS	23-Dec-14						
SN:DEC04-0028	HRS	2987:52						
WC#: 32.270	AFL	1341	2000 (+3%)		3341	3401	681 (+60)	
PROC. REF: AMM 32-44-01-280-801PROC. REF: AMM 32-44-01-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-01-280-01-04 SPECIAL DETAILED INSPECTION OF THE NLG WHEELS - RH NLG WHEEL (R208GC) - PENETRANT CRACK DETECTION								Service ATA:32
PN:90002746-1PSHMIC	MOS	11-Aug-23						
SN:DEC08-0293	HRS	6775:44						
WC#: 32.275	AFL	2518	2000 (+3%)		4518	4578	1858 (+60)	
PROC. REF: AMM 32-44-01-280-801PROC. REF: AMM 32-44-01-280-801								
32-44-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEELS - LH NLG WHEEL (L208GC)								Component ATA:32
PN:90002746-1PSHMIC	MOS/MSC	18-Nov-24	O/C	TSO 163, TSR 15				
SN:DEC04-0028	HRS	7061:12		TSN 6685:02, TSO 5544:46, TSR 285:28				
WC#: 32.270	AFL	2584		TSN 2578, TSO 1910, TSR 66				
PROC. REF: AMM 32-44-01-900-801PROC. REF: AMM 32-44-01-900-801								
32-44-01-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEELS - RH NLG WHEEL (R208GC)								Component ATA:32
PN:90002746-1PSHMIC	MOS/MSC	18-Nov-24	O/C	TSO 71, TSR 15				
SN:DEC08-0293	HRS	7061:12		TSN 7045:02, TSO 2410:59, TSR 285:28				
WC#: 32.275	AFL	2584		TSN 2578, TSO 658, TSR 66				
PROC. REF: AMM 32-44-01-900-801PROC. REF: AMM 32-44-01-900-801								
32-44-05-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - LH NLG TIRE (L9108GC)								Component ATA:32
PN:M17201	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1317B168	HRS	6775:44		TSN 0				
WC#: 32.185	AFL	2518		TSN 0				
PROC. REF: AMM 32-44-05-900-801PROC. REF: AMM 32-44-05-900-801								
32-44-05-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - RH NLG TIRE (R9108GC)								Component ATA:32
PN:M17201	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1312B058	HRS	6775:44		TSN 0				
WC#: 32.185	AFL	2518		TSN 0				
PROC. REF: AMM 32-44-05-900-801PROC. REF: AMM 32-44-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-09-280-801-01	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - LH MLG OUTBOARD WHEEL (L609GC) - EDDY CURRENT INSPECTION OF THE BEAD SEAT AREA							Service ATA:32
PN:90002745-4PSHMIC02	MOS	10-Oct-22						
SN:MAR14-1442	HRS	6595:56						
WC#: 32.255	AFL	2477	2000 (+3%)		4477	4537	1817 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-280-801-02	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - LH MLG INBOARD WHEEL (L809GC) - EDDY CURRENT INSPECTION OF THE BEAD SEAT AREA							Service ATA:32
PN:90002745-4PSH	MOS	17-Oct-13						
SN:NOV07-0342	HRS	2803:40						
WC#: 32.250	AFL	1202	2000 (+3%)		3202	3262	542 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-280-801-03	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - RH MLG INBOARD WHEEL (R809GC) - EDDY CURRENT INSPECTION OF THE BEAD SEAT AREA							Service ATA:32
PN:90002745-4PSMHIC	MOS	28-Aug-25						
SN:JUL12-1067	HRS	7492:30						
WC#: 32.260	AFL	2660	2000 (+3%)	TAC 200	4460	4520	1800 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-280-801-04	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - RH MLG OUTBOARD WHEEL (R609GC) - EDDY CURRENT INSPECTION OF THE BEAD SEAT AREA							Service ATA:32
PN:90002745-4PSHMIC02	MOS	21-Jun-19						
SN:AUG11-0968	HRS	4920:17						
WC#: 32.265	AFL	2010	2000 (+3%)		4010	4070	1350 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-280-801-05	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - LH MLG OUTBOARD WHEEL (L609GC) - PENETRANT CRACK DETECTION							Service ATA:32
PN:90002745-4PSHMIC02	MOS	10-Oct-22						
SN:MAR14-1442	HRS	6595:56						
WC#: 32.255	AFL	2477	2000 (+3%)		4477	4537	1817 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-09-280-801-06	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - LH MLG INBOARD WHEEL (L809GC) - PENETRANT CRACK DETECTION							Service ATA:32
PN:90002745-4PSH	MOS	17-Oct-13						
SN:NOV07-0342	HRS	2803:40						
WC#: 32.250	AFL	1202	2000 (+3%)		3202	3262	542 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-280-801-07	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - RH MLG INBOARD WHEEL (R809GC) - PENETRANT CRACK DETECTION							Service ATA:32
PN:90002745-4PSMHIC	MOS	28-Aug-25						
SN:JUL12-1067	HRS	7492:30						
WC#: 32.260	AFL	2660	2000 (+3%)	TAC 200	4460	4520	1800 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-280-801-08	SPECIAL DETAILED INSPECTION OF THE MLG WHEELS - RH MLG OUTBOARD WHEEL (R609GC) - PENETRANT CRACK DETECTION							Service ATA:32
PN:90002745-4PSHMIC02	MOS	21-Jun-19						
SN:AUG11-0968	HRS	4920:17						
WC#: 32.265	AFL	2010	2000 (+3%)		4010	4070	1350 (+60)	
PROC. REF: AMM 32-44-09-280-801PROC. REF: AMM 32-44-09-280-801								
32-44-09-900-801-01	REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG OUTBOARD WHEEL (L609GC)							Component ATA:32
PN:90002745-4PSHMIC02	MOS/MSC	10-Oct-22	O/C	TSO 1				
SN:MAR14-1442	HRS	6595:56		TSN 744, TSO 0				
WC#: 32.255	AFL	2477		TSN 227, TSO 0				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
32-44-09-900-801-02	REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG INBOARD WHEEL (L809GC)							Component ATA:32
PN:90002745-4PSH	MOS/MSC	28-Dec-24	O/C	TSR 37				
SN:NOV07-0342	HRS	7106:43		TSR 828:47				
WC#: 32.260	AFL	2592		TSR 178				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
32-44-09-900-801-03	REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG INBOARD WHEEL (R809GC)							Component ATA:32
PN:90002745-4PSMHIC	MOS/MSC	28-Aug-25	O/C					
SN:JUL12-1067	HRS	7492:30						
WC#: 32.250	AFL	2660						
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-09-900-801-04 REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG OUTBOARD WHEEL (R609GC)								Component ATA:32
PN:90002745-4PSHMIC02 MOS/MSC		25-Mar-21	O/C	TSO 21				
SN:AUG11-0968	HRS	5902:02		TSO 981:45				
WC#: 32.265	AFL	2308		TSO 298				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
32-44-13-900-801-01 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH MLG OUTBOARD TIRE (L9109GC)								Component ATA:32
PN:M18902	MOS/MSC	11-Aug-23	O/C					
SN:1327B206	HRS	6775:44						
WC#: 32.180	AFL	2518						
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-13-900-801-02 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH MLG INBOARD TIRE (L9209GC)								Component ATA:32
PN:M18902	MOS/MSC	11-Aug-23	O/C					
SN:0065B135	HRS	6775:44						
WC#: 32.180	AFL	2518						
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-13-900-801-03 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH MLG INBOARD TIRE (R9209GC)								Component ATA:32
PN:M18902	MOS/MSC	23-Jul-22	O/C	TSN 8				
SN:1326B123	HRS	6504:45		TSN 0				
WC#: 32.180	AFL	2460		TSN 0				
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-13-900-801-04 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH MLG OUTBOARD TIRE (R9109GC)								Component ATA:32
PN:M18902	MOS/MSC	11-Aug-23	O/C					
SN:9279C091	HRS	6775:44						
WC#: 32.180	AFL	2518						
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-17-220-801-01 DETAILED INSPECTION OF THE BRAKE HEAT SINK - LH OUTBOARD BRAKE (L1209GC)								Service ATA:32
PN:90010325	MOS	28-Feb-22						
SN:APR13-1113	HRS	6322:16						
WC#: 32.095	AFL	2423	400		2823		163	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-17-220-801-01A		DETAILED INSPECTION OF THE BRAKE HEAT SINK - LH OUTBOARD BRAKE (L1209GC) (MANDATORY 5-40)						Service ATA:32
PN:90010325	MOS	28-Feb-22						CMR
SN:APR13-1113	HRS	6322:16						
	AFL	2423	400		2823		163	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								
32-44-17-220-801-02		DETAILED INSPECTION OF THE BRAKE HEAT SINK - LH INBOARD BRAKE (L1409GC)						Service ATA:32
PN:90010325	MOS	28-Feb-22						
SN:APR08-0364	HRS	6322:16						
WC#: 32.105	AFL	2423	400		2823		163	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								
32-44-17-220-801-02A		DETAILED INSPECTION OF THE BRAKE HEAT SINK - LH INBOARD BRAKE (L1409GC) (MANDATORY 5-40)						Service ATA:32
PN:90010325	MOS	28-Feb-22						CMR
SN:APR08-0364	HRS	6322:16						
	AFL	2423	400		2823		163	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								
32-44-17-220-801-03		DETAILED INSPECTION OF THE BRAKE HEAT SINK - RH INBOARD BRAKE (R1409GC)						Service ATA:32
PN:90010325	MOS	23-Jul-22						
SN:APR08-0363	HRS	6504:45						
WC#: 32.090	AFL	2460	400		2860		200	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								
32-44-17-220-801-03A		DETAILED INSPECTION OF THE BRAKE HEAT SINK - RH INBOARD BRAKE (R1409GC) (MANDATORY 5-40)						Service ATA:32
PN:90010325	MOS	23-Jul-22						CMR
SN:APR08-0363	HRS	6504:45						
	AFL	2460	400		2860		200	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								
32-44-17-220-801-04		DETAILED INSPECTION OF THE BRAKE HEAT SINK - RH OUTBOARD BRAKE (R1209GC)						Service ATA:32
PN:90010325	MOS	28-Feb-22						
SN:FEB07-0156	HRS	6322:16						
WC#: 32.100	AFL	2423	400		2823		163	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-17-220-801-04A	DETAILED INSPECTION OF THE BRAKE HEAT SINK - RH OUTBOARD BRAKE (R1209GC) (MANDATORY 5-40)							Service ATA:32
PN:90010325	MOS	28-Feb-22						CMR
SN:FEB07-0156	HRS	6322:16						
	AFL	2423	400		2823		163	
PROC. REF: AMM 32-44-17-220-801PROC. REF: AMM 32-44-17-220-801								
32-44-17-220-802-01	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - LH OUTBOARD BRAKE (L1209GC)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:APR13-1113	HRS	5287:57						
WC#: 32.095	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-220-802-01A	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - LH OUTBOARD BRAKE (L1209GC) (MANDATORY 5-40)							Service ATA:32
PN:90010325	MOS/MSC	11-Aug-23	O/C					
SN:APR13-1113	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-220-802-02	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - LH INBOARD BRAKE (L1409GC)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:APR08-0364	HRS	5287:57						
WC#: 32.105	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-220-802-02A	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - LH INBOARD BRAKE (L1409GC) (MANDATORY 5-40)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					CMR
SN:APR08-0364	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-17-220-802-03	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - RH INBOARD BRAKE (R1409GC)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:APR08-0363	HRS	5287:57						
WC#: 32.090	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-220-802-03A	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - RH INBOARD BRAKE (R1409GC) (MANDATORY 5-40)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					CMR
SN:APR08-0363	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-220-802-04	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - RH OUTBOARD BRAKE (R1209GC)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:FEB07-0156	HRS	5287:57						
WC#: 32.100	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-220-802-04A	DETAILED INSPECTION OF THE INTERFACE BETWEEN THE WHEEL KEYS AND THE BRAKE INBOARD ROTOR - RH OUTBOARD BRAKE (R1209GC) (MANDATORY 5-40)							Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					CMR
SN:FEB07-0156	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 32-44-17-220-802PROC. REF: AMM 32-44-17-220-802								
32-44-17-280-802-01	SPECIAL DETAILED INSPECTION OF THE TORQUE TUBES - LH OUTBOARD BRAKE (L1209GC) - TORQUE TUBE							Service ATA:32
PN:90010325	MOS	22-Jan-20						
SN:APR13-1113	HRS	5287:57						
WC#: 32.095	AFL	2109	8000 (+3%)		10109	10349	7449 (+240)	
PROC. REF: AMM 32-44-17-280-802PROC. REF: AMM 32-44-17-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-17-280-802-02 SPECIAL DETAILED INSPECTION OF THE TORQUE TUBES - LH INBOARD BRAKE (L1409GC) - TORQUE TUBE								Service ATA:32
PN:90010325	MOS	22-Jan-20						
SN:APR08-0364	HRS	5287:57						
WC#: 32.105	AFL	2109	8000 (+3%)		10109	10349	7449 (+240)	
PROC. REF: AMM 32-44-17-280-802PROC. REF: AMM 32-44-17-280-802								
32-44-17-280-802-03 SPECIAL DETAILED INSPECTION OF THE TORQUE TUBES - RH INBOARD BRAKE (R1409GC) - TORQUE TUBE								Service ATA:32
PN:90010325	MOS	22-Jan-20						
SN:APR08-0363	HRS	5287:57						
WC#: 32.090	AFL	2109	8000 (+3%)		10109	10349	7449 (+240)	
PROC. REF: AMM 32-44-17-280-802PROC. REF: AMM 32-44-17-280-802								
32-44-17-280-802-04 SPECIAL DETAILED INSPECTION OF THE TORQUE TUBES - RH OUTBOARD BRAKE (R1209GC) - TORQUE TUBE								Service ATA:32
PN:90010325	MOS	22-Jan-20						
SN:FEB07-0156	HRS	5287:57						
WC#: 32.100	AFL	2109	8000 (+3%)		10109	10349	7449 (+240)	
PROC. REF: AMM 32-44-17-280-802PROC. REF: AMM 32-44-17-280-802								
32-44-17-900-801-01 REMOVAL / INSTALLATION OF THE BRAKES - LH OUTBOARD BRAKE (L1209GC)								Component ATA:32
PN:90010325	MOS/MSC	11-Aug-23	O/C	TSO 45				
SN:APR13-1113	HRS	6775:44		TSO 1487:46				
WC#: 32.095	AFL	2518		TSO 409				
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801								
32-44-17-900-801-02 REMOVAL / INSTALLATION OF THE BRAKES - LH INBOARD BRAKE (L1409GC)								Component ATA:32
PN:90010325	MOS/MSC	11-Aug-23	O/C	TSO 45				
SN:APR08-0364	HRS	6775:44		TSO 1487:46				
WC#: 32.105	AFL	2518		TSO 409				
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801								
32-44-17-900-801-03 REMOVAL / INSTALLATION OF THE BRAKES - RH INBOARD BRAKE (R1409GC)								Component ATA:32
PN:90010325	MOS/MSC	28-Feb-22	O/C	TSO 26				
SN:APR08-0363	HRS	6322:16		TSO 1034:18				
WC#: 32.090	AFL	2423		TSO 314				
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-17-900-801-04 REMOVAL / INSTALLATION OF THE BRAKES - RH OUTBOARD BRAKE (R1209GC)								Component ATA:32
PN:90010325	MOS/MSC	28-Feb-22	O/C	TSO 27				
SN:FEB07-0156	HRS	6322:16		TSO 1034:18				
WC#: 32.100	AFL	2423		TSO 314				
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801								
32-44-17-960-801-01 DISCARD OF THE BRAKES - LH OUTBOARD BRAKE (L1209GC)								Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:APR13-1113	HRS	5287:57						
WC#: 32.095	AFL	2109						
PROC. REF: AMM 32-44-17-960-801PROC. REF: AMM 32-44-17-960-801								
32-44-17-960-801-02 DISCARD OF THE BRAKES - LH INBOARD BRAKE (L1409GC)								Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:APR08-0364	HRS	5287:57						
WC#: 32.105	AFL	2109						
PROC. REF: AMM 32-44-17-960-801PROC. REF: AMM 32-44-17-960-801								
32-44-17-960-801-03 DISCARD OF THE BRAKES - RH INBOARD BRAKE (R1409GC)								Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:APR08-0363	HRS	5287:57						
WC#: 32.090	AFL	2109						
PROC. REF: AMM 32-44-17-960-801PROC. REF: AMM 32-44-17-960-801								
32-44-17-960-801-04 DISCARD OF THE BRAKES - RH OUTBOARD BRAKE (R1209GC)								Service ATA:32
PN:90010325	MOS/MSC	22-Jan-20	O/C					
SN:FEB07-0156	HRS	5287:57						
WC#: 32.100	AFL	2109						
PROC. REF: AMM 32-44-17-960-801PROC. REF: AMM 32-44-17-960-801								
32-50-00-720-801-01 ^S FUNCTIONAL TEST OF THE STEERING CONTROL SYSTEM - FUNCTIONAL TEST OF THE STEERING CONTROL WITH BOTH LGSCU CHANNELS ACTIVE USING THE NOSE WHEEL ANGLE PROTRACTOR (TO-32-132)								Service ATA:32
	MOS	12-Jun-07	288 (+2m)					
	HRS	0						
WC#: 32.400	AFL	0	12000					
PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801								

PKG:43

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-50-00-720-801-02	^S	FUNCTIONAL TEST OF THE STEERING CONTROL SYSTEM - FUNCTIONAL TEST OF THE STEERING WITH BOTH LGSCU CHANNELS ACTIVE USING THE CMC						Service ATA:32
	MOS	04-Jun-20	288 (+2m)					
	HRS	5478:10						
	AFL	2166	12000					
PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801								PKG:43
32-50-00-720-801-03	^S	FUNCTIONAL TEST OF THE STEERING CONTROL SYSTEM - FUNCTIONAL TEST OF THE STEERING CONTROL SYSTEM WITH ONE LGSCU CHANNEL ACTIVE USING THE NOSE WHEEL ANGLE PROTRACTOR (TO-32-132)						Service ATA:32
	MOS	12-Jun-07	288 (+2m)					
	HRS	0						
	AFL	0	12000					
PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801								PKG:43
32-50-00-720-801-04	^S	FUNCTIONAL TEST OF THE STEERING CONTROL SYSTEM - FUNCTIONAL TEST OF THE STEERING CONTROL SYSTEM WITH ONE LGSCU CHANNEL ACTIVE USING THE CMC						Service ATA:32
	MOS	12-Jun-07	288 (+2m)					
	HRS	0						
	AFL	0	12000					
PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801PROC. REF: AMM 32-50-00-720-801, AMM 32-50-00-720-801								PKG:43
32-50-05-350-801-01		RESTORATION OF THE NLG DRESSED (DISCARD OF THE RACK) - NLG LEG (101GB)						Service ATA:32
PN:10-230201-017	MOS	19-Nov-24						LIFE LIMIT
SN:B11	HRS	7061:12		TAC 6755				
WC#: 32.155	AFL	2584	8000	TAC 2518	8066		5406	
PROC. REF: AMM 32-50-05-350-801PROC. REF: AMM 32-50-05-350-801								
32-50-05-350-801-01A		RESTORATION OF THE NLG DRESSED (DISCARD OF THE RACK) - NLG LEG (101GB) (MANDATORY 5-40)						Service ATA:32
PN:10-230201-017	MOS	19-Nov-24						LIFE LIMIT
SN:B11	HRS	7061:12		TAC 6755				
WC#: 32.155	AFL	2584	8000	TAC 2518	8066		5406	
PROC. REF: AMM 32-50-05-350-801PROC. REF: AMM 32-50-05-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-50-05-900-801-01	REMOVAL / INSTALLATION OF THE STEERING CONTROL MODULE - STEERING CONTROL MODULE (6501GB)							Component ATA:32
PN:10-245501-005	MOS/MSC	18-Nov-24	O/C	TSN 103				
SN:LCH-0408	HRS	7061:12		TSN 1870				
WC#: 32.155	AFL	2584						
PROC. REF: AMM 32-50-05-900-801PROC. REF: AMM 32-50-05-900-801								
32-60-00-710-801-01	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE MAU WOW LOGIC						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 32.405	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								
32-60-00-710-801-02	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE POWER SUPPLY OF THE PROXIMITY SWITCHES						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								
32-60-00-710-801-03	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE GENERIC "A RH" AND "A LH" SIGNALS						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								
32-60-00-710-801-04	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE GENERIC "B RH" AND "D RH" SIGNALS						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-60-00-710-801-05	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE THRUST REVERSER WOW LOGIC						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								PKG:32
32-60-00-710-801-06	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE NEGATIVE PRESSURE RELIEF VALVE (NPRV) WOW LOGIC						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								PKG:32
32-60-00-710-801-08	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE FUEL WOW LOGIC						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								PKG:32
32-60-00-710-801-09	^S	OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE IRS3 POWER SUPPLY WOW LOGIC						Service ATA:32
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								PKG:32
32-60-00-710-801-09A		OPERATIONAL TEST OF THE WOW PROXIMITY SWITCHES LOGIC - OPERATIONAL TEST OF THE IRS3 POWER SUPPLY WOW LOGIC (MANDATORY 5-40)						Service ATA:32
	MOS	14-Jul-18						CMR
	HRS	4398:30	6000		10398:30		2905:56	
	AFL	1825						
PROC. REF: AMM 32-60-00-710-801PROC. REF: AMM 32-60-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-61-01-900-801-01 REMOVAL / INSTALLATION OF THE MLG HARNESSSES - LH MLG HARNESS 1 (L5003GA)							Component	ATA:32
PN:10-237101-001	MOS/MSC	17-Oct-13	O/C	TSR 3				
SN:CCC-0097	HRS	2803:40		TSN 493, TSR 0				
	AFL	1202		TSN 363, TSR 0				
PROC. REF: AMM 32-61-01-900-801PROC. REF: AMM 32-61-01-900-801								
32-61-01-900-801-02 REMOVAL / INSTALLATION OF THE MLG HARNESSSES - RH MLG HARNESS 1 (R5003GA)							Component	ATA:32
PN:10-237201-001	MOS/MSC	17-Oct-13	O/C	TSR 3				
SN:CCC-0093	HRS	2803:40		TSN 2010, TSR 0				
	AFL	1202		TSN 698, TSR 0				
PROC. REF: AMM 32-61-01-900-801PROC. REF: AMM 32-61-01-900-801								
32-61-01-900-801-03 REMOVAL / INSTALLATION OF THE MLG HARNESSSES - LH MLG HARNESS 2 (L6003GA)							Component	ATA:32
PN:10-237301-001	MOS/MSC	17-Oct-13	O/C	TSR 9				
SN:CCC-0092	HRS	2803:40		TSN 821:45, TSR 0				
	AFL	1202		TSN 337, TSR 0				
PROC. REF: AMM 32-61-01-900-801PROC. REF: AMM 32-61-01-900-801								
32-61-01-900-801-04 REMOVAL / INSTALLATION OF THE MLG HARNESSSES - RH MLG HARNESS 2 (R6003GA)							Component	ATA:32
PN:10-237401-001	MOS/MSC	17-Oct-13	O/C	TSR 3				
SN:CCC-0093	HRS	2803:40		TSR 0				
	AFL	1202		TSR 0				
PROC. REF: AMM 32-61-01-900-801PROC. REF: AMM 32-61-01-900-801								
32-61-01-900-801-05 REMOVAL / INSTALLATION OF THE MLG HARNESSSES - LH MLG HARNESS 3 (L4003GA)							Component	ATA:32
PN:10-237501-000	MOS/MSC	17-Oct-13	O/C	TSR 7				
SN:CCC-305	HRS	2803:40		TSN 630, TSR 0				
	AFL	1202		TSN 153, TSR 0				
PROC. REF: AMM 32-61-01-900-801PROC. REF: AMM 32-61-01-900-801								
32-61-01-900-801-06 REMOVAL / INSTALLATION OF THE MLG HARNESSSES - RH MLG HARNESS 3 (R4003GA)							Component	ATA:32
PN:10-237501-000	MOS/MSC	17-Oct-13	O/C	TSR 2				
SN:CCC-0277	HRS	2803:40		TSN 1147, TSR 0				
	AFL	1202		TSN 396, TSR 0				
PROC. REF: AMM 32-61-01-900-801PROC. REF: AMM 32-61-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-61-05-900-801-01 REMOVAL / INSTALLATION OF THE NLG HARNESSSES - NLG HARNESS 1M (3501GB)							Component	ATA:32
PN:10-231101-000A	MOS/MSC	17-Oct-13	O/C	TSR 6				
SN:B73	HRS	2803:40		TSN 718, TSR 0				
	AFL	1202		TSN 496, TSR 0				
PROC. REF: AMM 32-61-05-900-801PROC. REF: AMM 32-61-05-900-801								
32-61-05-900-801-02 REMOVAL / INSTALLATION OF THE NLG HARNESSSES - NLG HARNESS 2M (3001GB)							Component	ATA:32
PN:10-231201-000A	MOS/MSC	17-Oct-13	O/C	TSR 6				
SN:B107	HRS	2803:40		TSR 0				
	AFL	1202		TSR 0				
PROC. REF: AMM 32-61-05-900-801PROC. REF: AMM 32-61-05-900-801								
32-61-05-900-801-03 REMOVAL / INSTALLATION OF THE NLG HARNESSSES - NLG HARNESS 3M (4001GB)							Component	ATA:32
PN:10-231301-001A	MOS/MSC	17-Oct-13	O/C	TSR 4				
SN:B73	HRS	2803:40		TSN 2401, TSR 0				
	AFL	1202		TSN 930, TSR 0				
PROC. REF: AMM 32-61-05-900-801PROC. REF: AMM 32-61-05-900-801								
32-61-05-900-801-04 REMOVAL / INSTALLATION OF THE NLG HARNESSSES - NLG HARNESS 4M (4501GB)							Component	ATA:32
PN:10-231401-001	MOS/MSC	24-Mar-17	O/C	TSN 0				
SN:B244	HRS	3444:50		TSN 0				
	AFL	1564		TSN 0				
PROC. REF: AMM 32-61-05-900-801PROC. REF: AMM 32-61-05-900-801								
32-61-09-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOWNLOCK PROXIMITY SWITCHES - LH MLG DOWNLOCK HARNESS WITH PROXIMITY SWITCH 1 (L2005GA)							Component	ATA:32
PN:10-239301-000	MOS/MSC	17-Oct-13	O/C	TSR 4				
SN:CCC-0212	HRS	2803:40		TSR 0				
	AFL	1202		TSR 0				
PROC. REF: AMM 32-61-09-900-801PROC. REF: AMM 32-61-09-900-801								
32-61-09-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOWNLOCK PROXIMITY SWITCHES - RH MLG DOWNLOCK HARNESS WITH PROXIMITY SWITCH 1 (R2005GA)							Component	ATA:32
PN:10-239301-001	MOS/MSC	11-Aug-23	O/C					
SN:CCC-0047	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 32-61-09-900-801PROC. REF: AMM 32-61-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-61-09-900-801-03	REMOVAL / INSTALLATION OF THE MLG DOWNLOCK PROXIMITY SWITCHES - LH MLG DOWNLOCK HARNESS WITH PROXIMITY SWITCH 2 (L3005GA)						Component	ATA:32
PN:10-239501-001	MOS/MSC	17-Oct-13	O/C	TSR 3				
SN:CCC-0673	HRS	2803:40		TSN 1242, TSR 0				
	AFL	1202		TSN 299, TSR 0				
PROC. REF: AMM 32-61-09-900-801PROC. REF: AMM 32-61-09-900-801								
32-61-09-900-801-04	REMOVAL / INSTALLATION OF THE MLG DOWNLOCK PROXIMITY SWITCHES - RH MLG DOWNLOCK HARNESS WITH PROXIMITY SWITCH 2 (R3005GA)						Component	ATA:32
PN:10-239501-001A	MOS/MSC	11-Aug-23	O/C					
SN:CCC-0670	HRS	6775:44		TSN 6775:44				
	AFL	2518		TSN 2518				
PROC. REF: AMM 32-61-09-900-801PROC. REF: AMM 32-61-09-900-801								
32-61-13-900-801-01	REMOVAL / INSTALLATION OF THE NLG DOWNLOCK PROXIMITY SWITCHES - NLG LH DOWNLOCK PROXIMITY SWITCH (L5002GB)						Component	ATA:32
PN:10-248301-001	MOS/MSC	11-Aug-23	O/C					
SN:14019	HRS	6775:44						
WC#: 32.450	AFL	2518						
PROC. REF: AMM 32-61-13-900-801PROC. REF: AMM 32-61-13-900-801								
32-61-13-900-801-02	REMOVAL / INSTALLATION OF THE NLG DOWNLOCK PROXIMITY SWITCHES - NLG RH DOWNLOCK PROXIMITY SWITCH (R5002GB)						Component	ATA:32
PN:10-248301-001	MOS/MSC	11-Aug-23	O/C					
SN:14630	HRS	6775:44						
WC#: 32.450	AFL	2518						
PROC. REF: AMM 32-61-13-900-801PROC. REF: AMM 32-61-13-900-801								
32-61-21-900-801-01	REMOVAL / INSTALLATION OF THE MLG WOW PROXIMITY SWITCHES - LH MLG WOW PROXIMITY SWITCH 1 (L2003GA)						Component	ATA:32
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-21-900-801PROC. REF: AMM 32-61-21-900-801								
32-61-21-900-801-02	REMOVAL / INSTALLATION OF THE MLG WOW PROXIMITY SWITCHES - RH MLG WOW PROXIMITY SWITCH 1 (R2003GA)						Component	ATA:32
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-21-900-801PROC. REF: AMM 32-61-21-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-61-21-900-801-03	REMOVAL / INSTALLATION OF THE MLG WOW PROXIMITY SWITCHES - LH MLG WOW PROXIMITY SWITCH 2 (L3003GA)						Component	ATA:32
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-21-900-801PROC. REF: AMM 32-61-21-900-801								
32-61-21-900-801-04	REMOVAL / INSTALLATION OF THE MLG WOW PROXIMITY SWITCHES - RH MLG WOW PROXIMITY SWITCH 2 (R3003GA)						Component	ATA:32
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-21-900-801PROC. REF: AMM 32-61-21-900-801								
32-61-21-900-801-05	REMOVAL / INSTALLATION OF THE MLG WOW PROXIMITY SWITCHES - LH MLG WOW PROXIMITY SWITCH 3 (L7003GA)						Component	ATA:32
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-21-900-801PROC. REF: AMM 32-61-21-900-801								
32-61-21-900-801-06	REMOVAL / INSTALLATION OF THE MLG WOW PROXIMITY SWITCHES - RH MLG WOW PROXIMITY SWITCH 3 (R7003GA)						Component	ATA:32
PN:10-248601-001	MOS/MSC	12-Nov-22	O/C					
SN:02789	HRS	6656:21						
	AFL	2498						
PROC. REF: AMM 32-61-21-900-801PROC. REF: AMM 32-61-21-900-801								
32AA01 ^U	CHECK TIRE PRESSURE						Service	ATA:32
	MOS/MSC	24-Nov-23	A/R				CUSTOMER CODE	
	HRS	6851:49						
	AFL	2541						
ATA 33 - LIGHTS								
33-10-01-900-801-01	REMOVAL / INSTALLATION OF THE READING LIGHTS - LH READING LIGHT (L102LC)						Component	ATA:33
PN:3130363Y05	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1277	HRS	6775:44		TSN 0				
WC#: 33.060	AFL	2518		TSN 0				
PROC. REF: AMM 33-10-01-900-801PROC. REF: AMM 33-10-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-10-01-900-801-02	REMOVAL / INSTALLATION OF THE READING LIGHTS - RH READING LIGHT (R102LC)							Component ATA:33
PN:3130363Y05	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1289	HRS	6775:44		TSN 0				
WC#: 33.060	AFL	2518		TSN 0				
PROC. REF: AMM 33-10-01-900-801PROC. REF: AMM 33-10-01-900-801								
33-10-01-900-801-03	REMOVAL / INSTALLATION OF THE READING LIGHTS - THIRD CREW MEMBER READING LIGHT (202LC)							Component ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01-900-801PROC. REF: AMM 33-10-01-900-801								
33-10-05-900-801-01	REMOVAL / INSTALLATION OF THE LIGHTING CONTROLLER - LIGHTING CONTROLLER (104LC)							Component ATA:33
PN:530ZT01Y04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:105	HRS	0		TSN 0				
WC#: 33.005	AFL	0		TSN 0				
PROC. REF: AMM 33-10-05-900-801PROC. REF: AMM 33-10-05-900-801								
33-10-09-900-801-01	REMOVAL / INSTALLATION OF THE GLARESHIELD LIGHTS - LH SHIELD LIGHT (L103LC)							Component ATA:33
PN:3130379Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:109	HRS	0		TSN 0				
WC#: 33.075	AFL	0		TSN 0				
PROC. REF: AMM 33-10-09-900-801PROC. REF: AMM 33-10-09-900-801								
33-10-09-900-801-02	REMOVAL / INSTALLATION OF THE GLARESHIELD LIGHTS - RH SHIELD LIGHT (R103LC)							Component ATA:33
PN:3130379Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:110	HRS	0		TSN 0				
WC#: 33.075	AFL	0		TSN 0				
PROC. REF: AMM 33-10-09-900-801PROC. REF: AMM 33-10-09-900-801								
33-23-7101 ^U	LED READING LIGHT							Component ATA:33
PN:ELWS-220102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-14-1	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-23-7102 ^U	LED READING LIGHT							Component ATA:33
PN:ELM21-2806CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-6-2	HRS	0						
	AFL	0						
33-23-7800 ^U LED READING LIGHT Component ATA:33								
PN:ELR-07-2828CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-8-5	HRS	0						
	AFL	0						
33-23-7831 ^U LED WASH LIGHTING Component ATA:33								
PN:ELS-WAO2C-07-7	MOS/MSC	12-Jun-07	O/C					
SN:51547-4-1	HRS	0						
	AFL	0						
33-23-7901 ^U LED DOME LIGHT Component ATA:33								
PN:ELD05-2800CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-4-1	HRS	0						
	AFL	0						
33-23-8001 ^U LED DOME LIGHT Component ATA:33								
PN:ELD05-2800CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-4-2	HRS	0						
	AFL	0						
33-24-7101 ^U WASH LIGHT Component ATA:33								
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-1	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-7102 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-6	HRS	0						
	AFL	0						
33-24-7301 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-9	HRS	0						
	AFL	0						
33-24-7302 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-2	HRS	0						
	AFL	0						
33-24-7501 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-370102-041	MOS/MSC	12-Jun-07	O/C					
SN:39947-25-1	HRS	0						
	AFL	0						
33-24-7502 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-5	HRS	0						
	AFL	0						
33-24-7701 ^U		WASH LIGHT					Component	ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-4	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-7702 ^U WASH LIGHT Component ATA:33								
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-3	HRS	0						
	AFL	0						
33-24-7801 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-8	HRS	0						
	AFL	0						
33-24-7901 ^U WASH LIGHT Component ATA:33								
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:39947-24-8	HRS	0						
	AFL	0						
33-24-7902 ^U WASH LIGHT Component ATA:33								
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-1	HRS	0						
	AFL	0						
33-24-8101 ^U WASH LIGHT Component ATA:33								
PN:ELWS-350102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-18-2	HRS	0						
	AFL	0						
33-24-8102 ^U WASH LIGHT Component ATA:33								
PN:ELWS-350102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-17-2	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-8200 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-240102-081	MOS/MSC	12-Jun-07	O/C					
SN:40082-15-1	HRS	0						
	AFL	0						
33-24-8201 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-350102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-18-4	HRS	0						
	AFL	0						
33-24-8201-1 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-7	HRS	0						
	AFL	0						
33-24-8301 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-4	HRS	0						
	AFL	0						
33-24-8302 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-8	HRS	0						
	AFL	0						
33-24-8501 ^U UPWASH/DOWNWASH LIGHT Component ATA:33								
PN:ELWS-350102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-17-1	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-8502 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-7	HRS	0						
	AFL	0						
33-24-8701 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-200102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-13-3	HRS	0						
	AFL	0						
33-24-8702 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-200102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-13-1	HRS	0						
	AFL	0						
33-24-8900 ^U	EMTEQ DIMMER MODULE							Component ATA:33
PN:F7XDM-01	MOS/MSC	13-Sep-10	O/C					
SN:74338-1-4	HRS	1380:10						
	AFL	485						
33-24-9612 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-370102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-6	HRS	0						
	AFL	0						
33-24-9621 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-370102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-21-2	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-9622 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-370102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-21-3	HRS	0						
	AFL	0						
33-24-9631 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-3	HRS	0						
	AFL	0						
33-24-9632 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-5	HRS	0						
	AFL	0						
33-24-9641 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-350102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-18-1	HRS	0						
	AFL	0						
33-24-9651 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-350102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-18-3	HRS	0						
	AFL	0						
33-24-9652 ^U		UPWASH/DOWNWASH LIGHT					Component	ATA:33
PN:ELWS-180102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-12-2	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-9661 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-290102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-16-1	HRS	0						
	AFL	0						
33-24-9662 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-10	HRS	0						
	AFL	0						
33-24-9671 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-360102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-20-2	HRS	0						
	AFL	0						
33-24-9672 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-350102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-17-3	HRS	0						
	AFL	0						
33-24-9681 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-360102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-19-9	HRS	0						
	AFL	0						
33-24-9691 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-200102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-13-4	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-24-9701 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-200102-001	MOS/MSC	12-Jun-07	O/C					
SN:40082-13-2	HRS	0						
	AFL	0						
33-24-9732 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-180102-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-21-2	HRS	0						
	AFL	0						
33-24-9811 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:990-9101-102	MOS/MSC	12-Jun-07	O/C					
SN:7020036316	HRS	0						
	AFL	0						
33-25-7100 ^U	STRIP LIGHT							Component ATA:33
PN:DFJVM-460102-43	MOS/MSC	12-Jun-07	O/C					
SN:40082-3-1	HRS	0						
	AFL	0						
33-25-7300 ^U	UPWASH/DOWNWASH LIGHT							Component ATA:33
PN:ELWS-170182-041	MOS/MSC	12-Jun-07	O/C					
SN:40082-71-1	HRS	0						
	AFL	0						
33-25-7400 ^U	STRIP LIGHT							Component ATA:33
PN:DFJVM-140102-43	MOS/MSC	12-Jun-07	O/C					
SN:40082-3-1	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-25-7520 ^U	LIGHT							Component ATA:33
PN:ELS-WA02C-16B-7	MOS/MSC	12-Jun-07	O/C					
SN:44796-2-1	HRS	0						
	AFL	0						
33-25-7530 ^U								
PN:ELS-WA02C-05-7	MOS/MSC	12-Jun-07	O/C					Component ATA:33
SN:44237-2-1	HRS	0						
	AFL	0						
33-26-7200 ^U								
PN:ELW60-200102-43	MOS/MSC	12-Jun-07	O/C					Component ATA:33
SN:40082-24-1	HRS	0						
	AFL	0						
33-26-7600 ^U								
PN:ELWS-150102-041	MOS/MSC	12-Jun-07	O/C					Component ATA:33
SN:40082-10-2	HRS	0						
	AFL	0						
33-26-8100 ^U								
PN:ELW30-4-20102-41	MOS/MSC	12-Jun-07	O/C					Component ATA:33
SN:44237-4-1	HRS	0						
	AFL	0						
33-30-01-900-801-01								
PN:3130415Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				Component ATA:33
SN:108	HRS	0		TSN 0				
WC#: 33.085	AFL	0		TSN 0				
PROC. REF: AMM 33-30-01-900-801PROC. REF: AMM 33-30-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-30-01-900-801-02 REMOVAL / INSTALLATION OF THE SERVICING LIGHTS - REFUELING COUPLING SERVICING LIGHT (105LS)								Component ATA:33
PN:3130415Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 33-30-01-900-801PROC. REF: AMM 33-30-01-900-801								
33-30-01-900-801-03 REMOVAL / INSTALLATION OF THE SERVICING LIGHTS - REFUELING PANEL SERVICING LIGHT (205LS)								Component ATA:33
PN:3130415Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:110	HRS	0		TSN 0				
WC#: 33.071	AFL	0		TSN 0				
PROC. REF: AMM 33-30-01-900-801PROC. REF: AMM 33-30-01-900-801								
33-30-09-900-801-01 CEILING LIGHT								Component ATA:33
PN:3130408Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-30-09-900-801-02 CEILING LIGHT								Component ATA:33
PN:3130408Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-30-09-900-801-03 CEILING LIGHT								Component ATA:33
PN:3130408Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:106	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-30-09-900-801-04 CEILING LIGHT								Component ATA:33
PN:3130408Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:109	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-31-01-900-881-01	HAND INSPECTION LIGHT							Component ATA:33
PN:3130393Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:106	HRS	0		TSN 0				
WC#: 33.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-40-00-710-801-01	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE NAVIGATION LIGHTS							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-801-02	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE ANTI-COLLISION LIGHTS							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-801-03	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE LOGO LIGHTS							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-801-04	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE LH LANDING LIGHT							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-801-05	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE RH LANDING LIGHT							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-00-710-801-06	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE TAXI LIGHT							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-801-07	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE WING ICE DETECTION LIGHTS							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-801-08	OPERATIONAL TEST OF THE EXTERIOR LIGHTING - TEST OF THE PYLON LIGHTS							Service ATA:33
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-00-710-801PROC. REF: AMM 33-40-00-710-801								
33-40-00-710-802-01 ^S	OPERATIONAL CHECK OF THE LED ANTI-COLLISION LIGHTS - TEST OF UPPER AND LOWER RED ANTI-COLLISION LIGHTS (104LX) / (204LX)							Service ATA:33
	MOS	26-Dec-24						
	HRS	7106:42	2400 (+50)					
	AFL	2592						
PROC. REF: AMM 33-40-00-710-802PROC. REF: AMM 33-40-00-710-802								PKG:33
33-40-00-710-802-02 ^S	OPERATIONAL CHECK OF THE LED ANTI-COLLISION LIGHTS - TEST OF LH AND RH WING ANTI-COLLISION LIGHTS (L304LX) / (R304LX)							Service ATA:33
	MOS	26-Dec-24						
	HRS	7106:42	2400 (+50)					
	AFL	2592						
PROC. REF: AMM 33-40-00-710-802PROC. REF: AMM 33-40-00-710-802								PKG:33

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-00-710-802-03	S	OPERATIONAL CHECK OF THE LED ANTI-COLLISION LIGHTS - TEST OF REAR NAVIGATION/ANTI-COLLISION LIGHT (303LX)						Service ATA:33
	MOS	26-Dec-24						
	HRS	7106:42	2400 (+50)					
	AFL	2592						
PROC. REF: AMM 33-40-00-710-802PROC. REF: AMM 33-40-00-710-802								PKG:33
33-40-00-900-801-01		REMOVAL / INSTALLATION OF THE LIGHTNING PROTECTION UNITS - LH ICE DETECTION LIGHT LIGHTNING PROTECTION UNIT (L1005PP)						Component ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.140	AFL	0		TSN 0				
PROC. REF: AMM 33-40-00-900-801PROC. REF: AMM 33-40-00-900-801								
33-40-00-900-801-02		REMOVAL / INSTALLATION OF THE LIGHTNING PROTECTION UNITS - RH ICE DETECTION LIGHT LIGHTNING PROTECTION UNIT (R1005PP)						Component ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.140	AFL	0		TSN 0				
PROC. REF: AMM 33-40-00-900-801PROC. REF: AMM 33-40-00-900-801								
33-40-00-900-801-03		REMOVAL / INSTALLATION OF THE LIGHTNING PROTECTION UNITS - LH UPPER LOGO LIGHT LIGHTNING PROTECTION UNIT (L2005PP)						Component ATA:33
PN:06N64489	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:11121468	HRS	6775:44		TSN 0				
WC#: 33.140	AFL	2518		TSN 0				
PROC. REF: AMM 33-40-00-900-801PROC. REF: AMM 33-40-00-900-801								
33-40-00-900-801-04		REMOVAL / INSTALLATION OF THE LIGHTNING PROTECTION UNITS - RH UPPER LOGO LIGHT LIGHTNING PROTECTION UNIT (R2005PP)						Component ATA:33
PN:06N64489	MOS/MSC	11-Aug-23	O/C					
SN:UNKNOWN	HRS	6775:44						
WC#: 33.140	AFL	2518						
PROC. REF: AMM 33-40-00-900-801PROC. REF: AMM 33-40-00-900-801								
33-40-00-900-801-05		REMOVAL / INSTALLATION OF THE LIGHTNING PROTECTION UNITS - LH LOWER LOGO LIGHT LIGHTNING PROTECTION UNIT (L2105PP)						Component ATA:33
PN:06N64489	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:11121469	HRS	6775:44		TSN 0				
WC#: 33.140	AFL	2518		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-40-00-900-801PROC. REF: AMM 33-40-00-900-801								
33-40-00-900-801-06		REMOVAL / INSTALLATION OF THE LIGHTNING PROTECTION UNITS - RH LOWER LOGO LIGHT LIGHTNING PROTECTION UNIT (R2105PP)					Component	ATA:33
PN:06N64489	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:12182458	HRS	6775:44		TSN 0				
WC#: 33.140	AFL	2518		TSN 0				
PROC. REF: AMM 33-40-00-900-801PROC. REF: AMM 33-40-00-900-801								
33-40-01-900-801-01		REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - LH WING NAVIGATION LIGHT (103LX)					Component	ATA:33
PN:4394923Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:122	HRS	0		TSN 0				
WC#: 33.055	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01-900-801PROC. REF: AMM 33-40-01-900-801								
33-40-01-900-801-02		REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - RH WING NAVIGATION LIGHT (203LX)					Component	ATA:33
PN:4994939Y01	MOS/MSC	26-Apr-11	O/C					
SN:8	HRS	1516:26						
WC#: 33.055	AFL	674						
PROC. REF: AMM 33-40-01-900-801PROC. REF: AMM 33-40-01-900-801								
33-40-05-900-801-01		REMOVAL / INSTALLATION OF THE REAR NAVIGATION LIGHT - REAR NAVIGATION LIGHT (303LX)					Component	ATA:33
PN:4390315Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:152	HRS	0		TSN 0				
WC#: 33.055	AFL	0		TSN 0				
PROC. REF: AMM 33-40-05-900-801PROC. REF: AMM 33-40-05-900-801								
33-40-07-900-802-01		REMOVAL / INSTALLATION OF THE REAR NAVIGATION / ANTI-COLLISION LIGHT - REAR NAVIGATION/ANTI-COLLISION LIGHT (303LX)					Component	ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-07-900-802PROC. REF: AMM 33-40-07-900-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-09-900-801-01 REMOVAL / INSTALLATION OF THE RED ANTI-COLLISION LIGHTS - UPPER RED ANTI-COLLISION LIGHT (104LX)							Component	ATA:33
PN:3129881	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:218826-1-3	HRS	6775:44		TSN 0				
WC#: 33.065	AFL	2518		TSN 0				
PROC. REF: AMM 33-40-09-900-801PROC. REF: AMM 33-40-09-900-801								
33-40-09-900-801-02 REMOVAL / INSTALLATION OF THE RED ANTI-COLLISION LIGHTS - LOWER RED ANTI-COLLISION LIGHT (204LX)							Component	ATA:33
PN:8000081Y00	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:222114-1-10	HRS	6775:44		TSN 0				
WC#: 33.065	AFL	2518		TSN 0				
PROC. REF: AMM 33-40-09-900-801PROC. REF: AMM 33-40-09-900-801								
33-40-17-900-801-01 REMOVAL / INSTALLATION OF THE REAR ANTI-COLLISION LIGHT - REAR ANTI-COLLISION LIGHT (404LX)							Component	ATA:33
PN:3129903Y01	MOS/MSC	28-Dec-24	O/C	TSN 3				
SN:6189321	HRS	7106:43		TSN 0				
WC#: 33.025	AFL	2592		TSN 0				
PROC. REF: AMM 33-40-17-900-801PROC. REF: AMM 33-40-17-900-801								
33-40-25-900-801-01 REMOVAL / INSTALLATION OF THE WHITE ANTI-COLLISION LIGHT POWER SUPPLIES - LH ANTI-COLLISION LIGHT POWER SUPPLY (L504LX)							Component	ATA:33
PN:3129919	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23568	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: AMM 33-40-25-900-801PROC. REF: AMM 33-40-25-900-801								
33-40-25-900-801-02 REMOVAL / INSTALLATION OF THE WHITE ANTI-COLLISION LIGHT POWER SUPPLIES - RH ANTI-COLLISION LIGHT POWER SUPPLY (R504LX)							Component	ATA:33
PN:3129919	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23220	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: AMM 33-40-25-900-801PROC. REF: AMM 33-40-25-900-801								
33-40-25-900-801-03 REMOVAL / INSTALLATION OF THE WHITE ANTI-COLLISION LIGHT POWER SUPPLIES - REAR ANTI-COLLISION LIGHT POWER SUPPLY (504LX)							Component	ATA:33
PN:3129919	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23227	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-40-25-900-801PROC. REF: AMM 33-40-25-900-801								
33-40-29-210-801-01	U	GENERAL VISUAL INSPECTION OF THE LOWER RED ANTI-COLLISION LIGHT POWER SUPPLY BOX SHIELD						Service ATA:33
	MOS/MSC	23-Dec-14	O/C					
	HRS	2987:52						
WC#: 33.125	AFL	1341						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-40-29-900-801-01		REMOVAL / INSTALLATION OF THE RED ANTI-COLLISION LIGHT POWER SUPPLIES - LOWER RED ANTI-COLLISION LIGHT POWER SUPPLY (604LX)						Component ATA:33
PN:3129926Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23209	HRS	0		TSN 0				
WC#: 33.105	AFL	0		TSN 0				
PROC. REF: AMM 33-40-29-900-801PROC. REF: AMM 33-40-29-900-801								
33-40-29-900-801-02		REMOVAL / INSTALLATION OF THE RED ANTI-COLLISION LIGHT POWER SUPPLIES - UPPER RED ANTI-COLLISION LIGHT POWER SUPPLY (704LX)						Component ATA:33
PN:3129926Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23208	HRS	0		TSN 0				
WC#: 33.105	AFL	0		TSN 0				
PROC. REF: AMM 33-40-29-900-801PROC. REF: AMM 33-40-29-900-801								
33-40-31-900-801-01		REMOVAL / INSTALLATION OF THE WING ANTI-COLLISION LIGHTS - LH WING ANTI-COLLISION LIGHT (L304LX)						Component ATA:33
PN:4394016Y09	MOS/MSC	06-Jul-13	O/C	TSN 0				
SN:100015	HRS	2780:40		TSN 0				
WC#: 33.090	AFL	1195		TSN 0				
PROC. REF: AMM 33-40-31-900-801PROC. REF: AMM 33-40-31-900-801								
33-40-31-900-801-02		REMOVAL / INSTALLATION OF THE WING ANTI-COLLISION LIGHTS - RH WING ANTI-COLLISION LIGHT (R304LX)						Component ATA:33
PN:4394023Y03	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:23319	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 33-40-31-900-801PROC. REF: AMM 33-40-31-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-33-900-801-03 REMOVAL / INSTALLATION OF THE LOGO LIGHTS - LH UPPER LOGO LIGHT (L201LW)								Component ATA:33
PN:4391468	MOS/MSC	17-Oct-13	O/C	TSR 10				
SN:320	HRS	2803:40		TSR 0				
	AFL	1202		TSR 0				
PROC. REF: AMM 33-40-33-900-801PROC. REF: AMM 33-40-33-900-801								
33-40-33-900-801-04 REMOVAL / INSTALLATION OF THE LOGO LIGHTS - RH UPPER LOGO LIGHT (R201LW)								Component ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-33-900-801PROC. REF: AMM 33-40-33-900-801								
33-40-37-710-801-01 OPERATIONAL TEST OF THE LED LANDING LIGHTS - TEST OF LH LANDING LIGHT (L101LX)								Service ATA:33
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-37-710-801PROC. REF: AMM 33-40-37-710-801								
33-40-37-710-801-02 OPERATIONAL TEST OF THE LED LANDING LIGHTS - TEST OF RH LANDING LIGHT (R101LX)								Service ATA:33
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 33-40-37-710-801PROC. REF: AMM 33-40-37-710-801								
33-40-37-900-801-01 REMOVAL / INSTALLATION OF THE LANDING LIGHTS - LH LANDING LIGHT (L101LX)								Component ATA:33
PN:4389141Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:17	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 33-40-37-900-801PROC. REF: AMM 33-40-37-900-801								
33-40-37-900-801-02 REMOVAL / INSTALLATION OF THE LANDING LIGHTS - RH LANDING LIGHT (R101LX)								Component ATA:33
PN:4389141Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:18	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 33-40-37-900-801PROC. REF: AMM 33-40-37-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-41-900-801-01 REMOVAL / INSTALLATION OF THE TAXI LIGHT - TAXI LIGHT (102LX)								Component ATA:33
PN:6490633	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:0262	HRS	6775:44		TSN 0				
WC#: 33.080	AFL	2518		TSN 0				
PROC. REF: AMM 33-40-41-900-801, AMM 33-40-41-900-801PROC. REF: AMM 33-40-41-900-801, AMM 33-40-41-900-801								
33-40-45-900-801-01 REMOVAL / INSTALLATION OF THE WING ICE DETECTION LIGHTS - LH WING ICE DETECTION LIGHT (105LX)								Component ATA:33
PN:4394864	MOS/MSC	11-Aug-23	O/C					
SN:188	HRS	6775:44						
WC#: 33.095	AFL	2518						
PROC. REF: AMM 33-40-45-900-801PROC. REF: AMM 33-40-45-900-801								
33-40-45-900-801-02 REMOVAL / INSTALLATION OF THE WING ICE DETECTION LIGHTS - RH WING ICE DETECTION LIGHT (205LX)								Component ATA:33
PN:4394871	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:116	HRS	6775:44		TSR 0				
WC#: 33.095	AFL	2518		TSR 0				
PROC. REF: AMM 33-40-45-900-801PROC. REF: AMM 33-40-45-900-801								
33-50-00-710-804-01 ^S OPERATIONAL TEST OF THE EMERGENCY LIGHTING SYSTEM								Service ATA:33
	MOS	12-Jun-07						
	HRS	0	4800 (+50)					
	AFL	0						
PROC. REF: AMM 33-50-00-710-804PROC. REF: AMM 33-50-00-710-804								PKG:32
33-50-00-710-804-01A OPERATIONAL TEST OF THE EMERGENCY LIGHTING SYSTEM (MANDATORY 5-40)								Service ATA:33
	MOS	12-Jun-07					CMR	
	HRS	0	4850		9198:30 (M)		1705:56	
	AFL	0						
PROC. REF: AMM 33-50-00-710-804PROC. REF: AMM 33-50-00-710-804								
33-50-05-220-801-02 ^U DETAILED INSPECTION RH PORTABLE FLASHLIGHT (AIR LITE 2R LED RECHARGEABLE)								Service ATA:33
PN:P2-07-0009-520	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-05-350-801-01 RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - LH FLASHLIGHT (L302ME)								Service ATA:33
PN:P2-07-0009-520	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	OVERHAUL
SN:UNKNOWN	HRS	7061:12						
WC#: 25.185	AFL	2584						
PROC. REF: AMM 33-50-05-350-801PROC. REF: AMM 33-50-05-350-801								WO#: JWL-25-049
33-50-05-350-801-02 RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - RH FLASHLIGHT (R302ME)								Service ATA:33
PN:P2-07-0009-520	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	OVERHAUL
SN:UNKNOWN	HRS	7061:12						
WC#: 25.185	AFL	2584						
PROC. REF: AMM 33-50-05-350-801PROC. REF: AMM 33-50-05-350-801								WO#: JWL-24-076,JWL-25-049
33-50-05-350-802-01 RESTORATION OF THE MAGLITE RECHARGEABLE FLASHLIGHTS (OVERHAUL) - LH FLASHLIGHT (L302ME)								Service ATA:33
PN:P2-07-0009-520	MOS/MSC	23-May-12	N/A					
SN:UNKNOWN	HRS	2184:49						
WC#: 25.185	AFL	912						
PROC. REF: AMM 33-50-05-350-802PROC. REF: AMM 33-50-05-350-802								
33-50-05-350-802-02 RESTORATION OF THE MAGLITE RECHARGEABLE FLASHLIGHTS (OVERHAUL) - RH FLASHLIGHT (R302ME)								Service ATA:33
PN:P2-07-0009-520	MOS/MSC	12-Oct-12	N/A					
SN:UNKNOWN	HRS	2442:30						
WC#: 25.185	AFL	1002						
PROC. REF: AMM 33-50-05-350-802PROC. REF: AMM 33-50-05-350-802								
33-50-05-350-802-03 RESTORATION OF THE MAGLITE RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (L7312ME)								Service ATA:33
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 25.220	AFL	0						
PROC. REF: AMM 33-50-05-350-802PROC. REF: AMM 33-50-05-350-802								
33-50-05-350-802-04 RESTORATION OF THE MAGLITE RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (R7312ME)								Service ATA:33
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 25.220	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-50-05-350-802PROC. REF: AMM 33-50-05-350-802								
33-50-05-350-803-01	RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - LH FLASHLIGHT (L302ME)							Service ATA:33
PN:P2-07-0009-520	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-350-803PROC. REF: AMM 33-50-05-350-803								
33-50-05-350-803-02	RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - RH FLASHLIGHT (R302ME)							Service ATA:33
PN:P2-07-0009-520	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-350-803PROC. REF: AMM 33-50-05-350-803								
33-50-05-350-803-03	RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (L7312ME)							Service ATA:33
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:NOT INSTALLED	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-350-803PROC. REF: AMM 33-50-05-350-803								
33-50-05-350-803-04	RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (R7312ME)							Service ATA:33
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:NOT INSTALLED	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-350-803PROC. REF: AMM 33-50-05-350-803								
33-50-05-350-820-01	RESTORATION OF THE NON-RECHARGEABLE FLASHLIGHTS (OVERHAUL) - LH FLASHLIGHT (L302ME)							Service ATA:33
PN:P2-07-0009-520	MOS/MSC	24-Nov-08	N/A					
SN:UNKNOWN	HRS	645:05						
WC#: 25.220	AFL	246						
PROC. REF: AMM 33-50-05-350-820PROC. REF: AMM 33-50-05-350-820								
33-50-05-350-820-02	RESTORATION OF THE NON-RECHARGEABLE FLASHLIGHTS (OVERHAUL) - RH FLASHLIGHT (R302ME)							Service ATA:33
PN:P2-07-0009-520	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
WC#: 25.185	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-50-05-350-820PROC. REF: AMM 33-50-05-350-820								
33-50-05-960-801-01 DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - LH FLASHLIGHT BATTERY (9610ME) Service ATA:33								
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-960-801PROC. REF: AMM 33-50-05-960-801								
33-50-05-960-801-02 DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - RH FLASHLIGHT BATTERY (9620ME) Service ATA:33								
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-960-801PROC. REF: AMM 33-50-05-960-801								
33-50-05-960-801-03 DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - FLASHLIGHT BATTERY (9630ME) Service ATA:33								
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-960-801PROC. REF: AMM 33-50-05-960-801								
33-50-05-960-801-04 DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - FLASHLIGHT BATTERY (9640ME) Service ATA:33								
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 33-50-05-960-801PROC. REF: AMM 33-50-05-960-801								
33-50-29-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - LH DOME LIGHT (L101LC) Component ATA:33								
PN:3130356Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:178	HRS	0		TSN 0				
WC#: 33.035	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-02 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - RH DOME LIGHT (R101LC) Component ATA:33								
PN:3130356Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:179	HRS	0		TSN 0				
WC#: 33.035	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-03 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - PAX DOOR FRONT SPOTLIGHT (101LE)								Component ATA:33
PN:3130422Y03	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:176	HRS	0		TSN 0				
WC#: 33.115	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-04 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - PAX DOOR REAR SPOTLIGHT (201LE)								Component ATA:33
PN:3130422Y03	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:177	HRS	0		TSN 0				
WC#: 33.115	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-05 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - PAX DOOR UPPER "EXIT" LIGHT (102LE)								Component ATA:33
PN:3132072Y01	MOS/MSC	23-May-12	O/C	TSN 0				
SN:103	HRS	2184:49		TSN 0				
WC#: 33.010	AFL	912		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-06 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - PAX DOOR LOWER "EXIT" LIGHT (202LE)								Component ATA:33
PN:3130772Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:101	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-07 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - DUAL "EXIT" LIGHT (302LE)								Component ATA:33
PN:3130445Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:105	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-09 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - "PULL HERE TO OPEN" LIGHT (502LE)								Component ATA:33
PN:3130452Y01	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:101	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-10 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - EMERGENCY EXIT DOOR HANDLE LIGHT (602LE)								Component ATA:33
PN:3130831Y02	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:101	HRS	0		TSN 0				
WC#: 33.015	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-11 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - WING LEADING EDGE EMERGENCY LIGHT (103LE)								Component ATA:33
PN:4391498	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:14	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-29-900-801-12 REMOVAL / INSTALLATION OF THE EMERGENCY LIGHTS - BODY FAIRING EMERGENCY LIGHT (203LE)								Component ATA:33
PN:4391498	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:101342	HRS	6775:44		TSN 0				
WC#: 33.040	AFL	2518		TSN 0				
PROC. REF: AMM 33-50-29-900-801PROC. REF: AMM 33-50-29-900-801								
33-50-33-350-801-01 RESTORATION OF THE EMERGENCY POWER SUPPLIES (CHECK OF THE INTERNAL MONITORING FUNCTION) - EMERGENCY POWER SUPPLY 1 (104LE)								Service ATA:33
PN:3130488Y01	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
SN:251	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-50-33-350-801-02 RESTORATION OF THE EMERGENCY POWER SUPPLIES (CHECK OF THE INTERNAL MONITORING FUNCTION) - EMERGENCY POWER SUPPLY 2 (204LE)								Service ATA:33
PN:3130468Y01	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
SN:588	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-33-350-801-03	RESTORATION OF THE EMERGENCY POWER SUPPLIES (CHECK OF THE INTERNAL MONITORING FUNCTION) - EMERGENCY POWER SUPPLY 3 (304LE)							Service ATA:33
PN:3130468Y01	MOS	12-Jun-07	288 (+3%)		12-Jun-31	01-Mar-32	2078 d (+263)	
SN:175	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-50-33-900-801-01	REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EMERGENCY POWER SUPPLY 1 (104LE)							Component ATA:33
PN:3130488Y01	MOS/MSC	31-Jul-18	O/C	TSR 0				
SN:251	HRS	4428:28		TSR 0				
WC#: 33.100	AFL	1836		TSR 0				
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								
33-50-33-900-801-02	REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EMERGENCY POWER SUPPLY 2 (204LE)							Component ATA:33
PN:3130468Y01	MOS/MSC	11-Aug-23	O/C	TSR 76				
SN:588	HRS	6775:44		TSR 3137:48				
WC#: 33.100	AFL	2518		TSR 908				
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								
33-50-33-900-801-03	REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EMERGENCY POWER SUPPLY 3 (304LE)							Component ATA:33
PN:3130468Y01	MOS/MSC	15-Dec-16	O/C	TSR 0				
SN:175	HRS	3275:03		TSR 0				
WC#: 33.100	AFL	1528		TSR 0				
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								
33-50-37-900-801-01	REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS - BATTERY PACK 1 (9500LE)							Component ATA:33
PN:4395153Y00	MOS/MSC	18-Nov-24	O/C	TSN 10				
SN:BATCH#2404061BATC H#406163394	HRS	7061:12		TSN 0				
	AFL	2584		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								
33-50-37-900-801-02	REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS - BATTERY PACK 2 (9510LE)							Component ATA:33
PN:4395153Y00	MOS/MSC	01-Sep-25	O/C	TSN 3				
SN:NSN	HRS	7445:40		TSN 0				
	AFL	2653		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-37-900-801-03 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS - BATTERY PACK 3 (9520LE)								Component ATA:33
PN:4395153Y00	MOS/MSC	18-Nov-24	O/C	TSN 10				
SN:LOT#240406163394	HRS	7061:12		TSN 0				
	AFL	2584		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								
33-50-37-960-801-01 DISCARD OF THE EPS BATTERY PACKS - BATTERY PACK 1 (9500LE)								Service ATA:33
PN:4395153Y00	MOS	18-Nov-24	24		18-Nov-26		411 d	LIFE LIMIT
SN:BATCH#2404061BATC H#406163394	HRS	7061:12						
WC#: 33.100	AFL	2584						
PROC. REF: AMM 33-50-37-960-801PROC. REF: AMM 33-50-37-960-801								
33-50-37-960-801-02 DISCARD OF THE EPS BATTERY PACKS - BATTERY PACK 2 (9510LE)								Service ATA:33
PN:4395153Y00	MOS	01-Sep-25	24		01-Sep-27		698 d	LIFE LIMIT
SN:NSN	HRS	7445:40						
WC#: 33.100	AFL	2653						
PROC. REF: AMM 33-50-37-960-801PROC. REF: AMM 33-50-37-960-801								
33-50-37-960-801-03 DISCARD OF THE EPS BATTERY PACKS - BATTERY PACK 3 (9520LE)								Service ATA:33
PN:4395153Y00	MOS	18-Nov-24	24		18-Nov-26		411 d	LIFE LIMIT
SN:LOT#240406163394	HRS	7061:12						
WC#: 33.100	AFL	2584						
PROC. REF: AMM 33-50-37-960-801PROC. REF: AMM 33-50-37-960-801								
33-52-7202 ^U MARKER LIGHT								Component ATA:33
PN:ELM21-2806CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-6-8	HRS	0						
	AFL	0						
33-52-7402 ^U MARKER LIGHT								Component ATA:33
PN:ELM21-2806CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-6-4	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-52-7502 ^U	RH DIVAN TOE KICK LIGHTS(AFT)							Component ATA:33
PN:ELM21-2806CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-6-6	HRS	0						
	AFL	0						
33-52-7602 ^U	LIGHT, MARKER AFT MIS RUN							Component ATA:33
PN:ELM21-2806CA-4UA	MOS/MSC	12-Jun-07	O/C					
SN:40082-7-6	HRS	0						
	AFL	0						
33-68-00-900-801-01	LH PORTABLE FLASHLIGHT							Component ATA:33
PN:P2-07-0009-520	MOS/MSC	18-Nov-24	O/C	TSO 15				
SN:UNKNOWN	HRS	7061:12		TSO 285:28				
WC#: 25.185	AFL	2584		TSO 66				
								WO#: JWL-25-049
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-801-02	RH PORTABLE FLASHLIGHT							Component ATA:33
PN:P2-07-0009-520	MOS/MSC	18-Nov-24	O/C	TSO 15				
SN:UNKNOWN	HRS	7061:12		TSO 285:28				
WC#: 25.185	AFL	2584		TSO 66				
								WO#: JWL-25-049
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-801-03	NO. 3 PORTABLE FLASHLIGHT							Component ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 25.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-801-04	NO. 4 PORTABLE FLASHLIGHT							Component ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 25.220	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-802-01		LH PORTABLE FLASHLIGHT BATTERY					Component	ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-802-02		RH PORTABLE FLASHLIGHT BATTERY					Component	ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-802-03		NO. 3 PORTABLE FLASHLIGHT BATTERY					Component	ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-68-00-900-802-04		NO. 4 PORTABLE FLASHLIGHT BATTERY					Component	ATA:33
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 34 - NAVIGATION								
34-00-00-900-881-01		FRAME 1 AVIONICS FRONT RACK					Component	ATA:34
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-10-00-720-801-01	^S	FUNCTIONAL TEST OF THE AIR DATA SYSTEM - RH LOWER AIR DATA SMART PROBE (201FE)						Service ATA:34
	MOS	11-Aug-23	24 (+1m)					RVSM
	HRS	6775:44	1600 (+40)					
WC#: 34.150	AFL	2518						
Test Date: : 12-Jan-23								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 34-10-00-720-801PROC. REF: AMM 34-10-00-720-801								
34-10-00-720-801-02	^S	FUNCTIONAL TEST OF THE AIR DATA SYSTEM - LH LOWER AIR DATA SMART PROBE (301FE)						Service ATA:34
	MOS	11-Aug-23	24 (+1m)					RVSM
	HRS	6775:44	1600 (+40)					
WC#: 34.145	AFL	2518						
Test Date: : 12-Jan-23								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 34-10-00-720-801PROC. REF: AMM 34-10-00-720-801								
34-10-00-720-801-03	^S	FUNCTIONAL TEST OF THE AIR DATA SYSTEM - RH UPPER AIR DATA SMART PROBE (401FE)						Service ATA:34
	MOS	11-Aug-23	24 (+1m)					RVSM
	HRS	6775:44	1600 (+40)					
WC#: 34.150	AFL	2518						
Test Date: : 12-Jan-23								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 34-10-00-720-801PROC. REF: AMM 34-10-00-720-801								
34-10-00-720-801-04	^S	FUNCTIONAL TEST OF THE AIR DATA SYSTEM - LH UPPER AIR DATA SMART PROBE (501FE)						Service ATA:34
	MOS	11-Aug-23	24 (+1m)					RVSM
	HRS	6775:44	1600 (+40)					
WC#: 34.145	AFL	2518						
Test Date: : 12-Jan-23								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 34-10-00-720-801PROC. REF: AMM 34-10-00-720-801								
34-10-01-900-801-01		REMOVAL / INSTALLATION OF THE TAT SENSORS - LH TAT SENSOR (L101FE)						Component ATA:34
PN:102EV1DFMODA	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:A56361	HRS	0		TSN 0				
WC#: 34.155	AFL	0		TSN 0				
PROC. REF: AMM 34-10-01-900-801PROC. REF: AMM 34-10-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-10-01-900-801-02 REMOVAL / INSTALLATION OF THE TAT SENSORS - RH TAT SENSOR (R101FE)							Component	ATA:34
PN:102EV1DFMODA	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:A56362	HRS	0		TSN 0				
WC#: 34.155	AFL	0		TSN 0				
PROC. REF: AMM 34-10-01-900-801PROC. REF: AMM 34-10-01-900-801								
34-10-05-900-801-01 REMOVAL / INSTALLATION OF THE SMART PROBES - RH LOWER AIR DATA SMART PROBE (201FE)							Component	ATA:34
PN:2015G2H2BR-4	MOS/MSC	22-Jan-20	O/C	TSR 34				
SN:0778	HRS	5287:57		TSR 1323:48				
WC#: 34.150	AFL	2109		TSR 404				
PROC. REF: AMM 34-10-05-900-801PROC. REF: AMM 34-10-05-900-801								
34-10-05-900-801-02 REMOVAL / INSTALLATION OF THE SMART PROBES - LH LOWER AIR DATA SMART PROBE (301FE)							Component	ATA:34
PN:2015G2H2BL-4	MOS/MSC	22-Jan-20	O/C	TSR 34				
SN:0281	HRS	5287:57		TSR 1323:48				
WC#: 34.145	AFL	2109		TSR 404				
PROC. REF: AMM 34-10-05-900-801PROC. REF: AMM 34-10-05-900-801								
34-10-05-900-801-03 REMOVAL / INSTALLATION OF THE SMART PROBES - RH UPPER AIR DATA SMART PROBE (401FE)							Component	ATA:34
PN:2015G2H2BR-4	MOS/MSC	15-Sep-18	O/C	TSR 0				
SN:0756	HRS	4494:07		TSR 0				
WC#: 34.150	AFL	1880		TSR 0				
PROC. REF: AMM 34-10-05-900-801PROC. REF: AMM 34-10-05-900-801								
34-10-05-900-801-04 REMOVAL / INSTALLATION OF THE SMART PROBES - LH UPPER AIR DATA SMART PROBE (501FE)							Component	ATA:34
PN:2015G2H2BL-4	MOS/MSC	22-Jan-20	O/C	TSR 36				
SN:1154	HRS	5287:57		TSR 1323:48				
WC#: 34.145	AFL	2109		TSR 404				
PROC. REF: AMM 34-10-05-900-801PROC. REF: AMM 34-10-05-900-801								
34-21-00-700-801-01 ^S CHECK OF THE SECONDARY GENERAL-PURPOSE BUSES OF THE INERTIAL REFERENCE SYSTEM (IRS)							Service	ATA:34
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 34.205	AFL	2518						
PROC. REF: AMM 34-21-00-700-801PROC. REF: AMM 34-21-00-700-801								

PKG:31

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21-00-710-801-01	OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRS 1							Service ATA:34
	MOS/MSC	21-Jun-17	O/C					
	HRS	3637:56						
	AFL	1610						
PROC. REF: AMM 34-21-00-710-801PROC. REF: AMM 34-21-00-710-801								
34-21-00-710-801-02	OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRS 2							Service ATA:34
	MOS/MSC	21-Jun-17	O/C					
	HRS	3637:56						
	AFL	1610						
PROC. REF: AMM 34-21-00-710-801PROC. REF: AMM 34-21-00-710-801								
34-21-00-710-801-03	OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRS 3							Service ATA:34
	MOS/MSC	21-Jun-17	O/C					
	HRS	3637:56						
	AFL	1610						
PROC. REF: AMM 34-21-00-710-801PROC. REF: AMM 34-21-00-710-801								
34-21-01-900-801-01	REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 1 (102NH)							Component ATA:34
PN:HG2100AB05	MOS/MSC	07-Jan-13	O/C	TSN 67				
SN:56005712	HRS	2511		TSN 2511				
WC#: 34.020	AFL	1031		TSN 1031				
PROC. REF: AMM 34-21-01-900-801PROC. REF: AMM 34-21-01-900-801								
34-21-01-900-801-02	REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 2 (202NH)							Component ATA:34
PN:HG2100AB05	MOS/MSC	04-May-18	O/C	TSR 16				
SN:56020350	HRS	4301:32		TSR 0				
WC#: 34.020	AFL	1787		TSR 0				
PROC. REF: AMM 34-21-01-900-801PROC. REF: AMM 34-21-01-900-801								
34-21-01-900-801-03	REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 3 (302NH)							Component ATA:34
PN:HG2100AB05	MOS/MSC	26-Aug-17	O/C	TSR 25				
SN:56006250	HRS	3819:19		TSR 0				
WC#: 34.020	AFL	1657		TSR 0				
PROC. REF: AMM 34-21-01-900-801PROC. REF: AMM 34-21-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21-09-900-801-01 REMOVAL / INSTALLATION OF THE IRS CONFIGURATION MODULES - IRS 1 CONFIGURATION MODULE (1102NH)							Component	ATA:34
PN:7519272-901	MOS/MSC	07-Jan-13	O/C	TSN 67				
SN:05012459	HRS	2511:45		TSN 2511				
WC#: 34.015	AFL	1031		TSN 1031				
PROC. REF: AMM 34-21-09-900-801PROC. REF: AMM 34-21-09-900-801								
34-21-09-900-801-02 REMOVAL / INSTALLATION OF THE IRS CONFIGURATION MODULES - IRS 2 CONFIGURATION MODULE (1202NH)							Component	ATA:34
PN:7519272-901	MOS/MSC	07-Jan-13	O/C	TSN 67				
SN:05012397	HRS	2511:45		TSN 2511				
WC#: 34.015	AFL	1031		TSN 1031				
PROC. REF: AMM 34-21-09-900-801PROC. REF: AMM 34-21-09-900-801								
34-21-09-900-801-03 REMOVAL / INSTALLATION OF THE IRS CONFIGURATION MODULES - IRS 3 CONFIGURATION MODULE (1302NH)							Component	ATA:34
PN:7519272-901	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:04061804	HRS	0		TSN 0				
WC#: 34.015	AFL	0		TSN 0				
PROC. REF: AMM 34-21-09-900-801PROC. REF: AMM 34-21-09-900-801								
34-22-00-700-801-01 PROCEDURES APPLICABLE AFTER MAINTENANCE ON THE ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) - PROCEDURE TO BE PERFORMED AFTER THE INSTALLATION OF THE ADAHRS UNIT							Service	ATA:34
	MOS/MSC	12-Jun-07	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-22-00-700-801PROC. REF: AMM 34-22-00-700-801								
34-22-00-700-801-02 PROCEDURES APPLICABLE AFTER MAINTENANCE ON THE ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) - PROCEDURE TO BE PERFORMED AFTER THE REPLACEMENT OF ONE OR BOTH ADAHRS CONFIGURATION MODULE(S)							Service	ATA:34
	MOS/MSC	12-Jun-07	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-22-00-700-801PROC. REF: AMM 34-22-00-700-801								
34-22-00-700-801-03 PROCEDURES APPLICABLE AFTER MAINTENANCE ON THE ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) - PROCEDURE TO BE PERFORMED AFTER THE REPLACEMENT OF THE ADAHRS UNIT AND ONE OR BOTH ADAHRS CONFIGURATION MODULE(S)							Service	ATA:34
	MOS/MSC	12-Jun-07	-					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-22-00-700-801PROC. REF: AMM 34-22-00-700-801								
34-22-00-700-801-04	PROCEDURES APPLICABLE AFTER MAINTENANCE ON THE ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) - PROCEDURE TO BE PERFORMED AFTER THE INSTALLATION OF THE MAGNETOMETER							Service ATA:34
	MOS/MSC	12-Jun-07	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-22-00-700-801PROC. REF: AMM 34-22-00-700-801								
34-22-00-700-801-05	PROCEDURES APPLICABLE AFTER MAINTENANCE ON THE ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) - PROCEDURE TO BE PERFORMED AFTER THE INSTALLATION OF THE ELECTRONIC STAND-BY INDICATOR							Service ATA:34
	MOS/MSC	12-Jun-07	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-22-00-700-801PROC. REF: AMM 34-22-00-700-801								
34-22-01-900-801-01	REMOVAL / INSTALLATION OF THE AIR DATA, ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) UNIT - ADAHRS UNIT (2102NH)							Component ATA:34
PN:065-00188-1101	MOS/MSC	11-Aug-23	O/C					
SN:1012	HRS	6775:44						
WC#: 34.005	AFL	2518						
PROC. REF: AMM 34-22-01-900-801PROC. REF: AMM 34-22-01-900-801								
34-22-09-900-801-01	REMOVAL / INSTALLATION OF THE ADAHRS CONFIGURATION MODULE - ADAHRS CONFIGURATION 1 MODULE (2302NH)							Component ATA:34
PN:071-00188-1101	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:1005	HRS	0		TSN 0				
WC#: 34.025	AFL	0		TSN 0				
PROC. REF: AMM 34-22-09-900-801PROC. REF: AMM 34-22-09-900-801								
34-22-09-900-801-02	REMOVAL / INSTALLATION OF THE ADAHRS CONFIGURATION MODULE - ADAHRS CONFIGURATION 2 MODULE (2402NH)							Component ATA:34
PN:071-00188-1101	MOS/MSC	23-May-12	O/C	TSN 0				
SN:1482	HRS	2184:49		TSN 0				
WC#: 34.025	AFL	912		TSN 0				
PROC. REF: AMM 34-22-09-900-801PROC. REF: AMM 34-22-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-22-13-900-801-01 REMOVAL / INSTALLATION OF THE MAGNETOMETER - MAGNETOMETER (3102NH)							Component	ATA:34
PN:065-00189-1101	MOS/MSC	11-Aug-23	O/C					
SN:1067	HRS	6775:44						
WC#: 34.030	AFL	2518						
PROC. REF: AMM 34-22-13-900-801PROC. REF: AMM 34-22-13-900-801								
34-23-00-710-801-03 ^S OPERATIONAL TEST OF THE ELECTRONIC STAND-BY INDICATOR SYSTEM							Service	ATA:34
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
	AFL	2518						
PROC. REF: AMM 34-23-00-710-801PROC. REF: AMM 34-23-00-710-801								
34-23-01-900-801-01 REMOVAL / INSTALLATION OF THE ELECTRONIC STAND-BY INDICATOR - ELECTRONIC STAND-BY INDICATOR (501FD)							Component	ATA:34
PN:80-5213-2-2	MOS/MSC	10-Aug-12	O/C					
SN:0217	HRS	2322:12		TSR 0				
WC#: 31.130	AFL	959		TSR 0				
PROC. REF: AMM 34-23-01-900-801PROC. REF: AMM 34-23-01-900-801								
34-31-00-710-801-01 OPERATIONAL TEST OF THE HEAD-UP GUIDANCE SYSTEM (HGS)							Service	ATA:34
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-31-00-710-801PROC. REF: AMM 34-31-00-710-801								
34-31-01-900-801-01 REMOVAL / INSTALLATION OF THE HGS OVERHEAD UNIT - HGS OVERHEAD UNIT (108NS)							Component	ATA:34
PN:1500-2620-003	MOS/MSC	29-Nov-07	O/C					
SN:23462	HRS	275:55						
WC#: 34.160	AFL	92						
PROC. REF: AMM 34-31-01-900-801PROC. REF: AMM 34-31-01-900-801								
34-31-05-900-801-01 REMOVAL / INSTALLATION OF THE HGS COMBINER - HGS COMBINER (208NS)							Component	ATA:34
PN:1500-2630-005	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:22597	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				
PROC. REF: AMM 34-31-05-900-801PROC. REF: AMM 34-31-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-31-09-900-801-01	REMOVAL / INSTALLATION OF THE HGS COMPUTER - HGS COMPUTER (408NS)							Component ATA:34
PN:1500-2640-002	MOS/MSC	13-Dec-12	O/C					
SN:26372	HRS	2511:45						
WC#: 34.105	AFL	1031						
PROC. REF: AMM 34-31-09-900-801PROC. REF: AMM 34-31-09-900-801								
34-32-00-710-801-01	OPERATIONAL TEST OF THE ENHANCED VISION SYSTEM (EVS) - ENHANCED FLIGHT VISION SYSTEM (EFVS)							Service ATA:34
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-32-00-710-801PROC. REF: AMM 34-32-00-710-801								
34-32-01-100-801-01	CLEANING OF THE ISU LENS							Service ATA:34
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-32-01-100-801PROC. REF: AMM 34-32-01-100-801								
34-32-01-780-801-01	PRESSURE CHECK OF THE INFRARED SENSOR UNIT (ISU) - INFRARED SENSOR UNIT (9998NH)							Service ATA:34
	MOS/MSC	12-Sep-11	N/A					
	HRS	1764:45						
WC#: 34.416	AFL	770						
PROC. REF: AMM 34-32-01-780-801PROC. REF: AMM 34-32-01-780-801								
34-32-05-100-801-01	CLEANING OF THE INFRARED WINDOW (IRW)							Service ATA:34
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-32-05-100-801PROC. REF: AMM 34-32-05-100-801								
34-40-13-900-801-01	PRESSURIZATION LINE CHECK VALVE							Component ATA:34
PN:824T-4TT	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:N°LOT2538364/005	HRS	0		TSN 0				
WC#: 38.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-41-01-900-801-01	REMOVAL / INSTALLATION OF THE WEATHER RADAR RECEIVER/TRANSMITTER/ANTENNA ASSEMBLY - WEATHER RADAR (102NP)							Component ATA:34
PN:7021450-801	MOS/MSC	21-Mar-14	O/C					
SN:03104569	HRS	2948:24						
WC#: 34.050	AFL	1290						
PROC. REF: AMM 34-41-01-900-801PROC. REF: AMM 34-41-01-900-801								
34-41-05-900-801-01	REMOVAL / INSTALLATION OF THE WEATHER RADAR FLAT PLATE - WEATHER RADAR FLAT PLATE (1102NP)							Component ATA:34
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-41-05-900-801PROC. REF: AMM 34-41-05-900-801								
34-42-00-710-801-02	OPERATIONAL TEST OF THE RADAR ALTIMETER SYSTEM - RADAR ALTIMETER SYSTEM 2							Service ATA:34
	MOS	28-Aug-25	18 (+1m)		28-Feb-27	31-Mar-27	513 d (+31)	
	HRS	7445:40						
	AFL	2653						
PROC. REF: AMM 34-42-00-710-801PROC. REF: AMM 34-42-00-710-801								
34-42-01-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE RADAR ALTIMETER AND LOWER RED ANTI-COLLISION LIGHT POWER SUPPLY BOX SHIELDS							Service ATA:34
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 34.200	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 34-42-01-210-801PROC. REF: AMM 34-42-01-210-801								
34-42-01-900-801-01	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER RECEIVER / TRANSMITTERS - RADAR ALTIMETER RECEIVER/TRANSMITTER 1 (101NP)							Component ATA:34
PN:066-01153-5001	MOS/MSC	16-Dec-11	O/C					
SN:7096	HRS	2013:49						
WC#: 34.055	AFL	854						
PROC. REF: AMM 34-42-01-900-801PROC. REF: AMM 34-42-01-900-801								
34-42-01-900-801-02	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER RECEIVER / TRANSMITTERS - RADAR ALTIMETER RECEIVER/TRANSMITTER 2 (1101NP)							Component ATA:34
PN:066-01153-5001	MOS/MSC	22-Feb-24	O/C	TSR 0				
SN:4848	HRS	6923:06		TSR 0				
WC#: 34.055	AFL	2555		TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-42-01-900-801PROC. REF: AMM 34-42-01-900-801								
34-42-05-900-801-01	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER SYSTEM CONFIGURATION MODULES - RADAR ALTIMETER SYSTEM 1 CONFIGURATION MODULE (301NP)						Component	ATA:34
PN:071-00097-0100	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:15695	HRS	0		TSN 0				
WC#: 34.135	AFL	0		TSN 0				
PROC. REF: AMM 34-42-05-900-801PROC. REF: AMM 34-42-05-900-801								
34-42-05-900-801-02	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER SYSTEM CONFIGURATION MODULES - RADAR ALTIMETER SYSTEM 2 CONFIGURATION MODULE (1301NP)						Component	ATA:34
PN:071-00097-0100	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:15645	HRS	0		TSN 0				
WC#: 34.135	AFL	0		TSN 0				
PROC. REF: AMM 34-42-05-900-801PROC. REF: AMM 34-42-05-900-801								
34-42-09-900-801-01	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER SYSTEM ANTENNAS - RADAR ALTIMETER 1 RECEIVER ANTENNA (2201NP)						Component	ATA:34
PN:S67-2002-13	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:545.2564	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801								
34-42-09-900-801-02	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER SYSTEM ANTENNAS - RADAR ALTIMETER 1 TRANSMITTER ANTENNA (2301NP)						Component	ATA:34
PN:S67-2002-13	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:545.2565	HRS	0		TSN 0				
WC#: 34.085	AFL	0		TSN 0				
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801								
34-42-09-900-801-03	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER SYSTEM ANTENNAS - RADAR ALTIMETER 2 TRANSMITTER ANTENNA (2401NP)						Component	ATA:34
PN:S67-2002-13	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:545.2562	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-42-09-900-801-04	REMOVAL / INSTALLATION OF THE RADAR ALTIMETER SYSTEM ANTENNAS - RADAR ALTIMETER 2 RECEIVER ANTENNA (2501NP)							Component ATA:34
PN:S67-2002-13	MOS/MSC	23-Dec-14	O/C					
SN:545-5585	HRS	2987:52						
WC#: 34.085	AFL	1341						
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801								
34-44-00-710-801-01	OPERATIONAL TEST OF THE TRAFFIC / COLLISION AVOIDANCE SYSTEM (TCAS)							Service ATA:34
	MOS/MSC	30-Jan-25	O/C					
	HRS	7139						
	AFL	2599						
PROC. REF: AMM 34-44-00-710-801, AMM 34-44-00-710-801PROC. REF: AMM 34-44-00-710-801, AMM 34-44-00-710-801								
34-44-01-900-801-01	REMOVAL / INSTALLATION OF THE TCAS TRANSCEIVER - TCAS TRANSCEIVER (103NP)							Component ATA:34
PN:9003000-55005	MOS/MSC	11-Aug-23	O/C	TSR 124				
SN:T3E00119	HRS	6775:44		TSR 4064:34				
WC#: 34.110	AFL	2518		TSR 1407				
PROC. REF: AMM 34-44-01-900-801, AMM 34-44-01-900-801PROC. REF: AMM 34-44-01-900-801, AMM 34-44-01-900-801								
34-44-05-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE TCAS ANTENNAS							Service ATA:34
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 34-44-05-210-801PROC. REF: AMM 34-44-05-210-801								PKG:3
34-44-05-900-801-01	REMOVAL / INSTALLATION OF THE TCAS ANTENNAS - UPPER TCAS ANTENNA (203NP)							Component ATA:34
PN:7514081-914	MOS/MSC	18-Mar-15	O/C	TSR 2				
SN:ANE21395	HRS	2991:27		TSR 0				
WC#: 34.095	AFL	1344		TSR 0				
PROC. REF: AMM 34-44-05-900-801, AMM 34-44-05-900-801PROC. REF: AMM 34-44-05-900-801, AMM 34-44-05-900-801								
34-44-05-900-801-02	REMOVAL / INSTALLATION OF THE TCAS ANTENNAS - LOWER TCAS ANTENNA (303NP)							Component ATA:34
PN:7514081-913	MOS/MSC	20-Mar-25	O/C	TSN 0				
SN:ANE66821	HRS	7173:01		TSN 0				
WC#: 34.095	AFL	2605		TSN 0				
PROC. REF: AMM 34-44-05-900-801, AMM 34-44-05-900-801PROC. REF: AMM 34-44-05-900-801, AMM 34-44-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-45-00-710-801-01	OPERATIONAL TEST OF THE ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWS)							Service ATA:34
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-45-00-710-801PROC. REF: AMM 34-45-00-710-801								
34-45-01-900-801-01	REMOVAL / INSTALLATION OF THE EGPWS MODULE - EGPWS 1 MODULE (101FW)							Component ATA:34
PN:7028419-1904	MOS/MSC	13-Aug-20	O/C	TSR 0				
SN:05090852	HRS	5094:56		TSR 0				
WC#: 31.145	AFL	2006		TSR 0				
PROC. REF: AMM 34-45-01-900-801PROC. REF: AMM 34-45-01-900-801								
34-45-01-900-801-02	NO. 2 MODULAR AVIONICS UNIT (MAU 2) ELECTRONIC GROUND PROXIMITY WARNING (EGPWS2) MODULE							Component ATA:34
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.145	AFL	0		TSN 0				
PROC. REF: AMM 34-45-01-900-801PROC. REF: AMM 34-45-01-900-801								
34-51-01-900-801-01	REMOVAL / INSTALLATION OF THE VOR - ILS - DATALINK / GPS (VIDL/G) MODULES - VIDL-G MODULE 1 (103NR)							Component ATA:34
PN:7026208-804	MOS/MSC	24-Jan-24	O/C	TSN 33				
SN:08040203	HRS	6881		TSN 957:14				
WC#: 34.140	AFL	2547		TSN 235				
PROC. REF: AMM 34-51-01-900-801PROC. REF: AMM 34-51-01-900-801								
34-51-01-900-801-02	REMOVAL / INSTALLATION OF THE VOR - ILS - DATALINK / GPS (VIDL/G) MODULES - VIDL-G MODULE 2 (203NR)							Component ATA:34
PN:7026208-804	MOS/MSC	24-Jan-24	O/C	TSN 33				
SN:08020200	HRS	6881		TSN 957:14				
WC#: 34.140	AFL	2547		TSN 235				
PROC. REF: AMM 34-51-01-900-801PROC. REF: AMM 34-51-01-900-801								
34-51-05-900-801-01	REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - LH VOR/LOC ANTENNA (L2203NR)							Component ATA:34
PN:19-78P78	MOS/MSC	17-Oct-13	O/C					
SN:11926	HRS	2803:40		TSN 0				
WC#: 34.045	AFL	1202		TSN 0				
PROC. REF: AMM 34-51-05-900-801PROC. REF: AMM 34-51-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-51-05-900-801-02 REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - RH VOR/LOC ANTENNA (R2203NR)							Component	ATA:34
PN:19-79P78	MOS/MSC	17-Oct-13	O/C					
SN:11794	HRS	2803:40						
WC#: 34.045	AFL	1202						
PROC. REF: AMM 34-51-05-900-801PROC. REF: AMM 34-51-05-900-801								
34-51-09-900-801-01 REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNA COUPLER - VOR/LOC ANTENNA COUPLER (2303NR)							Component	ATA:34
PN:7-98T	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:7244	HRS	0		TSN 0				
WC#: 34.010	AFL	0		TSN 0				
PROC. REF: AMM 34-51-09-900-801PROC. REF: AMM 34-51-09-900-801								
34-51-13-900-801-01 REMOVAL / INSTALLATION OF THE GLIDE / SLOPE ANTENNA - GLIDE SLOPE ANTENNA (2403NR)							Component	ATA:34
PN:DMN25-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:5399	HRS	0		TSN 0				
WC#: 34.075	AFL	0		TSN 0				
PROC. REF: AMM 34-51-13-900-801PROC. REF: AMM 34-51-13-900-801								
34-51-17-900-801-01 REMOVAL / INSTALLATION OF THE MARKER ANTENNA - MARKER ANTENNA (2503NR)							Component	ATA:34
PN:C1165-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:5032693	HRS	0		TSN 0				
WC#: 34.035	AFL	0		TSN 0				
PROC. REF: AMM 34-51-17-900-801PROC. REF: AMM 34-51-17-900-801								
34-51-21-900-801-01 REMOVAL / INSTALLATION OF THE GPS ANTENNAS - GPS 1 ANTENNA (2603NR)							Component	ATA:34
PN:57000228-001	MOS/MSC	23-Dec-14	O/C	TSN 13				
SN:51605527	HRS	2987:52		TSN 0				
WC#: 34.080	AFL	1341		TSN 0				
PROC. REF: AMM 34-51-21-900-801PROC. REF: AMM 34-51-21-900-801								
34-51-21-900-801-02 REMOVAL / INSTALLATION OF THE GPS ANTENNAS - GPS 2 ANTENNA (2703NR)							Component	ATA:34
PN:57000228-001	MOS/MSC	23-Dec-14	O/C	TSN 13				
SN:51605528	HRS	2987:52		TSN 0				
WC#: 34.080	AFL	1341		TSN 0				
PROC. REF: AMM 34-51-21-900-801PROC. REF: AMM 34-51-21-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-52-01-900-801-01 REMOVAL / INSTALLATION OF THE DME MODULES - DME 1 MODULE (106NR)								Component ATA:34
PN:7510184-855	MOS/MSC	11-Aug-23	O/C					
SN:0711D236	HRS	6775:44						
WC#: 34.125	AFL	2518						
PROC. REF: AMM 34-52-01-900-801PROC. REF: AMM 34-52-01-900-801								
34-52-01-900-801-02 REMOVAL / INSTALLATION OF THE DME MODULES - DME 2 MODULE (206NR)								Component ATA:34
PN:7510184-855	MOS/MSC	04-Oct-11	O/C					
SN:05018493	HRS	1821:12						
WC#: 34.125	AFL	791						
PROC. REF: AMM 34-52-01-900-801PROC. REF: AMM 34-52-01-900-801								
34-52-05-900-801-01 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME ANTENNA 1 (2206NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:148066	HRS	6775:44		TSN 0				
WC#: 34.070	AFL	2518		TSN 0				
PROC. REF: AMM 34-52-05-900-801PROC. REF: AMM 34-52-05-900-801								
34-52-05-900-801-02 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME ANTENNA 2 (2306NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:148068	HRS	6775:44		TSN 0				
WC#: 34.070	AFL	2518		TSN 0				
PROC. REF: AMM 34-52-05-900-801PROC. REF: AMM 34-52-05-900-801								
34-53-00-710-801-02 OPERATIONAL TEST OF THE AUTOMATIC DIRECTION FINDER (ADF) SYSTEM - ADF 2 SYSTEM								Service ATA:34
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-53-00-710-801PROC. REF: AMM 34-53-00-710-801								
34-53-01-900-801-01 REMOVAL / INSTALLATION OF THE ADF MODULES - ADF 1 MODULE (104NR)								Component ATA:34
PN:7510114-855	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05017140	HRS	0		TSN 0				
WC#: 34.115	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01-900-801PROC. REF: AMM 34-53-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-53-01-900-801-02 REMOVAL / INSTALLATION OF THE ADF MODULES - ADF 2 MODULE (204NR)								Component ATA:34
PN:7510114-855	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:05017141	HRS	0		TSN 0				
WC#: 34.115	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01-900-801PROC. REF: AMM 34-53-01-900-801								
34-53-05-900-801-01 REMOVAL / INSTALLATION OF THE ADF ANTENNAS - ADF 1 ANTENNA (2104NR)								Component ATA:34
PN:7510300-901	MOS/MSC	15-Sep-17	O/C	TSR 0				
SN:1310L998	HRS	3863:53		TSR 0				
WC#: 34.060	AFL	1673		TSR 0				
PROC. REF: AMM 34-53-05-900-801PROC. REF: AMM 34-53-05-900-801								
34-53-05-900-801-02 REMOVAL / INSTALLATION OF THE ADF ANTENNAS - ADF 2 ANTENNA (2204NR)								Component ATA:34
PN:7510300-901	MOS/MSC	28-Aug-22	O/C					
SN:1405M660	HRS	6559:24						
WC#: 34.060	AFL	2472						
PROC. REF: AMM 34-53-05-900-801PROC. REF: AMM 34-53-05-900-801								
34-54-00-710-801-01 OPERATIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 1 SYSTEM								Service ATA:34
	MOS/MSC	20-Mar-25	O/C					
	HRS	7173:01						
	AFL	2605						
PROC. REF: AMM 34-54-00-710-801PROC. REF: AMM 34-54-00-710-801								
34-54-00-710-801-02 OPERATIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 2 SYSTEM								Service ATA:34
	MOS/MSC	20-Mar-25	O/C					
	HRS	7173:01						
	AFL	2605						
PROC. REF: AMM 34-54-00-710-801PROC. REF: AMM 34-54-00-710-801								
34-54-00-720-802-01 FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 1 SYSTEM (105NR)								Service ATA:34
PN:7517402-970	MOS	20-Mar-25	24 (+3%)	20-Mar-27	11-Apr-27	533 d (+22)	RVSM	
SN:0707C953	HRS	7173:01						
WC#: 34.120	AFL	2605						
Test Date: : 20-Mar-25								
PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802, AMM 34-54-00-720-802PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802, AMM 34-54-00-720-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-54-00-720-802-02 FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 2 SYSTEM (205NR)								Service ATA:34
PN:7517402-970	MOS	20-Mar-25	24 (+3%)		20-Mar-27	11-Apr-27	533 d (+22)	RVSM
SN:0810E910	HRS	7173:01						
WC#: 34.120	AFL	2605						
Test Date: : 20-Mar-25								
PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802, AMM 34-54-00-720-802PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802, AMM 34-54-00-720-802								
34-54-01-900-801-01 REMOVAL / INSTALLATION OF THE ATC XPDR MODULES - ATC XPDR 1 MODULE (105NR)								Component ATA:34
PN:7517402-970	MOS/MSC	18-Feb-22	O/C	TSN 2				
SN:0707C953	HRS	6322:16		TSN 1081				
WC#: 34.120	AFL	2423		TSN 322				
PROC. REF: AMM 34-54-01-900-801PROC. REF: AMM 34-54-01-900-801								
34-54-01-900-801-02 REMOVAL / INSTALLATION OF THE ATC XPDR MODULES - ATC XPDR 2 MODULE (205NR)								Component ATA:34
PN:7517402-970	MOS/MSC	18-Feb-22	O/C	TSN 2				
SN:0810E910	HRS	6322:16		TSN 1081				
WC#: 34.120	AFL	2423		TSN 322				
PROC. REF: AMM 34-54-01-900-801PROC. REF: AMM 34-54-01-900-801								
34-54-05-710-801-01 OPERATIONAL TEST OF THE ATC ANTENNAS - ATC 1 UPPER ANTENNA (L2205NR)								Service ATA:34
PN:DMNI50-2-2	MOS/MSC	11-Aug-23	O/C					
SN:148070	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801								
34-54-05-710-801-02 OPERATIONAL TEST OF THE ATC ANTENNAS - ATC 1 LOWER ANTENNA (L2305NR)								Service ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Jun-07	O/C					
SN:100295	HRS	0						
	AFL	0						
PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801								
34-54-05-710-801-03 OPERATIONAL TEST OF THE ATC ANTENNAS - ATC 2 UPPER ANTENNA (R2205NR)								Service ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Jun-07	O/C					
SN:100294	HRS	0						
	AFL	0						
PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-54-05-710-801-04 OPERATIONAL TEST OF THE ATC ANTENNAS - ATC 2 LOWER ANTENNA (R2305NR)								Service ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Jun-07	O/C					
SN:100296	HRS	0						
	AFL	0						
PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801PROC. REF: AMM 34-54-05-710-801, AMM 34-54-05-710-801								
34-54-05-900-801-01 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 UPPER ANTENNA (L2205NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:148070	HRS	6775:44		TSN 0				
WC#: 34.065	AFL	2518		TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
34-54-05-900-801-02 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 UPPER ANTENNA (R2205NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:100294	HRS	0		TSN 0				
WC#: 34.065	AFL	0		TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
34-54-05-900-801-03 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 LOWER ANTENNA (L2305NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:100295	HRS	0		TSN 0				
WC#: 34.065	AFL	0		TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
34-54-05-900-801-04 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 LOWER ANTENNA (R2305NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:100296	HRS	0		TSN 0				
WC#: 34.065	AFL	0		TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
ATA 35 - OXYGEN								
35-00-00-710-801-01	^S	OPERATIONAL TEST OF THE OXYGEN INDICATING SYSTEM						Service ATA:35
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 35.280	AFL	2518						

PKG:2
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-00-00-710-801PROC. REF: AMM 35-00-00-710-801								
35-00-00-750-801-01	LEAK TEST OF THE OXYGEN SYSTEM - SEALING TEST OF THE CREW OXYGEN SYSTEM							Service ATA:35
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-00-00-750-801PROC. REF: AMM 35-00-00-750-801								
35-00-00-750-801-02	LEAK TEST OF THE OXYGEN SYSTEM - SEALING TEST OF THE CREW AND PASSENGER OXYGEN SYSTEMS							Service ATA:35
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-00-00-750-801PROC. REF: AMM 35-00-00-750-801								
35-10-00-710-801-01 ^S	OPERATIONAL TEST OF THE CREW OXYGEN SYSTEM - TEST OF THE LH CREW OXYGEN SYSTEM							Service ATA:35
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 35.240	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801								
35-10-00-710-801-01A	OPERATIONAL TEST OF THE CREW OXYGEN SYSTEM - TEST OF THE LH CREW OXYGEN SYSTEM (MANDATORY 5-40)							Service ATA:35
	MOS	18-Nov-24						CMR
	HRS	7061:12	850		7911:12		418:38	
WC#: 35.240	AFL	2584						
PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801								
35-10-00-710-801-02 ^S	OPERATIONAL TEST OF THE CREW OXYGEN SYSTEM - TEST OF THE RH CREW OXYGEN SYSTEM							Service ATA:35
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 35.250	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-00-710-801-02A	OPERATIONAL TEST OF THE CREW OXYGEN SYSTEM - TEST OF THE RH CREW OXYGEN SYSTEM (MANDATORY 5-40)							Service ATA:35
	MOS	18-Nov-24						CMR
	HRS	7061:12	850		7911:12		418:38	
WC#: 35.250	AFL	2584						
PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801								
35-10-00-710-801-03	^S	OPERATIONAL TEST OF THE CREW OXYGEN SYSTEM - TEST OF THE THIRD CREW MEMBER OXYGEN SYSTEM						Service ATA:35
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 35.260	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801								
35-10-00-710-801-03A	OPERATIONAL TEST OF THE CREW OXYGEN SYSTEM - TEST OF THE THIRD CREW MEMBER OXYGEN SYSTEM (MANDATORY 5-40)							Service ATA:35
	MOS	18-Nov-24						CMR
	HRS	7061:12	850		7911:12		418:38	
WC#: 35.260	AFL	2584						
PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801PROC. REF: AMM 35-10-00-710-801, AMM 35-10-00-710-801								
35-10-01-350-801-01	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS AND STOWAGE BOXES - REGULATOR OF THE LH CREW OXYGEN MASK (L2002WH)							Service ATA:35
PN:MLD40-45-005	MOS	11-Aug-23	72		11-Aug-29		1408 d	OVERHAUL
SN:B185013	HRS	6775:44	4800 (+100)		11575:44	11675:44	4083:10 (+100)	
WC#: 35.020	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-01A	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS, GOGGLES AND STOWAGE BOXES - REGULATOR OF THE LH CREW OXYGEN MASK (L2002WH) (MANDATORY 5-40)							Service ATA:35
	MOS	11-Aug-23	72		11-Aug-29		1408 d	CMR
	HRS	6775:44	4900		11675:44		4183:10	
WC#: 35.020	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-01-350-801-02	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS AND STOWAGE BOXES - REGULATOR OF THE RH CREW OXYGEN MASK (R2002WH)							Service ATA:35
PN:MLD40-45-005	MOS	11-Aug-23	72		11-Aug-29		1408 d	OVERHAUL
SN:B188386	HRS	6775:44	4800 (+100)		11575:44	11675:44	4083:10 (+100)	
WC#: 35.025	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-02A	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS, GOGGLES AND STOWAGE BOXES - REGULATOR OF THE RH CREW OXYGEN MASK (R2002WH) (MANDATORY 5-40)							Service ATA:35
	MOS	11-Aug-23	72		11-Aug-29		1408 d	CMR
	HRS	6775:44	4900		11675:44		4183:10	
WC#: 35.025	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-03	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS AND STOWAGE BOXES - REGULATOR OF THE THIRD CREW MEMBER OXYGEN MASK (M2002WH)							Service ATA:35
PN:MLD40-45-005	MOS	11-Aug-23	72		11-Aug-29		1408 d	OVERHAUL
SN:B188435	HRS	6775:44	4800		11575:44		4083:10	
WC#: 35.030	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-03A	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS, GOGGLES AND STOWAGE BOXES - REGULATOR OF THE THIRD CREW MEMBER OXYGEN MASK (M2002WH) (MANDATORY 5-40)							Service ATA:35
	MOS	11-Aug-23	72		11-Aug-29		1408 d	CMR
	HRS	6775:44	4900		11675:44		4183:10	
WC#: 35.030	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-07	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS AND STOWAGE BOXES - LH CREW OXYGEN MASK STOWAGE BOX (L4002WH)							Service ATA:35
PN:MPX819	MOS	11-Aug-23	72		11-Aug-29		1408 d	OVERHAUL
SN:SE139513	HRS	6775:44	4800		11575:44		4083:10	
	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-01-350-801-07A	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS, GOGGLES AND STOWAGE BOXES - LH CREW OXYGEN MASK STOWAGE BOX (L4002WH) (MANDATORY 5-40)							Service ATA:35
PN:MXP819	MOS	11-Aug-23	72		11-Aug-29		1408 d	CMR
SN:SE139513	HRS	6775:44	4900		11675:44		4183:10	
	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-08	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS AND STOWAGE BOXES - RH CREW OXYGEN MASK STOWAGE BOX (R4002WH)							Service ATA:35
PN:MXP819	MOS	11-Aug-23	72		11-Aug-29		1408 d	OVERHAUL
SN:SE139514	HRS	6775:44	4800		11575:44		4083:10	
	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-08A	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS, GOGGLES AND STOWAGE BOXES - RH CREW OXYGEN MASK STOWAGE BOX (R4002WH) (MANDATORY 5-40)							Service ATA:35
PN:MXP819	MOS	11-Aug-23	72		11-Aug-29		1408 d	CMR
SN:SE139514	HRS	6775:44	4900		11675:44		4183:10	
	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-09	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS AND STOWAGE BOXES - THIRD CREW MEMBER OXYGEN MASK STOWAGE BOX (M4002WH)							Service ATA:35
PN:MXP819	MOS	11-Aug-23	72		11-Aug-29		1408 d	OVERHAUL
SN:SE139515	HRS	6775:44	4800		11575:44		4083:10	
	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								
35-10-01-350-801-09A	RESTORATION (OVERHAUL) OF THE CREW OXYGEN MASK REGULATORS, GOGGLES AND STOWAGE BOXES - THIRD CREW MEMBER OXYGEN MASK STOWAGE BOX (M4002WH) (MANDATORY 5-40)							Service ATA:35
PN:MXP819	MOS	11-Aug-23	72		11-Aug-29		1408 d	CMR
SN:SE139515	HRS	6775:44	4900		11675:44		4183:10	
	AFL	2518						
PROC. REF: AMM 35-10-01-350-801PROC. REF: AMM 35-10-01-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-01-900-801-01	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS AND STOWAGE BOXES - LH CREW OXYGEN MASK AND STOWAGE BOX (L1002WH)						Component	ATA:35
PN:MXP819	MOS/MSC	11-Aug-23	O/C					
SN:SE139513	HRS	6775:44						
WC#: 35.035	AFL	2518						
PROC. REF: AMM 35-10-01-900-801PROC. REF: AMM 35-10-01-900-801								
35-10-01-900-801-02	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS AND STOWAGE BOXES - RH CREW OXYGEN MASK AND STOWAGE BOX (R1002WH)						Component	ATA:35
PN:MXP819	MOS/MSC	11-Aug-23	O/C					
SN:SE139514	HRS	6775:44						
WC#: 35.035	AFL	2518						
PROC. REF: AMM 35-10-01-900-801PROC. REF: AMM 35-10-01-900-801								
35-10-01-900-801-03	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS AND STOWAGE BOXES - THIRD CREW MEMBER OXYGEN MASK AND STOWAGE BOX (M1002WH)						Component	ATA:35
PN:MXP819	MOS/MSC	11-Aug-23	O/C					
SN:SE139515	HRS	6775:44						
WC#: 35.035	AFL	2518						
PROC. REF: AMM 35-10-01-900-801PROC. REF: AMM 35-10-01-900-801								
35-10-01-900-802-01	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASK STOWAGE BOXES - LH CREW OXYGEN MASK STOWAGE BOX (L4002WH)						Component	ATA:35
PN:MXP819	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:SE139513	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 35-10-01-900-802PROC. REF: AMM 35-10-01-900-802								
35-10-01-900-802-02	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASK STOWAGE BOXES - RH CREW OXYGEN MASK STOWAGE BOX (R4002WH)						Component	ATA:35
PN:MXP819	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:SE139514	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 35-10-01-900-802PROC. REF: AMM 35-10-01-900-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-01-900-802-03	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASK STOWAGE BOXES - THIRD CREW MEMBER OXYGEN MASK STOWAGE BOX (M4002WH)							Component ATA:35
PN:MXP819	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:SE139515	HRS	6775:44		TSN 0				
	AFL	2518		TSN 0				
PROC. REF: AMM 35-10-01-900-802PROC. REF: AMM 35-10-01-900-802								
35-10-05-900-801-01	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - LH CREW OXYGEN MASK (L2002WH)							Component ATA:35
PN:MLD40-45-005	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:B185013	HRS	6775:44		TSN 0				
WC#: 35.020	AFL	2518		TSN 0				
PROC. REF: AMM 35-10-05-900-801, AMM 35-10-05-900-801PROC. REF: AMM 35-10-05-900-801, AMM 35-10-05-900-801								
35-10-05-900-801-02	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - RH CREW OXYGEN MASK (R2002WH)							Component ATA:35
PN:MLD40-45-005	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:B188386	HRS	6775:44		TSN 0				
WC#: 35.025	AFL	2518		TSN 0				
PROC. REF: AMM 35-10-05-900-801, AMM 35-10-05-900-801PROC. REF: AMM 35-10-05-900-801, AMM 35-10-05-900-801								
35-10-05-900-801-03	REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (M2002WH)							Component ATA:35
PN:MLD40-45-005	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:B188435	HRS	6775:44		TSN 0				
WC#: 35.030	AFL	2518		TSN 0				
PROC. REF: AMM 35-10-05-900-801, AMM 35-10-05-900-801PROC. REF: AMM 35-10-05-900-801, AMM 35-10-05-900-801								
35-20-00-710-801-01 ^S	OPERATIONAL TEST OF THE PASSENGER OXYGEN MODE SELECTOR INDICATION							Service ATA:35
	MOS	18-Nov-24						
	HRS	7061:12	800 (+40)					
WC#: 35.270	AFL	2584						
PROC. REF: AMM 35-20-00-710-801PROC. REF: AMM 35-20-00-710-801								PKG:8
35-20-00-710-801-01A	OPERATIONAL TEST OF THE PASSENGER OXYGEN MODE SELECTOR INDICATION (MANDATORY 5-40)							Service ATA:35
	MOS	18-Nov-24						CMR
	HRS	7061:12	850		7911:12		418:38	
WC#: 35.270	AFL	2584						
WO#: JWL-22-112								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-20-00-710-801PROC. REF: AMM 35-20-00-710-801								
35-20-00-720-801-01	^S	FUNCTIONAL TEST OF THE PASSENGER OXYGEN SYSTEM						Service ATA:35
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 35.280	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 35-20-00-720-801PROC. REF: AMM 35-20-00-720-801								
35-20-00-720-801-01A		FUNCTIONAL TEST OF THE PASSENGER OXYGEN SYSTEM (MANDATORY 5-40)						Service ATA:35
	MOS	11-Aug-23						CMR
	HRS	6775:44	1650		8425:44		933:10	
WC#: 35.280	AFL	2518						
PROC. REF: AMM 35-20-00-720-801PROC. REF: AMM 35-20-00-720-801								
35-20-01-900-801-01		REMOVAL / INSTALLATION OF THE ELECTRICAL FLOW CONTROL UNIT (EFCU) - EFCU (2002WJ)						Component ATA:35
PN:449249	MOS/MSC	30-Jan-25	O/C	TSO 0				
SN:197	HRS	7139		TSO 0				
WC#: 35.005	AFL	2599		TSO 0				
PROC. REF: AMM 35-20-01-900-801PROC. REF: AMM 35-20-01-900-801								
35-20-05-900-801-01		REMOVAL / INSTALLATION OF THE PASSENGER DROP-OUT BOXES						Component ATA:35
PN:M/B225-2	MOS/MSC	07-Jul-16	O/C					
SN:518	HRS	3065:15						
WC#: 35.295	AFL	1419						
PROC. REF: AMM 35-20-05-900-801PROC. REF: AMM 35-20-05-900-801								
35-20-09-220-801-01	^S	DETAILED INSPECTION OF THE PASSENGER OXYGEN MASKS						Service ATA:35
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 35-20-09-220-801PROC. REF: AMM 35-20-09-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20-13-220-801-01	^S	DETAILED INSPECTION OF THE FIRST-AID MASKS - FIRST-AID OXYGEN MASK 1 (L6002WJ)						Service ATA:35
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 35-20-13-220-801PROC. REF: AMM 35-20-13-220-801								
35-20-13-220-801-02	^S	DETAILED INSPECTION OF THE FIRST-AID MASKS - FIRST-AID OXYGEN MASK 2 (R6002WJ)						Service ATA:35
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 35-20-13-220-801PROC. REF: AMM 35-20-13-220-801								
35-21-01-720-801-01		FUNCTIONAL CHECK (HYDROSTATIC) OF OXYGEN CYLINDERS WITH PRESSURE REDUCERS - THERAPEUTIC OXYGEN CYLINDER #1 (R9005WJ)						Service ATA:35
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 35-21-01-720-801PROC. REF: AMM 35-21-01-720-801								
35-21-01-720-801-02		FUNCTIONAL CHECK (HYDROSTATIC) OF OXYGEN CYLINDERS WITH PRESSURE REDUCERS - THERAPEUTIC OXYGEN CYLINDER #2 (R9015WJ)						Service ATA:35
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 35-21-01-720-801PROC. REF: AMM 35-21-01-720-801								
35-21-01-900-801-01		THERAPEUTIC OXYGEN CYLINDER #1						Component ATA:35
PN:PN	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-01-900-801-02		THERAPEUTIC OXYGEN CYLINDER #2						Component ATA:35
PN:PN	MOS/MSC	12-Jun-07	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-21-01-960-801-01		DISCARD OF THE OXYGEN CYLINDER - THERAPEUTIC OXYGEN CYLINDER #1 (R9005WJ)						Service ATA:35
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 35-21-01-960-801PROC. REF: AMM 35-21-01-960-801								
35-21-01-960-801-02		DISCARD OF THE OXYGEN CYLINDER - THERAPEUTIC OXYGEN CYLINDER #2 (R9015WJ)						Service ATA:35
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 35-21-01-960-801PROC. REF: AMM 35-21-01-960-801								
35-22-7110 ^U		O2 BOX, DOUBLE						Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:159	HRS	0						
	AFL	0						
35-22-7120 ^U		O2 BOX, DOUBLE						Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:177	HRS	0						
	AFL	0						
35-22-7212 ^U		O2 BOX, DOUBLE						Component ATA:35
PN:MXB225-2	MOS/MSC	22-Jan-20	O/C	TSN 0				
SN:590	HRS	5287:57		TSN 0				
	AFL	2109		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-22-7511 ^U	O2 BOX, SINGLE							Component ATA:35
PN:MXB225-1	MOS/MSC	12-Jun-07	O/C					
SN:268	HRS	0						
	AFL	0						
35-22-7512 ^U	O2 BOX, SINGLE							Component ATA:35
PN:MXB225-1	MOS/MSC	12-Jun-07	O/C					
SN:260	HRS	0						
	AFL	0						
35-22-7522 ^U	O2 BOX, SINGLE							Component ATA:35
PN:MXB225-1	MOS/MSC	12-Jun-07	O/C					
SN:281	HRS	0						
	AFL	0						
35-22-7531 ^U	O2 BOX, DOUBLE							Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:412	HRS	0						
	AFL	0						
35-22-7541 ^U	O2 BOX, DOUBLE							Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:413	HRS	0						
	AFL	0						
35-22-7611 ^U	O2 BOX, SINGLE							Component ATA:35
PN:MXB225-1	MOS/MSC	12-Jun-07	O/C					
SN:297	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-22-7612 ^U	O2 BOX RH AFT PSU; FWD BOX							Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:411	HRS	0						
	AFL	0						
35-22-7632 ^U	O2 BOX RH AFT PSU; AFT BOX							Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:410	HRS	0						
	AFL	0						
35-22-7812 ^U	O2 BOX, DOUBLE							Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:164	HRS	0						
	AFL	0						
35-22-7822 ^U	O2 BOX, DOUBLE							Component ATA:35
PN:MXB225-2	MOS/MSC	12-Jun-07	O/C					
SN:414	HRS	0						
	AFL	0						
35-30-01-900-801-01	NO. 1 SMOKE HOOD (602ME)							Component ATA:35
PN:15-40F-11	MOS/MSC	18-Oct-23	H/T	TSN 0				
SN:120019749	HRS	6781:33		TSN 0				
WC#: 35.015	AFL	2527		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-30-01-900-801-02	NO. 2 SMOKE HOOD (7102ME)							Component ATA:35
PN:PN	MOS/MSC	01-Jun-06	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-30-01-960-801-01		DISCARD OF THE SMOKE HOOD - NO. 1 SMOKE HOOD OTHER THAN ESSEX						Service ATA:35
PN:15-40F-11	MOS	21-Mar-23	120		21-Mar-33		2726 d	LIFE LIMIT
SN:120019749	HRS							
WC#: 35.015	AFL							
Manufacture Date:: 21-Mar-23								
PROC. REF: AMM 35-30-01-960-801PROC. REF: AMM 35-30-01-960-801								
35-30-01-960-801-01		DISCARD OF THE SMOKE HOOD - NO. 2 SMOKE HOOD OTHER THAN ESSEX						Service ATA:35
PN:PN	MOS/MSC	01-Feb-05	N/A					
SN:UNKNOWN	HRS	0						
WC#: 35.015	AFL	0						
PROC. REF: AMM 35-30-01-960-801PROC. REF: AMM 35-30-01-960-801								
35-30-05-210-801-01		GENERAL VISUAL INSPECTION OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN KIT (702ME)						Service ATA:35
PN:894-20330	MOS	26-Dec-24	12 (+3%)		26-Dec-25	06-Jan-26	84 d (+11)	
SN:P09080157	HRS	7106:42						
	AFL	2592						
WO#: JWL-25-049								
PROC. REF: AMM 35-30-05-210-801PROC. REF: AMM 35-30-05-210-801								
35-30-05-350-801-01		RESTORATION (OVERHAUL AND HYDROSTATIC TEST) OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN KIT (702ME)						Service ATA:35
PN:894-20330	MOS	26-Dec-24	60 (+3%)		01-Sep-29 (M)	25-Oct-29	1429 d (+54)	OVERHAUL
SN:P09080157	HRS	7106:42						
WC#: 35.210	AFL	2592						
Restoration Date:: 26-Oct-24								
PROC. REF: AMM 35-30-05-350-801PROC. REF: AMM 35-30-05-350-801								
35-38-00-900-801-01		PORTABLE OXYGEN CYLINDER						Component ATA:35
PN:894-20330	MOS/MSC	26-Dec-24	O/C	TSO 2				
SN:P09080157	HRS	7106:42		TSO 0				
WC#: 35.210	AFL	2592		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-40-01-610-801-01	REFILLING OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (2002WY)							Service ATA:35
	MOS/MSC	14-Aug-25	O/C					
	HRS	7417:27						
	AFL	2646						
PROC. REF: AMM 35-40-01-610-801PROC. REF: AMM 35-40-01-610-801								
35-40-01-720-801-01	FUNCTIONAL TEST OF THE OXYGEN CYLINDER AND REGULATOR ASSEMBLY - OXYGEN CYLINDER (2002WY)							Service ATA:35
PN:4415-6519	MOS	20-Sep-21	60 (+3%)		20-Sep-26	13-Nov-26	352 d (+54)	
SN:416	HRS							
WC#: 35.010	AFL							
Test Date: : 20-Sep-21								
PROC. REF: AMM 35-40-01-720-801PROC. REF: AMM 35-40-01-720-801								
35-40-01-900-801-01	REMOVAL / INSTALLATION OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (2002WY)							Component ATA:35
PN:4415-6519	MOS/MSC	01-Oct-21	O/C	TSO 0				
SN:416	HRS	6116:08		TSO 0				
WC#: 35.010	AFL	2380		TSO 0				
PROC. REF: AMM 35-40-01-900-801PROC. REF: AMM 35-40-01-900-801								
35-40-01-960-801-01	DISCARD OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (2002WY)							Service ATA:35
PN:4415-6519	MOS	01-Jan-14	180		01-Jan-29		1186 d	LIFE LIMIT
SN:416	HRS							
WC#: 35.010	AFL							
Manufacture Date:: 01-Jan-14								
PROC. REF: AMM 35-40-01-960-801PROC. REF: AMM 35-40-01-960-801								
35AA01 ^U	FILLING OXYGEN							Service ATA:35
	MOS/MSC	14-Dec-17	A/R					CUSTOMER CODE
	HRS	3964:09						
	AFL	1705						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35DFS2015-1 ^U	RECORD PART NUMBER AND SERIAL NUMBER OF :- MASK AND STOWAGE EQUIPMENT (L1002WH ; R1002WH ; M1002WH)- CREW STOWAGE BOX (L4002WH ; R4002WH ; M4002WH)- LH, RH AND 3RD CREW (IF AVAILABLE) OXYGEN MASK INFLATABLE HARNESS- LH, RH AND 3RD CREW (IF AVAILABLE) OXYGEN MASK REGULATOR- LH, RH AND 3RD CREW (IF AVAILABLE) CREW OXYGEN MASK							Service ATA:35
	MOS/MSC	24-Jul-15	A/R					
	HRS	2998:42						
	AFL	1349						

ATA 36 - PNEUMATIC

36-10-00-710-801-01	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM							Service ATA:36
	MOS/MSC	23-May-12	O/C					
	HRS	2184:49						
WC#: 36.080	AFL	912						
PROC. REF: AMM 36-10-00-710-801PROC. REF: AMM 36-10-00-710-801								

36-10-00-710-802-01 ^S	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM (MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES) - ENGINE 1 MANIFOLD PRSOV (2501HU)							Service ATA:36
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 36.021	AFL	2308						
PROC. REF: AMM 36-10-00-710-802PROC. REF: AMM 36-10-00-710-802								PKG:9 WO#: JWL-25-049

36-10-00-710-802-01A	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM (MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES) - ENGINE 1 MANIFOLD PRSOV (2501HU) (MANDATORY 5-40)							Service ATA:36
	MOS	25-Mar-21					CMR	
	HRS	5902:02	1850		7752:02		259:28	
WC#: 36.080	AFL	2308						
PROC. REF: AMM 36-10-00-710-802PROC. REF: AMM 36-10-00-710-802								

36-10-00-710-802-02 ^S	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM (MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES) - ENGINE 2 MANIFOLD PRSOV (2601HU)							Service ATA:36
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 36.021	AFL	2308						
PROC. REF: AMM 36-10-00-710-802PROC. REF: AMM 36-10-00-710-802								PKG:9 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-10-00-710-802-02A	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM (MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES) - ENGINE 2 MANIFOLD PRSOV (2601HU) (MANDATORY 5-40)							Service ATA:36
	MOS	25-Mar-21						CMR
	HRS	5902:02	1850		7752:02		259:28	
	AFL	2308						
PROC. REF: AMM 36-10-00-710-802PROC. REF: AMM 36-10-00-710-802								
36-10-00-710-802-03 ^S	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM (MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES) - ENGINE 3 MANIFOLD PRSOV (2701HU)							Service ATA:36
	MOS	25-Mar-21						
	HRS	5902:02	1600 (+40)					
WC#: 36.021	AFL	2308						
PROC. REF: AMM 36-10-00-710-802PROC. REF: AMM 36-10-00-710-802								
36-10-00-710-802-03A	OPERATIONAL TEST OF THE DISTRIBUTION / BLEED AIR SYSTEM (MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES) - ENGINE 3 MANIFOLD PRSOV (2701HU) (MANDATORY 5-40)							Service ATA:36
	MOS	25-Mar-21						CMR
	HRS	5902:02	1850		7752:02		259:28	
	AFL	2308						
PROC. REF: AMM 36-10-00-710-802PROC. REF: AMM 36-10-00-710-802								
36-10-00-720-801-01 ^U	FUNCTIONAL TEST OF THE EMERGENCY ENGINE BLEED SYSTEM							Service ATA:36
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 36.085	AFL	1705						
PROC. REF: AMM 36-10-01-900-801PROC. REF: AMM 36-10-01-900-801								
36-10-01-900-801-01	REMOVAL / INSTALLATION OF THE HP PRESSURE REGULATING AND SHUT-OFF VALVES (PRSOV) - ENGINE 1 HP PRSOV (101HU)							Component ATA:36
PN:3215888-8	MOS/MSC	11-Aug-23	O/C	TSR 130				
SN:199	HRS	6775:44		TSN 4854:34, TSR 4064:34				
WC#: 36.055	AFL	2518		TSN 1611, TSR 1407				
PROC. REF: AMM 36-10-01-900-801PROC. REF: AMM 36-10-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-10-01-900-801-02 REMOVAL / INSTALLATION OF THE HP PRESSURE REGULATING AND SHUT-OFF VALVES (PRSOV) - ENGINE 2 HP PRSOV (201HU)							Component	ATA:36
PN:3215888-8	MOS/MSC	04-Apr-13	O/C	TSN 48				
SN:494	HRS	2711:10		TSN 0				
WC#: 36.055	AFL	1111		TSN 0				
PROC. REF: AMM 36-10-01-900-801PROC. REF: AMM 36-10-01-900-801								
36-10-01-900-801-03 REMOVAL / INSTALLATION OF THE HP PRESSURE REGULATING AND SHUT-OFF VALVES (PRSOV) - ENGINE 3 HP PRSOV (301HU)							Component	ATA:36
PN:3215888-8	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:551	HRS	6775:44		TSR 0				
WC#: 36.055	AFL	2518		TSR 0				
PROC. REF: AMM 36-10-01-900-801PROC. REF: AMM 36-10-01-900-801								
36-10-05-900-801-01 REMOVAL / INSTALLATION OF THE LP NON-RETURN VALVES (NRV) - ENGINE 1 LP NRV (401HU)							Component	ATA:36
PN:3202912-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:146	HRS	0		TSN 0				
WC#: 36.060	AFL	0		TSN 0				
PROC. REF: AMM 36-10-05-900-801PROC. REF: AMM 36-10-05-900-801								
36-10-05-900-801-02 REMOVAL / INSTALLATION OF THE LP NON-RETURN VALVES (NRV) - ENGINE 2 LP NRV (501HU)							Component	ATA:36
PN:3202912-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:148	HRS	0		TSN 0				
WC#: 36.060	AFL	0		TSN 0				
PROC. REF: AMM 36-10-05-900-801PROC. REF: AMM 36-10-05-900-801								
36-10-05-900-801-03 REMOVAL / INSTALLATION OF THE LP NON-RETURN VALVES (NRV) - ENGINE 3 LP NRV (601HU)							Component	ATA:36
PN:3202912-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:147	HRS	0		TSN 0				
WC#: 36.060	AFL	0		TSN 0				
PROC. REF: AMM 36-10-05-900-801PROC. REF: AMM 36-10-05-900-801								
36-10-09-900-801-01 REMOVAL / INSTALLATION OF THE MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES (PRSOV) - ENGINE 1 MANIFOLD PRSOV (2501HU)							Component	ATA:36
PN:3215890-7	MOS/MSC	30-Jan-24	O/C					
SN:221	HRS	6881:30						
WC#: 36.070	AFL	2548						
PROC. REF: AMM 36-10-09-900-801PROC. REF: AMM 36-10-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-10-09-900-801-02	REMOVAL / INSTALLATION OF THE MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES (PRSOV) - ENGINE 2 MANIFOLD PRSOV (2601HU)							Component ATA:36
PN:3215890-7	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:188	HRS	0		TSN 0				
WC#: 36.070	AFL	0		TSN 0				
PROC. REF: AMM 36-10-09-900-801PROC. REF: AMM 36-10-09-900-801								
36-10-09-900-801-03	REMOVAL / INSTALLATION OF THE MANIFOLD PRESSURE REGULATING AND SHUT-OFF VALVES (PRSOV) - ENGINE 3 MANIFOLD PRSOV (2701HU)							Component ATA:36
PN:3215890-7	MOS/MSC	31-Aug-12	O/C					
SN:490	HRS	2342:06						
WC#: 36.070	AFL	969						
PROC. REF: AMM 36-10-09-900-801PROC. REF: AMM 36-10-09-900-801								
36-10-13-710-801-01	OPERATIONAL TEST OF THE APU NON-RETURN VALVE (NRV) - APU NRV (1901HU)							Service ATA:36
	MOS	18-Oct-23	96 (+2m)		18-Oct-31	18-Dec-31	2206 d (+61)	
	HRS	6781:30						
WC#: 36.090	AFL	2527						
	APH	3927	4500 (+50)		8427	8477	4096:30 (+50)	
	APS	5000						
PROC. REF: AMM 36-10-13-710-801PROC. REF: AMM 36-10-13-710-801								
36-10-13-900-801-01	REMOVAL / INSTALLATION OF THE APU NON-RETURN VALVE (NRV) - APU NRV (1901HU)							Component ATA:36
PN:3202944-5	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:135	HRS	0		TSN 0				
WC#: 36.075	AFL	0		TSN 0				
PROC. REF: AMM 36-10-13-900-801PROC. REF: AMM 36-10-13-900-801								
36-10-17-900-801-01	REMOVAL / INSTALLATION OF THE GROUND AIR START CONNECTOR - GROUND CONNECTOR WITH NRV (2401HU)							Component ATA:36
PN:4375B000-002	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:16050419	HRS	0		TSN 0				
WC#: 36.025	AFL	0		TSN 0				
PROC. REF: AMM 36-10-17-900-801PROC. REF: AMM 36-10-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-10-21-900-801-01 REMOVAL / INSTALLATION OF THE MANIFOLD ISOLATION VALVES - LH MANIFOLD ISOLATION VALVE (2001HU)							Component	ATA:36
PN:3205054-5	MOS/MSC	06-Apr-17	O/C					
SN:564	HRS	3463:17		TSR 0				
WC#: 36.065	AFL	1567						
PROC. REF: AMM 36-10-21-900-801PROC. REF: AMM 36-10-21-900-801								
36-10-21-900-801-02 REMOVAL / INSTALLATION OF THE MANIFOLD ISOLATION VALVES - RH MANIFOLD ISOLATION VALVE (2101HU)							Component	ATA:36
PN:3205054-5	MOS/MSC	14-Jul-18	O/C	TSR 0				
SN:691	HRS	4398:30		TSR 0				
WC#: 36.065	AFL	1825		TSR 0				
PROC. REF: AMM 36-10-21-900-801PROC. REF: AMM 36-10-21-900-801								
36-21-01-900-801-01 REMOVAL / INSTALLATION OF THE BLEED AIR PRESSURE SENSORS - ENGINE 1 BLEED AIR PRESSURE SENSOR (1001HU)							Component	ATA:36
PN:1153150-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00126	HRS	0		TSN 0				
WC#: 36.045	AFL	0		TSN 0				
PROC. REF: AMM 36-21-01-900-801PROC. REF: AMM 36-21-01-900-801								
36-21-01-900-801-02 REMOVAL / INSTALLATION OF THE BLEED AIR PRESSURE SENSORS - ENGINE 2 BLEED AIR PRESSURE SENSOR (1101HU)							Component	ATA:36
PN:1153150-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00130	HRS	0		TSN 0				
WC#: 36.045	AFL	0		TSN 0				
PROC. REF: AMM 36-21-01-900-801PROC. REF: AMM 36-21-01-900-801								
36-21-01-900-801-03 REMOVAL / INSTALLATION OF THE BLEED AIR PRESSURE SENSORS - ENGINE 3 BLEED AIR PRESSURE SENSOR (1201HU)							Component	ATA:36
PN:1153150-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00129	HRS	0		TSN 0				
WC#: 36.045	AFL	0		TSN 0				
PROC. REF: AMM 36-21-01-900-801PROC. REF: AMM 36-21-01-900-801								
36-21-05-900-801-01 REMOVAL / INSTALLATION OF THE MANIFOLD BLEED AIR TEMPERATURE SENSORS - LH BLEED AIR MANIFOLD TEMPERATURE SENSOR (902HN)							Component	ATA:36
PN:1153070-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00182	HRS	0		TSN 0				
WC#: 21.350	AFL	0		TSN 0				
PROC. REF: AMM 36-21-05-900-801PROC. REF: AMM 36-21-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-21-05-900-801-02	REMOVAL / INSTALLATION OF THE MANIFOLD BLEED AIR TEMPERATURE SENSORS - RH BLEED AIR MANIFOLD TEMPERATURE SENSOR (3001HU)						Component	ATA:36
PN:1153070-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00176	HRS	0		TSN 0				
WC#: 36.035	AFL	0		TSN 0				
PROC. REF: AMM 36-21-05-900-801PROC. REF: AMM 36-21-05-900-801								
36-21-09-900-801-01	REMOVAL / INSTALLATION OF THE BLEED AIR DELTA P SENSORS - ENGINE 1 BLEED AIR DIFFERENTIAL PRESSURE SENSOR (1601HU)						Component	ATA:36
PN:1153056-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00195	HRS	0		TSN 0				
WC#: 36.050	AFL	0		TSN 0				
PROC. REF: AMM 36-21-09-900-801PROC. REF: AMM 36-21-09-900-801								
36-21-09-900-801-02	REMOVAL / INSTALLATION OF THE BLEED AIR DELTA P SENSORS - ENGINE 2 BLEED AIR DIFFERENTIAL PRESSURE SENSOR (1701HU)						Component	ATA:36
PN:1153056-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00232	HRS	0		TSN 0				
WC#: 36.050	AFL	0		TSN 0				
PROC. REF: AMM 36-21-09-900-801PROC. REF: AMM 36-21-09-900-801								
36-21-09-900-801-03	REMOVAL / INSTALLATION OF THE BLEED AIR DELTA P SENSORS - ENGINE 3 BLEED AIR DIFFERENTIAL PRESSURE SENSOR (1801HU)						Component	ATA:36
PN:1153056-2	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00196	HRS	0		TSN 0				
WC#: 36.050	AFL	0		TSN 0				
PROC. REF: AMM 36-21-09-900-801PROC. REF: AMM 36-21-09-900-801								
36-21-13-710-801-01 ^S	OPERATIONAL TEST OF THE BLEED TEMPERATURE SENSORS						Service	ATA:36
	MOS	09-Apr-25						
	HRS	0	9600 (+50)					
	AFL	0						
PROC. REF: AMM 36-21-13-710-801PROC. REF: AMM 36-21-13-710-801								PKG:34
36-21-13-900-801-01	REMOVAL / INSTALLATION OF THE BLEED AIR TEMPERATURE SENSORS - ENGINE 1 BLEED AIR TEMPERATURE SENSOR (1301HU)						Component	ATA:36
PN:1153070-1	MOS/MSC	30-Jul-19	O/C	TSN 0				
SN:1153070-03761	HRS	4987:02		TSN 0				
WC#: 36.040	AFL	2026		TSN 0				
PROC. REF: AMM 36-21-13-900-801PROC. REF: AMM 36-21-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-21-13-900-801-02 REMOVAL / INSTALLATION OF THE BLEED AIR TEMPERATURE SENSORS - ENGINE 2 BLEED AIR TEMPERATURE SENSOR (1401HU)								Component ATA:36
PN:1153070-1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:00178	HRS	0		TSN 0				
WC#: 36.040	AFL	0		TSN 0				
PROC. REF: AMM 36-21-13-900-801PROC. REF: AMM 36-21-13-900-801								
36-21-13-900-801-03 REMOVAL / INSTALLATION OF THE BLEED AIR TEMPERATURE SENSORS - ENGINE 3 BLEED AIR TEMPERATURE SENSOR (1501HU)								Component ATA:36
PN:1153070-1	MOS/MSC	30-Jan-25	O/C	TSN 26				
SN:1153070-04472	HRS	7139		TSN 0				
WC#: 36.040	AFL	2599		TSN 0				
PROC. REF: AMM 36-21-13-900-801PROC. REF: AMM 36-21-13-900-801								
36-22-01-900-801-01 REMOVAL / INSTALLATION OF THE BLEED AIR LEAK DETECTION MODULE - BLEED AIR LEAK DETECTION (BALD) MODULE (2801HU)								Component ATA:36
PN:6115C150	MOS/MSC	30-Jan-24	O/C					
SN:0239	HRS	6881:30						
	AFL	2548						
PROC. REF: AMM 36-22-01-900-801PROC. REF: AMM 36-22-01-900-801								
36-30-00-710-802-01 OPERATIONAL TEST OF PRECOOLER 3 POWER SUPPLY RELAY - COMPONENT PCB (3410JE)								Service ATA:36
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-30-00-710-802PROC. REF: AMM 36-30-00-710-802								
36-30-01-900-801-01 REMOVAL / INSTALLATION OF THE PRECOOLER ELECTRONIC CONTROL UNIT (ECU) - LH PRECOOLER ELECTRONIC CONTROL UNIT (L402HU)								Component ATA:36
PN:91137A020001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:91137-00125	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-30-01-900-801PROC. REF: AMM 36-30-01-900-801								
36-30-01-900-801-02 REMOVAL / INSTALLATION OF THE PRECOOLER ELECTRONIC CONTROL UNIT (ECU) - CTR PRECOOLER ELECTRONIC CONTROL UNIT (M402HU)								Component ATA:36
PN:91137A020001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:91137-00134	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-30-01-900-801PROC. REF: AMM 36-30-01-900-801								
36-30-01-900-801-03	REMOVAL / INSTALLATION OF THE PRECOOLER ELECTRONIC CONTROL UNIT (ECU) - RH PRECOOLER ELECTRONIC CONTROL UNIT (R402HU)						Component	ATA:36
PN:91137A020001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:91137-00123	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-30-01-900-801PROC. REF: AMM 36-30-01-900-801								
36-30-05-900-801-01	REMOVAL / INSTALLATION OF THE PRECOOLER COLD AIR SHUT-OFF VALVES (CASOV) - LH PRECOOLER CASOV (L202HU)						Component	ATA:36
PN:6786A040001	MOS/MSC	23-May-12	O/C					
SN:6786-00329	HRS	2184:49						
WC#: 36.005	AFL	912						
PROC. REF: AMM 36-30-05-900-801PROC. REF: AMM 36-30-05-900-801								
36-30-05-900-801-02	REMOVAL / INSTALLATION OF THE PRECOOLER COLD AIR SHUT-OFF VALVES (CASOV) - CTR PRECOOLER CASOV (M202HU)						Component	ATA:36
PN:6786A040001	MOS/MSC	23-May-12	O/C					
SN:6786-00473	HRS	2184:49						
WC#: 36.005	AFL	912						
PROC. REF: AMM 36-30-05-900-801PROC. REF: AMM 36-30-05-900-801								
36-30-05-900-801-03	REMOVAL / INSTALLATION OF THE PRECOOLER COLD AIR SHUT-OFF VALVES (CASOV) - RH PRECOOLER CASOV (R202HU)						Component	ATA:36
PN:6786A040001	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:6786-01137	HRS	6775:44		TSR 0				
WC#: 36.005	AFL	2518		TSR 0				
PROC. REF: AMM 36-30-05-900-801PROC. REF: AMM 36-30-05-900-801								
36-30-09-790-801-01 ^U	LEAK TEST LH PRECOOLER HEAT EXCHANGER						Service	ATA:36
PN:81246B010001	MOS/MSC	14-Dec-17	A/R					
SN:81246-00397R	HRS	3964:09						
	AFL	1705						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-30-09-900-801-01 REMOVAL / INSTALLATION OF THE PRECOOLER HEAT EXCHANGERS - LH PRECOOLER HEAT EXCHANGER (L102HU)							Component	ATA:36
PN:81246B010001	MOS/MSC	14-Dec-17	O/C	TSO 3				
SN:81246-00397R	HRS	3964:09		TSN 4032, TSO 0				
WC#: 36.010	AFL	1705		TSN 1285, TSO 0				
PROC. REF: AMM 36-30-09-900-801PROC. REF: AMM 36-30-09-900-801								
36-30-09-900-801-02 REMOVAL / INSTALLATION OF THE PRECOOLER HEAT EXCHANGERS - CTR PRECOOLER HEAT EXCHANGER (M102HU)							Component	ATA:36
PN:81246A040001	MOS/MSC	23-Dec-14	O/C	TSN 3				
SN:81246-01137	HRS	2987:52		TSN 0				
WC#: 36.010	AFL	1341		TSN 0				
PROC. REF: AMM 36-30-09-900-801PROC. REF: AMM 36-30-09-900-801								
36-30-09-900-801-03 REMOVAL / INSTALLATION OF THE PRECOOLER HEAT EXCHANGERS - RH PRECOOLER HEAT EXCHANGER (R102HU)							Component	ATA:36
PN:81246B010001	MOS/MSC	11-Aug-23	O/C					
SN:81246-01076R	HRS	6775:44						
WC#: 36.010	AFL	2518						
PROC. REF: AMM 36-30-09-900-801PROC. REF: AMM 36-30-09-900-801								
36-30-13-900-801-01 REMOVAL / INSTALLATION OF THE PRECOOLER TEMPERATURE SENSORS - LH PRECOOLER TEMPERATURE SENSOR (L302HU)							Component	ATA:36
PN:92288B010001	MOS/MSC	08-Dec-09	O/C					
SN:LTAB00457	HRS	1034:55						
WC#: 36.015	AFL	375						
PROC. REF: AMM 36-30-13-900-801PROC. REF: AMM 36-30-13-900-801								
36-30-13-900-801-02 REMOVAL / INSTALLATION OF THE PRECOOLER TEMPERATURE SENSORS - CTR PRECOOLER TEMPERATURE SENSOR (M302HU)							Component	ATA:36
PN:92288B010001	MOS/MSC	27-Jan-11	O/C					
SN:LTAB00142	HRS	1498:24						
WC#: 36.015	AFL	625						
PROC. REF: AMM 36-30-13-900-801PROC. REF: AMM 36-30-13-900-801								
36-30-13-900-801-03 REMOVAL / INSTALLATION OF THE PRECOOLER TEMPERATURE SENSORS - RH PRECOOLER TEMPERATURE SENSOR (R302HU)							Component	ATA:36
PN:92288B010001	MOS/MSC	27-Jan-11	O/C					
SN:LTAB00023	HRS	1498:24						
WC#: 36.015	AFL	625						
PROC. REF: AMM 36-30-13-900-801PROC. REF: AMM 36-30-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-00-00-790-801-01	LEAK CHECK OF THE WATER SUPPLY SYSTEM							Service ATA:38
	MOS/MSC	29-Dec-23	O/C					
	HRS	6860						
	AFL	2543						
PROC. REF: AMM 38-00-00-790-801PROC. REF: AMM 38-00-00-790-801								
38-10-00-670-801-01	STERILIZATION OF THE POTABLE WATER SYSTEM - STANDARD STERILIZATION							Service ATA:38
	MOS	14-May-25	6 (+1m)		14-Nov-25	14-Dec-25	42 d (+30)	
	HRS	7263:05						
WC#: 38.140	AFL	2620						
WO#: JWL-25-029,JWL-25-049								
PROC. REF: AMM 38-10-00-670-801PROC. REF: AMM 38-10-00-670-801								
38-10-00-670-801-02	STERILIZATION OF THE POTABLE WATER SYSTEM - SHOCK TREATMENT							Service ATA:38
	MOS/MSC	02-Apr-10	O/C					
	HRS	1176:40						
WC#: 38.140	AFL	430						
PROC. REF: AMM 38-10-00-670-801PROC. REF: AMM 38-10-00-670-801								
38-10-00-900-801-01	REMOVAL / INSTALLATION OF THE WATER SYSTEM CONTROL UNIT - WSCU (202MT)							Component ATA:38
PN:FE1482-3	MOS/MSC	17-Oct-13	O/C	TSN 1				
SN:370	HRS	2803:40		TSN 0				
WC#: 38.020	AFL	1202		TSN 0				
PROC. REF: AMM 38-10-00-900-801PROC. REF: AMM 38-10-00-900-801								
38-11-01-710-801-01	OPERATIONAL TEST OF THE TANK EMPTY SAFETY SIGNAL							Service ATA:38
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 38.160	AFL	0						
PROC. REF: AMM 38-11-01-710-801PROC. REF: AMM 38-11-01-710-801								
38-11-01-900-801-01	REMOVAL / INSTALLATION OF THE POTABLE WATER TANK - POTABLE WATER TANK (101MT)							Component ATA:38
PN:9339000-0000	MOS/MSC	11-Aug-23	O/C					
SN:0017	HRS	6775:44						
WC#: 38.090	AFL	2518						
PROC. REF: AMM 38-11-01-900-801PROC. REF: AMM 38-11-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-11-03-900-801-02 ^U AFT LAVATORY WATER FILTER ASSY								Component ATA:38
PN:AD9410F171	MOS/MSC	08-Feb-16	O/C					
SN:UNKNOWN	HRS	1219:28						
	AFL	526						
PROC. REF: AMM 38-11-05-900-801PROC. REF: AMM 38-11-05-900-801								
38-11-05-900-801-01 REMOVAL / INSTALLATION OF THE TANK HEATER - TANK HEATER (201MT)								Component ATA:38
PN:HP100	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:E1354	HRS	0		TSN 0				
WC#: 38.080	AFL	0		TSN 0				
PROC. REF: AMM 38-11-05-900-801PROC. REF: AMM 38-11-05-900-801								
38-11-09-900-801-01 REMOVAL / INSTALLATION OF THE WATER LEVEL GAUGE - WATER LEVEL GAUGE (401MT)								Component ATA:38
PN:10721T01Y00	MOS/MSC	21-Oct-20	O/C					
SN:16079	HRS	5710:44						
WC#: 38.040	AFL	2246						
PROC. REF: AMM 38-11-09-900-801PROC. REF: AMM 38-11-09-900-801								
38-11-13-720-801-01 ^S FUNCTIONAL TEST OF THE PRESSURE RELIEF VALVE								Service ATA:38
	MOS	12-Jun-07						
	HRS	0	9600 (+50)					
WC#: 38.170	AFL	0						
PROC. REF: AMM 38-11-13-720-801PROC. REF: AMM 38-11-13-720-801								
38-11-33-900-801-01 REMOVAL / INSTALLATION OF THE DUAL FILLING VALVE - DUAL FILLING VALVE (701MN)								Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-11-33-900-801PROC. REF: AMM 38-11-33-900-801								
38-11-37-900-801-01 REMOVAL / INSTALLATION OF THE WATER TANK DRAIN VALVE - WATER TANK DRAIN VALVE (201MV)								Component ATA:38
PN:AV24B3164	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:AA42064	HRS	0		TSN 0				
WC#: 38.120	AFL	0		TSN 0				
PROC. REF: AMM 38-11-37-900-801PROC. REF: AMM 38-11-37-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-12-7100 ^U AUXILIARY INDICATOR PANEL								Component ATA:38
PN:11049-01	MOS/MSC	12-Jun-07	O/C					
SN:WF0108	HRS	0						
	AFL	0						
38-13-02-900-801-02 WATER FILTER - AFT LAVATORY (7214MT)								Component ATA:38
PN:AP-MV	MOS/MSC	18-Nov-24	O/C	TSN 10				
SN:N/A	HRS	7061:12		TSN 0				
	AFL	2584		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
38-13-02-900-801-03 FILTER								Component ATA:38
PN:AD9410-672	MOS/MSC	20-May-18	O/C	TSN 6				
SN:4375	HRS	4327:07		TSN 0				
	AFL	1798		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
38-13-02-900-802-01 WATER FILTER CARTRIDGE - MAIN FILTER (203MT)								Component ATA:38
PN:AD9410F171	MOS/MSC	18-Nov-24	O/C	TSN 7				
SN:N/A	HRS	7061:12		TSN 0				
	AFL	2584		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
38-13-02-960-801-01 REPLACEMENT OF THE WATER FILTERS - REPLACEMENT OF WATER FILTER (203MT)								Service ATA:38
PN:AD9410-672	MOS/MSC	28-Aug-22	A/R					
SN:4375	HRS	6559:24						
	AFL	2472						
PROC. REF: AMM 38-13-02-960-801PROC. REF: AMM 38-13-02-960-801								
38-13-09-710-802-01 ^U OPERATIONAL TEST OF THE WATER HEATER SAFETY THERMOSTATS								Service ATA:38
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-13-09-900-801-01	REMOVAL / INSTALLATION OF THE WATER HEATERS							Component ATA:38
PN:8921082G6	MOS/MSC	12-Feb-15	O/C	TSN 4				
SN:N1426136	HRS	2990:02		TSN 0				
WC#: 38.130	AFL	1342		TSN 0				
PROC. REF: AMM 38-13-09-900-801PROC. REF: AMM 38-13-09-900-801								
38-13-09-900-801-02	AFT LAVATORY WATER HEATER							Component ATA:38
PN:8921082G6	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:N2012910	HRS	5902:02		TSN 0				
WC#: 38.130	AFL	2308		TSN 0				
PROC. REF: AMM 38-13-09-900-801PROC. REF: AMM 38-13-09-900-801								
38-13-09-900-801-03	FWD LAVATORY WATER HEATER							Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-13-09-900-801PROC. REF: AMM 38-13-09-900-801								
38-13-09-960-801-01	DISCARD OF THE WATER HEATERS - FWD WATER HEATER (403MT)							Service ATA:38
PN:8921082G6	MOS	12-Jun-07						LIFE LIMIT
SN:N1426136	HRS	0	9600		9600		2107:26	
	AFL	0						
PROC. REF: AMM 38-13-09-960-801PROC. REF: AMM 38-13-09-960-801								
38-13-09-960-801-02	DISCARD OF THE WATER HEATERS - AFT LAVATORY WATER HEATER (104MT)							Service ATA:38
PN:8921082G6	MOS	25-Mar-21						LIFE LIMIT
SN:N2012910	HRS	5902:02	9600		15502:02		8009:28	
	AFL	2308						
PROC. REF: AMM 38-13-09-960-801PROC. REF: AMM 38-13-09-960-801								
38-13-09-960-801-03	DISCARD OF THE WATER HEATERS - FWD LAVATORY WATER HEATER (7403MT)							Service ATA:38
PN:PN	MOS	12-Jun-07						LIFE LIMIT
SN:UNKNOWN	HRS	0	9600		9600		2107:26	
	AFL	0						
PROC. REF: AMM 38-13-09-960-801PROC. REF: AMM 38-13-09-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-14-41-160-801-01	^U	CLEANING OF THE BIDET NOZZLE						Service ATA:38
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
38-15-01-350-801-01		RESTORATION OF THE UV STERILIZER (OVERHAUL) - GALLEY UV STERILIZER (7402MT)						Service ATA:38
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
WC#: 38.070	AFL	0						
PROC. REF: AMM 38-15-01-350-801PROC. REF: AMM 38-15-01-350-801								
38-15-01-350-801-02		RESTORATION OF THE UV STERILIZER (OVERHAUL) - AFT VANITY UV STERILIZER (7442MT)						Service ATA:38
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 38.200	AFL	0						
PROC. REF: AMM 38-15-01-350-801PROC. REF: AMM 38-15-01-350-801								
38-15-01-710-801-01		OPERATIONAL TEST OF THE UV STERILIZER						Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 38.070	AFL	0						
PROC. REF: AMM 38-15-01-710-801PROC. REF: AMM 38-15-01-710-801								
38-15-01-900-801-01		REMOVAL / INSTALLATION OF THE GALLEY UV STERILIZER - GALLEY UV STERILIZER (7402MT)						Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 38.070	AFL	0		TSN 0				
PROC. REF: AMM 38-15-01-900-801PROC. REF: AMM 38-15-01-900-801								
38-15-01-900-801-02		AFT LAVATORY VANITY ULTRA VIOLET (UV) STERILIZER						Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 38.200	AFL	0		TSN 0				
PROC. REF: AMM 38-15-01-900-801PROC. REF: AMM 38-15-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-16-00-670-801-01	STERILIZATION OF THE SHOWER WATER SYSTEM							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-00-670-801PROC. REF: AMM 38-16-00-670-801								
38-16-00-710-801-01	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER TEMPERATURE CONTROL SYSTEM							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-00-710-801PROC. REF: AMM 38-16-00-710-801								
38-16-00-710-801-01A	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER TEMPERATURE CONTROL SYSTEM (MANDATORY 5-40)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-00-710-801PROC. REF: AMM 38-16-00-710-801								
38-16-00-710-802-01	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER TANK LEAK DETECTION SYSTEM							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-00-710-802PROC. REF: AMM 38-16-00-710-802								
38-16-03-710-801-01	OPERATIONAL TEST OF THE OPTIONAL SHOWER STEAM EVACUATION RELAY - STEAM EVACUATION RELAY (8162MT)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-03-710-801PROC. REF: AMM 38-16-03-710-801								
38-16-07-710-801-01	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8293MT)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-16-07-710-801-01A	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8293MT) (MANDATORY 5-40)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-16-07-710-801-02	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8303MT)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-16-07-710-801-02A	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8303MT) (MANDATORY 5-40)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-16-07-710-801-03	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8313MT)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-16-07-710-801-03A	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8313MT) (MANDATORY 5-40)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-16-07-710-801-04	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8323MT)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-16-07-710-801-04A	OPERATIONAL TEST OF THE OPTIONAL SHOWER WATER HEATER CONTACTORS - SHOWER WATER HEATER CONTACTOR (L8323MT) (MANDATORY 5-40)							Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-16-07-710-801PROC. REF: AMM 38-16-07-710-801								
38-31-01-900-801-01	REMOVAL / INSTALLATION OF THE FORWARD HEATED DRAIN MAST - FORWARD HEATED DRAIN MAST (101MV)							Component ATA:38
PN:MAT-200583-B	MOS/MSC	23-Jul-07	O/C	TSN 0				
SN:009	HRS	67:15		TSN 0				
WC#: 38.050	AFL	22		TSN 0				
PROC. REF: AMM 38-31-01-900-801PROC. REF: AMM 38-31-01-900-801								
38-31-7710 ^U	DRAIN VALVE							Component ATA:38
PN:FRH340030H	MOS/MSC	12-Jun-07	O/C					
SN:M0291VD0706	HRS	0						
	AFL	0						
38-32-01-710-801-01 ^S	OPERATIONAL TEST OF THE AFT HEATED DRAIN MAST - TEST OF THE AFT HEATED DRAIN MAST (102MV) FOR HEATING							Service ATA:38
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 38.050	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 38-32-01-710-801PROC. REF: AMM 38-32-01-710-801								
38-32-01-710-801-02 ^S	OPERATIONAL TEST OF THE AFT HEATED DRAIN MAST - TEST OF THE AFT HEATED DRAIN MAST (102MV) FOR CLOGGING							Service ATA:38
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 38.050	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 38-32-01-710-801PROC. REF: AMM 38-32-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-32-01-900-801-01	REMOVAL / INSTALLATION OF THE AFT HEATED DRAIN MAST - AFT HEATED DRAIN MAST (102MV)							Component ATA:38
PN:MAT-200583-A	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:R5VY/01	HRS	0		TSN 0				
WC#: 38.050	AFL	0		TSN 0				
PROC. REF: AMM 38-32-01-900-801PROC. REF: AMM 38-32-01-900-801								
38-32-7900 ^U	DRAIN VALVE							Component ATA:38
PN:FRH340030H	MOS/MSC	12-Jun-07	O/C					
SN:M0334VD0905	HRS	0						
	AFL	0						
38-34-00-600-801-01	DRAINING AND FILLING OF THE CHEMICAL TOILETS - FORWARD TOILET ASSEMBLY (205MV)							Service ATA:38
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 38-34-00-600-801PROC. REF: AMM 38-34-00-600-801								
38-34-00-600-801-02	DRAINING AND FILLING OF THE CHEMICAL TOILETS - AFT TOILET ASSEMBLY (105MV)							Service ATA:38
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 38-34-00-600-801PROC. REF: AMM 38-34-00-600-801								
38-34-01-900-801-01	REMOVAL / INSTALLATION OF THE FORWARD TOILET ASSEMBLY - FORWARD TOILET ASSEMBLY (205MV)							Component ATA:38
PN:4620-109	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:003	HRS	0		TSN 0				
WC#: 38.100	AFL	0		TSN 0				
PROC. REF: AMM 38-34-01-900-801PROC. REF: AMM 38-34-01-900-801								
38-34-07-350-801-01 ^S	RESTORATION OF THE TOILET BASKET FILTER (CLEANING) - BASKET FILTER OF THE FORWARD TOILET ASSEMBLY (205MV)							Service ATA:38
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 38-34-07-350-801PROC. REF: AMM 38-34-07-350-801								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-34-07-350-801-02	^S	RESTORATION OF THE TOILET BASKET FILTER (CLEANING) - BASKET FILTER OF THE AFT TOILET ASSEMBLY (105MV)						Service ATA:38
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 38-34-07-350-801PROC. REF: AMM 38-34-07-350-801								PKG:41
38-34-09-900-801-01		REMOVAL / INSTALLATION OF THE AFT TOILET ASSEMBLY - AFT TOILET ASSEMBLY (105MV)						Component ATA:38
PN:4620-112	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:005	HRS	0		TSN 0				
WC#: 38.100	AFL	0		TSN 0				
PROC. REF: AMM 38-34-09-900-801PROC. REF: AMM 38-34-09-900-801								
38-34-17-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE FORWARD TOILET DRAIN CONTROL - FORWARD TOILET DRAIN CONTROL (103MN)						Service ATA:38
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 38-34-17-210-801PROC. REF: AMM 38-34-17-210-801								PKG:4
38-34-17-900-801-01		REMOVAL / INSTALLATION OF THE FORWARD TOILET DRAIN CONTROL - FORWARD TOILET DRAIN CONTROL (103MN)						Component ATA:38
PN:4VF-2217	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:7	HRS	0		TSN 0				
WC#: 38.030	AFL	0		TSN 0				
PROC. REF: AMM 38-34-17-900-801PROC. REF: AMM 38-34-17-900-801								
38-34-21-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE AFT TOILET DRAIN CONTROL - AFT TOILET DRAIN CONTROL (102MN)						Service ATA:38
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 38-34-21-210-801PROC. REF: AMM 38-34-21-210-801								PKG:4
38-34-21-900-801-01		REMOVAL / INSTALLATION OF THE AFT TOILET DRAIN CONTROL - AFT TOILET DRAIN CONTROL (102MN)						Component ATA:38
PN:4VF-2303-1	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:435	HRS	6775:44		TSN 0				
WC#: 38.030	AFL	2518		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
PROC. REF: AMM 38-34-21-900-801PROC. REF: AMM 38-34-21-900-801								
38-35-01-900-801-01REMOVAL / INSTALLATION OF THE VACUUM TOILET ASSEMBLY - VACUUM TOILET ASSEMBLY (110MX)								Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-35-01-900-801PROC. REF: AMM 38-35-01-900-801								
38-35-05-960-801-01REPLACEMENT OF THE AFT VACUUM TOILET FILTER CARTRIDGE								Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-35-05-960-801PROC. REF: AMM 38-35-05-960-801								
38-35-05-960-802-01REPLACEMENT OF THE VENT LINE FILTER								Service ATA:38
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-35-05-960-802PROC. REF: AMM 38-35-05-960-802								
38-35-07-900-801-01WASTE TANK LEVEL SENSOR - WASTE TANK 100% LEVEL SENSOR (7600MX)								Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
38-35-07-900-801-02WASTE TANK LEVEL SENSOR - WASTE TANK 70% LEVEL SENSOR (7610MX)								Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
38-35-13-900-801-01REMOVAL / INSTALLATION OF THE VACUUM GENERATOR - VACUUM GENERATOR (410MX)								Component ATA:38
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
PROC. REF: AMM 38-35-13-900-801PROC. REF: AMM 38-35-13-900-801								
38-36-05-960-801-01	REPLACEMENT OF THE FORWARD VACUUM TOILET FILTER CARTRIDGE - FILTER CARTRIDGE (9690MX)							Service ATA:38
	MOS/MSC	14-Jul-18	N/A					
	HRS	4398:30						
	AFL	1825						
PROC. REF: AMM 38-36-05-960-801PROC. REF: AMM 38-36-05-960-801								
38-3A-01-900-801-01 ^U	LH WATER DRAIN VALVE							Component ATA:38
PN:FRH340030H	MOS/MSC	14-Sep-10	O/C					
SN:M0336VD0608	HRS	1380:10						
	AFL	485						
38-40-01-900-801-01	REMOVAL / INSTALLATION OF THE PRESSURE SENSOR - PRESSURE SENSOR (201MR)							Component ATA:38
PN:APTE-417-1000-35G	MOS/MSC	23-Dec-14	O/C	TSN 0				
SN:8133-1-508	HRS	2987:52		TSN 0				
WC#: 38.060	AFL	1341		TSN 0				
								WO#: JWL-25-029
PROC. REF: AMM 38-40-01-900-801PROC. REF: AMM 38-40-01-900-801								
38-40-05-720-801-01 ^S	FUNCTIONAL TEST OF THE WATER PRESSURIZATION SYSTEM SWITCH-OFF FUNCTION							Service ATA:38
	MOS	14-Jul-18						
	HRS	4398:30	4800 (+50)					
WC#: 38.190	AFL	1825						
								PKG:32
PROC. REF: AMM 38-40-05-720-801PROC. REF: AMM 38-40-05-720-801								
38-40-05-900-801-01	REMOVAL / INSTALLATION OF THE COMPRESSOR - COMPRESSOR (401MR)							Component ATA:38
PN:CE0100BA4	MOS/MSC	25-Nov-16	O/C					
SN:055	HRS	3243:16						
WC#: 38.010	AFL	1519						
PROC. REF: AMM 38-40-05-900-801PROC. REF: AMM 38-40-05-900-801								
ATA 44 - CABIN SYSTEMS								
44-10-7400 ^U	PUBLIC ADDRESS MODULE							Component ATA:44
PN:DT-PA2N	MOS/MSC	12-Jun-07	O/C					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
SN:073429013	HRS	0						
	AFL	0						
44-10-7401 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ-4	MOS/MSC	12-Jun-07	O/C					
SN:61574003	HRS	0						
	AFL	0						
44-10-7402 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ-4	MOS/MSC	12-Jun-07	O/C					
SN:61574002	HRS	0						
	AFL	0						
44-10-7500 ^U	PUBLIC ADDRESS MODULE							Component ATA:44
PN:DT-PA2N	MOS/MSC	12-Jun-07	O/C					
SN:073428011	HRS	0						
	AFL	0						
44-10-7602 ^U	SPEAKER							Component ATA:44
PN:DTA8DFJ4	MOS/MSC	12-Jun-07	O/C					
SN:073310056	HRS	0						
	AFL	0						
44-10-7701 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ	MOS/MSC	12-Jun-07	O/C					
SN:61572007	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-10-7801 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ	MOS/MSC	12-Jun-07	O/C					
SN:61464004	HRS	0						
	AFL	0						
44-10-7802 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ	MOS/MSC	12-Jun-07	O/C					
SN:60572005	HRS	0						
	AFL	0						
44-10-8701 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ	MOS/MSC	12-Jun-07	O/C					
SN:61572001	HRS	0						
	AFL	0						
44-10-8702 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ	MOS/MSC	12-Jun-07	O/C					
SN:61572002	HRS	0						
	AFL	0						
44-10-8901 ^U	SPEAKER							Component ATA:44
PN:DT-PA2N	MOS/MSC	12-Jun-07	O/C					
SN:60844007	HRS	0						
	AFL	0						
44-10-9001 ^U	SPEAKER							Component ATA:44
PN:DT-A8DFJ-4	MOS/MSC	12-Jun-07	O/C					
SN:61574001	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-10-9102 ^U	SUBWOOFER							Component ATA:44
PN:DT-AUS4MDFJ8	MOS/MSC	12-Jun-07	O/C					
SN:64987004	HRS	0						
	AFL	0						
44-10-9201 ^U	SUBWOOFER							Component ATA:44
PN:DT-AUS4MDFJ8	MOS/MSC	12-Jun-07	O/C					
SN:64987002	HRS	0						
	AFL	0						
44-11-7021 ^U	SWITCH PANEL							Component ATA:44
PN:990-6730-002	MOS/MSC	12-Jun-07	O/C					
SN:7040038105	HRS	0						
	AFL	0						
44-11-7031 ^U	SWITCH PANEL							Component ATA:44
PN:990-6730-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031376	HRS	0						
	AFL	0						
44-11-7032 ^U	SWITCH							Component ATA:44
PN:990-6730-002	MOS/MSC	12-Jun-07	O/C					
SN:6080031379	HRS	0						
	AFL	0						
44-11-7051 ^U	SWITCH							Component ATA:44
PN:990-6730-002	MOS/MSC	12-Jun-07	O/C					
SN:7020036307	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-11-7052 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-6740-001	MOS/MSC	12-Jun-07	O/C					
SN:7040038003	HRS	0						
	AFL	0						
44-11-7071 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-6730-005	MOS/MSC	12-Jun-07	O/C					
SN:6080031382	HRS	0						
	AFL	0						
44-11-7073 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-9101-002	MOS/MSC	12-Jun-07	O/C					
SN:6080031392	HRS	0						
	AFL	0						
44-11-7091 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-6730-005	MOS/MSC	12-Jun-07	O/C					
SN:6080031383	HRS	0						
	AFL	0						
44-11-7093 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-6730-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031375	HRS	0						
	AFL	0						
44-11-7141 ^U	LIGHT SWITCH LH AFT PSU							Component ATA:44
PN:990-9101-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031390	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-11-7142 ^U	LIGHT SWITCH RH AFT PSU							Component ATA:44
PN:990-9101-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031389	HRS	0						
	AFL	0						
44-11-7152 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-6730-002	MOS/MSC	12-Jun-07	O/C					
SN:6080031378	HRS	0						
	AFL	0						
44-11-7211 ^U	LIGHT SWITCH							Component ATA:44
PN:990-9101-101	MOS/MSC	12-Jun-07	O/C					
SN:6080031393	HRS	0						
	AFL	0						
44-11-7220 ^U	SWITCH PANEL							Component ATA:44
PN:990-9104-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031397	HRS	0						
	AFL	0						
44-11-7230 ^U	SWITCH							Component ATA:44
PN:990-9102-082	MOS/MSC	12-Jun-07	O/C					
SN:6080031396	HRS	0						
	AFL	0						
44-11-7240 ^U	SWITCH PANEL							Component ATA:44
PN:990-9104-004	MOS/MSC	12-Jun-07	O/C					
SN:3100005887	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-11-7250 ^U	SWITCH PANEL							Component ATA:44
PN:990-9105-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031401	HRS	0						
	AFL	0						
44-11-7262 ^U	HEADPHONE SWITCH PANEL							Component ATA:44
PN:990-6740-004	MOS/MSC	12-Jun-07	O/C					
SN:6080031386	HRS	0						
	AFL	0						
44-11-7341 ^U	MHS SWITCH BOX							Component ATA:44
PN:990-9102-003	MOS/MSC	12-Jun-07	O/C					
SN:07090043469	HRS	0						
	AFL	0						
44-11-7462 ^U	SWITCH							Component ATA:44
PN:990-9101-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031387	HRS	0						
	AFL	0						
44-11-7472 ^U	SWITCH PANEL							Component ATA:44
PN:990-9101-001	MOS/MSC	12-Jun-07	O/C					
SN:6080031388	HRS	0						
	AFL	0						
44-11-7621 ^U	SWITCH PANEL							Component ATA:44
PN:990-9101-102	MOS/MSC	12-Jun-07	O/C					
SN:6120034112	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-11-8101 ^U	MHR SENSOR							Component ATA:44
PN:990-4131-001	MOS/MSC	01-Aug-16	O/C	TSN 1				
SN:02010000129	HRS	3065:45		TSN 0				
	AFL	1422		TSN 0				
44-1A-06-900-801-01 ^U	NO. 1 CABIN MANAGEMENT SYSTEM AUDIO AMPLIFIER							Component ATA:44
PN:990-4132-005	MOS/MSC	12-Jun-07	O/C					
SN:6080031369	HRS	0						
	AFL	0						
44-1A-06-900-801-02 ^U	NO. 2 CABIN MANAGEMENT SYSTEM AUDIO AMPLIFIER							Component ATA:44
PN:990-4132-005	MOS/MSC	12-Jun-07	O/C					
SN:6080031370	HRS	0						
	AFL	0						
44-21-7031 ^U	CAPACITOR							Component ATA:44
PN:VCF101-01-2	MOS/MSC	12-Jun-07	O/C					
SN:100500523	HRS	0						
	AFL	0						
44-21-7301 ^U	FORWARD CABIN MONITOR LCD							Component ATA:44
PN:990-4156-101	MOS/MSC	12-Jun-07	O/C					
SN:6080031456	HRS	0						
	AFL	0						
44-21-7501 ^U	RECEPT BASE(W/POGO PINS)							Component ATA:44
PN:0100-042	MOS/MSC	12-Jun-07	O/C					
SN:0604K067	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-21-7502 ^U	RECEPT BASE(W/POGO PINS)							Component ATA:44
PN:0100-042	MOS/MSC	12-Jun-07	O/C					
SN:0604K047	HRS	0						
	AFL	0						
44-21-7601 ^U	RECEPT BASE(W/POGO PINS)							Component ATA:44
PN:0100-042	MOS/MSC	26-Apr-11	O/C	TSN 0				
SN:0904K032	HRS	1516:26		TSN 0				
	AFL	674		TSN 0				
44-21-7602 ^U	RECEPT BASE(W/POGO PINS)							Component ATA:44
PN:0100-042	MOS/MSC	01-Aug-16	O/C	TSN 5				
SN:16020099	HRS	3065:45		TSN 0				
	AFL	1422		TSN 0				
44-21-7701 ^U	MONITOR RECEPTICAL							Component ATA:44
PN:0100-042	MOS/MSC	12-Jun-07	O/C					
SN:0604K059	HRS	0						
	AFL	0						
44-21-7801 ^U	RECEPT BASE(W/POGO PINS)							Component ATA:44
PN:0100-042	MOS/MSC	12-Jun-07	O/C					
SN:0604K049	HRS	0						
	AFL	0						
44-21-8201 ^U	LCD REMOTE BOX							Component ATA:44
PN:990-4166-101	MOS/MSC	12-Jun-07	O/C					
SN:6050028015	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-21-8301 ^U	MONITOR RECEPTICAL							Component ATA:44
PN:0100-042	MOS/MSC	12-Jun-07	O/C					
SN:0602K102	HRS	0						
	AFL	0						
44-25-05-960-801-01 REPLACEMENT OF THE SYSTEM SIGNAL PROCESSOR (SSP) AIR FILTER Service ATA:44								
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 44-25-05-960-801PROC. REF: AMM 44-25-05-960-801								
44-26-7041 ^U	ANTENNA CONTROL MODULE							Component ATA:44
PN:PN	MOS/MSC	11-Aug-23	O/C					
SN:NOT INSTALLED	HRS	6775:44						
	AFL	2518						
44-2A-01-900-801-02 ^U MID CABIN DISPLAY MONITOR- Component ATA:44								
PN:990-4177-106	MOS/MSC	12-Jun-07	O/C					
SN:7040037757	HRS	0						
	AFL	0						
44-2A-02-900-801-01 ^U NO. 1 DIGITAL VIDEO DISC (DVD-1) PLAYER Component ATA:44								
PN:996-4720-001	MOS/MSC	27-Dec-12	O/C	TSN 3				
SN:12080065269	HRS	2511:45		TSN 0				
	AFL	1031		TSN 0				
44-2A-02-900-801-02 ^U NO. 2 DIGITAL VIDEO DISC (DVD-2) PLAYER Component ATA:44								
PN:996-4720-001	MOS/MSC	17-Oct-13	O/C					
SN:13090066961	HRS	2803:40		TSN 0				
	AFL	1202		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-60-7100 ^U	AIRSHOW RACK							Component ATA:44
PN:914026	MOS/MSC	12-Jun-07	O/C					
SN:G00769531	HRS	0						
	AFL	0						
44-60-7100-1 ^U	AIRSHOW COMPUTER							Component ATA:44
PN:920055	MOS/MSC	12-Jun-07	O/C					
SN:C02360802	HRS	0						
	AFL	0						
44-60-7200 ^U	TTD CONTROLLER							Component ATA:44
PN:922000-2	MOS/MSC	12-Jun-07	O/C					
SN:H02561060	HRS	0						
	AFL	0						
44-6A-01-900-801-01 ^U	CABIN DISPLAY COMPUTER							Component ATA:44
PN:920055	MOS/MSC	16-Jan-08	O/C					
SN:G01000251	HRS							
	AFL							
ATA 45 - CENTRAL MAINT SYSTEM								
45-10-00-070-801-01	ERASE OF THE FAULT HISTORY DATABASE							Service ATA:45
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 45-10-00-070-801PROC. REF: AMM 45-10-00-070-801								
45-10-00-900-801-01 ^U	DATA COLLECTION TRANSMISSION UNIT (DCTU) BOX							Component ATA:45
PN:PN	MOS/MSC	23-May-12	O/C					
SN:UNKNOWN	HRS	2184:49						
	AFL	912						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-10-00-970-801-01	DOWNLOAD OF THE FAULT HISTORY DATABASE							Service ATA:45
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 45-10-00-970-801PROC. REF: AMM 45-10-00-970-801								
45-10-00-970-803-01	DOWNLOAD OF THE ENGINE DATA COLLECTION UNITS (DCU) - ENGINE 1 DATA COLLECTION UNIT (L9602WN)							Service ATA:45
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 45.040	AFL	2518						
PROC. REF: AMM 45-10-00-970-803PROC. REF: AMM 45-10-00-970-803								
45-10-00-970-803-03	DOWNLOAD OF THE ENGINE DATA COLLECTION UNITS (DCU) - ENGINE 3 DATA COLLECTION UNIT (R9602WN)							Service ATA:45
	MOS/MSC	26-Jun-17	O/C					
	HRS	3637:56						
	AFL	1610						
PROC. REF: AMM 45-10-00-970-803PROC. REF: AMM 45-10-00-970-803								
45-10-01-900-801-01	REMOVAL / INSTALLATION OF THE CENTRAL MAINTENANCE COMPUTER (CMC) MODULE - CMC MODULE (2505TC)							Component ATA:45
PN:7034055-1901	MOS/MSC	23-Dec-14	O/C					
SN:11041768	HRS	2987:52						
WC#: 45.010	AFL	1341						
PROC. REF: AMM 45-10-01-900-801PROC. REF: AMM 45-10-01-900-801								
45-10-09-900-801-01	REMOVAL / INSTALLATION OF THE FLIGHT DECK PRINTER - PRINTER (104MP)							Component ATA:45
PN:700750-1415	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:48402377	HRS	0		TSN 0				
WC#: 45.030	AFL	0		TSN 0				
PROC. REF: AMM 45-10-09-900-801PROC. REF: AMM 45-10-09-900-801								
45-1A-00-900-801-01 ^U	DCTU ANTENNA							Component ATA:45
PN:PN	MOS/MSC	23-May-12	O/C					
SN:UNKNOWN	HRS	2184:49						
	AFL	912						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-90-00-860-801-01	PERIODIC DATABASE LOADING (BLUE DISK)							Service ATA:45
	DAYS/MS	In progress	A/R		17-Sep-25 (M)		OVD	
	HRS	7445:40						
	AFL	2653						
								WO#: JWL-25-002,JWL-25-029
PROC. REF: AMM 45-90-00-860-801PROC. REF: AMM 45-90-00-860-801								
45-90-00-860-801-01	PERIODIC DATABASE LOADING (RED DISK)							Service ATA:45
	DAYS/MS	13-Aug-25	A/R					
	HRS	7417:27						
	AFL	2646						
								WO#: JWL-24-073,JWL-25-029
PROC. REF: AMM 45-90-00-860-801PROC. REF: AMM 45-90-00-860-801								
45-90-00-860-801-01G ^U	LOAD GREEN CD-ROM DATA BASE UPDATE							Service ATA:45
	MOS/MS	14-Mar-24	A/R					
	HRS	6923:06						
	AFL	2555						
45-90-00-860-803-01	DATABASE LOADING							Service ATA:45
	MOS/MS	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 45-90-00-860-803PROC. REF: AMM 45-90-00-860-803								
45-90-01-900-801-01	REMOVAL / INSTALLATION OF THE DATA MANAGEMENT UNIT (DMU) - DMU (901FP)							Component ATA:45
PN:7031051-902	MOS/MS	23-May-12	O/C	TSR 6				
SN:05110679	HRS	2184:49		TSR 0				
WC#: 31.035	AFL	912		TSR 0				
PROC. REF: AMM 45-90-01-900-801PROC. REF: AMM 45-90-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
46-20-02-720-801-01	FUNCTIONAL TEST OF THE EDU BATTERIES - LH EDU (L7101NS)							Service ATA:46
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 46-20-02-720-801, AMM 46-20-02-720-801PROC. REF: AMM 46-20-02-720-801, AMM 46-20-02-720-801								
46-20-02-720-801-02	FUNCTIONAL TEST OF THE EDU BATTERIES - RH EDU (R7101NS)							Service ATA:46
PN:PN	MOS/MSC	12-Jun-07	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 46-20-02-720-801, AMM 46-20-02-720-801PROC. REF: AMM 46-20-02-720-801, AMM 46-20-02-720-801								
46-28-02-900-801-01	LH ELECTRONIC FLIGHT BAG (EFB) ELECTRONIC (EDU) DISPLAY UNIT							Component ATA:46
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
46-28-02-900-801-02	RH ELECTRONIC FLIGHT BAG (EFB) ELECTRONIC (EDU) DISPLAY UNIT							Component ATA:46
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-210-801-01	APU - GENERAL VISUAL INSPECTION OF THE EXTERNAL PORTION OF THE APU COMPONENTS - GENERAL VISUAL INSPECTION OF THEEXTERNAL PORTION OF THE APU (1000KB) FUEL AND CONTROLCOMPONENTS							Service ATA:49
	MOS	14-May-25						
	HRS	4260	750 (+3%)		5010	5032:30	679:30 (+22:30)	
WC#: 49.020	APUS	5348						
PROC. REF: AMM 49-00-00-210-801, AMM 49-00-00-210-801PROC. REF: AMM 49-00-00-210-801, AMM 49-00-00-210-801								WO#: JWL-25-029
49-0A-01-900-801-01 ^U	APU - PRIMARY FUEL MANIFOLD							Component ATA:49
PN:3830155-2	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	APUS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-10-01-220-801-01	APU - DETAILED INSPECTION OF THE EXTERNAL PORTION OF THE TURBINE HOUSING - DETAILED INSPECTION OF THE EXTERNAL PORTION OF THE APU (1000KB) TURBINE HOUSING							Service ATA:49
PN:PN	MOS	06-May-20						
SN:UNKNOWN	HRS	3127:27	3000 (+3%)		6127:27	6217:27	1796:57 (+90)	
WC#: 49.050	APUS	4162						
PROC. REF: AMM 49-10-01-220-801, AMM 49-10-01-220-801PROC. REF: AMM 49-10-01-220-801, AMM 49-10-01-220-801								
49-10-01-620-801-01	APU - PRESERVATION OF THE APU (30 DAY TO 90 DAY)							Service ATA:49
	MOS/MSC	24-Jul-15	A/R					
	HRS	1778:50						
WC#: 49.160	APUS	2609						
PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801								
49-10-01-620-801-02	APU - PRESERVATION (INITIAL) OF THE APU (90 DAY TO 2 YEAR)							Service ATA:49
	MOS/MSC	23-Dec-14	A/R					
	HRS							
WC#: 49.170	APUS							
PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801								
49-10-01-620-801-03	APU - PRESERVATION (CONTINUOUS) OF THE APU (90 DAY TO 2 YEAR)							Service ATA:49
	MOS/MSC	23-Dec-14	A/R					
	HRS							
WC#: 49.180	APUS							
PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801								
49-10-01-620-801-04	APU - STORAGE OF THE APU (MORE THAN 2 YEARS)							Service ATA:49
	MOS/MSC	09-Dec-05	A/R					
	HRS	0						
WC#: 49.190	APUS	0						
PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801PROC. REF: AMM 49-10-01-620-801, AMM 49-10-01-620-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-10-01-630-801-01	APU - REMOVAL OF THE APU FROM STORAGE							Service ATA:49
	MOS/MSC	09-Dec-05	A/R					
	HRS	0						
WC#: 49.200	APUS	0						
PROC. REF: AMM 49-10-01-630-801, AMM 49-10-01-630-801PROC. REF: AMM 49-10-01-630-801, AMM 49-10-01-630-801								
49-10-01-630-801-02	APU - DEPRESERVATION OF THE APU							Service ATA:49
	MOS/MSC	30-Oct-15	A/R					
	HRS	1778:45						
WC#: 49.210	APUS	2609						
PROC. REF: AMM 49-10-01-630-801, AMM 49-10-01-630-801PROC. REF: AMM 49-10-01-630-801, AMM 49-10-01-630-801								
49-10-01-710-801-01	OPERATIONAL TEST OF THE APU							Service ATA:49
	MOS/MSC	12-Jun-20	O/C					
	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 49-10-01-710-801PROC. REF: AMM 49-10-01-710-801								
49-10-01-900-801-01	APU - TURBINE HOUSING							Component ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.050	APUS	0		TSN 0				
49-10-05-900-801-01	APU - COMPRESSOR ROTOR							Component ATA:49
PN:3822632-1	MOS/MSC	06-May-20	H/T					
SN:11-162045-02718	HRS	3127:27		TSN 1644:37				
WC#: 49.040	APUS	4162		TSN 2122				
49-10-05-960-801-01	APU - DISCARD OF THE APU COMPRESSOR ROTOR - APU (1000KB) - COMPRESSOR ROTOR							Service ATA:49
PN:3822632-1	MOS	19-Apr-18					LIFE LIMIT	
SN:11-162045-02718	HRS	2473:03	20000	TAC 990:30	21482:33		17152:03	
WC#: 49.040	APUS	3413	20000	TAC 1373	22040		16657	
PROC. REF: AMM 49-10-05-960-801, AMM 49-10-05-960-801PROC. REF: AMM 49-10-05-960-801, AMM 49-10-05-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-10-09-900-801-01	APU - TURBINE ROTOR							Component	ATA:49
PN:3842368-1	MOS/MSC	06-May-20	H/T	TSN 173, TSR 96					
SN:040134515079	HRS	3127:27	TSN 3127:27						
WC#: 49.060	APUS	4162	TSN 4162						
49-10-09-960-801-01	APU - DISCARD OF THE APU TURBINE ROTOR - APU (1000KB) - TURBINE ROTOR							Service	ATA:49
PN:3842368-1	MOS	09-Dec-05	LIFE LIMIT						
SN:040134515079	HRS	0	10000	10000	5669:30				
WC#: 49.060	APUS	0	10000	10000	4617				
PROC. REF: AMM 49-10-09-960-801, AMM 49-10-09-960-801PROC. REF: AMM 49-10-09-960-801, AMM 49-10-09-960-801									
49-12-01-220-801-01	S DETAILED INSPECTION OF THE APU MOUNT SYSTEM							Service	ATA:49
	MOS	11-Aug-23	96 (+2m)						
	HRS	6775:44							
WC#: 49.050	AFL	2518	4000						
PKG:41									
PROC. REF: AMM 49-12-01-220-801PROC. REF: AMM 49-12-01-220-801									
49-15-13-900-801-01	APU - APU ELECTRICAL WIRING HARNESS							Component	ATA:49
PN:3888503-4	MOS/MSC	03-Feb-20	O/C						
SN:051622612512	HRS	3127:27							
	APUS	4162							
49-17-02-220-801-01	DETAILED INSPECTION OF THE APU EXHAUST, FCU AND BAY DRAINS							Service	ATA:49
	MOS/MSC	15-Sep-17	O/C						
	HRS	3863:53							
	AFL	1673							
	APH	2317	TAC 59						
PROC. REF: AMM 49-17-02-220-801PROC. REF: AMM 49-17-02-220-801									
49-26-00-900-801-01	APU - ACCESSORY DRIVE GEARBOX							Component	ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 49.070	APUS	0	TSN 0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-31-01-900-801-01	APU - FUEL CONTROL UNIT							Component ATA:49
PN:3882730-8	MOS/MSC	21-Oct-20	O/C					
SN:30057	HRS	3251:50						
WC#: 49.080	APUS	4353						
PROC. REF: AMM 49-31-01-900-801, AMM 49-31-01-900-801PROC. REF: AMM 49-31-01-900-801, AMM 49-31-01-900-801								
49-31-02-900-801-01	APU - FUEL SOLENOID VALVE							Component ATA:49
PN:692545-18	MOS/MSC	03-Feb-20	O/C					
SN:T#1433	HRS	3127:27						
WC#: 49.230	APUS	4162						
PROC. REF: AMM 49-31-02-900-801, AMM 49-31-02-900-801PROC. REF: AMM 49-31-02-900-801, AMM 49-31-02-900-801								
49-31-07-900-801-01	APU - FUEL FILTER							Component ATA:49
PN:3882440-1	MOS/MSC	26-Dec-24	O/C	TSN 21				
SN:N/A	HRS	4137		TSN 0				
	APUS	5209		TSN 0				
49-31-07-960-801-01	APU - REPLACEMENT OF THE APU FUEL FILTER - APU FUEL FILTER (701KQ)							Service ATA:49
PN:3882440-1	MOS	26-Dec-24						
SN:N/A	HRS	4137	1500 (+3%)		5637	5682	1306:30 (+45)	
WC#: 49.030	APUS	5209						
PROC. REF: AMM 49-31-07-960-801, AMM 49-31-07-960-801PROC. REF: AMM 49-31-07-960-801, AMM 49-31-07-960-801								
49-41-01-900-801-01	REMOVAL / INSTALLATION OF THE APU IGNITION UNIT - APU IGNITION UNIT (101KS)							Component ATA:49
PN:3876280-4	MOS/MSC	18-Nov-24	O/C	TSO 6				
SN:J21110125	HRS							
WC#: 49.020	AFL							
	APH	4111	0	TSO 0				
PROC. REF: AMM 49-41-01-900-801PROC. REF: AMM 49-41-01-900-801								
49-41-04-220-801-02	APU - DETAILED INSPECTION OF THE APU IGNITER PLUGS - 9 O'CLOCK APU IGNITER PLUG 1 (901KS1)							Service ATA:49
PN:304634-2	MOS	11-Aug-23						
SN:NSN	HRS	3916	750 (+3%)		4666	4688:30	335:30 (+22:30)	
	APUS	4985						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: AMM 49-41-04-220-801, AMM 49-41-04-220-801PROC. REF: AMM 49-41-04-220-801, AMM 49-41-04-220-801								
49-41-04-220-801-03	APU - DETAILED INSPECTION OF THE APU IGNITER PLUGS - 1 O'CLOCK APU IGNITER PLUG 2 (901KS2)							Service ATA:49
PN:304634-2	MOS	11-Aug-23						
SN:NSN	HRS	3916	750 (+3%)		4666	4688:30	335:30 (+22:30)	
	APUS	4985						
PROC. REF: AMM 49-41-04-220-801, AMM 49-41-04-220-801PROC. REF: AMM 49-41-04-220-801, AMM 49-41-04-220-801								
49-41-04-900-801-01	APU - 1 O'CLOCK IGNITER (PLUG 2) PLUG							Component ATA:49
PN:304634-2	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:NSN	HRS	3916		TSN 0				
WC#: 49.090	APUS	4985		TSN 0				
PROC. REF: AMM 49-41-04-900-801PROC. REF: AMM 49-41-04-900-801								
49-41-04-900-801-02	APU - 9 O'CLOCK IGNITER (PLUG 1) PLUG							Component ATA:49
PN:304634-2	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:NSN	HRS	3916		TSN 0				
WC#: 49.090	APUS	4985		TSN 0				
PROC. REF: AMM 49-41-04-900-801PROC. REF: AMM 49-41-04-900-801								
49-52-01-900-801-01	REMOVAL / INSTALLATION OF THE APU LOAD CONTROL VALVE - APU LOAD CONTROL VALVE (502KH)							Component ATA:49
PN:3885091-3	MOS/MSC	23-Dec-14	O/C	TSN 1				
SN:0323	HRS	2987:52		TSN 0				
WC#: 49.040	AFL	1341		TSN 0				
PROC. REF: AMM 49-52-01-900-801PROC. REF: AMM 49-52-01-900-801								
49-60-45-900-801-01	APU - IMMERSION THERMOCOUPLE							Component ATA:49
PN:3876003-3	MOS/MSC	03-Feb-20	O/C					
SN:1515027700894	HRS	3127:27		TSN 3127:27				
	APUS	4162						
PROC. REF: AMM 49-61-06-960-801PROC. REF: AMM 49-61-06-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-61-01-900-801-01 REMOVAL / INSTALLATION OF THE APU ELECTRONIC CONTROL UNIT (ECU) - APU ECU (101KP)								Component ATA:49
PN:2119584-4003	MOS/MSC	30-Oct-15	O/C					
SN:121-Y0168	HRS	3037:22						
WC#: 49.010	AFL	1389						
	APH		0					
PROC. REF: AMM 49-61-01-900-801PROC. REF: AMM 49-61-01-900-801								
49-61-02-900-801-01 APU - APU INLET TEMPERATURE SENSOR (901KP)								Component ATA:49
PN:MS28034-1	MOS/MSC	03-Feb-20	O/C					
SN:133362	HRS	3127:27						
	APUS	4162						
PROC. REF: AMM 49-61-02-900-801PROC. REF: AMM 49-61-02-900-801								
49-61-03-900-801-01 APU - SPEED SENSOR								Component ATA:49
PN:3876104-1	MOS/MSC	03-Feb-20	O/C					
SN:UNKNOWN	HRS	3127:27						
WC#: 49.240	APUS	4162						
PROC. REF: AMM 49-61-03-960-801, AMM 49-61-03-960-801PROC. REF: AMM 49-61-03-960-801, AMM 49-61-03-960-801								
49-71-01-900-801-01 APU - APU TIME TOTALIZING METER								Component ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-71-01-960-801PROC. REF: AMM 49-71-01-960-801								
49-71-01-960-801-01 APU - REPLACEMENT APU TIME TOTALIZING METER								Service ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C					
SN:UNKNOWN	HRS	0						
	APUS	0						
PROC. REF: AMM 49-71-01-960-801, AMM 49-71-01-960-801PROC. REF: AMM 49-71-01-960-801, AMM 49-71-01-960-801								
49-71-02-900-801-01 APU - APU START COUNTER								Component ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.140	APUS	0		TSN 0				
PROC. REF: AMM 49-71-02-960-801PROC. REF: AMM 49-71-02-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-71-02-960-801-01	APU - REPLACEMENT APU START COUNTER							Service ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C					
SN:UNKNOWN	HRS	0						
	APUS	0						
PROC. REF: AMM 49-71-02-960-801, AMM 49-71-02-960-801PROC. REF: AMM 49-71-02-960-801, AMM 49-71-02-960-801								
49-81-04-220-801-01	DETAILED INSPECTION OF THE APU PRIMARY PIPE EXHAUST DUCT							Service ATA:49
	MOS	26-Dec-24	12 (+1m)		26-Dec-25	26-Jan-26	84 d (+31)	
	HRS	7106:42						
	AFL	2592						
	APH	4137	750 (+50)		4887	4937	556:30 (+50)	
WO#: JWL-25-049								
PROC. REF: AMM 49-81-04-220-801PROC. REF: AMM 49-81-04-220-801								
49-81-04-900-801-01	REMOVAL / INSTALLATION OF THE APU PRIMARY PIPE EXHAUST DUCT - APU PRIMARY PIPE EXHAUST DUCT (401KE)							Component ATA:49
PN:7080601-2	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:200103004	HRS	6775:44		TSO 0				
	AFL	2518		TSO 0				
PROC. REF: AMM 49-81-04-900-801PROC. REF: AMM 49-81-04-900-801								
49-81-05-220-801-01	DETAILED INSPECTION OF THE APU EXHAUST MUFFLER ASSEMBLY - APU EXHAUST MUFFLER ASSEMBLY (501KE)							Service ATA:49
PN:7083602-4	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	
SN:08302221282	HRS	6775:44						
WC#: 49.060	AFL	2518						
	APH	3916	750 (+50)		4666	4716	335:30 (+50)	
PROC. REF: AMM 49-81-05-220-801PROC. REF: AMM 49-81-05-220-801								
49-81-05-900-801-01	REMOVAL / INSTALLATION OF THE APU EXHAUST MUFFLER ASSEMBLY - APU EXHAUST MUFFLER ASSEMBLY (501KE)							Component ATA:49
PN:7083602-4	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:08302221282	HRS	6775:44		TSN 0				
WC#: 49.060	AFL	2518		TSN 0				
	APH	3916	0	TSN 0				
PROC. REF: AMM 49-81-05-900-801PROC. REF: AMM 49-81-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-90-00-220-801-01	APU - DETAILED INSPECTION OF THE APU GEARBOX VENT TUBE - DETAILED INSPECTION OF THE APU (1000KB) GEARBOX VENT TUBE							Service ATA:49
PN:PN	MOS	06-May-20						
SN:UNKNOWN	HRS	3127:27	3000 (+3%)		6127:27	6217:27	1796:57 (+90)	
WC#: 49.120	APUS	4162						
PROC. REF: AMM 49-90-00-220-801, AMM 49-90-00-220-801PROC. REF: AMM 49-90-00-220-801, AMM 49-90-00-220-801								
49-90-00-280-801-01	APU - SPECTROMETRIC ANALYSIS OF APU OIL AND OIL FILTER - SPECTROMETRIC ANALYSIS OF APU OIL AND APU OIL FILTER ELEMENT (2901KL)							Service ATA:49
	MOS	12-Apr-25						
	HRS	4204	500 (+20%/-20%)		4704	4804	373:30 (+100)	
	APUS	5275						
PROC. REF: AMM 49-90-00-280-801, AMM 49-90-00-280-801PROC. REF: AMM 49-90-00-280-801, AMM 49-90-00-280-801								
49-90-00-900-801-01	APU - GEARBOX VENT TUBE							Component ATA:49
PN:PN	MOS/MSC	09-Dec-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.120	APUS	0		TSN 0				
49-91-00-610-802-01	APU - APU OIL CHANGE - APU (1000KB)							Service ATA:49
	MOS/MSC	18-Nov-24	A/R					
	HRS	4111						
WC#: 49.100	APUS	5180						
PROC. REF: AMM 49-91-00-610-802, AMM 49-91-00-610-802PROC. REF: AMM 49-91-00-610-802, AMM 49-91-00-610-802								
49-91-01-220-801-01	APU - DETAILED INSPECTION OF THE APU MAGNETIC CHIP COLLECTOR - APU MAGNETIC CHIP COLLECTOR ON THE APU MAGNETIC DRAIN PLUG (1701KL)							Service ATA:49
	MOS	11-Aug-23						
	HRS	3916	750 (+3%)		4666	4688:30	335:30 (+22:30)	
WC#: 49.110	APUS	4985						
PROC. REF: AMM 49-91-01-220-801, AMM 49-91-01-220-801PROC. REF: AMM 49-91-01-220-801, AMM 49-91-01-220-801								
49-91-04-900-801-01	APU - OIL FILTER ELEMENT							Component ATA:49
PN:3608765-1	MOS/MSC	19-Apr-18	O/C	TSN 0				
SN:NSN	HRS	2473:03		TSN 0				
	APUS	3413		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-91-04-960-801-01	APU - REPLACEMENT OF THE APU OIL FILTER ELEMENT - APU OIL FILTER ELEMENT (2901KL)							Service ATA:49
PN:3608765-1	MOS/MSC	12-Apr-25	A/R					
SN:NSN	HRS	4204						
WC#: 49.100	APUS	5275						
PROC. REF: AMM 49-91-04-960-801, AMM 49-91-04-960-801PROC. REF: AMM 49-91-04-960-801, AMM 49-91-04-960-801								
49-91-05-900-801-01	APU - LOW OIL PRESSURE SWITCH							Component ATA:49
PN:3876001-8	MOS/MSC	03-Feb-20	O/C					
SN:UNKNOWN	HRS	3127:27						
	APUS	4162						
PROC. REF: AMM 49-91-05-900-801, AMM 49-91-05-900-801PROC. REF: AMM 49-91-05-900-801, AMM 49-91-05-900-801								
49-91-06-900-801-01	APU - HIGH OIL TEMPERATURE SWITCH							Component ATA:49
PN:MS28034-3	MOS/MSC	03-Feb-20	O/C					
SN:117178	HRS	3127:27						
	APUS	4162						
PROC. REF: AMM 49-91-06-900-801PROC. REF: AMM 49-91-06-900-801								
49-91-07-900-801-01	APU - OIL LEVEL SENSOR							Component ATA:49
PN:722446	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:506	HRS	0		TSN 0				
	APUS							
PROC. REF: AMM 49-91-07-900-801, AMM 49-91-07-900-801PROC. REF: AMM 49-91-07-900-801, AMM 49-91-07-900-801								
49-A-HRS ^U	RECORD APU HOURS							Service ATA:49
	MOS	In progress	2		28-Oct-25		25 d	
	HRS	7445:40						
	AFL	2653						
WO#: JWL-25-002,JWL-25-021								
49AA01 ^U	CHECK APU OIL LEVEL							Service ATA:49
	MOS/MSC	14-Aug-25	A/R					
	HRS	7417:27						
	AFL	2646						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49APU1	APU							Component ATA:49
PN:3800788-1	MOS/MSC	07-May-18	E/C					
SN:P-112	HRS	4301:32		TSN 2473				
WC#: 49.APU1	AFL	1787						
PROC. REF: AMM 49-10-01-000-801, AMM 49-10-01-400-801PROC. REF: AMM 49-10-01-000-801, AMM 49-10-01-400-801								
ATA 51 - STD PRACTICES AND STRUCT-GENRL								
51-00-00-200-801-01	^S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 12 M OR 800 FH INSPECTION						Service ATA:51
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
	AFL	2584						
PROC. REF: AMM 51-00-00-200-801PROC. REF: AMM 51-00-00-200-801								PKG:1 WO#: JW-25-049
51-00-00-200-802-01	^S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 36 M OR 2400 FH INSPECTION						Service ATA:51
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 51-00-00-200-802PROC. REF: AMM 51-00-00-200-802								PKG:3
51-00-00-200-803-01	^S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 1C INSPECTION						Service ATA:51
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 51-00-00-200-803PROC. REF: AMM 51-00-00-200-803								PKG:41
ATA 52 - DOORS								
52-00-00-640-801-03		LUBRICATION OF DOOR LOCKS						Service ATA:52
	MOS/MSC	12-Sep-11	N/A					
	HRS	1764:45						
	AFL	770						
PROC. REF: AMM 52-00-00-640-801PROC. REF: AMM 52-00-00-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-00-220-803-01	DETAILED INSPECTION OF THE PASSENGER DOOR SAFETY CATCH							Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-10-00-220-803PROC. REF: AMM 52-10-00-220-803								
52-10-00-610-801-01	^S	SERVICING OF THE PASSENGER DOOR						Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 52.070	AFL	2518						
PROC. REF: AMM 52-10-00-610-801PROC. REF: AMM 52-10-00-610-801								
52-10-00-640-801-01	^S	LUBRICATION OF THE ROLLERS OF THE PASSENGER DOOR LOWER MECHANISM						Service ATA:52
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 52.190	AFL	2518	8000					
PROC. REF: AMM 52-10-00-640-801PROC. REF: AMM 52-10-00-640-801								
52-10-00-720-801-05	^S	FUNCTIONAL TEST OF THE PASSENGER DOOR						Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 52-10-00-720-801PROC. REF: AMM 52-10-00-720-801								
52-10-00-720-802-01	^U	FUNCTIONAL TEST OF THE CLEARANCE BETWEEN THE PASSENGER DOOR SKIN AND THE LOWER FLAP						Service ATA:52
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 52.190	AFL	1705						
52-10-00-860-801-01	OPENING / CLOSING OF THE PASSENGER DOOR							Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 52-10-00-860-801PROC. REF: AMM 52-10-00-860-801								
52-10-01-900-801-01	REMOVAL / INSTALLATION OF THE PASSENGER DOOR - PASSENGER DOOR (9500MA)						Component	ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.045	AFL	0		TSN 0				
PROC. REF: AMM 52-10-01-900-801PROC. REF: AMM 52-10-01-900-801								
52-10-03-900-801-01	REMOVAL / INSTALLATION OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (200MA)						Component	ATA:52
PN:222900-1M03	MOS/MSC	23-Dec-20	O/C					
SN:3630	HRS	5835:40						
WC#: 52.005	AFL	2283						
							WO#: JWL-25-049	
PROC. REF: AMM 52-10-03-900-801PROC. REF: AMM 52-10-03-900-801								
52-10-03-960-801-01	DISCARD OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (200MA)						Service	ATA:52
PN:222900-1M03	MOS	23-Dec-20	60		23-Dec-25		81 d	LIFE LIMIT
SN:3630	HRS	5835:40						
WC#: 52.005	AFL	2283						
							WO#: JWL-25-049	
PROC. REF: AMM 52-10-03-960-801PROC. REF: AMM 52-10-03-960-801								
52-10-05-210-801-03 ^S	GENERAL VISUAL INSPECTION OF THE PASSENGER DOOR CONTROL BOX						Service	ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
							PKG:41	
PROC. REF: AMM 52-10-05-210-801PROC. REF: AMM 52-10-05-210-801								
52-10-05-710-801-04 ^S	OPERATIONAL TEST OF THE SAFETY DEVICES OF THE PASSENGER DOOR ELECTRICAL LIFTING SYSTEM						Service	ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
							PKG:41	
PROC. REF: AMM 52-10-05-710-801PROC. REF: AMM 52-10-05-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-05-900-801-01 REMOVAL / INSTALLATION OF THE PRESSURIZING FLAP SEAL								Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-05-900-801PROC. REF: AMM 52-10-05-900-801								
52-10-09-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR REDUCING GEAR MOTOR - PASSENGER DOOR REDUCING GEAR MOTOR (100MA)								Component ATA:52
PN:222200-1M01	MOS/MSC	09-Mar-14	O/C					
SN:879	HRS	2924:30						
WC#: 52.060	AFL	1274						
PROC. REF: AMM 52-10-09-900-801PROC. REF: AMM 52-10-09-900-801								
52-10-13-960-801-01 REPLACEMENT OF THE PASSENGER DOOR SEAL								Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-10-13-960-801PROC. REF: AMM 52-10-13-960-801								
52-10-17-960-801-01 REPLACEMENT OF THE PASSENGER DOOR SAFETY CATCH SPRING								Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-10-17-960-801PROC. REF: AMM 52-10-17-960-801								
52-10-19-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR HANDRAIL								Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-19-900-801PROC. REF: AMM 52-10-19-900-801								
52-10-21-960-801-01 REPLACEMENT / ADJUSTMENT OF THE PASSENGER DOOR STOPS								Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-10-21-960-801PROC. REF: AMM 52-10-21-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-25-900-801-01	REMOVAL / INSTALLATION OF THE PASSENGER DOOR LININGS - FR 9 CLOSEOUT							Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-25-900-801PROC. REF: AMM 52-10-25-900-801								
52-10-25-900-801-02	REMOVAL / INSTALLATION OF THE PASSENGER DOOR LININGS - FR 11 CLOSEOUT							Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-25-900-801PROC. REF: AMM 52-10-25-900-801								
52-20-00-610-801-01	^S	SERVICING OF THE EMERGENCY EXIT DOOR						Service ATA:52
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 52.210	AFL	2518						
PROC. REF: AMM 52-20-00-610-801PROC. REF: AMM 52-20-00-610-801								PKG:2 WO#: JWL-25-049
52-20-00-710-801-01	^S	OPERATIONAL TEST OF THE EMERGENCY EXIT DOOR						Service ATA:52
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
WC#: 52.115	AFL	2518						
PROC. REF: AMM 52-20-00-710-801PROC. REF: AMM 52-20-00-710-801								PKG:2 WO#: JWL-25-049
52-20-00-720-801-04	^S	FUNCTIONAL TEST OF THE EMERGENCY EXIT DOOR UNLOCKING LOADS						Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 52-20-00-720-801PROC. REF: AMM 52-20-00-720-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20-00-900-801-01	REMOVAL / INSTALLATION OF THE EMERGENCY EXIT DOOR - REMOVAL OF THE EMERGENCY EXIT DOOR (9500MB) FROM INSIDE							Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.055	AFL	0		TSN 0				
PROC. REF: AMM 52-20-00-900-801PROC. REF: AMM 52-20-00-900-801								
52-20-05-960-801-01	REPLACEMENT OF THE EMERGENCY EXIT DOOR SEAL - EMERGENCY EXIT DOOR SEAL (9510MB)							Service ATA:52
	MOS/MSC	10-Mar-18	O/C					
	HRS	4141:49						
WC#: 52.011	AFL	1747						
PROC. REF: AMM 52-20-05-960-801PROC. REF: AMM 52-20-05-960-801								
52-30-00-200-801-04 ^S	VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT DOOR - INSPECTION OF THE BAGGAGE COMPARTEMENT DOOR							Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 52.125	AFL	2518	4000					
PROC. REF: AMM 52-30-00-200-801PKG:41								
52-30-00-200-801-04A	VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT DOOR - INSPECTION OF THE BAGGAGE COMPARTEMENT DOOR (MANDATORY 5-40)							Service ATA:52
	MOS	11-Aug-23						ALI / FD
	HRS	6775:44						
	AFL	2518	4000		6518		3858	
PROC. REF: AMM 52-30-00-200-801PROC. REF: AMM 52-30-00-200-801								
52-30-00-200-801-05 ^S	VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT DOOR - DETAILED INSPECTION OF THE LOCKING MECHANISM ASSEMBLY							Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 52.125	AFL	2518	4000					
PROC. REF: AMM 52-30-00-200-801PKG:41								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30-00-200-801-05A	VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT DOOR - DETAILED INSPECTION OF THE LOCKING MECHANISM ASSEMBLY (MANDATORY 5-40)							Service ATA:52
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 52.275	AFL	2518						
PROC. REF: AMM 52-30-00-200-801PROC. REF: AMM 52-30-00-200-801								
52-30-00-700-801-03 ^S	CHECK OF THE BAGGAGE COMPARTMENT DOOR							Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 52-30-00-700-801PROC. REF: AMM 52-30-00-700-801								PKG:41
52-30-00-900-801-01	BAGGAGE COMPARTMENT DOOR							Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.010	AFL	0		TSN 0				
PROC. REF: AMM 52-30-01-900-801PROC. REF: AMM 52-30-01-900-801								
52-30-01-720-801-01	FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT DOOR LATCH HANDLE AND LOCK HANDLE - LOCK HANDLE							Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-30-01-720-801PROC. REF: AMM 52-30-01-720-801								
52-30-01-720-801-02	FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT DOOR LATCH HANDLE AND LOCK HANDLE - LATCH HANDLE							Service ATA:52
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-30-01-720-801PROC. REF: AMM 52-30-01-720-801								
52-40-00-210-801-03 ^U	GENERAL VISUAL INSPECTION OF THE SERVICE DOORS - RAM AIR TURBINE DOOR (116)							Service ATA:52
	MOS/MSC	06-Dec-12	O/C					
	HRS	2511:45						
	AFL	1031						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-40-00-640-801-04	^S	LUBRICATION OF THE SERVICE DOORS						Service ATA:52
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 52.150	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 52-40-00-640-801PROC. REF: AMM 52-40-00-640-801								
52-40-00-640-803-01	^S	LUBRICATION OF EMERGENCY ECS RAM AIR DOOR FRONT HINGES						Service ATA:52
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
WC#: 52.150	AFL	2518						
								PKG:3
PROC. REF: AMM 52-40-00-640-803PROC. REF: AMM 52-40-00-640-803								
52-40-00-640-804-01	^S	LUBRICATION OF NOSE CONE AND FUEL EQUIPMENT BAY DOOR - LUBRICATION OF NOSE CONE						Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 52.150	AFL	2518						
								PKG:4
PROC. REF: AMM 52-40-00-640-804PROC. REF: AMM 52-40-00-640-804								
52-40-00-640-804-02	^S	LUBRICATION OF NOSE CONE AND FUEL EQUIPMENT BAY DOOR - LUBRICATION OF FUEL EQUIPMENT BAY DOOR HINGES						Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
								PKG:4
PROC. REF: AMM 52-40-00-640-804PROC. REF: AMM 52-40-00-640-804								
52-41-01-200-801-01	^S	INSPECTION OF THE RAM AIR TURBINE DOOR						Service ATA:52
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
								PKG:2 WO#: JWL-25-049
PROC. REF: AMM 52-41-01-200-801PROC. REF: AMM 52-41-01-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-41-01-900-801-01	REMOVAL / INSTALLATION OF THE RAM AIR TURBINE DOOR - RAT DOOR (9501MF)							Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.330	AFL	0		TSN 0				
PROC. REF: AMM 52-41-01-900-801PROC. REF: AMM 52-41-01-900-801								
52-45-01-710-801-01	OPERATIONAL TEST OF THE ECS RAM AIR DOOR							Service ATA:52
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 52.230	AFL	1341						
PROC. REF: AMM 52-45-01-710-801PROC. REF: AMM 52-45-01-710-801								
52-50-00-710-801-01 ^S	INSPECTION / TEST OF THE BLOWOUT DOORS / PANELS							Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 52-50-00-710-801PROC. REF: AMM 52-50-00-710-801								
52-51-09-200-801-03 ^S	INSPECTION OF THE IRS ACCESS DOOR							Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 52-51-09-200-801PROC. REF: AMM 52-51-09-200-801								
52-53-00-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE CABIN / BAGGAGE COMPARTMENT DOOR - CABIN / BAGGAGE COMPARTMENT DOOR (261AZ)							Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 52.155	AFL	2518						
PROC. REF: AMM 52-53-00-210-801PROC. REF: AMM 52-53-00-210-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-53-00-210-801-01A	GENERAL VISUAL INSPECTION OF THE CABIN / BAGGAGE COMPARTMENT DOOR - CABIN / BAGGAGE COMPARTMENT DOOR (261AZ) (MANDATORY 5-40)							Service ATA:52
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 52.155	AFL	2518						
PROC. REF: AMM 52-53-00-210-801PROC. REF: AMM 52-53-00-210-801								
52-53-00-610-801-01 ^S	SERVICING OF THE CABIN / BAGGAGE COMPARTMENT DOOR - CABIN / BAGGAGE COMPARTMENT DOOR (261AZ)							Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 52.240	AFL	2518						
PROC. REF: AMM 52-53-00-610-801PROC. REF: AMM 52-53-00-610-801								
52-53-00-710-801-01	OPERATIONAL TEST OF THE CABIN / BAGGAGE COMPARTMENT DOOR - CABIN / BAGGAGE COMPARTMENT DOOR (261AZ)							Service ATA:52
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 52.250	AFL	1705						
PROC. REF: AMM 52-53-00-710-801PROC. REF: AMM 52-53-00-710-801								
52-53-00-900-801-01	REMOVAL / INSTALLATION OF THE CABIN / BAGGAGE COMPARTMENT DOOR - FRAME 33 DOOR (9500MM)							Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.020	AFL	0		TSN 0				
PROC. REF: AMM 52-53-00-900-801PROC. REF: AMM 52-53-00-900-801								
52-54-00-200-801-01	INSPECTION OF THE INTERIOR CABIN DOOR MECHANISMS							Service ATA:52
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-54-00-200-801PROC. REF: AMM 52-54-00-200-801								
52-54-09-640-801-01	LUBRICATION OF THE POCKET SLIDING DOOR RAILS OF THE MID CABIN DIVIDER							Service ATA:52
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-54-09-640-801PROC. REF: AMM 52-54-09-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-55-00-220-801-07	^S	DETAILED INSPECTION OF THE S-DUCT DOOR						Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 52.160	AFL	2518	4000					
PROC. REF: AMM 52-55-00-220-801PROC. REF: AMM 52-55-00-220-801								
52-60-00-220-801-10	^S	DETAILED INSPECTION OF THE SERVICING COMPARTMENT DOOR						Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 52.165	AFL	2518	4000					
PROC. REF: AMM 52-60-00-220-801PROC. REF: AMM 52-60-00-220-801								
52-60-00-640-801-01	^U	LUBRICATION OF THE SERVICING COMPARTMENT DOOR - LUBRICATION OF THE LATCHING MECHANISM ASSEMBLY						Service ATA:52
	MOS/MSC	14-Dec-17	O/C					
	HRS	3964:09						
WC#: 52.175	AFL	1705						
52-60-00-640-801-02		LUBRICATION OF THE SERVICING COMPARTMENT DOOR - LUBRICATION OF THE MOBILE STEP ASSEMBLY						Service ATA:52
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 52.175	AFL	2518						
PROC. REF: AMM 52-60-00-640-801PROC. REF: AMM 52-60-00-640-801								
52-60-00-640-801-03		LUBRICATION OF THE SERVICING COMPARTMENT DOOR - LUBRICATION OF THE LADDER ASSEMBLY						Service ATA:52
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 52.175	AFL	2518						
PROC. REF: AMM 52-60-00-640-801PROC. REF: AMM 52-60-00-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-60-00-640-801-04	^S	LUBRICATION OF THE SERVICING COMPARTMENT DOOR						Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 52-60-00-640-801PROC. REF: AMM 52-60-00-640-801								PKG:4
52-60-00-900-801-01		REMOVAL / INSTALLATION OF THE SERVICING COMPARTMENT DOOR - SERVICING COMPARTMENT DOOR (9500MD)						Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.050	AFL	0		TSN 0				
PROC. REF: AMM 52-60-00-900-801PROC. REF: AMM 52-60-00-900-801								
52-70-00-210-801-01		GENERAL VISUAL INSPECTION OF THE MICROSWITCHES OF THE FUEL SERVICING, GPU AND SERVICING COMPARTMENT DOORS						Service ATA:52
	MOS/MSC	15-Feb-16	O/C					
	HRS	3063:15						
WC#: 52.260	AFL	1419						
PROC. REF: AMM 52-70-00-210-801PROC. REF: AMM 52-70-00-210-801								
52-70-00-710-802-01	^S	OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM						Service ATA:52
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 52.180	AFL	2518	4000					
PROC. REF: AMM 52-70-00-710-802PROC. REF: AMM 52-70-00-710-802								PKG:41
52-70-00-710-802-01A		OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM (MANDATORY 5-40)						Service ATA:52
	MOS	11-Aug-23						CMR
	HRS	6775:44	20000		26775:44		19283:10	
WC#: 52.180	AFL	2518						
PROC. REF: AMM 52-70-00-710-802PROC. REF: AMM 52-70-00-710-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-70-00-710-803-01	^S	OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM MICROSWITCHES / PROXIMITY SENSORS						Service ATA:52
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 52.180	AFL	2518						
PROC. REF: AMM 52-70-00-710-803PROC. REF: AMM 52-70-00-710-803								PKG:4
52-70-00-900-801-01		PASSENGER DOOR MICROSWITCH						Component ATA:52
PN:83778360	MOS/MSC	12-Nov-16	O/C	TSN 0				
SN:00384	HRS	3215:29		TSN 0				
	AFL	1509		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-80-01-900-801-01		REMOVAL / INSTALLATION OF THE NOSE LANDING GEAR MAIN SHIELD DOOR - NLG MAIN SHIELD DOOR (9511ML)						Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.035	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01-900-801PROC. REF: AMM 52-80-01-900-801								
52-80-02-900-801-01		REMOVAL / INSTALLATION OF THE NOSE LANDING GEAR AUXILIARY SHIELD DOOR - NLG AUXILIARY SHIELD DOOR (9521ML)						Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.040	AFL	0		TSN 0				
PROC. REF: AMM 52-80-02-900-801PROC. REF: AMM 52-80-02-900-801								
52-80-03-900-801-01		REMOVAL / INSTALLATION OF THE NOSE LANDING GEAR FRONT DOORS - LEFT NLG MAIN DOOR (L9501ML)						Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.015	AFL	0		TSN 0				
PROC. REF: AMM 52-80-03-900-801PROC. REF: AMM 52-80-03-900-801								
52-80-03-900-801-02		REMOVAL / INSTALLATION OF THE NOSE LANDING GEAR FRONT DOORS - RIGHT NLG MAIN DOOR (R9501ML)						Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.015	AFL	0		TSN 0				
PROC. REF: AMM 52-80-03-900-801PROC. REF: AMM 52-80-03-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-80-05-900-801-01 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR MAIN DOORS - LH MAIN LANDING GEAR DOOR (L9500SK)								Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.025	AFL	0		TSN 0				
PROC. REF: AMM 52-80-05-900-801PROC. REF: AMM 52-80-05-900-801								
52-80-05-900-801-02 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR MAIN DOORS - RH MAIN LANDING GEAR DOOR (R9500SK)								Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.030	AFL	0		TSN 0				
PROC. REF: AMM 52-80-05-900-801PROC. REF: AMM 52-80-05-900-801								
52-80-09-640-801-03 LUBRICATION OF THE MAIN LANDING GEAR STRUT DOOR HINGE PINS - LH MLG STRUT DOOR HINGE PINS								Service ATA:52
	MOS	28-Dec-24	12 (+1m)		28-Dec-25	28-Jan-26	86 d (+31)	
	HRS	7106:42						
	AFL	2592	400		2992		332	
PROC. REF: AMM 52-80-09-640-801PROC. REF: AMM 52-80-09-640-801								WO#: JWL-25-049
52-80-09-640-801-04 LUBRICATION OF THE MAIN LANDING GEAR STRUT DOOR HINGE PINS - RH MLG STRUT DOOR HINGE PINS								Service ATA:52
	MOS	26-Dec-24	12 (+1m)		26-Dec-25	26-Jan-26	84 d (+31)	
	HRS	7106:42						
	AFL	2592	400		2992		332	
PROC. REF: AMM 52-80-09-640-801PROC. REF: AMM 52-80-09-640-801								WO#: JWL-25-049
52-80-09-900-801-01 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR STRUT DOORS - LH MAIN LANDING GEAR STRUT DOOR (L9530SK)								Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.025	AFL	0		TSN 0				
PROC. REF: AMM 52-80-09-900-801PROC. REF: AMM 52-80-09-900-801								
52-80-09-900-801-02 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR STRUT DOORS - RH MAIN LANDING GEAR STRUT DOOR (R9530SK)								Component ATA:52
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.030	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 52-80-09-900-801PROC. REF: AMM 52-80-09-900-801								
ATA 53 - FUSELAGE								
53-00-00-100-801-01	PRESSURE CLEANING OF THE LH AND RH FEEDER TANKS - LH FEEDER TANK						Service	ATA:53
	MOS/MSC	18-Nov-24	O/C					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 53-00-00-100-801PROC. REF: AMM 53-00-00-100-801								
53-00-00-100-803-01	PRESSURE CLEANING OF LH AND RH CENTER WING TANK - LH CENTER WING TANK CLEANING						Service	ATA:53
	MOS/MSC	18-Nov-24	O/C					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 53-00-00-100-803PROC. REF: AMM 53-00-00-100-803								
53-00-00-100-803-02	PRESSURE CLEANING OF LH AND RH CENTER WING TANK - RH CENTER WING TANK CLEANING						Service	ATA:53
	MOS/MSC	18-Nov-24	O/C					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 53-00-00-100-803PROC. REF: AMM 53-00-00-100-803								
53-00-00-100-804-01	PRESSURE CLEANING OF THE FEEDER TANK 2						Service	ATA:53
	MOS/MSC	18-Nov-24	O/C					
	HRS	7061:12						
	AFL	2584						
PROC. REF: AMM 53-00-00-100-804PROC. REF: AMM 53-00-00-100-804								
53-00-00-200-804-01 ^S	INSPECTION OF THE CABIN UNDERFLOOR AREA F1-F33						Service	ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-00-00-200-804PROC. REF: AMM 53-00-00-200-804								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-200-804-01C	INSPECTION OF THE CABIN UNDERFLOOR AREA F1-F33 (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-00-00-200-804PROC. REF: AMM 53-00-00-200-804								
53-00-00-270-803-01	SPECIAL DETAILED INSPECTION (ULTRASONIC) OF DECOMATIC SCREWS IN FUSELAGE AREA							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-00-00-270-803PROC. REF: AMM 53-00-00-270-803								
53-00-00-270-803-01A	SPECIAL DETAILED INSPECTION (ULTRASONIC) OF DECOMATIC SCREWS IN FUSELAGE AREA (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-00-00-270-803PROC. REF: AMM 53-00-00-270-803								
53-00-00-280-801-01	EDDY-CURRENT INSPECTION OF THE SKIN AT STRINGER 15 LOWER SEAMS							Service ATA:53
	MOS/MSC	23-Dec-14	O/C					
	HRS	2987:52						
WC#: 53.205	AFL	1341						
PROC. REF: AMM 53-00-00-280-801PROC. REF: AMM 53-00-00-280-801								
53-00-00-280-801-01A	EDDY-CURRENT INSPECTION OF THE SKIN AT STRINGER 15 LOWER SEAMS (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	23-Dec-14	O/C					ALI / FD
	HRS	2987:52						
WC#: 53.011	AFL	1341						
PROC. REF: AMM 53-00-00-280-801PROC. REF: AMM 53-00-00-280-801								
53-00-00-370-801-01	APPLICATION OF CORROSION INHIBITOR COMPOUND IN FUSELAGE AREAS							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-00-00-370-801PROC. REF: AMM 53-00-00-370-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-200-805-01	^S	INSPECTION OF THE PASSENGER DOOR THRESHOLD - GVI OF THE PASSENGER DOOR THRESHOLD						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.080	AFL	2518	4000					
PROC. REF: AMM 53-10-00-200-805PROC. REF: AMM 53-10-00-200-805								PKG:41
53-10-00-200-805-01C		INSPECTION OF THE PASSENGER DOOR THRESHOLD - GVI OF THE PASSENGER DOOR THRESHOLD (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.080	AFL	2518						
PROC. REF: AMM 53-10-00-200-805PROC. REF: AMM 53-10-00-200-805								
53-10-00-200-806-01	^S	INSPECTION OF THE T12 OVERFLOOR INTERNAL STRUCTURE						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.085	AFL	2518	8000					
PROC. REF: AMM 53-10-00-200-806PROC. REF: AMM 53-10-00-200-806								PKG:42
53-10-00-200-806-01C		INSPECTION OF THE T12 OVERFLOOR INTERNAL STRUCTURE (CPCP)						Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.085	AFL	2518						
PROC. REF: AMM 53-10-00-200-806PROC. REF: AMM 53-10-00-200-806								
53-10-00-200-807-04	^S	INSPECTION OF THE T12 UNDERFLOOR INTERNAL STRUCTURE - DETAILED INSPECTION OF THE T12 UNDERFLOOR INTERNAL STRUCTURE						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.090	AFL	2518	8000					
PROC. REF: AMM 53-10-00-200-807PROC. REF: AMM 53-10-00-200-807								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-200-807-04C	INSPECTION OF THE T12 UNDERFLOOR INTERNAL STRUCTURE (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.090	AFL	2518						
PROC. REF: AMM 53-10-00-200-807PROC. REF: AMM 53-10-00-200-807								
53-10-00-200-808-01	^S	INSPECTION OF THE NLG BAY - VISUAL CHECK OF THE NLG BALL-JOINTS						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-10-00-200-808PROC. REF: AMM 53-10-00-200-808								
53-10-00-200-808-01C	INSPECTION OF THE NLG BAY - VISUAL CHECK OF THE NLG BALL-JOINTS (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.115	AFL	2518						
PROC. REF: AMM 53-10-00-200-808PROC. REF: AMM 53-10-00-200-808								
53-10-00-200-808-03	^S	INSPECTION OF THE NLG BAY						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-10-00-200-808PROC. REF: AMM 53-10-00-200-808								
53-10-00-200-808-03C	INSPECTION OF THE NLG BAY (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-10-00-200-808PROC. REF: AMM 53-10-00-200-808								
53-10-00-200-809-01	DETAILED FATIGUE INSPECTION OF THE PASSENGER DOOR AND RAT BAY							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.021	AFL	0	T:12000		12000		9340	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-10-00-200-809PROC. REF: AMM 53-10-00-200-809								
53-10-00-200-809-01A	DETAILED FATIGUE INSPECTION OF T12 FUSELAGE (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.021	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-10-00-200-809PROC. REF: AMM 53-10-00-200-809								
53-10-00-200-814-02	^S	INSPECTION OF THE INTERNAL STRUCTURE FROM FRAME 1 TO 20						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-10-00-200-814PROC. REF: AMM 53-10-00-200-814								PKG:41
53-10-00-200-814-02C		INSPECTION OF THE INTERNAL STRUCTURE FROM FRAME 1 TO 20 (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-10-00-200-814PROC. REF: AMM 53-10-00-200-814								
53-10-00-200-815-05	^S	INSPECTION OF THE WINDSHIELD SURROUNDING STRUCTURE						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-10-00-200-815PROC. REF: AMM 53-10-00-200-815								PKG:41
53-10-00-200-815-05C		INSPECTION OF THE WINDSHIELD SURROUNDING STRUCTURE (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-10-00-200-815PROC. REF: AMM 53-10-00-200-815								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-200-816-01	FATIGUE INSPECTION OF BRACKETS AND STRINGERS BETWEEN FRAME 9 TO 12							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-10-00-200-816PROC. REF: AMM 53-10-00-200-816								
53-10-00-200-816-01A	FATIGUE INSPECTION OF BRACKETS AND STRINGERS BETWEEN FRAME 9 TO 12 (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-10-00-200-816PROC. REF: AMM 53-10-00-200-816								
53-10-00-280-801-01	SPECIAL DETAILED FATIGUE INSPECTION (LFEC) OF FASTENERS ON FRAME 9 OUTBOARD FLANGE							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.026	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-10-00-280-801PROC. REF: AMM 53-10-00-280-801								
53-10-00-280-801-01A	SPECIAL DETAILED INSPECTION OF FASTENERS ON FRAME 9 OUTBOARD FLANGE (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.026	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-10-00-280-801PROC. REF: AMM 53-10-00-280-801								
53-10-00-280-802-01	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) FROM OUTSIDE OF THE TOP AND BOTTOM RADIUS OF THE WINDSHIELD RETAINERS AT THE LH AND RH REAR ARCHES							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.031	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-10-00-280-802PROC. REF: AMM 53-10-00-280-802								
53-10-00-280-802-01A	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) FROM OUTSIDE OF THE TOP AND BOTTOM RADIUS OF THE WINDSHIELD RETAINERS AT THE LH AND RH REAR ARCHES (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.031	AFL	0	T:12100		12100		9440	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-10-00-280-802PROC. REF: AMM 53-10-00-280-802								
53-10-00-280-804-01	SPECIAL DETAILED INSPECTION OF FASTENERS ON FRAME 8 OUTBOARD FLANGE							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-10-00-280-804PROC. REF: AMM 53-10-00-280-804								
53-10-00-280-804-01A	SPECIAL DETAILED FATIGUE INSPECTION OF FASTENERS ON FRAME 8 OUTBOARD FLANGE (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-10-00-280-804PROC. REF: AMM 53-10-00-280-804								
53-10-00-960-801-01	DISCARD OF THE PASSENGER DOOR FRAME 9 FITTING							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-10-00-960-801PROC. REF: AMM 53-10-00-960-801								
53-10-01-220-801-01	DETAILED INSPECTION OF FRAME 1 AT AVIONIC FRONT RACK FITTINGS JUNCTION							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-10-01-220-801PROC. REF: AMM 53-10-01-220-801								
53-10-01-220-801-01A	DETAILED FATIGUE INSPECTION OF FRAME 1 AT THE JUNCTION WITH AVIONIC FRONT RACK FITTINGS BEAMS AND STIFFENERS (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-10-01-220-801PROC. REF: AMM 53-10-01-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-01-280-801-01	SPECIAL DETAILED FATIGUE INSPECTION OF FRAME 1 AT JUNCTION WITH STIFFENERS							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-10-01-280-801PROC. REF: AMM 53-10-01-280-801								
53-10-09-760-801-01	CHECK OF THE NOSE CONE ELECTRICAL BONDING - CHECK OF THE BONDING OF THE NOSE CONE / FRAME 1 INTERFACE							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-10-09-760-801PROC. REF: AMM 53-10-09-760-801								
53-10-09-760-801-02	CHECK OF THE NOSE CONE ELECTRICAL BONDING - CHECK OF THE BONDING OF THE RADOME / NOSE CONE INTERFACE							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-10-09-760-801PROC. REF: AMM 53-10-09-760-801								
53-10-09-860-801-01	OPENING / CLOSING OF THE NOSE CONE							Service ATA:53
	MOS/MSC	24-Sep-10	O/C					
	HRS	1380:10						
WC#: 53.095	AFL	485						
PROC. REF: AMM 53-10-09-860-801PROC. REF: AMM 53-10-09-860-801								
53-10-09-900-801-01	REMOVAL / INSTALLATION OF THE NOSE CONE - NOSE CONE (9520MT)							Component ATA:53
PN:FGFB208A3	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:BZ429	HRS	6775:44		TSR 0				
WC#: 53.010	AFL	2518		TSR 0				
PROC. REF: AMM 53-10-09-900-801PROC. REF: AMM 53-10-09-900-801								
53-11-17-960-801-01	REPLACEMENT OF THE NOSE CONE COUNTERBALANCING ACTUATOR							Service ATA:53
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 53-11-17-960-801PROC. REF: AMM 53-11-17-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-200-801-01	INSPECTION #1 OF THE UPPER / LOWER T34 ATTACHMENT - INSPECTION OF THE UPPER AND LOWER T34 ATTACHMENT UNDER THE KLEGECELL SHIMS							Service ATA:53
	MOS/MSC	23-Dec-14	N/A					
	HRS	2987:52						
WC#: 53.015	AFL	1341						
PROC. REF: AMM 53-30-00-200-801PROC. REF: AMM 53-30-00-200-801								
53-30-00-200-802-01	INSPECTION OF FRAME 33 IN OVERFLOOR AREA							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.100	AFL	2518	8000					
PROC. REF: AMM 53-30-00-200-802PROC. REF: AMM 53-30-00-200-802								
53-30-00-200-802-01C	INSPECTION OF FRAME 33 IN OVERFLOOR AREA (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.100	AFL	2518						
PROC. REF: AMM 53-30-00-200-802PROC. REF: AMM 53-30-00-200-802								
53-30-00-200-803-02	INSPECTION #2 OF THE UPPER / LOWER T34 ATTACHMENT							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 53-30-00-200-803PROC. REF: AMM 53-30-00-200-803								
53-30-00-200-804-01	DETAILED FATIGUE INSPECTION OF SECTION T34 INNER SIDE							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.036	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-30-00-200-804PROC. REF: AMM 53-30-00-200-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-200-804-01A	FATIGUE INSPECTION OF SECTION T34 INNER SIDE (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.036	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-30-00-200-804PROC. REF: AMM 53-30-00-200-804								
53-30-00-200-805-01	DETAILED FATIGUE INSPECTION OF SECTION T34 OUTER SIDE							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.041	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-30-00-200-805PROC. REF: AMM 53-30-00-200-805								
53-30-00-200-805-01A	FATIGUE INSPECTION OF SECTION T34 OUTER SIDE (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.041	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-30-00-200-805PROC. REF: AMM 53-30-00-200-805								
53-30-00-200-806-01	FATIGUE INSPECTION OF THE PANEL OUTER SKIN AT THE FOUR CUT-OUT CORNERS							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.046	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-30-00-200-806PROC. REF: AMM 53-30-00-200-806								
53-30-00-200-806-01A	FATIGUE INSPECTION OF THE PANEL OUTER SKIN AT THE FOUR CUT-OUT CORNERS (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.046	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-30-00-200-806PROC. REF: AMM 53-30-00-200-806								
53-30-00-210-803-01	GENERAL VISUAL FATIGUE NSPECTION OF THE UPPER AND LATERAL SKIN JUNCTION FASTENERS (AT STRINGER 6)							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-30-00-210-803PROC. REF: AMM 53-30-00-210-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-220-808-01	^S	DETAILED INSPECTION OF EMERGENCY EXIT FRAME						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 53-30-00-220-808PROC. REF: AMM 53-30-00-220-808								PKG:42
53-30-00-220-808-01C		DETAILED INSPECTION OF EMERGENCY EXIT FRAME (CPCP)						Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-30-00-220-808PROC. REF: AMM 53-30-00-220-808								
53-30-00-280-801-01		SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF THE EMERGENCY EXIT SURROUNDING						Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.051	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-30-00-280-801PROC. REF: AMM 53-30-00-280-801								
53-30-00-280-801-01A		SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF THE EMERGENCY EXIT SURROUNDING (MANDATORY 5-40)						Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.051	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-30-00-280-801PROC. REF: AMM 53-30-00-280-801								
53-40-00-200-804-07	^S	INSPECTION OF THE MLG BAYS - INSPECTION OF SPECIFIC LH MLG BAY COMPONENTS						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.120	AFL	2518	4000					
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								PKG:41
53-40-00-200-804-07C		INSPECTION OF THE MLG BAYS - INSPECTION OF SPECIFIC LH MLG BAY COMPONENTS (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.120	AFL	2518						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
53-40-00-200-804-08	^S	INSPECTION OF THE MLG BAYS - INSPECTION OF SPECIFIC RH MLG BAY COMPONENTS						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
53-40-00-200-804-08C		INSPECTION OF THE MLG BAYS - INSPECTION OF SPECIFIC RH MLG BAY COMPONENTS (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)	11-Aug-31	11-Oct-31	2138 d (+61)	CPCP	
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
53-40-00-200-807-03	^S	INSPECTION #2 OF THE FRONT, CENTER AND REAR FUEL TANKS						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.025	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 53-40-00-200-807PROC. REF: AMM 53-40-00-200-807								
53-40-00-200-807-03C		INSPECTION #2 OF THE FRONT, CENTER AND REAR FUEL TANKS (CPCP)						Service ATA:53
	MOS	11-Aug-23	192 (+2m)	11-Aug-39	11-Oct-39	5060 d (+61)	CPCP	
	HRS	6775:44						
WC#: 53.025	AFL	2518						
PROC. REF: AMM 53-40-00-200-807PROC. REF: AMM 53-40-00-200-807								
53-40-00-200-810-01		INSPECTION OF THE CENTER WING LOWER PANEL						Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000	12000		9340		
PROC. REF: AMM 53-40-00-200-810PROC. REF: AMM 53-40-00-200-810								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-00-200-810-01A	INSPECTION OF THE CENTER WING LOWER PANEL FROM FR20 TO FR26 (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-40-00-200-810PROC. REF: AMM 53-40-00-200-810								
53-40-00-200-811-01	^S	INSPECTION OF THE FRONT, CENTER AND REAR FUEL TANKS						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-40-00-200-811PROC. REF: AMM 53-40-00-200-811								
53-40-00-200-811-01C		INSPECTION OF THE FRONT, CENTER AND REAR FUEL TANKS (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-200-811PROC. REF: AMM 53-40-00-200-811								
53-40-00-210-805-01	^S	GENERAL VISUAL INSPECTION OF REAR FUEL TANK LATERAL SKIN PANELS - EXTERNAL SIDE - LH SIDE						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PKG:42								
PROC. REF: AMM 53-40-00-210-805PROC. REF: AMM 53-40-00-210-805								
53-40-00-210-805-01C		GENERAL VISUAL INSPECTION OF REAR FUEL TANK LATERAL SKIN PANELS - EXTERNAL SIDE - LH SIDE (CPCP)						Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-210-805PROC. REF: AMM 53-40-00-210-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-00-210-805-02	^S	GENERAL VISUAL INSPECTION OF REAR FUEL TANK LATERAL SKIN PANELS - EXTERNAL SIDE - RH SIDE						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 53-40-00-210-805PROC. REF: AMM 53-40-00-210-805								PKG:42
53-40-00-210-805-02C		GENERAL VISUAL INSPECTION OF REAR FUEL TANK LATERAL SKIN PANELS - EXTERNAL SIDE - RH SIDE (CPCP)						Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-210-805PROC. REF: AMM 53-40-00-210-805								
53-40-00-210-806-01		GENERAL VISUAL INSPECTION OF THE REAR TANK UPPER PANELS EXTERNAL SIDE - LH SIDE						Service ATA:53
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	
	HRS	6775:44	3200 (+40)		9975:44	10015:44	2483:10 (+40)	
	AFL	2518						
PROC. REF: AMM 53-40-00-210-806PROC. REF: AMM 53-40-00-210-806								
53-40-00-210-806-01C		GENERAL VISUAL INSPECTION OF THE REAR TANK UPPER PANELS EXTERNAL SIDE - LH SIDE (CPCP)						Service ATA:53
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-210-806PROC. REF: AMM 53-40-00-210-806								
53-40-00-210-806-02		GENERAL VISUAL INSPECTION OF THE REAR TANK UPPER PANELS EXTERNAL SIDE - RH SIDE						Service ATA:53
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	
	HRS	6775:44	3200 (+40)		9975:44	10015:44	2483:10 (+40)	
	AFL	2518						
PROC. REF: AMM 53-40-00-210-806PROC. REF: AMM 53-40-00-210-806								
53-40-00-210-806-02C		GENERAL VISUAL INSPECTION OF THE REAR TANK UPPER PANELS EXTERNAL SIDE - RH SIDE (CPCP)						Service ATA:53
	MOS	11-Aug-23	48 (+1m)		11-Aug-27	11-Sep-27	677 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-210-806PROC. REF: AMM 53-40-00-210-806								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-00-220-803-01	DETAILED FATIGUE INSPECTION OF THE FUSELAGE LOWER SECTION - SPLICE AREA BETWEEN FRONT CENTER AND REAR LOWER PANELS							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 53-40-00-220-803PROC. REF: AMM 53-40-00-220-803								
53-40-00-220-803-01A	DETAILED FATIGUE INSPECTION OF THE FUSELAGE LOWER SECTION- SPLICE AREA BETWEEN FRONT CENTER AND REAR LOWER PANELS (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 53-40-00-220-803PROC. REF: AMM 53-40-00-220-803								
53-40-00-220-806-01 ^S	DETAILED INSPECTION OF THE FRAME 26 REAR FACE IN FUEL BAY AREA							Service ATA:53
	MOS	11-Aug-23	192					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 53-40-00-220-806PROC. REF: AMM 53-40-00-220-806								PKG:42
53-40-00-220-806-01C	DETAILED INSPECTION OF THE FRAME 26 REAR FACE IN FUEL BAY AREA (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-220-806PROC. REF: AMM 53-40-00-220-806								
53-40-00-220-807-01 ^S	DETAILED INSPECTION OF FWD TANK UPPER PANEL, ORBITAL SKIN SPLICE AND SPLICES 16 TO 19 - DETAILED INSPECTION OF SPLICES AT FR16 TO FR19 AND THE FORWARD TANK UPPER PANEL.							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 53-40-00-220-807PROC. REF: AMM 53-40-00-220-807								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-00-220-807-01C	DETAILED INSPECTION OF FWD TANK UPPER PANEL, ORBITAL SKIN SPLICE AND SPLICES 16 TO 19 - DETAILED INSPECTION OF SPLICES AT FR16 TO FR19 AND THE FORWARD TANK UPPER PANEL. (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-220-807PROC. REF: AMM 53-40-00-220-807								
53-40-00-220-807-02 ^S	DETAILED INSPECTION OF FWD TANK UPPER PANEL, ORBITAL SKIN SPLICE AND SPLICES 16 TO 19 - DETAILED INSPECTION OF THE ORBITAL SKIN SPLICE.							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 53-40-00-220-807PROC. REF: AMM 53-40-00-220-807								PKG:42
53-40-00-220-807-02C	DETAILED INSPECTION OF FWD TANK UPPER PANEL, ORBITAL SKIN SPLICE AND SPLICES 16 TO 19 - DETAILED INSPECTION OF THE ORBITAL SKIN SPLICE. (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-40-00-220-807PROC. REF: AMM 53-40-00-220-807								
53-40-00-280-802-01 ^S	SPECIAL DETAILED INSPECTION OF THE UPPER PANEL AND RIB 3 BEAMS OF THE CENTER FUEL TANK							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.140	AFL	2518	8000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:42
53-40-00-280-802-01C	SPECIAL DETAILED INSPECTION OF THE UPPER PANEL AND RIB 3 BEAMS OF THE CENTER FUEL TANK (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.140	AFL	2518						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-00-280-803-01	SPECIAL DETAILED INSPECTION OF THE LOWER ZONE OF THE FRAMES 16, 17, 18 AND 19 INSIDE THE FRONT FUEL TANK							Service ATA:53
	MOS/MSC	24-Sep-10	O/C					
	HRS	1380:10						
WC#: 53.145	AFL	485						
PROC. REF: AMM 53-40-00-280-803PROC. REF: AMM 53-40-00-280-803								
53-40-00-280-805-01	SPECIAL DETAILED INSPECTION OF UPPER PANEL BETWEEN FR26 AND FR28 - SDI OF THE FUEL BAY AND REAR FUEL TANK UPPER PANEL STIFFENERS ENDS IN FRONT OF AND BEHIND FRAME 27							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.071	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-40-00-280-805PROC. REF: AMM 53-40-00-280-805								
53-40-00-280-805-01A	SPECIAL DETAILED INSPECTION OF UPPER PANEL BETWEEN FR26 AND FR28 - SDI OF THE FUEL BAY AND REAR FUEL TANK UPPER PANEL STIFFENERS ENDS IN FRONT OF AND BEHIND FRAME 27 (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.071	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-40-00-280-805PROC. REF: AMM 53-40-00-280-805								
53-40-00-280-805-02	SPECIAL DETAILED FATIGUE INSPECTION OF THE REAR FUEL TANK UPPER PANEL - DET OF THE REAR FUEL TANK UPPER PANEL FROM FRAME 27 TO 28							Service ATA:53
	MOS/MSC	23-Dec-14	N/A					
	HRS	2987:52						
WC#: 53.076	AFL	1341						
PROC. REF: AMM 53-40-00-280-805PROC. REF: AMM 53-40-00-280-805								
53-40-00-280-806-01	SPECIAL DETAILED INSPECTION OF FRAME 20 HORNS OUT OF FLANGES							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-40-00-280-806PROC. REF: AMM 53-40-00-280-806								
53-40-00-280-807-01	SPECIAL DETAILED FATIGUE INSPECTION (BOROSCOPIC) OF FRAME 16 AND FRAME 19 VERTICAL STIFFENERS INSIDE FRONT TANK							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-40-00-280-807PROC. REF: AMM 53-40-00-280-807								
53-40-00-280-808-01	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF THE FUEL BAY UPPER PANEL (FR 26)							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.066	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 53-40-00-280-808PROC. REF: AMM 53-40-00-280-808								
53-40-00-280-808-01A	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF THE FUEL BAY UPPER PANEL (FR 26) (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.066	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 53-40-00-280-808PROC. REF: AMM 53-40-00-280-808								
53-40-00-280-809-01	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF GAUGE HOLES ON CENTER WING LOWER PANEL							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-00-280-809PROC. REF: AMM 53-40-00-280-809								
53-40-00-280-809-01A	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF GAUGE HOLES ON CENTER WING LOWER PANEL (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-00-280-809PROC. REF: AMM 53-40-00-280-809								
53-40-00-280-810-01	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF PUMP HOLES ON CENTER WING LOWER PANEL							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-00-280-810PROC. REF: AMM 53-40-00-280-810								
53-40-00-280-810-01A	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF PUMP HOLES ON CENTER WING LOWER PANEL (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-40-00-280-810PROC. REF: AMM 53-40-00-280-810								
53-40-05-900-801-01	CENTER FUEL TANK RODS							Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				CDCCL
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-40-05-900-801PROC. REF: AMM 53-40-05-900-801								
53-40-05-960-801-01	REPLACEMENT OF THE CENTER FUEL TANK RIB 1 ROD							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					CDCCL
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-05-960-801PROC. REF: AMM 53-40-05-960-801								
53-41-00-210-801-01	^S	INSPECTION OF THE WING ROOT UPPER BOLT RECESSES						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.020	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-41-00-210-801PROC. REF: AMM 53-41-00-210-801								
53-41-00-210-801-01C	INSPECTION OF THE WING ROOT UPPER BOLT RECESSES (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)	11-Aug-31	11-Oct-31	2138 d (+61)		CPCP
	HRS	6775:44						
WC#: 53.020	AFL	2518						
PROC. REF: AMM 53-41-00-210-801PROC. REF: AMM 53-41-00-210-801								
53-41-00-210-802-01	^S	INSPECTION OF THE WING ROOT LOWER BOLT RECESSES						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.020	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-41-00-210-802PROC. REF: AMM 53-41-00-210-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-41-00-210-802-01C	INSPECTION OF THE WING ROOT LOWER BOLT RECESSES (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.020	AFL	2518						
PROC. REF: AMM 53-41-00-210-802PROC. REF: AMM 53-41-00-210-802								
53-41-00-220-802-01	DETAILED FATIGUE INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802								
53-41-00-220-802-01A	DETAILED FATIGUE INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802								
53-41-00-220-802-02	DETAILED FATIGUE INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802								
53-41-00-220-802-02A	DETAILED FATIGUE INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802								
53-50-00-200-802-02	FATIGUE INSPECTION OF THE JUNCTION BETWEEN INNER SHEET METAL AND BAGGAGE COMPARTMENT SKIN							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.081	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-200-802PROC. REF: AMM 53-50-00-200-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-200-802-02A	INSPECTION OF THE JUNCTION BETWEEN INNER SHEET METAL AND BAGGAGE COMPARTMENT SKIN (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.081	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-50-00-200-802PROC. REF: AMM 53-50-00-200-802								
53-50-00-200-803-01	^S	INSPECTION OF FRAME 41 UPPER JUNCTIONS						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.030	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-50-00-200-803PROC. REF: AMM 53-50-00-200-803								
53-50-00-200-803-01C		INSPECTION OF FRAME 41 UPPER JUNCTIONS (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.030	AFL	2518						
PROC. REF: AMM 53-50-00-200-803PROC. REF: AMM 53-50-00-200-803								
53-50-00-200-804-01	^S	INSPECTION OF THE APU EXHAUST						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.160	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-50-00-200-804PROC. REF: AMM 53-50-00-200-804								
53-50-00-200-805-01	^S	INSPECTION OF THE SERVICING COMPARTMENT INTERNAL STRUCTURE OVERFLOOR						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.165	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-50-00-200-805PROC. REF: AMM 53-50-00-200-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-200-805-01C	INSPECTION OF THE SERVICING COMPARTMENT INTERNAL STRUCTURE OVERFLOOR (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.165	AFL	2518						
PROC. REF: AMM 53-50-00-200-805PROC. REF: AMM 53-50-00-200-805								
53-50-00-200-806-03	^S	DETAILED INSPECTION OF THE APU COMPARTMENT SKIN PANEL AREA AROUND APU EXHAUST BETWEEN STR 5 AND STR 8						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-50-00-200-806PROC. REF: AMM 53-50-00-200-806								PKG:41
53-50-00-200-807-03	^S	INSPECTION BETWEEN FRAME 33 AND FRAME 41 UNDER THE BAGGAGE COMPARTMENT						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-50-00-200-807PROC. REF: AMM 53-50-00-200-807								PKG:41
53-50-00-200-807-03C		INSPECTION BETWEEN FRAME 33 AND FRAME 41 UNDER THE BAGGAGE COMPARTMENT (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-200-807PROC. REF: AMM 53-50-00-200-807								
53-50-00-200-808-01	^S	INSPECTION OF FRAME 41 - GVI OF THE BAGGAGE COMPARTMENT, FR 41 ORBITAL JUNCTIONS AND JUNCTIONS OF FR 41 BEAMS WITH BEAMS Y:403						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.040	AFL	2518	4000					
PROC. REF: AMM 53-50-00-200-808PROC. REF: AMM 53-50-00-200-808								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-200-808-01C	INSPECTION OF FRAME 41 - GVI OF THE BAGGAGE COMPARTMENT, FR 41 ORBITAL JUNCTIONS AND JUNCTIONS OF FR 41 BEAMS WITH BEAMS Y:403 (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.040	AFL	2518						
PROC. REF: AMM 53-50-00-200-808PROC. REF: AMM 53-50-00-200-808								
53-50-00-200-809-01 ^S	INSPECTION OF THE STUB - DETAILED INSPECTION OF THE STUB JUNCTIONS BETWEEN SPAR 45 AND SPAR 45A							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.045	AFL	2518	8000					
PROC. REF: AMM 53-50-00-200-809PROC. REF: AMM 53-50-00-200-809								
53-50-00-200-809-01C	INSPECTION OF THE STUB - DETAILED INSPECTION OF THE STUB JUNCTIONS BETWEEN SPAR 45 AND SPAR 45A (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.045	AFL	2518						
PROC. REF: AMM 53-50-00-200-809PROC. REF: AMM 53-50-00-200-809								
53-50-00-200-809-02	INSPECTION OF THE STUB - GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR FITTING							Service ATA:53
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 53.045	AFL	2518						
PROC. REF: AMM 53-50-00-200-809PROC. REF: AMM 53-50-00-200-809								
53-50-00-200-809-02C	INSPECTION OF THE STUB - GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR FITTING (CPCP)							Service ATA:53
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 53.045	AFL	2518						
PROC. REF: AMM 53-50-00-200-809PROC. REF: AMM 53-50-00-200-809								
53-50-00-200-809-06 ^S	INSPECTION OF THE STUB - INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR FITTINGS							Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-50-00-200-809PROC. REF: AMM 53-50-00-200-809								
53-50-00-200-809-06C	INSPECTION OF THE STUB - INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR FITTINGS (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-200-809PROC. REF: AMM 53-50-00-200-809								
53-50-00-200-811-01	FATIGUE INSPECTION OF THE BAGGAGE COMPARTMENT							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.096	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-200-811PROC. REF: AMM 53-50-00-200-811								
53-50-00-200-811-01A	INSPECTION OF STRUCTURAL PART BETWEEN FR33 AND FR41 (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.096	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-50-00-200-811PROC. REF: AMM 53-50-00-200-811								
53-50-00-200-812-01 ^S	GENERAL VISUAL INSPECTION FROM INSIDE OF THE BAGGAGE COMPARTMENT INTERNAL STRUCTURE AND FLOOR - GENERAL VISUAL INSPECTION FROM INSIDE OF THE FRAME 36 AT FLOOR JUNCTION.							Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-50-00-200-812PROC. REF: AMM 53-50-00-200-812								
53-50-00-200-812-01C	GENERAL VISUAL INSPECTION FROM INSIDE OF THE BAGGAGE COMPARTMENT INTERNAL STRUCTURE AND FLOOR - GENERAL VISUAL INSPECTION FROM INSIDE OF THE FRAME 36 AT FLOOR JUNCTION. (CPCP)							Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-200-812PROC. REF: AMM 53-50-00-200-812								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-200-812-02	^S	GENERAL VISUAL INSPECTION FROM INSIDE OF THE BAGGAGE COMPARTMENT INTERNAL STRUCTURE AND FLOOR - GENERAL VISUAL INSPECTION FROM INSIDE OF THE LH AND RH PICK UP ANGLES AT JUNCTION WITH BAGGAGE COMPARTMENT FLOOR.						Service ATA:53
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 53-50-00-200-812PROC. REF: AMM 53-50-00-200-812								PKG:3
53-50-00-200-812-02C		GENERAL VISUAL INSPECTION FROM INSIDE OF THE BAGGAGE COMPARTMENT INTERNAL STRUCTURE AND FLOOR - GENERAL VISUAL INSPECTION FROM INSIDE OF THE LH AND RH PICK UP ANGLES AT JUNCTION WITH BAGGAGE COMPARTMENT FLOOR. (CPCP)						Service ATA:53
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-200-812PROC. REF: AMM 53-50-00-200-812								
53-50-00-200-812-03	^S	GENERAL VISUAL INSPECTION FROM INSIDE OF THE BAGGAGE COMPARTMENT INTERNAL STRUCTURE AND FLOOR - GENERAL VISUAL INSPECTION FROM INSIDE OF THE FRAME 33 TO FR 41 ABOVE FLOOR LEVEL, EXCLUDING CUTOUT SURROUNDING OF BAGGAGE COMPARTMENT DOOR.						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-50-00-200-812PROC. REF: AMM 53-50-00-200-812								PKG:41
53-50-00-200-812-03C		GENERAL VISUAL INSPECTION FROM INSIDE OF THE BAGGAGE COMPARTMENT INTERNAL STRUCTURE AND FLOOR - GENERAL VISUAL INSPECTION FROM INSIDE OF THE FRAME 33 TO FR 41 ABOVE FLOOR LEVEL, EXCLUDING CUTOUT SURROUNDING OF BAGGAGE COMPARTMENT DOOR. (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-200-812PROC. REF: AMM 53-50-00-200-812								
53-50-00-200-813-01	^S	CORROSION INSPECTION OF FRAME 33 REAR SIDE						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.170	AFL	2518	8000					
PROC. REF: AMM 53-50-00-200-813PROC. REF: AMM 53-50-00-200-813								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-200-813-01C	CORROSION INSPECTION OF FRAME 33 REAR SIDE (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.170	AFL	2518						
PROC. REF: AMM 53-50-00-200-813PROC. REF: AMM 53-50-00-200-813								
53-50-00-210-802-06	^S	GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE BAGGAGE COMPARTMENT SKIN UPPER PART						Service ATA:53
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 53-50-00-210-802PROC. REF: AMM 53-50-00-210-802								PKG:3
53-50-00-210-802-06C		GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE BAGGAGE COMPARTMENT SKIN UPPER PART (CPCP)						Service ATA:53
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
WC#: 53.235	AFL	2518						
PROC. REF: AMM 53-50-00-210-802PROC. REF: AMM 53-50-00-210-802								
53-50-00-210-808-01	^S	GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE BAGGAGE COMPARTMENT SKIN LOWER PART - GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE LH AND RH PICK UP ANGLES AT THE JUNCTION WITH LH AND RH PANELS.						Service ATA:53
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 53-50-00-210-808PROC. REF: AMM 53-50-00-210-808								PKG:3
53-50-00-210-808-01C		GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE BAGGAGE COMPARTMENT SKIN LOWER PART - GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE LH AND RH PICK UP ANGLES AT THE JUNCTION WITH LH AND RH PANELS. (CPCP)						Service ATA:53
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
WC#: 53.235	AFL	2518						
PROC. REF: AMM 53-50-00-210-808PROC. REF: AMM 53-50-00-210-808								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-210-808-03	^S	GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE BAGGAGE COMPARTMENT SKIN LOWER PART - INSPECTION OF THE ANTI-CORROSION PROTECTION ON THE LH AND RH PICK UP ANGLES AT THE JUNCTION WITH LH AND RH PANELS.						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-50-00-210-808PROC. REF: AMM 53-50-00-210-808								PKG:41
53-50-00-210-808-03C		GENERAL VISUAL INSPECTION FROM OUTSIDE OF THE BAGGAGE COMPARTMENT SKIN LOWER PART - INSPECTION OF THE ANTI-CORROSION PROTECTION ON THE LH AND RH PICK UP ANGLES AT THE JUNCTION WITH LH AND RH PANELS. (CPCP)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-210-808PROC. REF: AMM 53-50-00-210-808								
53-50-00-220-801-01		DETAILED INSPECTION OF THE RH SKIN DOUBLER OF BAGGAGE COMPARTMENT						Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 53.200	AFL	0						
PROC. REF: AMM 53-50-00-220-801PROC. REF: AMM 53-50-00-220-801								
53-50-00-220-801-01A		DETAILED INSPECTION OF THE RH SKIN DOUBLER OF BAGGAGE COMPARTMENT (MANDATORY 5-40)						Service ATA:53
	MOS/MSC	12-Jun-07	N/A					ALI / FD
	HRS	0						
WC#: 53.106	AFL	0						
PROC. REF: AMM 53-50-00-220-801PROC. REF: AMM 53-50-00-220-801								
53-50-00-220-802-01	^S	DETAILED INSPECTION OF F41 ANGLE AT JUNCTION WITH FLOOR - DETAILED INSPECTION (FROM INSIDE BAGGAGE COMPARTMENT AND SERVICING COMPARTMENT) OF FR 41 ANGLE AT JUNCTION WITH BAGGAGE FLOOR						Service ATA:53
	MOS	11-Aug-23	36 (+1m)					
	HRS	6775:44	2400 (+40)					
	AFL	2518						
PROC. REF: AMM 53-50-00-220-802PROC. REF: AMM 53-50-00-220-802								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-220-802-01C	DETAILED INSPECTION OF F41 ANGLE AT JUNCTION WITH FLOOR - DETAILED INSPECTION (FROM INSIDE BAGGAGE COMPARTMENT AND SERVICING COMPARTMENT) OF FR 41 ANGLE AT JUNCTION WITH BAGGAGE FLOOR (CPCP)							Service ATA:53
	MOS	11-Aug-23	36 (+1m)		11-Aug-26	11-Sep-26	312 d (+31)	CPCP
	HRS	6775:44						
WC#: 53.245	AFL	2518						
PROC. REF: AMM 53-50-00-220-802PROC. REF: AMM 53-50-00-220-802								
53-50-00-220-803-01	^S	UPPER AND LOWER SKIN PANEL (INTERNAL SIDE EXCEPT AREA AROUND APU EXHAUST BETWEEN STRINGERS 5 AND 8) - DETAILED INSPECTION						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 53-50-00-220-803PROC. REF: AMM 53-50-00-220-803								
53-50-00-220-808-01	^S	DETAILED INSPECTION OF THE JUNCTION BETWEEN F41 AND THE VERTICAL BEAMS						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.040	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 53-50-00-220-808PROC. REF: AMM 53-50-00-220-808								
53-50-00-220-808-01C	DETAILED INSPECTION OF THE JUNCTION BETWEEN F41 AND THE VERTICAL BEAMS (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 53.040	AFL	2518						
PROC. REF: AMM 53-50-00-220-808PROC. REF: AMM 53-50-00-220-808								
53-50-00-220-810-01	^S	DETAILED INSPECTION OF LOWER FRAME 44						Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 53-50-00-220-810PROC. REF: AMM 53-50-00-220-810								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-220-810-01C	DETAILED INSPECTION OF LOWER FRAME 44 (CPCP)							Service ATA:53
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 53-50-00-220-810PROC. REF: AMM 53-50-00-220-810								
53-50-00-280-802-01 ^S	SPECIAL DETAILED INSPECTION OF THE STUB INTERNAL STRUCTURE							Service ATA:53
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 53.185	AFL	2518	8000					
PROC. REF: AMM 53-50-00-280-802PROC. REF: AMM 53-50-00-280-802								
53-50-00-280-803-01	SPECIAL DETAILED FATIGUE INSPECTION (LFEC) UNDER S-DUCT							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.116	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-280-803PROC. REF: AMM 53-50-00-280-803								
53-50-00-280-803-01A	SPECIAL DETAILED FATIGUE INSPECTION (LFEC) UNDER S-DUCT (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.116	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-50-00-280-803PROC. REF: AMM 53-50-00-280-803								
53-50-00-280-804-01	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) AT MANDOLIN-SHAPED STUB JUNCTION AND UNDER THE S-DUCT							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.121	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-280-804PROC. REF: AMM 53-50-00-280-804								
53-50-00-280-804-01A	SPECIAL DETAILED FATIGUE INSPECTION AT MANDOLIN-SHAPED STUB JUNCTION AND UNDER THE S-DUCT (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.121	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-50-00-280-804PROC. REF: AMM 53-50-00-280-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-280-806-01	SPECIAL DETAILED INSPECTION (HFEC) INSIDE BAGGAGE COMPARTMENT							Service ATA:53
	MOS	23-Dec-14						
	HRS	2987:52						
WC#: 53.126	AFL	1341	8000		9341		6681	
PROC. REF: AMM 53-50-00-280-806PROC. REF: AMM 53-50-00-280-806								
53-50-00-280-806-01A	SPECIAL DETAILED INSPECTION (HFEC) INSIDE BAGGAGE COMPARTMENT (MANDATORY 5-40)							Service ATA:53
	MOS	23-Dec-14						ALI / FD
	HRS	2987:52						
WC#: 53.126	AFL	1341	8000		9341		6681	
PROC. REF: AMM 53-50-00-280-806PROC. REF: AMM 53-50-00-280-806								
53-50-00-280-807-01	SPECIAL DETAILED FATIGUE INSPECTION (LFEC) OF FRAME 36 UPPER PART							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-280-807PROC. REF: AMM 53-50-00-280-807								
53-50-00-280-808-01	SPECIAL DETAILED FATIGUE INSPECTION OF STRUCTURAL PARTS BETWEEN FR33 AND FR41							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
WC#: 53.091	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-280-808PROC. REF: AMM 53-50-00-280-808								
53-50-00-280-808-01A	SPECIAL DETAILED FATIGUE INSPECTION OF STRUCTURAL PARTS BETWEEN FR33 AND FR41 (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 53.091	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-50-00-280-808PROC. REF: AMM 53-50-00-280-808								
53-50-00-280-809-01	SPECIAL DETAILED INSPECTION (HFEC) OF FR36 FREE FLANGE AND FR37 GUSSET							Service ATA:53
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 53-50-00-280-809PROC. REF: AMM 53-50-00-280-809								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-280-809-01A	SPECIAL DETAILED INSPECTION (HFEC) OF FR36 FREE FLANGE AND FR37 GUSSET (MANDATORY 5-40)							Service ATA:53
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 53-50-00-280-809PROC. REF: AMM 53-50-00-280-809								
53-50-00-960-801-01A	REPLACEMENT OF T34: REAR TANK UPPER PANEL FR 27 TO FR 28 (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
WC#: 53.050	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-50-00-960-801-02A	REPLACEMENT OF THE (T5) FRAME 37 UPPER BLIND FASTENERS (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-50-00-960-801-03A	REPLACEMENT OF THE (T5) FRAME 37 GUSSET (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-50-00-960-801-04A	REPLACEMENT OF THE CONNECTION BETWEEN MAIN LANDING GEAR ACTUATOR DOOR FITTING AND THE MAIN LANDING GEAR BAY INTERNAL WEB (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-50-00-960-801-05A	REPLACEMENT OF THE FRONT LOWER T34 STRINGER 15 AT FINGER DOUBLER CROSSING AREA (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	O/C					MANDATORY 5-40
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-960-801-06A	REPLACEMENT OF THE T5 - FRAME 36 & FRAME 39 FLOOR ATTACHMENTS (MANDATORY 5-40)							Service ATA:53
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-60-00-200-801-01	^S	INSPECTION OF THE WING AND REAR T34 BODY FAIRINGS - WING ROOT UPPER FAIRING (148AR)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.055	AFL	2518	4000					
PROC. REF: AMM 53-60-00-200-801PROC. REF: AMM 53-60-00-200-801								PKG:41
53-60-00-200-801-02	^S	INSPECTION OF THE WING AND REAR T34 BODY FAIRINGS - WING ROOT UPPER FAIRING (149AL)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.055	AFL	2518	4000					
PROC. REF: AMM 53-60-00-200-801PROC. REF: AMM 53-60-00-200-801								PKG:41
53-60-00-200-801-03	^S	INSPECTION OF THE WING AND REAR T34 BODY FAIRINGS - REAR FUEL TANK REAR FAIRING (168AR)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.055	AFL	2518	4000					
PROC. REF: AMM 53-60-00-200-801PROC. REF: AMM 53-60-00-200-801								PKG:41
53-60-00-200-801-04	^S	INSPECTION OF THE WING AND REAR T34 BODY FAIRINGS - REAR FUEL TANK REAR FAIRING (169AL)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.055	AFL	2518	4000					
PROC. REF: AMM 53-60-00-200-801PROC. REF: AMM 53-60-00-200-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-60-00-900-801-01 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - FUSELAGE FORWARD FAIRING (133AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-02 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - FUSELAGE FORWARD FAIRING (134AR)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-03 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - WING ROOT LOWER FAIRING (147AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-04 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - WING ROOT LOWER FAIRING (147AR)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-05 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - CTR FUEL TANK BOOSTER PUMP FAIRING (147FL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-06 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - WING ROOT UPPER FAIRING (148AR)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-60-00-900-801-07 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - WING ROOT UPPER FAIRING (149AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-08 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - FUEL EQUIPMENT BAY DOOR (151AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-09 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - REAR FUEL TANK FAIRING (167AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-10 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - REAR FUEL TANK REAR FAIRING (168AR)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-00-900-801-11 REMOVAL / INSTALLATION OF THE T34 BODY FAIRINGS - REAR FUEL TANK REAR FAIRING (169AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-60-00-900-801PROC. REF: AMM 53-60-00-900-801								
53-60-05-900-801-01 REMOVAL / INSTALLATION OF A LANDING LIGHT TRANSPARENCY								Component ATA:53
PN:F7XC536301040	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:10162	HRS	6775:44		TSN 0				
WC#: 53.005	AFL	2518		TSN 0				
PROC. REF: AMM 53-60-05-900-801PROC. REF: AMM 53-60-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-60-05-900-801-02 RH LANDING LIGHT TRANSPARENCY								Component ATA:53
PN:F7XC536301041	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:10146	HRS	6775:44		TSN 0				
WC#: 53.005	AFL	2518		TSN 0				
PROC. REF: AMM 53-60-05-900-801PROC. REF: AMM 53-60-05-900-801								
53-70-05-900-801-01 REMOVAL / INSTALLATION OF THE T5 BODY FAIRINGS - AIR CONDITIONING PACK FRONT ACCESS PANEL (171AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-05-900-801PROC. REF: AMM 53-70-05-900-801								
53-70-05-900-801-02 REMOVAL / INSTALLATION OF THE T5 BODY FAIRINGS - AIR CONDITIONING PACK MAIN ACCESS PANEL (171BL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-05-900-801PROC. REF: AMM 53-70-05-900-801								
53-70-05-900-801-03 REMOVAL / INSTALLATION OF THE T5 BODY FAIRINGS - FRONT UNDER-PYLON FAIRING (173AL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-05-900-801PROC. REF: AMM 53-70-05-900-801								
53-70-05-900-801-05 REMOVAL / INSTALLATION OF THE T5 BODY FAIRINGS - REAR UNDER-PYLON FAIRING (173FL)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-05-900-801PROC. REF: AMM 53-70-05-900-801								
53-70-05-900-801-06 REMOVAL / INSTALLATION OF THE T5 BODY FAIRINGS - FRONT UNDER-PYLON FAIRING (174AR)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-05-900-801PROC. REF: AMM 53-70-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-70-05-900-801-07 REMOVAL / INSTALLATION OF THE T5 BODY FAIRINGS - REAR UNDER-PYLON FAIRING (174FR)							Component	ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-05-900-801PROC. REF: AMM 53-70-05-900-801								
53-70-09-900-801-02 REMOVAL / INSTALLATION OF THE T5 S-DUCT FAIRINGS - S-DUCT FRONT FAIRING (353AL)							Component	ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-09-900-801PROC. REF: AMM 53-70-09-900-801								
53-70-09-900-801-03 REMOVAL / INSTALLATION OF THE T5 S-DUCT FAIRINGS - S-DUCT LATERAL FAIRING (353AR)							Component	ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-09-900-801PROC. REF: AMM 53-70-09-900-801								
53-70-09-900-801-04 REMOVAL / INSTALLATION OF THE T5 S-DUCT FAIRINGS - S-DUCT FRONT UPPER FAIRING (353AT)							Component	ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-09-900-801PROC. REF: AMM 53-70-09-900-801								
53-70-09-900-801-06 REMOVAL / INSTALLATION OF THE T5 S-DUCT FAIRINGS - S-DUCT LATERAL UPPER FAIRING (353CL)							Component	ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-09-900-801PROC. REF: AMM 53-70-09-900-801								
53-70-09-900-801-07 REMOVAL / INSTALLATION OF THE T5 S-DUCT FAIRINGS - S-DUCT LATERAL UPPER FAIRING (353CR)							Component	ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-09-900-801PROC. REF: AMM 53-70-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-70-09-900-801-08	REMOVAL / INSTALLATION OF THE T5 S-DUCT FAIRINGS - S-DUCT LATERAL FAIRING (353DL)							Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-70-09-900-801PROC. REF: AMM 53-70-09-900-801								
53-76-00-210-801-01	^S	GENERAL VISUAL INSPECTION OF THE APU FIRE PANELS AND FIRE SEAL						Service ATA:53
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 53-76-00-210-801PROC. REF: AMM 53-76-00-210-801								
53-80-00-710-801-05	^S	OPERATIONAL TEST OF THE FUSELAGE DRAINING SYSTEM						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 53-80-00-710-801PROC. REF: AMM 53-80-00-710-801								
53-80-01-710-801-01	^S	OPERATIONAL TEST OF THE WATER DETECTION SENSORS - LH AND RH BAGGAGE COMPARTMENT WATER DETECTION SENSORS (L103MV) / (R103MV)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.065	AFL	2518	4000					
PROC. REF: AMM 53-80-01-710-801PROC. REF: AMM 53-80-01-710-801								
53-80-01-710-801-02	^S	OPERATIONAL TEST OF THE WATER DETECTION SENSORS - WATER TANK DETECTION SENSOR (203MV)						Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.065	AFL	2518	4000					
PROC. REF: AMM 53-80-01-710-801PROC. REF: AMM 53-80-01-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-80-01-900-801-01 REMOVAL / INSTALLATION OF THE WATER DETECTION SENSORS - LH BAGGAGE COMPARTMENT WATER DETECTION SENSOR (L103MV)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-80-01-900-801PROC. REF: AMM 53-80-01-900-801								
53-80-01-900-801-02 REMOVAL / INSTALLATION OF THE WATER DETECTION SENSORS - RH BAGGAGE COMPARTMENT WATER DETECTION SENSOR (R103MV)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-80-01-900-801PROC. REF: AMM 53-80-01-900-801								
53-80-01-900-801-03 REMOVAL / INSTALLATION OF THE WATER DETECTION SENSORS - WATER TANK DETECTION SENSOR (203MV)								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-80-01-900-801PROC. REF: AMM 53-80-01-900-801								
53-80-05-200-801-01 ^S VISUAL CHECK OF THE SEALING DAM CONDITION AND ITS ATTACHMENTS								Service ATA:53
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 53.195	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 53-80-05-200-801PROC. REF: AMM 53-80-05-200-801								
53-80-05-900-801-01 REMOVAL / INSTALLATION OF THE SEALING DAM								Component ATA:53
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.195	AFL	0		TSN 0				
PROC. REF: AMM 53-80-05-900-801PROC. REF: AMM 53-80-05-900-801								

ATA 54 - NACELLES/PYLONS

54-00-00-200-801-02 ^S INSPECTION OF THE ENGINE 1 AND 3 AFTERBODY FLANGES - ENGINE 1 AFTERBODY FLANGE								Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 54.035	AFL	2518	4000					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
PROC. REF: AMM 54-00-00-200-801PROC. REF: AMM 54-00-00-200-801								PKG:41
54-00-00-200-801-03	S	INSPECTION OF THE ENGINE 1 AND 3 AFTERBODY FLANGES - ENGINE 3 AFTERBODY FLANGE						Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 54-00-00-200-801PROC. REF: AMM 54-00-00-200-801								PKG:41
54-00-00-200-802-01	S	INSPECTION OF THE SIDE ENGINES INLET FLANGES - INSPECTION OF THE INLET FLANGES OF ENGINES 1 AND 3 AIR INTAKES						Service ATA:54
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 54.035	AFL	2518	8000					
PROC. REF: AMM 54-00-00-200-802PROC. REF: AMM 54-00-00-200-802								PKG:42
54-00-00-200-805-01	S	INSPECTION OF THE ENGINE PYLONS EXTERNAL STRUCTURE						Service ATA:54
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 54-00-00-200-805PROC. REF: AMM 54-00-00-200-805								PKG:4
54-00-00-200-805-01C		INSPECTION OF THE ENGINE PYLONS EXTERNAL STRUCTURE (CPCP)					Service ATA:54	
	MOS	11-Aug-23	48 (+1m)	11-Aug-27	11-Sep-27	677 d (+31)	CPCP	
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 54-00-00-200-805PROC. REF: AMM 54-00-00-200-805								
54-00-00-200-806-01	S	INSPECTION OF THE ENGINE PYLONS INTERNAL STRUCTURE						Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 54-00-00-200-806PROC. REF: AMM 54-00-00-200-806								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-00-00-200-806-01C	INSPECTION OF THE ENGINE PYLONS INTERNAL STRUCTURE (CPCP)							Service ATA:54
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 54-00-00-200-806PROC. REF: AMM 54-00-00-200-806								
54-00-00-200-807-01	^S	GENERAL VISUAL INSPECTION OF THE AFTERBODIES AND THRUST REVERSER FIRE SEALS - ENGINE 1 AFTERBODY FIRE SEAL.						Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 54-00-00-200-807PKG:41								
54-00-00-200-807-02	^S	GENERAL VISUAL INSPECTION OF THE AFTERBODIES AND THRUST REVERSER FIRE SEALS - ENGINE 2 THRUST REVERSER FIRE SEAL.						Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 54-00-00-200-807PKG:41								
54-00-00-200-807-03	^S	GENERAL VISUAL INSPECTION OF THE AFTERBODIES AND THRUST REVERSER FIRE SEALS - ENGINE 3 AFTERBODY FIRE SEAL.						Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 54-00-00-200-807PKG:41								
54-11-00-200-801-01	^S	INSPECTION OF THE ENGINE 1, 2 AND 3 COWLINGS - ENGINE 1 COWLINGS						Service ATA:54
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 54-11-00-200-801PKG:4								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-11-00-200-801-02	^S	INSPECTION OF THE ENGINE 1, 2 AND 3 COWLINGS - ENGINE 2 COWLINGS						Service ATA:54
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 54-11-00-200-801PROC. REF: AMM 54-11-00-200-801								PKG:4
54-11-00-200-801-03	^S	INSPECTION OF THE ENGINE 1, 2 AND 3 COWLINGS - ENGINE 3 COWLINGS						Service ATA:54
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
	AFL	2518						
PROC. REF: AMM 54-11-00-200-801PROC. REF: AMM 54-11-00-200-801								PKG:4
54-11-00-200-802-01	^S	INSPECTION OF THE ENGINE 1, 2 AND 3 DRAIN MAST SEALS - ENGINE 1 DRAIN MAST SEAL						Service ATA:54
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
PROC. REF: AMM 54-11-00-200-802PROC. REF: AMM 54-11-00-200-802								PKG:2 WO#: JWL-25-049
54-11-00-200-802-02	^S	INSPECTION OF THE ENGINE 1, 2 AND 3 DRAIN MAST SEALS - ENGINE 2 DRAIN MAST SEAL						Service ATA:54
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
PROC. REF: AMM 54-11-00-200-802PROC. REF: AMM 54-11-00-200-802								PKG:2 WO#: JWL-25-049
54-11-00-200-802-03	^S	INSPECTION OF THE ENGINE 1, 2 AND 3 DRAIN MAST SEALS - ENGINE 3 DRAIN MAST SEAL						Service ATA:54
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
PROC. REF: AMM 54-11-00-200-802PROC. REF: AMM 54-11-00-200-802								PKG:2 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-11-01-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 UPPER COWLINGS - ENGINE 1 UPPER COWLING (L101ED)							Component	ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.025	AFL	0		TSN 0				
PROC. REF: AMM 54-11-01-900-801PROC. REF: AMM 54-11-01-900-801								
54-11-01-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 UPPER COWLINGS - ENGINE 3 UPPER COWLING (R101ED)							Component	ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.025	AFL	0		TSN 0				
PROC. REF: AMM 54-11-01-900-801PROC. REF: AMM 54-11-01-900-801								
54-11-05-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 LOWER COWLINGS - ENGINE 1 LOWER COWLING (L201ED)							Component	ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.025	AFL	0		TSN 0				
PROC. REF: AMM 54-11-05-900-801PROC. REF: AMM 54-11-05-900-801								
54-11-05-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 LOWER COWLINGS - ENGINE 3 LOWER COWLING (R201ED)							Component	ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.025	AFL	0		TSN 0				
PROC. REF: AMM 54-11-05-900-801PROC. REF: AMM 54-11-05-900-801								
54-11-09-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 2 COWLINGS - ENGINE 2 LH COWLING (L9530EZ)							Component	ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.020	AFL	0		TSN 0				
PROC. REF: AMM 54-11-09-900-801PROC. REF: AMM 54-11-09-900-801								
54-11-09-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE 2 COWLINGS - ENGINE 2 RH COWLING (R9530EZ)							Component	ATA:54
PN:F7XC542110020A7	MOS/MSC	28-Jun-11	O/C					
SN:SL004	HRS	1597:06						
WC#: 54.020	AFL	699						
PROC. REF: AMM 54-11-09-900-801PROC. REF: AMM 54-11-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-13-01-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 AFTERBODIES - ENGINE 1 AFTERBODY (L9500EZ)							Component	ATA:54
PN:F7XC54310020A3	MOS/MSC	11-Aug-23	O/C					
SN:0014	HRS	6775:44						
WC#: 54.005	AFL	2518						
PROC. REF: AMM 54-13-01-900-801PROC. REF: AMM 54-13-01-900-801								
54-13-01-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 AFTERBODIES - ENGINE 3 AFTERBODY (R9500EZ)							Component	ATA:54
PN:F7XC541130020A3	MOS/MSC	11-Aug-23	O/C					
SN:016	HRS	6775:44						
WC#: 54.005	AFL	2518						
PROC. REF: AMM 54-13-01-900-801PROC. REF: AMM 54-13-01-900-801								
54-40-00-200-801-01 INSPECTION OF THE S-DUCT STRUCTURE INSIDE THE SERVICING COMPARTMENT							Service	ATA:54
	MOS/MSC	11-Aug-23	O/C					
	HRS	6775:44						
WC#: 54.070	AFL	2518						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
54-41-00-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 AIR INTAKES - ENGINE 1 AIR INTAKE (L9510EZ)							Component	ATA:54
PN:F7XC541101020A6	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:AEMIO687	HRS	6775:44		TSR 0				
WC#: 54.050	AFL	2518		TSR 0				
PROC. REF: AMM 54-41-00-900-801PROC. REF: AMM 54-41-00-900-801								
54-41-00-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 AIR INTAKES - ENGINE 3 AIR INTAKE (R9510EZ)							Component	ATA:54
PN:F7XC541101020A6	MOS/MSC	11-Aug-23	O/C	TSR 0				
SN:AEMIO602	HRS	6775:44		TSR 0				
WC#: 54.050	AFL	2518		TSR 0				
PROC. REF: AMM 54-41-00-900-801PROC. REF: AMM 54-41-00-900-801								
54-42-01-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 2 AIR INTAKE - ENGINE 2 AIR INTAKE (M9510EZ)							Component	ATA:54
PN:F7XC544 100 000 A6	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:LE006	HRS	0		TSN 0				
WC#: 54.050	AFL	0		TSN 0				
PROC. REF: AMM 54-42-01-900-801PROC. REF: AMM 54-42-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-42-05-900-801-01	REMOVAL / INSTALLATION OF THE S-DUCT SECTION 1 AND 2 - S-DUCT SECTION 1 (M9500BC)							Component ATA:54
PN:F7XC544200150B8	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:270	HRS	6775:44		TSN 0				
WC#: 54.045	AFL	2518		TSN 0				
PROC. REF: AMM 54-42-05-900-801PROC. REF: AMM 54-42-05-900-801								
54-42-05-900-801-02	REMOVAL / INSTALLATION OF THE S-DUCT SECTION 1 AND 2 - S-DUCT SECTION 2 (M9550BC)							Component ATA:54
PN:F7XC544200160C2	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:150	HRS	6775:44		TSN 0				
WC#: 54.045	AFL	2518		TSN 0				
PROC. REF: AMM 54-42-05-900-801PROC. REF: AMM 54-42-05-900-801								
54-42-09-900-801-01	REMOVAL / INSTALLATION OF THE S-DUCT SECTION 3 AND 4 - S-DUCT SECTION 3 (M9600BC)							Component ATA:54
PN:F7XC544300100B9	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:600	HRS	6775:44		TSN 0				
WC#: 54.045	AFL	2518		TSN 0				
PROC. REF: AMM 54-42-09-900-801PROC. REF: AMM 54-42-09-900-801								
54-42-09-900-801-02	REMOVAL / INSTALLATION OF THE S-DUCT SECTION 3 AND 4 - S-DUCT SECTION 4 (M9650BC)							Component ATA:54
PN:F7XC5440000	MOS/MSC	11-Aug-23	O/C					
SN:SD30007	HRS	6775:44						
WC#: 54.045	AFL	2518						
PROC. REF: AMM 54-42-09-900-801PROC. REF: AMM 54-42-09-900-801								
54-42-13-220-801-01	DETAILED INSPECTION OF ENGINE 2 INLET COUPLING RING - ENGINE 2 INLET COUPLING RING (L300BC)							Service ATA:54
PN:F7XC54200020A5	MOS	11-Aug-23	192 (+3%)	11-Aug-39	03-Feb-40	5060 d (+176)		
SN:UNKNOWN	HRS	6775:44						
WC#: 54.060	AFL	2518						
PROC. REF: AMM 54-42-13-220-801PROC. REF: AMM 54-42-13-220-801								
54-42-13-220-802-01 ^S	DETAILED INSPECTION OF ENGINE 2 AIR INLET COUPLING RING FIRE SEAL - ENGINE 2 INLET COUPLING RING SEAL (M9510BC) .							Service ATA:54
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 54-42-13-220-802PROC. REF: AMM 54-42-13-220-802								

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-42-13-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE 2 INLET COUPLING RING - ENGINE 2 INLET COUPLING RING (L300BC)							Component ATA:54
PN:F7XC54200020A5	MOS/MSC	22-Jan-20	O/C					
SN:UNKNOWN	HRS	5287:57						
WC#: 54.060	AFL	2109						
PROC. REF: AMM 54-42-13-900-801PROC. REF: AMM 54-42-13-900-801								
54-48-00-900-881-51	S-DUCT S4 ACCESS DOOR							Component ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
54-48-00-900-881-62	NO. 1 ENGINE PYLON LEADING EDGE							Component ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
54-48-00-900-881-63	NO. 1 ENGINE PYLON TRAILING EDGE							Component ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
54-48-00-900-881-69	NO. 3 ENGINE PYLON LEADING EDGE							Component ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
54-48-00-900-881-70	NO. 3 ENGINE PYLON TRAILING EDGE							Component ATA:54
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 54.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-00-200-801-01	FATIGUE INSPECTION OF THE ENGINE PYLONS INTERNAL STRUCTURE							Service ATA:54
	MOS	12-Jun-07						
	HRS	0						
WC#: 54.016	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 54-50-00-200-801PROC. REF: AMM 54-50-00-200-801								
54-50-00-200-801-01A	INSPECTION OF THE ENGINE PYLONS LOWER AND UPPER SKIN AND FITTINGS (MANDATORY 5-40)							Service ATA:54
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 54.016	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 54-50-00-200-801PROC. REF: AMM 54-50-00-200-801								
54-50-00-200-802-01 ^S	INSPECTION OF THE ENGINE PYLONS JUNCTION WITH FUSELAGE SKIN							Service ATA:54
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 54.080	AFL	2518	8000					
PROC. REF: AMM 54-50-00-200-802PROC. REF: AMM 54-50-00-200-802								PKG:42
54-50-00-200-802-01C	INSPECTION OF THE ENGINE PYLONS JUNCTION WITH FUSELAGE SKIN (CPCP)							Service ATA:54
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 54.080	AFL	2518						
PROC. REF: AMM 54-50-00-200-802PROC. REF: AMM 54-50-00-200-802								
54-50-00-200-803-01	INSPECTION OF THE ENGINE PYLONS SKIN AND FITTINGS							Service ATA:54
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 54-50-00-200-803PROC. REF: AMM 54-50-00-200-803								
ATA 55 - STABILIZERS								
55-00-00-270-803-01	SPECIAL DETAILED INSPECTION OF DECOMATIC SCREWS IN STABILIZER AREA							Service ATA:55
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 55-00-00-270-803PROC. REF: AMM 55-00-00-270-803								
55-00-00-270-803-01A	SPECIAL DETAILED INSPECTION OF DECOMATIC SCREWS IN STABILIZER AREA (MANDATORY 5-40)							Service ATA:55
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 55-00-00-270-803PROC. REF: AMM 55-00-00-270-803								
55-00-00-370-801-01	APPLICATION OF CORROSION INHIBITOR COMPOUND IN STABILIZER AREAS							Service ATA:55
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 55-00-00-370-801PROC. REF: AMM 55-00-00-370-801								
55-10-00-200-801-04 ^S	INSPECTION #1 OF THE HORIZONTAL STABILIZER AND ELEVATORS							Service ATA:55
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 55.085	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 55-10-00-200-801PROC. REF: AMM 55-10-00-200-801								
55-10-00-200-801-04C	INSPECTION #1 OF THE HORIZONTAL STABILIZER AND ELEVATORS (CPCP)							Service ATA:55
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 55.085	AFL	2518						
PROC. REF: AMM 55-10-00-200-801PROC. REF: AMM 55-10-00-200-801								
55-10-00-200-802-06 ^S	INSPECTION #2 OF THE HORIZONTAL STABILIZER AND ELEVATORS - DET INSPECTION OF THE AFTER RIB 1 ASSEMBLY							Service ATA:55
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 55-10-00-200-802PROC. REF: AMM 55-10-00-200-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-00-200-802-06C	INSPECTION #2 OF THE HORIZONTAL STABILIZER AND ELEVATORS - DET INSPECTION OF THE AFTER RIB 1 ASSEMBLY (CPCP)							Service ATA:55
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 55-10-00-200-802PROC. REF: AMM 55-10-00-200-802								
55-10-00-200-802-08 ^S	INSPECTION #2 OF THE HORIZONTAL STABILIZER AND ELEVATORS - GVI OF THE HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PKG:42								
PROC. REF: AMM 55-10-00-200-802PROC. REF: AMM 55-10-00-200-802								
55-10-00-200-802-08C	INSPECTION #2 OF THE HORIZONTAL STABILIZER AND ELEVATORS - GVI OF THE HORIZONTAL STABILIZER (CPCP)							Service ATA:55
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 55-10-00-200-802PROC. REF: AMM 55-10-00-200-802								
55-10-00-200-802-09 ^S	INSPECTION #2 OF THE HORIZONTAL STABILIZER AND ELEVATORS - GVI OF THE ELEVATORS							Service ATA:55
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PKG:42								
PROC. REF: AMM 55-10-00-200-802PROC. REF: AMM 55-10-00-200-802								
55-10-00-200-802-09C	INSPECTION #2 OF THE HORIZONTAL STABILIZER AND ELEVATORS - GVI OF THE ELEVATORS (CPCP)							Service ATA:55
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 55-10-00-200-802PROC. REF: AMM 55-10-00-200-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-00-280-801-01	^S	SPECIAL DETAILED INSPECTION OF THE CENTRAL JOINT ASSEMBLY OF THE HORIZONTAL STABILIZER						Service ATA:55
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 55.085	AFL	2518	8000					
PROC. REF: AMM 55-10-00-280-801PROC. REF: AMM 55-10-00-280-801								PKG:42
55-10-00-280-801-01C		SPECIAL DETAILED INSPECTION OF THE CENTRAL JOINT ASSEMBLY OF THE HORIZONTAL STABILIZER (CPCP)						Service ATA:55
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 55.085	AFL	2518						
PROC. REF: AMM 55-10-00-280-801PROC. REF: AMM 55-10-00-280-801								
55-10-00-640-801-01	^S	LUBRICATION OF THE HORIZONTAL STABILIZER COMPONENTS - LUBRICATION OF COMPASS HINGE POINTS						Service ATA:55
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 55.065	AFL	2518						
PROC. REF: AMM 55-10-00-640-801PROC. REF: AMM 55-10-00-640-801								PKG:4
55-10-00-640-801-02	^S	LUBRICATION OF THE HORIZONTAL STABILIZER COMPONENTS - LUBRICATION OF LEX MOVABLE HINGE POINTS						Service ATA:55
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 55.065	AFL	2518						
PROC. REF: AMM 55-10-00-640-801PROC. REF: AMM 55-10-00-640-801								PKG:4
55-10-00-900-801-01		REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER - HORIZONTAL STABILIZER (9500CH)						Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.010	AFL	0		TSN 0				
PROC. REF: AMM 55-10-00-900-801PROC. REF: AMM 55-10-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-01-900-801-01 REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER / FIN FAIRINGS - LH LOWER FAIRING (L9530SH)								Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.025	AFL	0		TSN 0				
PROC. REF: AMM 55-10-01-900-801PROC. REF: AMM 55-10-01-900-801								
55-10-01-900-801-02 REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER / FIN FAIRINGS - RH LOWER FAIRING (R9530SH)								Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.025	AFL	0		TSN 0				
PROC. REF: AMM 55-10-01-900-801PROC. REF: AMM 55-10-01-900-801								
55-10-01-900-801-03 REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER / FIN FAIRINGS - LH UPPER FAIRING (L9540SH)								Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.030	AFL	0		TSN 0				
PROC. REF: AMM 55-10-01-900-801PROC. REF: AMM 55-10-01-900-801								
55-10-01-900-801-04 REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER / FIN FAIRINGS - RH UPPER FAIRING (R9540SH)								Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.030	AFL	0		TSN 0				
PROC. REF: AMM 55-10-01-900-801PROC. REF: AMM 55-10-01-900-801								
55-10-05-720-801-01 FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER / FIN FAIRING FRICTION - LH UPPER FIN FAIRING FRICTION STRIPS								Service ATA:55
	MOS	23-May-12						
	HRS	2184:49						
WC#: 55.070	AFL	912	2000		2912		252	
PROC. REF: AMM 55-10-05-720-801PROC. REF: AMM 55-10-05-720-801								
55-10-05-720-801-02 FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER / FIN FAIRING FRICTION - LH LOWER FIN FAIRING FRICTION STRIPS								Service ATA:55
	MOS	23-May-12						
	HRS	2184:49						
WC#: 55.070	AFL	912	2000		2912		252	
PROC. REF: AMM 55-10-05-720-801PROC. REF: AMM 55-10-05-720-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-05-720-801-03	FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER / FIN FAIRING FRICTION - RH UPPER FIN FAIRING FRICTION STRIPS							Service ATA:55
	MOS	23-May-12						
	HRS	2184:49						
WC#: 55.070	AFL	912	2000		2912		252	
PROC. REF: AMM 55-10-05-720-801PROC. REF: AMM 55-10-05-720-801								
55-10-05-720-801-04	FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER / FIN FAIRING FRICTION - RH LOWER FIN FAIRING FRICTION STRIPS							Service ATA:55
	MOS	23-May-12						
	HRS	2184:49						
WC#: 55.070	AFL	912	2000		2912		252	
PROC. REF: AMM 55-10-05-720-801PROC. REF: AMM 55-10-05-720-801								
55-10-09-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER LEADING EDGE EXTENSIONS - HORIZONTAL STABILIZER LEADING EDGE EXTENSION (331AR)							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 55-10-09-900-801PROC. REF: AMM 55-10-09-900-801								
55-10-09-900-801-02	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER LEADING EDGE EXTENSIONS - HORIZONTAL STABILIZER LEADING EDGE EXTENSION (341AR)							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 55-10-09-900-801PROC. REF: AMM 55-10-09-900-801								
55-10-17-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER LEADING EDGES - LH INBOARD HORIZONTAL EMPENNAGE LEADING EDGE (L128SH)							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.040	AFL	0		TSN 0				
PROC. REF: AMM 55-10-17-900-801PROC. REF: AMM 55-10-17-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-17-900-801-02	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER LEADING EDGES - LH OUTBOARD HORIZONTAL EMPENNAGE LEADING EDGE (L129SH)						Component	ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.045	AFL	0		TSN 0				
PROC. REF: AMM 55-10-17-900-801PROC. REF: AMM 55-10-17-900-801								
55-10-17-900-801-03	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER LEADING EDGES - RH INBOARD HORIZONTAL EMPENNAGE LEADING EDGE (R128SH)						Component	ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.040	AFL	0		TSN 0				
PROC. REF: AMM 55-10-17-900-801PROC. REF: AMM 55-10-17-900-801								
55-10-17-900-801-04	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER LEADING EDGES - RH OUTBOARD HORIZONTAL EMPENNAGE LEADING EDGE (R129SH)						Component	ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.045	AFL	0		TSN 0				
PROC. REF: AMM 55-10-17-900-801PROC. REF: AMM 55-10-17-900-801								
55-10-21-960-801-01	^U	REPLACEMENT OF THE ADHESIVE ANTI-EROSION STRIPS ON THE HORIZONTAL STABILIZER LEADING EDGES - LH HORIZONTAL STABILIZER LEADING EDGE ADHESIVE ANTI-EROSION STRIPS					Service	ATA:55
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
55-10-21-960-801-02	^U	REPLACEMENT OF THE ADHESIVE ANTI-EROSION STRIPS ON THE HORIZONTAL STABILIZER LEADING EDGES - RH HORIZONTAL STABILIZER LEADING EDGE ADHESIVE ANTI-EROSION STRIPS					Service	ATA:55
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-25-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER TIP FAIRINGS - LH EMPENNAGE TIP FAIRING (L9500SH)							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.020	AFL	0		TSN 0				
PROC. REF: AMM 55-10-25-900-801PROC. REF: AMM 55-10-25-900-801								
55-10-25-900-801-02	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER TIP FAIRINGS - RH EMPENNAGE TIP FAIRING (R9500SH)							Component ATA:55
PN:F7XC551501100A2	MOS/MSC	11-Aug-23	O/C					
SN:CSY114	HRS	6775:44						
WC#: 55.020	AFL	2518						
PROC. REF: AMM 55-10-25-900-801PROC. REF: AMM 55-10-25-900-801								
55-10-31-220-801-01	^S	DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS						Service ATA:55
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 55-10-31-220-801PKG:41								
55-10-31-220-801-01C	DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS (CPCP)							Service ATA:55
	MOS	11-Aug-23	96 (+2m)	11-Aug-31	11-Oct-31	2138 d (+61)	CPCP	
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 55-10-31-220-801PROC. REF: AMM 55-10-31-220-801								
55-10-33-640-801-01	LUBRICATION OF THE HORIZONTAL STABILIZER REAR HINGE PINS							Service ATA:55
	MOS	18-Nov-24	12 (+1m)	18-Nov-25	18-Dec-25	46 d (+30)		
	HRS	7061:12	600 (+50)	7661:12	7711:12	168:38 (+50)		
WC#: 55.090	AFL	2584						
PROC. REF: AMM 55-10-33-640-801WO#: JWL-25-049								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-00-640-801-01	^S	LUBRICATION OF THE ELEVATORS - LH ELEVATOR (L9500CP)						Service ATA:55
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 55.075	AFL	2518	4000					
PROC. REF: AMM 55-20-00-640-801PROC. REF: AMM 55-20-00-640-801								PKG:41
55-20-00-640-801-02	^S	LUBRICATION OF THE ELEVATORS - RH ELEVATOR (R9500CP)						Service ATA:55
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 55.075	AFL	2518	4000					
PROC. REF: AMM 55-20-00-640-801PROC. REF: AMM 55-20-00-640-801								PKG:41
55-20-00-900-801-01		REMOVAL / INSTALLATION OF THE ELEVATORS - LH ELEVATOR (L9500CP)						Component ATA:55
PN:F7XC552000	MOS/MSC	11-Aug-23	O/C					
SN:AR0008	HRS	6775:44						
WC#: 55.005	AFL	2518						
PROC. REF: AMM 55-20-00-900-801PROC. REF: AMM 55-20-00-900-801								
55-20-00-900-801-02		REMOVAL / INSTALLATION OF THE ELEVATORS - RH ELEVATOR (R9500CP)						Component ATA:55
PN:F7XC552001	MOS/MSC	11-Aug-23	O/C					
SN:AR0009	HRS	6775:44						
WC#: 55.005	AFL	2518						
PROC. REF: AMM 55-20-00-900-801PROC. REF: AMM 55-20-00-900-801								
55-30-00-200-801-01	^S	INSPECTION OF THE RUDDER ACTUATOR FITTINGS						Service ATA:55
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 55.095	AFL	2518	4000					
PROC. REF: AMM 55-30-00-200-801PROC. REF: AMM 55-30-00-200-801								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-00-200-801-01C	INSPECTION OF THE RUDDER ACTUATOR FITTINGS (CPCP)							Service ATA:55
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 55.095	AFL	2518						
PROC. REF: AMM 55-30-00-200-801PROC. REF: AMM 55-30-00-200-801								
55-30-00-200-802-01 ^S	INSPECTION OF THE VERTICAL STABILIZER ATTACHMENT FITTINGS							Service ATA:55
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 55.095	AFL	2518	4000					
PROC. REF: AMM 55-30-00-200-802PKG:41 PROC. REF: AMM 55-30-00-200-802								
55-30-00-200-802-01C	INSPECTION OF THE VERTICAL STABILIZER ATTACHMENT FITTINGS (CPCP)							Service ATA:55
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 55.095	AFL	2518						
PROC. REF: AMM 55-30-00-200-802PROC. REF: AMM 55-30-00-200-802								
55-30-00-200-803-01	INSPECTION OF THE FIN ATTACHMENT FITTINGS							Service ATA:55
	MOS	12-Jun-07						
	HRS	0						
WC#: 55.011	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 55-30-00-200-803PROC. REF: AMM 55-30-00-200-803								
55-30-00-200-803-01A	INSPECTION OF THE FIN ATTACHMENT FITTINGS (MANDATORY 5-40)							Service ATA:55
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 55.011	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 55-30-00-200-803PROC. REF: AMM 55-30-00-200-803								
55-30-00-280-801-01 ^S	SPECIAL DETAILED INSPECTION OF THE CARBON BOX FASTENERS							Service ATA:55
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 55.095	AFL	2518	8000					
PKG:42								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 55-30-00-280-801PROC. REF: AMM 55-30-00-280-801								
55-30-00-280-801-01C	SPECIAL DETAILED INSPECTION OF THE CARBON BOX FASTENERS (CPCP)							Service ATA:55
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 55.095	AFL	2518						
PROC. REF: AMM 55-30-00-280-801PROC. REF: AMM 55-30-00-280-801								
55-30-00-900-801-01	REMOVAL / INSTALLATION OF THE VERTICAL STABILIZER - VERTICAL STABILIZER (9500SV)							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.015	AFL	0		TSN 0				
PROC. REF: AMM 55-30-00-900-801PROC. REF: AMM 55-30-00-900-801								
55-30-00-900-881-01	COMPOSITE CLOSING PANEL							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-30-05-960-801-01	REPLACEMENT OF THE VERTICAL STABILIZER LIGHTNING-DIVERTER STRIP - LIGHTNING DIVERTER STRIP (9560SV)							Service ATA:55
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 55-30-05-960-801PROC. REF: AMM 55-30-05-960-801								
55-30-07-900-801-01	REMOVAL / INSTALLATION OF THE FIN TIP FAIRINGS - LOWER SATCOM FIN TIP FAIRING (322AB)							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.035	AFL	0		TSN 0				
PROC. REF: AMM 55-30-07-900-801PROC. REF: AMM 55-30-07-900-801								
55-38-01-900-881-09	UPPER VERTICAL FIN LEADING EDGE							Component ATA:55
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 55 - STABILIZERS

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

55-40-00-900-801-01	REMOVAL / INSTALLATION OF THE RUDDER - RUDDER (9500CL)						Component	ATA:55
PN:F7XC554E01	MOS/MSC	11-Aug-23	O/C					
SN:BZ8	HRS	6775:44						
WC#: 55.055	AFL	2518						
PROC. REF: AMM 55-40-00-900-801PROC. REF: AMM 55-40-00-900-801								

ATA 56 - WINDOWS

56-00-00-350-802-01	SMOOTHING OF WINDOWS AND TRANSPARENT FAIRINGS						Service	ATA:56
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 56-00-00-350-802PROC. REF: AMM 56-00-00-350-802								

56-10-00-220-801-01	DETAILED INSPECTION OF THE WINDSHIELDS - LH FRONT WINDSHIELD (L101SA)						Service	ATA:56
PN:SGSF7X2-3-3	MOS/MSC	12-Jun-07	O/C					
SN:155	HRS	0						
	AFL	0						
PROC. REF: AMM 56-10-00-220-801PROC. REF: AMM 56-10-00-220-801								

56-10-00-220-801-02	DETAILED INSPECTION OF THE WINDSHIELDS - RH FRONT WINDSHIELD (R101SA)						Service	ATA:56
PN:SGSF7X1-3-3	MOS/MSC	12-Jun-07	O/C					
SN:150	HRS	0						
	AFL	0						
PROC. REF: AMM 56-10-00-220-801PROC. REF: AMM 56-10-00-220-801								

56-10-00-220-801-03	DETAILED INSPECTION OF THE WINDSHIELDS - LH SIDE WINDSHIELD (L102SA)						Service	ATA:56
PN:SGSF7X4-3-4	MOS/MSC	11-Aug-23	O/C					
SN:1567	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 56-10-00-220-801PROC. REF: AMM 56-10-00-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-00-220-801-04	DETAILED INSPECTION OF THE WINDSHIELDS - RH SIDE WINDSHIELD (R102SA)							Service ATA:56
PN:SGSF7X3-3-4	MOS/MSC	11-Aug-23	O/C					
SN:1558	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 56-10-00-220-801PROC. REF: AMM 56-10-00-220-801								
56-10-01-900-801-01	REMOVAL / INSTALLATION OF THE FRONT WINDSHIELDS - LH FRONT WINDSHIELD (L101SA)							Component ATA:56
PN:SGSF7X2-3-3	MOS/MSC	22-Jan-20	O/C	TSR 68				
SN:155	HRS	5287:57		TSR 2300:05				
WC#: 56.080	AFL	2109		TSR 768				
PROC. REF: AMM 56-10-01-900-801PROC. REF: AMM 56-10-01-900-801								
56-10-01-900-801-02	REMOVAL / INSTALLATION OF THE FRONT WINDSHIELDS - RH FRONT WINDSHIELD (R101SA)							Component ATA:56
PN:SGSF7X1-3-3	MOS/MSC	22-Jan-20	O/C	TSR 68				
SN:150	HRS	5287:57		TSR 2300:05				
WC#: 56.080	AFL	2109		TSR 768				
PROC. REF: AMM 56-10-01-900-801PROC. REF: AMM 56-10-01-900-801								
56-10-05-900-801-01	REMOVAL / INSTALLATION OF THE SIDE WINDSHIELDS - LH SIDE WINDSHIELD (L102SA)							Component ATA:56
PN:SGSF7X4-3-4	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1567	HRS	6775:44		TSN 0				
WC#: 56.075	AFL	2518		TSN 0				
PROC. REF: AMM 56-10-05-900-801PROC. REF: AMM 56-10-05-900-801								
56-10-05-900-801-02	REMOVAL / INSTALLATION OF THE SIDE WINDSHIELDS - RH SIDE WINDSHIELD (R102SA)							Component ATA:56
PN:SGSF7X3-3-4	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:1558	HRS	6775:44		TSN 0				
WC#: 56.075	AFL	2518		TSN 0				
PROC. REF: AMM 56-10-05-900-801PROC. REF: AMM 56-10-05-900-801								
56-20-00-900-801-01	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 1 (L101SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:601	HRS	0		TSN 0				
WC#: 56.005	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00-900-801-02	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 1 (R101SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:207	HRS	0		TSN 0				
WC#: 56.005	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-03	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 2 (L201SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:589	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-04	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 2 (R201SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:208	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-05	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 3 (L301SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:592	HRS	0		TSN 0				
WC#: 56.015	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-06	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 3 (R301SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:205	HRS	0		TSN 0				
WC#: 56.015	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-07	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 4 (L401SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:202	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00-900-801-08	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 4 (R401SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:206	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-09	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 5 (L501SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:595	HRS	0		TSN 0				
WC#: 56.025	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-10	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 5 (R501SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:594	HRS	0		TSN 0				
WC#: 56.025	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-11	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 6 (L601SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:588	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-12	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 6 (R601SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:598	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-13	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 7 (L701SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:216	HRS	0		TSN 0				
WC#: 56.035	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00-900-801-14 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 7 (R701SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:215	HRS	0		TSN 0				
WC#: 56.035	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-15 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 8 (L801SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:214	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-16 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 8 (R801SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:599	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-17 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 9 (L901SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:223	HRS	0		TSN 0				
WC#: 56.045	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-18 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 9 (R901SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:222	HRS	0		TSN 0				
WC#: 56.045	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-19 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 10 (L1001SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:211	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00-900-801-20 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 10 (R1001SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	01-Aug-16	O/C	TSN 27				
SN:6639	HRS	3065:45		TSN 0				
WC#: 56.050	AFL	1422		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-21 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 11 (L1101SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:596	HRS	0		TSN 0				
WC#: 56.055	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-22 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 11 (R1101SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:212	HRS	0		TSN 0				
WC#: 56.055	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-23 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 12 (L1201SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:591	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-24 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 12 (R1201SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:593	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-25 REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 13 (L1301SC)								Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:198	HRS	0		TSN 0				
WC#: 56.065	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00-900-801-26	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 13 (R1301SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:210	HRS	0		TSN 0				
WC#: 56.065	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-27	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - LH CABIN WINDOW 14 (L1401SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:590	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
56-20-00-900-801-28	REMOVAL / INSTALLATION OF THE CABIN WINDOWS - RH CABIN WINDOW 14 (R1401SC)							Component ATA:56
PN:SGSF7X5-1-0	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:597	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00-900-801PROC. REF: AMM 56-20-00-900-801								
ATA 57 - WINGS								
57-00-00-220-801-02 ^S	DETAILED INSPECTION OF THE AILERON, AIRBRAKE AND SPOILER BEARINGS - DETAILED INSPECTION OF THE AIRBRAKE HINGE BEARINGS							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.065	AFL	2518	4000					
PROC. REF: AMM 57-00-00-220-801PROC. REF: AMM 57-00-00-220-801								
57-00-00-220-801-03 ^S	DETAILED INSPECTION OF THE AILERON, AIRBRAKE AND SPOILER BEARINGS - DETAILED INSPECTION OF THE SPOILER HINGE BEARINGS							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.065	AFL	2518	4000					
PROC. REF: AMM 57-00-00-220-801PROC. REF: AMM 57-00-00-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-220-801-04	^S	DETAILED INSPECTION OF THE AILERON, AIRBRAKE AND SPOILER BEARINGS - DETAILED INSPECTION OF THE AILERON HINGE AND ACTUATOR BEARINGS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.065	AFL	2518	4000					
PROC. REF: AMM 57-00-00-220-801PROC. REF: AMM 57-00-00-220-801								PKG:41
57-00-00-270-803-01		SPECIAL DETAILED INSPECTION OF DECOMATIC SCREWS IN WING AREA						Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-00-00-270-803PROC. REF: AMM 57-00-00-270-803								
57-00-00-270-803-01A		SPECIAL DETAILED INSPECTION OF DECOMATIC SCREWS IN WING AREA (MANDATORY 5-40)						Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-00-00-270-803PROC. REF: AMM 57-00-00-270-803								
57-00-00-370-801-01		APPLICATION OF CORROSION INHIBITOR COMPOUND IN WING AREAS						Service ATA:57
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 57-00-00-370-801PROC. REF: AMM 57-00-00-370-801								
57-00-00-640-801-05		LUBRICATION OF THE FLAP ROLLERS						Service ATA:57
	MOS	29-Jan-24	48 (+1m)	Adj -7d	22-Jan-28	22-Feb-28	841 d (+31)	
	HRS	6881:30						
WC#: 57.070	AFL	2548	2000		4548		1888	
PROC. REF: AMM 57-00-00-640-801PROC. REF: AMM 57-00-00-640-801								
57-00-00-640-802-01	^S	GREASING OF THE AILERON AND SPOILER BEARINGS - GREASING OF AILERON HINGE AND ACTUATOR BEARINGS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-00-00-640-802PROC. REF: AMM 57-00-00-640-802								
57-00-00-640-802-02	^S	GREASING OF THE AILERON AND SPOILER BEARINGS - GREASING OF SPOILER HINGE BEARINGS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 57-00-00-640-802PROC. REF: AMM 57-00-00-640-802								
57-00-00-900-801-01		LH WING						Component ATA:57
PN:F7XC570001	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:006MA/005	HRS	0		TSN 0				
WC#: 57.055	AFL	0		TSN 0				
PROC. REF: AMM 57-00-00-000-801, AMM 57-00-00-400-801PROC. REF: AMM 57-00-00-000-801, AMM 57-00-00-400-801								
57-00-00-900-801-02		RH WING						Component ATA:57
PN:F7XC570002	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:006MA/005	HRS	0		TSN 0				
WC#: 57.055	AFL	0		TSN 0				
PROC. REF: AMM 57-00-00-000-801, AMM 57-00-00-400-801PROC. REF: AMM 57-00-00-000-801, AMM 57-00-00-400-801								
57-10-00-200-802-01	^S	INSPECTION #1 OF THE WING STRUCTURE - GENERAL VISUAL INSPECTION OF THE WING STRUCTURE						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 57-10-00-200-802PROC. REF: AMM 57-10-00-200-802								
57-10-00-200-802-01C		INSPECTION #1 OF THE WING STRUCTURE - GENERAL VISUAL INSPECTION OF THE WING STRUCTURE (CPCP)						Service ATA:57
	MOS	11-Aug-23	96 (+2m)	11-Aug-31	11-Oct-31	2138 d (+61)	CPCP	
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-10-00-200-802PROC. REF: AMM 57-10-00-200-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-200-803-01	^S	INSPECTION #2 OF THE WING STRUCTURE - DETAILED INSPECTION OF THE WING STRUCTURE						Service ATA:57
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 57-10-00-200-803PROC. REF: AMM 57-10-00-200-803								PKG:42
57-10-00-200-803-01C		INSPECTION #2 OF THE WING STRUCTURE - DETAILED INSPECTION OF THE WING STRUCTURE (CPCP)						Service ATA:57
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-10-00-200-803PROC. REF: AMM 57-10-00-200-803								
57-10-00-200-803-02	^S	INSPECTION #2 OF THE WING STRUCTURE - BORESCOPE INSPECTION OF THE LH / RH DRY BAY AREA						Service ATA:57
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 57-10-00-200-803PROC. REF: AMM 57-10-00-200-803								PKG:42
57-10-00-200-803-02C		INSPECTION #2 OF THE WING STRUCTURE - BORESCOPE INSPECTION OF THE LH / RH DRY BAY AREA (CPCP)						Service ATA:57
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-10-00-200-803PROC. REF: AMM 57-10-00-200-803								
57-10-00-200-804-01		FATIGUE INSPECTION OF THE WING LOWER PANELS - FATIGUE INSPECTION OF THE LH WING (L9510SK)						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-10-00-200-804PROC. REF: AMM 57-10-00-200-804								
57-10-00-200-804-01A		INSPECTION OF THE WING LOWER PANELS - LH WING (L9510SK) (MANDATORY 5-40)						Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-10-00-200-804PROC. REF: AMM 57-10-00-200-804								
57-10-00-200-804-02	FATIGUE INSPECTION OF THE WING LOWER PANELS - FATIGUE INSPECTION OF THE RH WING (R9510SK)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-10-00-200-804PROC. REF: AMM 57-10-00-200-804								
57-10-00-200-804-02A	INSPECTION OF THE WING LOWER PANELS - RH WING (R9510SK)(MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-10-00-200-804PROC. REF: AMM 57-10-00-200-804								
57-10-00-200-805-01 ^S	INSPECTION OF THE WING FUEL TANKS - LH WING FUEL TANK							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 57-10-00-200-805PROC. REF: AMM 57-10-00-200-805								
57-10-00-200-805-01C	INSPECTION OF THE WING FUEL TANKS - LH WING FUEL TANK (CPCP)							Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-10-00-200-805PROC. REF: AMM 57-10-00-200-805								
57-10-00-200-805-02 ^S	INSPECTION OF THE WING FUEL TANKS - RH WING FUEL TANK							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 57-10-00-200-805PROC. REF: AMM 57-10-00-200-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-200-805-02C	INSPECTION OF THE WING FUEL TANKS - RH WING FUEL TANK (CPCP)							Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-10-00-200-805PROC. REF: AMM 57-10-00-200-805								
57-10-00-200-806-01 ^S	INSPECTION OF THE LH/RH WING BOX, RIB 28-31 ZONE							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 57-10-00-200-806PKG:41 PROC. REF: AMM 57-10-00-200-806								
57-10-00-220-802-01	DETAILED INSPECTION OF THE WING LOWER PANEL LONGITUDINAL SPLICES - FATIGUE INSPECTION OF THE LH WING (L9510SK)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-10-00-220-802PROC. REF: AMM 57-10-00-220-802								
57-10-00-220-802-01A	DETAILED INSPECTION OF THE WING LOWER PANELS LONGITUDINAL SPLICES - LH WING (L9510SK)(MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-10-00-220-802PROC. REF: AMM 57-10-00-220-802								
57-10-00-220-802-02	DETAILED INSPECTION OF THE WING LOWER PANEL LONGITUDINAL SPLICES - FATIGUE INSPECTION OF THE RH WING (R9510SK)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-10-00-220-802PROC. REF: AMM 57-10-00-220-802								
57-10-00-220-802-02A	DETAILED INSPECTION OF THE WING LOWER PANELS LONGITUDINAL SPLICES - RH WING (R9510SK)(MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-10-00-220-802PROC. REF: AMM 57-10-00-220-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-220-804-01	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE LH REAR MAIN LANDING GEAR ATTACHMENT							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-01A	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE LH REAR MAIN LANDING GEAR ATTACHMENT (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-02	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE LH WEB CURRENT AREA FLANGE							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-02A	DETAILED INSPECTION OF THE LH WEB CURRENT AREA FLANGE (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-03	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE LH FLAPS, AIRBRAKES AND SPOILERS ACTUATOR HOLES							Service ATA:57
	MOS							
	HRS							
	AFL		T:12000		12000		9340	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-04	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE RH REAR MAIN LANDING GEAR ATTACHMENT							Service ATA:57
	MOS							
	HRS							
	AFL		T:12000		12000		9340	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-05	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE RH WEB CURRENT AREA FLANGE							Service ATA:57
	MOS							
	HRS							
	AFL		T:12000		12000		9340	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-220-804-06	DETAILED INSPECTION OF THE WING REAR SPARS - DETAILED INSPECTION OF THE RH FLAPS, AIRBRAKES AND SPOILERS ACTUATOR HOLES							Service ATA:57
	MOS							
	HRS							
	AFL		T:12000		12000		9340	
PROC. REF: AMM 57-10-00-220-804PROC. REF: AMM 57-10-00-220-804								
57-10-00-280-802-01	SPECIAL DETAILED INSPECTION (HFEC) OF THE TENSIBLE SPLICE BETWEEN THE MIDDLE AND THE REAR WING LOWER PANELS - LH WING LOWER PANEL							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	8000		8000		5340	
PROC. REF: AMM 57-10-00-280-802PROC. REF: AMM 57-10-00-280-802								
57-10-00-280-802-01A	SPECIAL DETAILED INSPECTION (HFEC) OF THE TENSIBLE SPLICE BETWEEN THE MIDDLE AND THE REAR WING LOWER PANELS - LH WING LOWER PANEL (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-10-00-280-802PROC. REF: AMM 57-10-00-280-802								
57-10-00-280-802-02	SPECIAL DETAILED INSPECTION (HFEC) OF THE TENSIBLE SPLICE BETWEEN THE MIDDLE AND THE REAR WING LOWER PANELS - RH WING LOWER PANEL							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	8000		8000		5340	
PROC. REF: AMM 57-10-00-280-802PROC. REF: AMM 57-10-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-280-802-02A	SPECIAL DETAILED INSPECTION (HFEC) OF THE TENSIBLE SPLICE BETWEEN THE MIDDLE AND THE REAR WING LOWER PANELS - RH WING LOWER PANEL (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-10-00-280-802PROC. REF: AMM 57-10-00-280-802								
57-10-00-280-805-01	SPECIAL DETAILED INSPECTION OF THE REAR BALL-JOINT BORE - LH REAR BALL-JOINT BORE							Service ATA:57
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 57-10-00-280-805PROC. REF: AMM 57-10-00-280-805								
57-10-00-280-805-02	SPECIAL DETAILED INSPECTION OF THE REAR BALL-JOINT BORE - RH REAR BALL-JOINT BORE							Service ATA:57
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 57-10-00-280-805PROC. REF: AMM 57-10-00-280-805								
57-10-05-220-801-01	DETAILED INSPECTION OF THE AILERON SERVO-ACTUATOR FITTING - LH AILERON SERVO-ACTUATOR							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-10-05-220-801PROC. REF: AMM 57-10-05-220-801								
57-10-05-220-801-01A	DETAILED INSPECTION OF THE AILERON SERVOACTUATOR FITTING - LH AILERON SERVOACTUATOR (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-10-05-220-801PROC. REF: AMM 57-10-05-220-801								
57-10-05-220-801-02	DETAILED INSPECTION OF THE AILERON SERVO-ACTUATOR FITTING - RH AILERON SERVO-ACTUATOR							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-10-05-220-801PROC. REF: AMM 57-10-05-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-05-220-801-02A	DETAILED INSPECTION OF THE AILERON SERVO-ACTUATOR FITTING - RH AILERON SERVO-ACTUATOR (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-10-05-220-801PROC. REF: AMM 57-10-05-220-801								
57-10-09-900-801-01	REMOVAL / INSTALLATION OF THE WINGLETS - LH WINGLET FAIRING (L9520SK)							Component ATA:57
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.060	AFL	0		TSN 0				
PROC. REF: AMM 57-10-09-900-801PROC. REF: AMM 57-10-09-900-801								
57-10-09-900-801-02	REMOVAL / INSTALLATION OF THE WINGLETS - RH WINGLET FAIRING (R9520SK)							Component ATA:57
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.060	AFL	0		TSN 0				
PROC. REF: AMM 57-10-09-900-801PROC. REF: AMM 57-10-09-900-801								
57-10-09-900-805-01	REMOVAL/INSTALLATION OF A WINGLET LIGHT TRANSPARENCY - WINGLET LIGHT TRANSPARENCY (533AL)							Component ATA:57
PN:301-30-0037	MOS/MSC	22-Jan-20	O/C	TSN 0				
SN:02451/06	HRS	5287:57		TSN 0				
	AFL	2190		TSN 0				
PROC. REF: AMM 57-10-09-900-805PROC. REF: AMM 57-10-09-900-805								
57-31-20-900-881-01	LH TRANSPARENCY FAIRING							Component ATA:57
PN:301-30-0037	MOS/MSC	29-Jan-10	O/C	TSN 0				
SN:003160-5	HRS	1089:20		TSN 0				
WC#: 57.025	AFL	395		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-31-20-900-881-02	RH TRANSPARENCY FAIRING							Component ATA:57
PN:301-30-0032	MOS/MSC	18-Nov-24	O/C	TSN 25				
SN:096781/05	HRS	7061:12		TSN 0				
WC#: 57.025	AFL	2584		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-200-801-01	^S	INSPECTION OF THE SLAT AND AILERON ACTUATOR FITTINGS - GENERAL VISUAL INSPECTION OF THE SLAT ACTUATOR FITTINGS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.080	AFL	2518	4000					
PROC. REF: AMM 57-40-00-200-801PROC. REF: AMM 57-40-00-200-801								PKG:41
57-40-00-200-801-01C		INSPECTION OF THE SLAT AND AILERON ACTUATOR FITTINGS - GENERAL VISUAL INSPECTION OF THE SLAT ACTUATOR FITTINGS (CPCP)						Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.080	AFL	2518						
PROC. REF: AMM 57-40-00-200-801PROC. REF: AMM 57-40-00-200-801								
57-40-00-200-801-02	^S	INSPECTION OF THE SLAT AND AILERON ACTUATOR FITTINGS - GENERAL VISUAL INSPECTION OF THE AILERON SERVO-ACTUATOR FITTINGS						Service ATA:57
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 57.080	AFL	2518	8000					
PROC. REF: AMM 57-40-00-200-801PROC. REF: AMM 57-40-00-200-801								PKG:42
57-40-00-200-801-02C		INSPECTION OF THE SLAT AND AILERON ACTUATOR FITTINGS - GENERAL VISUAL INSPECTION OF THE AILERON SERVO-ACTUATOR FITTINGS (CPCP)						Service ATA:57
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.080	AFL	2518						
PROC. REF: AMM 57-40-00-200-801PROC. REF: AMM 57-40-00-200-801								
57-40-00-200-801-03	^S	INSPECTION OF THE SLAT AND AILERON ACTUATOR FITTINGS - DETAILED INSPECTION OF THE AILERON SERVO-ACTUATOR FITTINGS						Service ATA:57
	MOS	12-Jun-07	T:288 (+2m)					
	HRS	0						
	AFL	0	T:12000					
PROC. REF: AMM 57-40-00-200-801PROC. REF: AMM 57-40-00-200-801								PKG:43

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-200-802-04	^U	INSPECTION OF THE SLATS AND FRONT SPAR - FATIGUE INSPECTION OF THE LH OUTBOARD SLAT (L9502CM)						Service ATA:57
PN:F7XC574700000W6	MOS	23-Dec-14						
SN:SA1018	HRS	2987:52						
WC#: 57.026	AFL	1341	T:8000 (+100)	TAC 1341	8000	8100	5340 (+100)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-40-00-210-801-03	^S	INSPECTION OF THE WING SPAR LOWER FLANGE - DET INSPECTION OF THE WING FRONT SPARS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 57-40-00-210-801PROC. REF: AMM 57-40-00-210-801								
57-40-00-210-801-03C		INSPECTION OF THE WING SPAR LOWER FLANGE - DET INSPECTION OF THE WING FRONT SPARS (CPCP)						Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-40-00-210-801PROC. REF: AMM 57-40-00-210-801								
57-40-00-220-801-01		DETAILED INSPECTION OF THE WING FRONT SPARS - DET FATIGUE INSPECTION OF THE LH WING FRONT SPAR						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-220-801PROC. REF: AMM 57-40-00-220-801								
57-40-00-220-801-01A		DETAILED INSPECTION OF THE WING FRONT SPARS - LH WING FRONT SPAR (MANDATORY 5-40)						Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-220-801PROC. REF: AMM 57-40-00-220-801								
57-40-00-220-801-02		DETAILED INSPECTION OF THE WING FRONT SPARS - DET FATIGUE INSPECTION OF THE RH WING FRONT SPAR						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-220-801PROC. REF: AMM 57-40-00-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-220-801-02A	DETAILED INSPECTION OF THE WING FRONT SPARS - RH WING FRONT SPAR (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-220-801PROC. REF: AMM 57-40-00-220-801								
57-40-00-280-801-01	SPECIAL DETAILED FATIGUE INSPECTION ON FRONT WING SPAR AT ROLLER SUPPORT FITTINGS - LH WING FRONT SPAR							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
WC#: 57.067	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-280-801PROC. REF: AMM 57-40-00-280-801								
57-40-00-280-801-01A	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) ON FRONT WING SPAR AT ROLLER SUPPORT FITTINGS - LH WING FRONT SPAR (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 57.067	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-280-801PROC. REF: AMM 57-40-00-280-801								
57-40-00-280-801-02	SPECIAL DETAILED FATIGUE INSPECTION ON FRONT WING SPAR AT ROLLER SUPPORT FITTINGS - RH WING FRONT SPAR							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-280-801PROC. REF: AMM 57-40-00-280-801								
57-40-00-280-801-02A	SPECIAL DETAILED FATIGUE INSPECTION (HFEC) ON FRONT WING SPAR AT ROLLER SUPPORT FITTINGS - RH WING FRONT SPAR (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-280-801PROC. REF: AMM 57-40-00-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-280-802-01	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - LH OUTBOARD SPAR AT TRACK 14							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
WC#: 57.071	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-02	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - LH INBOARD SPAR AT TRACK 5							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 57.076	AFL	0						
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-02A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - LH INBOARD SPAR AT TRACK 5 (MANDATORY 5-40)							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 57.076	AFL	0						
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-03	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - LH OUTBOARD SPAR AT SLAT CUT-OUT							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-03A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - LH OUTBOARD SPAR AT SLAT CUT-OUT (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-280-802-04	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - RH OUTBOARD SPAR AT TRACK 14							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-05	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - RH INBOARD SPAR AT TRACK 5							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-05A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - RH INBOARD SPAR AT TRACK 5 (MANDATORY 5-40)							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-06	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - RH OUTBOARD SPAR AT SLAT CUT-OUT							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								
57-40-00-280-802-06A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - RH OUTBOARD SPAR AT SLAT CUT-OUT (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-40-00-280-802PROC. REF: AMM 57-40-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-280-803-01	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS AT ROLLER SUPPORTS 5 AND 7 - LH INBOARD SPAR AT TRACK 5							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
WC#: 57.081	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-40-00-280-803PROC. REF: AMM 57-40-00-280-803								
57-40-00-280-803-01A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS AT ROLLER SUPPORTS 5 AND 7 - LH INBOARD SPAR AT TRACK 5 (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 57.081	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-40-00-280-803PROC. REF: AMM 57-40-00-280-803								
57-40-00-280-803-02	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS AT ROLLER SUPPORTS 5 AND 7 - RH INBOARD SPAR AT TRACK 5							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-40-00-280-803PROC. REF: AMM 57-40-00-280-803								
57-40-00-280-803-02A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS AT ROLLER SUPPORTS 5 AND 7 - RH INBOARD SPAR AT TRACK 5 (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-40-00-280-803PROC. REF: AMM 57-40-00-280-803								
57-40-00-280-804-01	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS AT RIB 26							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
WC#: 57.086	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-280-804PROC. REF: AMM 57-40-00-280-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-00-280-804-01A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS AT RIB 26 (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 57.086	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-40-00-280-804PROC. REF: AMM 57-40-00-280-804								
57-40-00-280-805-01	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES WITH SHOULDERED BUSHINGS AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - INSPECTION OF THE FASTENER HOLES AT SPAR / WING LOWER PANEL CONNECTIONS							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 57.091	AFL	0						
PROC. REF: AMM 57-40-00-280-805PROC. REF: AMM 57-40-00-280-805								
57-40-00-280-805-01A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES WITH SHOULDERED BUSHINGS AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - INSPECTION OF THE FASTENER HOLES AT SPAR / WING LOWER PANEL CONNECTIONS (MANDATORY 5-40)							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 57.091	AFL	0						
PROC. REF: AMM 57-40-00-280-805PROC. REF: AMM 57-40-00-280-805								
57-40-00-280-805-02	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES WITH SHOULDERED BUSHINGS AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - INSPECTION OF THE SPAR FASTENER HOLES AT THE ROLLER SUPPORT FITTING/SPAR/WING LOWER PANEL CONNECTIONS							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 57.096	AFL	0						
PROC. REF: AMM 57-40-00-280-805PROC. REF: AMM 57-40-00-280-805								
57-40-00-280-805-02A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FASTENER HOLES WITH SHOULDERED BUSHINGS AT THE FRONT SPAR / WING LOWER PANEL CONNECTIONS - INSPECTION OF THE SPAR FASTENER HOLES AT THE ROLLER SUPPORT FITTING/SPAR/WING LOWER PANEL CONNECTION (MANDATORY 5-40)							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
WC#: 57.096	AFL	0						
PROC. REF: AMM 57-40-00-280-805PROC. REF: AMM 57-40-00-280-805								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-01-960-801-07	REPLACEMENT OF THE NON-ADJUSTABLE FIXED LEADING EDGE AND SLAT SEALS - LH INBOARD P-SEAL (L9540CM)							Service ATA:57
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 57-40-01-960-801PROC. REF: AMM 57-40-01-960-801								
57-40-01-960-801-08	REPLACEMENT OF THE NON-ADJUSTABLE FIXED LEADING EDGE AND SLAT SEALS - RH INBOARD P-SEAL (R9540CM)							Service ATA:57
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 57-40-01-960-801PROC. REF: AMM 57-40-01-960-801								
57-41-00-220-801-04 ^S	DETAILED INSPECTION OF THE CLOSING MECHANISMS							Service ATA:57
	MOS	11-Aug-23	24 (+1m)					
	HRS	6775:44	1600 (+40)					
	AFL	2518						
PROC. REF: AMM 57-41-00-220-801PROC. REF: AMM 57-41-00-220-801								PKG:2 WO#: JWL-25-049
57-41-00-220-802-01	DETAILED INSPECTION OF THE SYNCHRONIZATION MECHANISM							Service ATA:57
	MOS	11-Aug-23						
	HRS	6775:44						
WC#: 57.130	AFL	2518	500		3018		358	
PROC. REF: AMM 57-41-00-220-802PROC. REF: AMM 57-41-00-220-802								
57-41-00-280-801-01	SPECIAL DETAILED INSPECTION (BOREScope) OF THE INBOARD WEB SPAR AT WING ROOT - LH INBOARD SPAR							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-41-00-280-801PROC. REF: AMM 57-41-00-280-801								
57-41-00-280-801-02	SPECIAL DETAILED INSPECTION (BOREScope) OF THE INBOARD WEB SPAR AT WING ROOT - RH INBOARD SPAR							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-41-00-280-801PROC. REF: AMM 57-41-00-280-801								
57-41-00-710-801-01	^S	OPERATIONAL TEST OF THE SLAT TRACK APERTURE CLOSING MECHANISMS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.095	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 57-41-00-710-801PROC. REF: AMM 57-41-00-710-801								
57-41-05-720-801-01		FUNCTIONAL TEST OF THE MIDDLE AND OUTBOARD TELESCOPIC DUCT CLOSING MECHANISMS - MIDDLE TELESCOPIC DUCT CLOSING MECHANISM						Service ATA:57
	MOS	22-Dec-18						
	HRS	4650:13						
WC#: 57.100	AFL	1926	2000		3926		1266	
PROC. REF: AMM 57-41-05-720-801PROC. REF: AMM 57-41-05-720-801								
57-41-05-720-801-02		FUNCTIONAL TEST OF THE MIDDLE AND OUTBOARD TELESCOPIC DUCT CLOSING MECHANISMS - OUTBOARD TELESCOPIC DUCT CLOSING MECHANISM						Service ATA:57
	MOS	22-Dec-18						
	HRS	4650:13						
WC#: 57.100	AFL	1926	2000		3926		1266	
PROC. REF: AMM 57-41-05-720-801PROC. REF: AMM 57-41-05-720-801								
57-41-13-640-801-01	^S	LUBRICATION OF THE SLAT ROLLERS - LUBRICATION OF THE LH ROLLER GUIDES						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.105	AFL	2518						
								PKG:4
PROC. REF: AMM 57-41-13-640-801PROC. REF: AMM 57-41-13-640-801								
57-41-13-640-801-02	^S	LUBRICATION OF THE SLAT ROLLERS - LUBRICATION OF THE RH ROLLER GUIDES						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.105	AFL	2518						
								PKG:4
PROC. REF: AMM 57-41-13-640-801PROC. REF: AMM 57-41-13-640-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-41-13-640-801-03	^S	LUBRICATION OF THE SLAT ROLLERS - LUBRICATION OF THE LH ROLLERS						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.105	AFL	2518						
PROC. REF: AMM 57-41-13-640-801PROC. REF: AMM 57-41-13-640-801								PKG:4
57-41-13-640-801-04	^S	LUBRICATION OF THE SLAT ROLLERS - LUBRICATION OF THE RH ROLLERS						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.105	AFL	2518						
PROC. REF: AMM 57-41-13-640-801PROC. REF: AMM 57-41-13-640-801								PKG:4
57-41-13-720-801-06	^S	FUNCTIONAL TEST OF THE SLAT ROLLERS - LH WING SLAT TRACK ROLLERS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.135	AFL	2518	4000					
PROC. REF: AMM 57-41-13-720-801PROC. REF: AMM 57-41-13-720-801								PKG:41
57-41-13-720-801-07	^S	FUNCTIONAL TEST OF THE SLAT ROLLERS - RH WING SLAT TRACK ROLLERS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 57-41-13-720-801PROC. REF: AMM 57-41-13-720-801								PKG:41
57-41-13-960-801-02		REPLACEMENT OF THE SLAT ROLLERS - SLAT ROLLER KIT P/N SMS 7029GC2						Service ATA:57
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 57-41-13-960-801PROC. REF: AMM 57-41-13-960-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-41-21-640-801-01	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - LH OUTBOARD SLAT EXTENDED SWITCH (L701CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.160	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-02	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - RH OUTBOARD SLAT EXTENDED SWITCH (R701CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.160	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-03	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - LH OUTBOARD SLAT RETRACTED SWITCH (L801CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.160	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-04	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - RH OUTBOARD SLAT RETRACTED SWITCH (R801CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.160	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-05	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - LH MIDDLE SLAT EXTENDED SWITCH (L901CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.160	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-41-21-640-801-06	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - RH MIDDLE SLAT EXTENDED SWITCH (R901CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.165	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-07	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - LH MIDDLE SLAT RETRACTED SWITCH (L1001CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.165	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-08	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - RH MIDDLE SLAT RETRACTED SWITCH (R1001CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.165	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-09	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - LH INBOARD SLAT EXTENDED SWITCH (L1101CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.165	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4
57-41-21-640-801-10	^S	LUBRICATION OF THE SLAT POSITION DETECTION MECHANISMS - RH INBOARD SLAT EXTENDED SWITCH (R1101CM)						Service ATA:57
	MOS	11-Aug-23	48 (+1m)					
	HRS	6775:44	3200 (+40)					
WC#: 57.165	AFL	2518						
PROC. REF: AMM 57-41-21-640-801PROC. REF: AMM 57-41-21-640-801								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-200-801-01	FATIGUE INSPECTION OF THE SLATS - LH OUTBOARD SLAT (L9502CM)							Service ATA:57
PN:F7XC574700000W6	MOS	12-Jun-07						
SN:SA1018	HRS	0						
	AFL	0	T:8000 (+3%)		8000	8240	5340 (+240)	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-801-02	FATIGUE INSPECTION OF THE SLATS - LH MIDDLE SLAT (L9501CM)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000 (+3%)		8000	8240	5340 (+240)	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-801-02A	FATIGUE INSPECTION OF THE SLATS – LH MIDDLE SLAT (L9501CM) (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:10000		10000		7340	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-801-03	FATIGUE INSPECTION OF THE SLATS - LH INBOARD SLAT (L9500CM)							Service ATA:57
PN:F7XC574300000W9	MOS	12-Jun-07						
SN:SA1030	HRS	0						
	AFL	0	T:8000 (+3%)		8000	8240	5340 (+240)	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-801-04	FATIGUE INSPECTION OF THE SLATS - RH INBOARD SLAT (R9500CM)							Service ATA:57
PN:F7XC574400000W9	MOS	12-Jun-07						
SN:SA3005	HRS	0						
	AFL	0	T:8000 (+3%)		8000	8240	5340 (+240)	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-801-05	FATIGUE INSPECTION OF THE SLATS - RH MIDDLE SLAT (R9501CM)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000 (+3%)		8000	8240	5340 (+240)	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-200-801-05A	FATIGUE INSPECTION OF THE SLATS – RH MIDDLE SLAT (R9501CM) (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:10000		10000		7340	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-801-06	FATIGUE INSPECTION OF THE SLATS - RH OUTBOARD SLAT (R9502CM)							Service ATA:57
PN:F7XC574800000W6	MOS	12-Jun-07						
SN:SA1014	HRS	0						
	AFL	0	T:8000 (+3%)		8000	8240	5340 (+240)	
PROC. REF: AMM 57-45-00-200-801PROC. REF: AMM 57-45-00-200-801								
57-45-00-200-802-11	INSPECTION OF THE SLATS - LH OUTBOARD SLAT (L9502CM)							Service ATA:57
PN:F7XC574700000W6	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:SA1018	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-11C	INSPECTION OF THE SLATS - LH OUTBOARD SLAT (L9502CM) (CPCP)							Service ATA:57
PN:F7XC574700000W6	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:SA1018	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-12	INSPECTION OF THE SLATS - LH MIDDLE SLAT (L9501CM)							Service ATA:57
PN:F7XC574500000W11	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:SA1054	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-12C	INSPECTION OF THE SLATS - LH MIDDLE SLAT (L9501CM) (CPCP)							Service ATA:57
PN:F7XC574500000W11	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:SA1054	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-200-802-13	INSPECTION OF THE SLATS - LH INBOARD SLAT (L9500CM)							Service ATA:57
PN:F7XC574300000W9	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:SA1030	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-13C	INSPECTION OF THE SLATS - LH INBOARD SLAT (L9500CM) (CPCP)							Service ATA:57
PN:F7XC574300000W9	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:SA1030	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-14	INSPECTION OF THE SLATS - RH INBOARD SLAT (R9500CM)							Service ATA:57
PN:F7XC574400000W9	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:SA3005	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-14C	INSPECTION OF THE SLATS - RH INBOARD SLAT (R9500CM) (CPCP)							Service ATA:57
PN:F7XC574400000W9	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:SA3005	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-15	INSPECTION OF THE SLATS - RH MIDDLE SLAT (R9501CM)							Service ATA:57
PN:F7XC574600000W11	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:SA1015	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-15C	INSPECTION OF THE SLATS - RH MIDDLE SLAT (R9501CM) (CPCP)							Service ATA:57
PN:F7XC574600000W11	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:SA1015	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-200-802-16	INSPECTION OF THE SLATS - RH OUTBOARD SLAT (R9502CM)							Service ATA:57
PN:F7XC574800000W6	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	
SN:SA1014	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-200-802-16C	INSPECTION OF THE SLATS - RH OUTBOARD SLAT (R9502CM) (CPCP)							Service ATA:57
PN:F7XC574800000W6	MOS	11-Aug-23	96 (+3%)		11-Aug-31	07-Nov-31	2138 d (+88)	CPCP
SN:SA1014	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-200-802PROC. REF: AMM 57-45-00-200-802								
57-45-00-220-802-01 ^S	DETAILED INSPECTION OF THE TOP SKIN - INBOARD CLOSURE RIB JUNCTION WITH THE SLATS							Service ATA:57
PN:F7XC574700000W6	MOS	11-Aug-23	192 (+2m)					
SN:SA1018	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 57-45-00-220-802PROC. REF: AMM 57-45-00-220-802								
57-45-00-220-802-01C	DETAILED INSPECTION OF THE TOP SKIN - INBOARD CLOSURE RIB JUNCTION WITH THE SLATS (CPCP)							Service ATA:57
PN:F7XC574700000W6	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
SN:SA1018	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-45-00-220-802PROC. REF: AMM 57-45-00-220-802								
57-45-00-280-802-01	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLATS - SPECIAL DETAILED FATIGUE INSPECTION OF THE LH OUTBOARD SLAT (L9502CM)							Service ATA:57
PN:F7XC574700000W6	MOS	23-Dec-14						
SN:SA1018	HRS	2987:52						
WC#: 57.101	AFL	1341	T:12000 (+3%)	TAC 1341	12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-802PROC. REF: AMM 57-45-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-280-802-02	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLATS - SPECIAL DETAILED FATIGUE INSPECTION OF THE LH MIDDLE SLAT (L9501CM)							Service ATA:57
PN:F7XC574500000W11	MOS	23-Dec-14						
SN:SA1054	HRS	2987:52						
WC#: 57.106	AFL	1341	T:12000 (+3%)	TAC 1341	12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-802PROC. REF: AMM 57-45-00-280-802								
57-45-00-280-802-05	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLATS - SPECIAL DETAILED FATIGUE INSPECTION OF THE RH MIDDLE SLAT (R9501CM)							Service ATA:57
PN:F7XC574600000W11	MOS	23-Dec-14						
SN:SA1015	HRS	2987:52						
WC#: 57.126	AFL	1341	T:12000 (+3%)	TAC 1341	12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-802PROC. REF: AMM 57-45-00-280-802								
57-45-00-280-802-06	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLATS - SPECIAL DETAILED FATIGUE INSPECTION OF THE RH OUTBOARD SLAT (R9502CM)							Service ATA:57
PN:F7XC574800000W6	MOS	23-Dec-14						
SN:SA1014	HRS	2987:52						
WC#: 57.131	AFL	1341	T:12000 (+3%)	TAC 1341	12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-802PROC. REF: AMM 57-45-00-280-802								
57-45-00-280-802-07	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLATS - FATIGUE INSPECTION OF THE SPAR MIDDLE FLANGE AND THE BOTTOM SKIN AT TRACK 2, TRACK 3 AND AT THE ACTUATOR OF THE LH INBOARD SLAT (L9500CM)							Service ATA:57
PN:F7XC574300000W9	MOS/MSC	23-Dec-14	O/C					
SN:SA1030	HRS	2987:52						
WC#: 57.136	AFL	1341		TAC 1341				
PROC. REF: AMM 57-45-00-280-802PROC. REF: AMM 57-45-00-280-802								
57-45-00-280-802-08	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLATS - FATIGUE INSPECTION OF THE SPAR MIDDLE FLANGE AND THE BOTTOM SKIN AT TRACK 2, TRACK 3 AND AT THE ACTUATOR OF THE RH INBOARD SLAT (R9500CM)							Service ATA:57
PN:F7XC574400000W9	MOS/MSC	23-Dec-14	O/C					
SN:SA3005	HRS	2987:52						
WC#: 57.141	AFL	1341		TAC 1341				
PROC. REF: AMM 57-45-00-280-802PROC. REF: AMM 57-45-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-280-803-01	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - LH OUTBOARD SLAT (L9502CM)							Service ATA:57
PN:F7XC574700000W6	MOS	12-Jun-07						
SN:SA1018	HRS	0						
WC#: 57.146	AFL	0	T:12000 (+100)		12000	12100	9340 (+100)	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-803-01A	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - LH OUTBOARD SLAT (L9502CM) (MANDATORY 5-40)							Service ATA:57
PN:F7XC574700000W6	MOS	12-Jun-07						ALI / FD
SN:SA1018	HRS	0						
WC#: 57.146	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-803-02	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - LH MIDDLE SLAT (L9501CM)							Service ATA:57
PN:F7XC574500000W11	MOS	12-Jun-07						
SN:SA1054	HRS	0						
	AFL	0	T:12000 (+100)		12000	12100	9340 (+100)	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-803-02A	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - LH MIDDLE SLAT (L9501CM) (MANDATORY 5-40)							Service ATA:57
PN:F7XC574500000W11	MOS	12-Jun-07						ALI / FD
SN:SA1054	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-803-05	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - RH MIDDLE SLAT (R9501CM)							Service ATA:57
PN:F7XC574600000W11	MOS	12-Jun-07						
SN:SA1015	HRS	0						
	AFL	0	T:12000 (+100)		12000	12100	9340 (+100)	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-803-05A	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - RH MIDDLE SLAT (R9501CM) (MANDATORY 5-40)							Service ATA:57
PN:F7XC574600000W11	MOS	12-Jun-07						ALI / FD
SN:SA1015	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-280-803-06	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - RH OUTBOARD SLAT (R9502CM)							Service ATA:57
PN:F7XC574800000W6	MOS	12-Jun-07						
SN:SA1014	HRS	0						
	AFL	0	T:12000 (+100)		12000	12100	9340 (+100)	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-803-06A	SPECIAL DETAILED FATIGUE INSPECTION OF THE SLAT TRACKS - RH OUTBOARD SLAT (R9502CM) (MANDATORY 5-40)							Service ATA:57
PN:F7XC574800000W6	MOS	12-Jun-07						ALI / FD
SN:SA1014	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-803PROC. REF: AMM 57-45-00-280-803								
57-45-00-280-804-01	SPECIAL DETAILED INSPECTION AT TRACK 15 FRONT LUG - LH OUTBOARD SLAT							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-45-00-280-804PROC. REF: AMM 57-45-00-280-804								
57-45-00-280-804-01A	SPECIAL DETAILED INSPECTION AT TRACK 15 FRONT LUG - LH OUTBOARD SLAT (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-45-00-280-804PROC. REF: AMM 57-45-00-280-804								
57-45-00-280-804-02	SPECIAL DETAILED INSPECTION AT TRACK 15 FRONT LUG - RH OUTBOARD SLAT							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	8000		8000		5340	
PROC. REF: AMM 57-45-00-280-804PROC. REF: AMM 57-45-00-280-804								
57-45-00-280-804-02A	SPECIAL DETAILED INSPECTION AT TRACK 15 FRONT LUG - RH OUTBOARD SLAT (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-45-00-280-804PROC. REF: AMM 57-45-00-280-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-280-805-01	SPECIAL DETAILED FATIGUE INSPECTION (BORESCOPIC) OF THE INBOARD SLAT SKIN AT CONNECTION WITH SPAR MEDIAN FLANGE - FATIGUE INSPECTION OF THE SPAR MIDDLE FLANGE AND THE BOTTOM SKIN AT TRACK 2, TRACK 3 AND AT THE ACTUATOR OF THE LH INBOARD SLAT (L9500CM)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-805PROC. REF: AMM 57-45-00-280-805								
57-45-00-280-805-01A	SPECIAL DETAILED FATIGUE INSPECTION (BORESCOPIC) OF THE INBOARD SLAT SKIN AT CONNECTION WITH SPAR MEDIAN FLANGE - FATIGUE INSPECTION OF THE SPAR MIDDLE FLANGE AND THE BOTTOM SKIN AT TRACK 2, TRACK 3 AND AT THE ACTUATOR OF THE LH INBOARD SLAT (L9500CM) (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-805PROC. REF: AMM 57-45-00-280-805								
57-45-00-280-805-02	SPECIAL DETAILED FATIGUE INSPECTION (BORESCOPIC) OF THE INBOARD SLAT SKIN AT CONNECTION WITH SPAR MEDIAN FLANGE - FATIGUE INSPECTION OF THE SPAR MIDDLE FLANGE AND THE BOTTOM SKIN AT TRACK 2, TRACK 3 AND AT THE ACTUATOR OF THE RH INBOARD SLAT (R9500CM)							Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-805PROC. REF: AMM 57-45-00-280-805								
57-45-00-280-805-02A	SPECIAL DETAILED FATIGUE INSPECTION (BORESCOPIC) OF THE INBOARD SLAT SKIN AT CONNECTION WITH SPAR MEDIAN FLANGE - FATIGUE INSPECTION OF THE SPAR MIDDLE FLANGE AND THE BOTTOM SKIN AT TRACK 2, TRACK 3 AND AT THE ACTUATOR OF THE RH INBOARD SLAT (R9500CM) (MANDATORY 5-40)							Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-45-00-280-805PROC. REF: AMM 57-45-00-280-805								
57-45-00-280-806-01	SPECIAL DETAILED FATIGUE INSPECTION (BOROSCOPIC) OF THE MEDIUM AND OUTBOARD SLATS SPAR - LH OUTBOARD SLAT (L9502CM)							Service ATA:57
PN:F7XC574700000W6	MOS	12-Jun-07						
SN:SA1018	HRS	0						
	AFL	0	T:12000 (+3%)		12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-806PROC. REF: AMM 57-45-00-280-806								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-00-280-806-02	SPECIAL DETAILED FATIGUE INSPECTION (BOROSCOPIC) OF THE MEDIUM AND OUTBOARD SLATS SPAR - LH MIDDLE SLAT (L9501CM)							Service ATA:57
PN:F7XC574500000W11	MOS	12-Jun-07						
SN:SA1054	HRS	0						
	AFL	0	T:12000 (+3%)		12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-806PROC. REF: AMM 57-45-00-280-806								
57-45-00-280-806-03	SPECIAL DETAILED FATIGUE INSPECTION (BOROSCOPIC) OF THE MEDIUM AND OUTBOARD SLATS SPAR - RH MIDDLE SLAT (R9501CM)							Service ATA:57
PN:F7XC574600000W11	MOS	12-Jun-07						
SN:SA1015	HRS	0						
	AFL	0	T:12000 (+3%)		12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-806PROC. REF: AMM 57-45-00-280-806								
57-45-00-280-806-04	SPECIAL DETAILED FATIGUE INSPECTION (BOROSCOPIC) OF THE MEDIUM AND OUTBOARD SLATS SPAR - RH OUTBOARD SLAT (R9502CM)							Service ATA:57
PN:F7XC574800000W6	MOS	12-Jun-07						
SN:SA1014	HRS	0						
	AFL	0	T:12000 (+3%)		12000	12360	9340 (+360)	
PROC. REF: AMM 57-45-00-280-806PROC. REF: AMM 57-45-00-280-806								
57-45-01-900-801-01	REMOVAL / INSTALLATION OF THE INBOARD SLATS - LH INBOARD SLAT (L9500CM)							Component ATA:57
PN:F7XC574300000W9	MOS/MSC	11-Aug-23	O/C					
SN:SA1030	HRS	6775:44						
WC#: 57.040	AFL	2518						
PROC. REF: AMM 57-45-01-900-801PROC. REF: AMM 57-45-01-900-801								
57-45-01-900-801-02	REMOVAL / INSTALLATION OF THE INBOARD SLATS - RH INBOARD SLAT (R9500CM)							Component ATA:57
PN:F7XC574400000W9	MOS/MSC	23-Dec-14	O/C					
SN:SA3005	HRS	2987:52						
WC#: 57.040	AFL	1341						
PROC. REF: AMM 57-45-01-900-801PROC. REF: AMM 57-45-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-05-220-801-01	S	DETAILED INSPECTION OF THE INBOARD SLAT SEALING MECHANISMS - DETAILED INSPECTION OF THE INBOARD SLAT TEFLON PLATE AND THE ANTI-FRETTING PAINT						Service ATA:57
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 57.145	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 57-45-05-220-801PROC. REF: AMM 57-45-05-220-801								
57-45-05-220-801-02	S	DETAILED INSPECTION OF THE INBOARD SLAT SEALING MECHANISMS - DETAILED INSPECTION OF THE INBOARD SLAT SEALING MECHANISM COMPONENTS						Service ATA:57
	MOS	18-Nov-24	12 (+1m)					
	HRS	7061:12	800 (+40)					
WC#: 57.145	AFL	2584						
								PKG:1 WO#: JWL-25-049
PROC. REF: AMM 57-45-05-220-801PROC. REF: AMM 57-45-05-220-801								
57-45-05-710-801-01	S	OPERATIONAL TEST OF THE INBOARD SLAT SEALING MECHANISMS - LH INBOARD SLAT SEALING MECHANISM						Service ATA:57
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 57.110	AFL	2518						
								PKG:31
PROC. REF: AMM 57-45-05-710-801PROC. REF: AMM 57-45-05-710-801								
57-45-05-710-801-02	S	OPERATIONAL TEST OF THE INBOARD SLAT SEALING MECHANISMS - RH INBOARD SLAT SEALING MECHANISM						Service ATA:57
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 57.110	AFL	2518						
								PKG:31
PROC. REF: AMM 57-45-05-710-801PROC. REF: AMM 57-45-05-710-801								
57-45-09-900-801-01		REMOVAL / INSTALLATION OF THE MIDDLE SLATS - LH MIDDLE SLAT (L9501CM)						Component ATA:57
PN:F7XC57450000W11	MOS/MSC	11-Aug-23	O/C					
SN:SA1054	HRS	6775:44						
WC#: 57.045	AFL	2518						
PROC. REF: AMM 57-45-09-900-801PROC. REF: AMM 57-45-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-45-09-900-801-02	REMOVAL / INSTALLATION OF THE MIDDLE SLATS - RH MIDDLE SLAT (R9501CM)							Component ATA:57
PN:F7XC574600000W11	MOS/MSC	11-Aug-23	O/C					
SN:SA1015	HRS	6775:44						
WC#: 57.045	AFL	2518						
PROC. REF: AMM 57-45-09-900-801PROC. REF: AMM 57-45-09-900-801								
57-45-13-900-801-01	REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - LH OUTBOARD SLAT (L9502CM)							Component ATA:57
PN:F7XC574700000W6	MOS/MSC	11-Aug-23	O/C					
SN:SA1018	HRS	6775:44						
WC#: 57.050	AFL	2518						
PROC. REF: AMM 57-45-13-900-801PROC. REF: AMM 57-45-13-900-801								
57-45-13-900-801-02	REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - RH OUTBOARD SLAT (R9502CM)							Component ATA:57
PN:F7XC574800000W6	MOS/MSC	11-Aug-23	O/C					
SN:SA1014	HRS	6775:44						
WC#: 57.050	AFL	2518						
PROC. REF: AMM 57-45-13-900-801PROC. REF: AMM 57-45-13-900-801								
57-45-29-220-801-01 ^S	DETAILED INSPECTION OF THE SLAT TRACK HOOKS - LH WING							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 57-45-29-220-801PROC. REF: AMM 57-45-29-220-801								PKG:41
57-45-29-220-801-02 ^S	DETAILED INSPECTION OF THE SLAT TRACK HOOKS - RH WING							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 57-45-29-220-801PROC. REF: AMM 57-45-29-220-801								PKG:41
57-50-00-200-801-01 ^S	INSPECTION OF THE FLAPS AND AILERONS - GENERAL VISUAL INSPECTION OF THE INBOARD FLAP ACTUATOR BRACKETS							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.115	AFL	2518	4000					
								PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								
57-50-00-200-801-01C	INSPECTION OF THE FLAPS AND AILERONS - GENERAL VISUAL INSPECTION OF THE INBOARD FLAP ACTUATOR BRACKETS (CPCP)							Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.115	AFL	2518						
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								
57-50-00-200-801-02 ^S	INSPECTION OF THE FLAPS AND AILERONS - DETAILED INSPECTION OF THE INBOARD FLAP ROLLERS AND BACKUP STRUCTURE							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.115	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								
57-50-00-200-801-02C	INSPECTION OF THE FLAPS AND AILERONS - DETAILED INSPECTION OF THE INBOARD FLAP ROLLERS AND BACKUP STRUCTURE (CPCP)							Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.115	AFL	2518						
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								
57-50-00-200-801-04 ^S	INSPECTION OF THE FLAPS AND AILERONS - DETAILED INSPECTION OF THE OUTBOARD FLAP ROLLERS AND BACKUP STRUCTURE							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.115	AFL	2518	4000					
PKG:41								
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								
57-50-00-200-801-04C	INSPECTION OF THE FLAPS AND AILERONS - DETAILED INSPECTION OF THE OUTBOARD FLAP ROLLERS AND BACKUP STRUCTURE (CPCP)							Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.115	AFL	2518						
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-00-200-801-05	S	INSPECTION OF THE FLAPS AND AILERONS - GENERAL VISUAL INSPECTION OF THE AILERON HINGE BRACKETS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.115	AFL	2518	4000					
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								PKG:41
57-50-00-200-801-05C		INSPECTION OF THE FLAPS AND AILERONS - GENERAL VISUAL INSPECTION OF THE AILERON HINGE BRACKETS (CPCP)						Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.115	AFL	2518						
PROC. REF: AMM 57-50-00-200-801PROC. REF: AMM 57-50-00-200-801								
57-50-00-200-803-01		FATIGUE INSPECTION OF THE FLAP TRACK RIB 2 AND 4 - LH WING FLAPS						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
WC#: 57.151	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-50-00-200-803PROC. REF: AMM 57-50-00-200-803								
57-50-00-200-803-01A		FATIGUE INSPECTION OF THE FLAP TRACK RIB 2 AND 4 - LH WING FLAPS (MANDATORY 5-40)						Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 57.151	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-50-00-200-803PROC. REF: AMM 57-50-00-200-803								
57-50-00-200-803-02		FATIGUE INSPECTION OF THE FLAP TRACK RIB 2 AND 4 - RH WING FLAPS						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-50-00-200-803PROC. REF: AMM 57-50-00-200-803								
57-50-00-200-803-02A		FATIGUE INSPECTION OF THE FLAP TRACK RIB 2 AND 4 - RH WING FLAPS (MANDATORY 5-40)						Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-50-00-200-803PROC. REF: AMM 57-50-00-200-803								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-00-210-804-01	^S	GENERAL VISUAL INSPECTION OF THE OUTBOARD FLAP ACTUATOR BRACKETS						Service ATA:57
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
	AFL	2518	8000					
PROC. REF: AMM 57-50-00-210-804PROC. REF: AMM 57-50-00-210-804								PKG:42
57-50-00-210-804-01C		GENERAL VISUAL INSPECTION OF THE OUTBOARD FLAP ACTUATOR BRACKETS (CPCP)						Service ATA:57
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-50-00-210-804PROC. REF: AMM 57-50-00-210-804								
57-50-00-280-802-01		SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF THE FLAP TRACK 2 - LH INBOARD FLAP						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
WC#: 57.156	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-50-00-280-802PROC. REF: AMM 57-50-00-280-802								
57-50-00-280-802-01A		SPECIAL DETAILED FATIGUE INSPECTION OF THE FLAP TRACKS 2 AND 5 - LH INBOARD FLAP (MANDATORY 5-40)						Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
WC#: 57.156	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-50-00-280-802PROC. REF: AMM 57-50-00-280-802								
57-50-00-280-802-02		SPECIAL DETAILED FATIGUE INSPECTION (HFEC) OF THE FLAP TRACK 2 - RH INBOARD FLAP						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-50-00-280-802PROC. REF: AMM 57-50-00-280-802								
57-50-00-280-802-02A		SPECIAL DETAILED FATIGUE INSPECTION OF THE FLAP TRACKS 2 AND 5 - RH INBOARD FLAP (MANDATORY 5-40)						Service ATA:57
	MOS	12-Jun-07						ALI / FD
	HRS	0						
	AFL	0	T:8000		8000		5340	
PROC. REF: AMM 57-50-00-280-802PROC. REF: AMM 57-50-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-00-280-803-01		SPECIAL DETAILED INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE LH OUTBOARD FLAP (L9501CF)						Service ATA:57
PN:F7XC575331B3	MOS/MSC		N/A					
SN:STK1030	HRS							
WC#: 57.161	AFL							
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-01A		SPECIAL DETAILED FATIGUE INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE LH OUTBOARD FLAP (L9501CF) (MANDATORY 5-40)						Service ATA:57
PN:F7XC575331B3	MOS/MSC		N/A					ALI / FD
SN:STK1030	HRS							
WC#: 57.161	AFL							
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-02		SPECIAL DETAILED INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE LH INBOARD FLAP (L9500CF)						Service ATA:57
PN:F7XC5751	MOS/MSC		N/A					
SN:STK1021	HRS							
WC#: 57.166	AFL							
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-02A		SPECIAL DETAILED FATIGUE INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE LH INBOARD FLAP (L9500CF) (MANDATORY 5-40)						Service ATA:57
PN:F7XC5751	MOS/MSC		N/A					ALI / FD
SN:STK1021	HRS							
WC#: 57.166	AFL							
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-03		SPECIAL DETAILED INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE RH INBOARD FLAP (R9500CF)						Service ATA:57
PN:F7XC5752	MOS	12-Jun-07						
SN:STK1005	HRS	0						
WC#: 57.171	AFL	0	12000		12000		9340	
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-03A		SPECIAL DETAILED FATIGUE INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE RH INBOARD FLAP (R9500CF) (MANDATORY 5-40)						Service ATA:57
PN:F7XC5752	MOS	12-Jun-07						ALI / FD
SN:STK1005	HRS	0						
WC#: 57.171	AFL	0	T:12100		12100		9440	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-04	SPECIAL DETAILED INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE RH OUTBOARD FLAP (R9501CF)							Service ATA:57
PN:F7XC5754	MOS	12-Jun-07						
SN:STK1005	HRS	0						
WC#: 57.176	AFL	0	12000		12000		9340	
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-50-00-280-803-04A	SPECIAL DETAILED FATIGUE INSPECTION OF THE FLAPS - SPECIAL DETAILED INSPECTION OF THE RH OUTBOARD FLAP (R9501CF) (MANDATORY 5-40)							Service ATA:57
PN:F7XC5754	MOS	12-Jun-07						ALI / FD
SN:STK1005	HRS	0						
WC#: 57.176	AFL	0	T:12100		12100		9440	
PROC. REF: AMM 57-50-00-280-803PROC. REF: AMM 57-50-00-280-803								
57-51-00-210-801-01 ^S	GENERAL VISUAL INSPECTION OF THE AIRBRAKE AND SPOILER BRACKETS							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 57-51-00-210-801PROC. REF: AMM 57-51-00-210-801								
57-51-00-210-801-01C	GENERAL VISUAL INSPECTION OF THE AIRBRAKE AND SPOILER BRACKETS (CPCP)							Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 57-51-00-210-801PROC. REF: AMM 57-51-00-210-801								
57-51-00-370-801-01 ^U	ANTI-CORROSION PROTECTION RESTORATION IN THE WING TRAILING EDGE COMPARTMENT (ROOT TO RIB 22)							Service ATA:57
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-00-370-801-01C	U	ANTI-CORROSION PROTECTION RESTORATION IN THE WING TRAILING EDGE COMPARTMENT (ROOT TO RIB 22) (CPCP)						Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-55-00-280-801								
57-55-00-280-801-01		SPECIAL DETAILED INSPECTION (BORESCOPE) OF THE FLAPS INTERNAL STRUCTURE - LH WING FLAPS						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-55-00-280-801								
57-55-00-280-801-02		SPECIAL DETAILED INSPECTION (BORESCOPE) OF THE FLAPS INTERNAL STRUCTURE - RH WING FLAPS						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	T:12000		12000		9340	
PROC. REF: AMM 57-55-00-280-801								
57-55-00-280-802-01		SPECIAL DETAILED INSPECTION (HFEC) OF THE OUTBOARD FLAP TRACK RIB 4 BOTTOM FLANGE - LH OUTBOARD FLAP						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	12000		12000		9340	
PROC. REF: AMM 57-55-00-280-802								
57-55-00-280-802-02		SPECIAL DETAILED INSPECTION (HFEC) OF THE OUTBOARD FLAP TRACK RIB 4 BOTTOM FLANGE - RH OUTBOARD FLAP						Service ATA:57
	MOS	12-Jun-07						
	HRS	0						
	AFL	0	12000		12000		9340	
PROC. REF: AMM 57-55-00-280-802								
57-55-01-900-801-01		REMOVAL / INSTALLATION OF THE INBOARD FLAPS - LH INBOARD FLAP (L9500CF)						Component ATA:57
PN:F7XC5751	MOS/MSC	11-Aug-23	O/C					
SN:STK1021	HRS	6775:44						
WC#: 57.030	AFL	2518						
PROC. REF: AMM 57-55-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-55-01-900-801-02	REMOVAL / INSTALLATION OF THE INBOARD FLAPS - RH INBOARD FLAP (R9500CF)							Component ATA:57
PN:F7XC5752	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:STK1005	HRS	0		TSN 0				
WC#: 57.030	AFL	0		TSN 0				
PROC. REF: AMM 57-55-01-900-801PROC. REF: AMM 57-55-01-900-801								
57-55-05-900-801-01	REMOVAL / INSTALLATION OF THE OUTBOARD FLAPS - LH OUTBOARD FLAP (L9501CF)							Component ATA:57
PN:F7XC575331B3	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:STK1030	HRS	6775:44		TSN 0				
WC#: 57.035	AFL	2518		TSN 0				
PROC. REF: AMM 57-55-05-900-801PROC. REF: AMM 57-55-05-900-801								
57-55-05-900-801-02	REMOVAL / INSTALLATION OF THE OUTBOARD FLAPS - RH OUTBOARD FLAP (R9501CF)							Component ATA:57
PN:F7XC5754	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:STK1005	HRS	6775:44		TSN 6775:44				
WC#: 57.035	AFL	2518		TSN 2518				
PROC. REF: AMM 57-55-05-900-801PROC. REF: AMM 57-55-05-900-801								
57-55-14-720-801-01	FUNCTIONAL TEST OF THE INBOARD FLAP ANTI-VIBRATION PIN AND CATCHER BRACKET - LH INBOARD FLAP ANTI-VIBRATION PIN AND CATCHER BRACKET							Service ATA:57
	MOS	15-Sep-17						
	HRS	3863:53						
	AFL	1673	1500		3173		513	
PROC. REF: AMM 57-55-14-720-801PROC. REF: AMM 57-55-14-720-801								
57-55-14-720-801-02	FUNCTIONAL TEST OF THE INBOARD FLAP ANTI-VIBRATION PIN AND CATCHER BRACKET - RH INBOARD FLAP ANTI-VIBRATION PIN AND CATCHER BRACKET							Service ATA:57
	MOS	15-Sep-17						
	HRS	3863:53						
	AFL	1673	1500		3173		513	
PROC. REF: AMM 57-55-14-720-801PROC. REF: AMM 57-55-14-720-801								
57-60-00-200-801-01 ^S	INSPECTION OF THEAILERONS ANDAILERON FITTINGS ON THE WING REAR SPARS							Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 57.155	AFL	2518	4000					

PKG:41

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-60-00-200-801PROC. REF: AMM 57-60-00-200-801								
57-60-00-200-801-01C INSPECTION OF THE AILERONS AND AILERON FITTINGS ON THE WING REAR SPARS (CPCP)								Service ATA:57
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
WC#: 57.155	AFL	2518						
PROC. REF: AMM 57-60-00-200-801PROC. REF: AMM 57-60-00-200-801								
57-60-00-760-801-02 CHECK OF THE AILERON ELECTRICAL BONDING - RH AILERON (R9500CR)								Service ATA:57
	MOS/MSC	25-Mar-21	O/C					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 57-60-00-760-801PROC. REF: AMM 57-60-00-760-801								
57-60-00-900-801-01 REMOVAL / INSTALLATION OF THE AILERONS - LH AILERON (L9500CR)								Component ATA:57
PN:F7XC576131	MOS/MSC	11-Aug-23	O/C					
SN:STK1007	HRS	6775:44						
WC#: 57.005	AFL	2518						
PROC. REF: AMM 57-60-00-900-801PROC. REF: AMM 57-60-00-900-801								
57-60-00-900-801-02 REMOVAL / INSTALLATION OF THE AILERONS - RH AILERON (R9500CR)								Component ATA:57
PN:F7XC578231A1	MOS/MSC	11-Aug-23	O/C					
SN:STK1016	HRS	6775:44						
WC#: 57.005	AFL	2518						
PROC. REF: AMM 57-60-00-900-801PROC. REF: AMM 57-60-00-900-801								
57-70-00-210-801-01 ^S GENERAL VISUAL INSPECTION OF THE AIRBRAKES AND SPOILERS - GENERAL VISUAL INSPECTION OF THE AIRBRAKE AND SPOILER HINGES AND ACTUATOR ATTACHMENTS								Service ATA:57
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 57.170	AFL	2518	8000					
PROC. REF: AMM 57-70-00-210-801PROC. REF: AMM 57-70-00-210-801								

PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-70-00-210-801-02	^S	GENERAL VISUAL INSPECTION OF THE AIRBRAKES AND SPOILERS						Service ATA:57
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 57.170	AFL	2518	8000					
PROC. REF: AMM 57-70-00-210-801PROC. REF: AMM 57-70-00-210-801								PKG:42
57-70-00-210-801-03	^S	GENERAL VISUAL INSPECTION OF THE AIRBRAKES AND SPOILERS - GENERAL VISUAL INSPECTION OF THE AIRBRAKES AND SPOILERS BONDING STRAPS						Service ATA:57
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
PROC. REF: AMM 57-70-00-210-801PROC. REF: AMM 57-70-00-210-801								PKG:41
57-70-01-900-801-01		REMOVAL / INSTALLATION OF THE AIRBRAKES - LH INBOARD AIRBRAKE (L9500CD)						Component ATA:57
PN:F7XC5771	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:STK1018	HRS	6775:44		TSN 6775:44				
WC#: 57.010	AFL	2518		TSN 2518				
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-01-900-801-02		REMOVAL / INSTALLATION OF THE AIRBRAKES - RH INBOARD AIRBRAKE (R9500CD)						Component ATA:57
PN:F7XC5772	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:STK1005	HRS	6775:44		TSN 6775:44				
WC#: 57.010	AFL	2518		TSN 2518				
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-01-900-801-03		REMOVAL / INSTALLATION OF THE AIRBRAKES - LH OUTBOARD AIRBRAKE (L9501CD)						Component ATA:57
PN:F7XC5775	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:STK1018	HRS	6775:44		TSN 6775:44				
WC#: 57.020	AFL	2518		TSN 2518				
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-01-900-801-04		REMOVAL / INSTALLATION OF THE AIRBRAKES - RH OUTBOARD AIRBRAKE (R9501CD)						Component ATA:57
PN:F7XC5776	MOS/MSC	11-Aug-23	O/C	TSN 194				
SN:STK1005	HRS	6775:44		TSN 6775:44				
WC#: 57.020	AFL	2518		TSN 2518				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-05-200-801-01A	FATIGUE INSPECTION OF THE SPOILERS - LH SPOILER (L9501CR) (MANDATORY 5-40)							Service ATA:57
PN:F7XC577331A3	MOS/MSC		N/A					ALI / FD
SN:STK1019	HRS							
WC#: 57.190	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-70-05-200-801-02A	FATIGUE INSPECTION OF THE SPOILERS - RH SPOILER (R9501CR) (MANDATORY 5-40)							Service ATA:57
PN:F7XC577431A1	MOS/MSC		N/A					ALI / FD
SN:STK1005	HRS							
WC#: 57.195	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-70-05-280-801-01	SPECIAL DETAILED INSPECTION OF THE SPOILERS - LH SPOILER (L9501CR)							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-70-05-280-801PROC. REF: AMM 57-70-05-280-801								
57-70-05-280-801-01A	SPECIAL DETAILED INSPECTION OF THE SPOILERS - LH SPOILER (L9501CR) (MANDATORY 5-40)							Service ATA:57
PN:F7XC577331A3	MOS							ALI / FD
SN:STK1019	HRS							
	AFL		T:8000		8000		5340	
PROC. REF: AMM 57-70-05-280-801PROC. REF: AMM 57-70-05-280-801								
57-70-05-280-801-02	SPECIAL DETAILED INSPECTION OF THE SPOILERS - RH SPOILER (R9501CR)							Service ATA:57
	MOS/MSC	12-Jun-07	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-70-05-280-801PROC. REF: AMM 57-70-05-280-801								
57-70-05-280-801-02A	SPECIAL DETAILED INSPECTION OF THE SPOILERS - RH SPOILER (R9501CR) (MANDATORY 5-40)							Service ATA:57
PN:F7XC577431A1	MOS							ALI / FD
SN:STK1005	HRS							
	AFL		T:8000		8000		5340	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-70-05-280-801PROC. REF: AMM 57-70-05-280-801								
57-70-05-900-801-01 REMOVAL / INSTALLATION OF THE SPOILERS - LH SPOILER (L9501CR) Component ATA:57								
PN:F7XC577331A3 MOS/MSC 11-Aug-23 O/C								
SN:STK1019 HRS 6775:44								
WC#: 57.015 AFL 2518								
PROC. REF: AMM 57-70-05-900-801PROC. REF: AMM 57-70-05-900-801								
57-70-05-900-801-02 REMOVAL / INSTALLATION OF THE SPOILERS - RH SPOILER (R9501CR) Component ATA:57								
PN:F7XC577431A1 MOS/MSC 11-Aug-23 O/C								
SN:STK1005 HRS 6775:44								
WC#: 57.015 AFL 2518								
PROC. REF: AMM 57-70-05-900-801PROC. REF: AMM 57-70-05-900-801								
57-70-05-960-801-01 DISCARD OF THE SPOILERS - LH SPOILER (L9501CR) Service ATA:57								
PN:F7XC577331A3 MOS LIFE LIMIT								
SN:STK1019 HRS								
WC#: 57.015 AFL 0 4000 4000 1340								
PROC. REF: AMM 57-70-05-960-801PROC. REF: AMM 57-70-05-960-801								
57-70-05-960-801-02 DISCARD OF THE SPOILERS - RH SPOILER (R9501CR) Service ATA:57								
PN:F7XC577431A1 MOS LIFE LIMIT								
SN:STK1005 HRS								
WC#: 57.015 AFL 0 4000 4000 1340								
PROC. REF: AMM 57-70-05-960-801PROC. REF: AMM 57-70-05-960-801								
ATA 70 - STANDARD PRACTICES - ENGINES								
70-08-00-210-801-01 ^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FUEL OIL AND AIR TUBES Service ATA:70								
MOS 11-Aug-23								
HRS 6249:23 800 (+30)								
ENC 2307								
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 70 - STANDARD PRACTICES - ENGINES								
70-08-00-210-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FUEL OIL AND AIR TUBES						Service ATA:70
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								PKG:12 WO#: JWL-25-049
70-08-00-210-801-01		NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF FUEL OIL AND AIR TUBES						Service ATA:70
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)		(4985:06) 7797:48	5015:06	305:14 (+30)	
	ENC	1547						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								PKG:12
70-08-00-210-802-01		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF L/HIRF (LIGHTNING AND HIGH INTENSITY RADIATED FIELD)BONDING STRAPS						Service ATA:70
	MOS	11-Aug-23	96 (+2m)	Adj -231d	23-Dec-30	23-Feb-31	1907 d (+62)	
	HRS	6249:23						
	ENC	2307						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
70-08-00-210-802-01		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF L/HIRF (LIGHTNING AND HIGH INTENSITY RADIATED FIELD)BONDING STRAPS						Service ATA:70
	MOS	11-Aug-23	96 (+2m)	Adj -231d	23-Dec-30	23-Feb-31	1907 d (+62)	
	HRS	6320:25						
	ENC	2382						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
70-08-00-210-802-01		NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF L/HIRF (LIGHTNING AND HIGH INTENSITY RADIATED FIELD)BONDING STRAPS						Service ATA:70
	MOS	01-Nov-24	96 (+2m)		01-Nov-32	01-Jan-33	2586 d (+61)	
	HRS	4248:30						
	ENC	1571	4000		(5571) 6584		3924	
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 70 - STANDARD PRACTICES - ENGINES								
70-08-00-220-803-01	NO. 1 ENGINE - DETAILED INSPECTION OF L/HIRF (LIGHTNING AND HIGH INTENSITY RADIATED FIELD) MATING CONTACT SURFACE OF ACCESSORIES							Service ATA:70
	MOS/MSC	18-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
70-08-00-220-803-01	NO. 2 ENGINE - DETAILED INSPECTION OF L/HIRF (LIGHTNING AND HIGH INTENSITY RADIATED FIELD) MATING CONTACT SURFACE OF ACCESSORIES							Service ATA:70
	MOS/MSC	23-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
70-08-00-220-803-01 ^S	NO. 3 ENGINE - DETAILED INSPECTION OF L/HIRF (LIGHTNING AND HIGH INTENSITY RADIATED FIELD) MATING CONTACT SURFACE OF ACCESSORIES							Service ATA:70
	MOS/MSC	14-Jan-08	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
ATA 71 - POWER PLANT								
71-00-00-100-802-01	CLEANING OF THE ENGINE EXTERIOR - ENGINE 1 (L950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-100-802PROC. REF: AMM 71-00-00-100-802								
71-00-00-100-802-02	CLEANING OF THE ENGINE EXTERIOR - ENGINE 2 (M950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-100-802PROC. REF: AMM 71-00-00-100-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-100-802-03	CLEANING OF THE ENGINE EXTERIOR - ENGINE 3 (R950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-100-802PROC. REF: AMM 71-00-00-100-802								
71-00-00-100-803-01	CLEANING OF THE ENGINE INTERIOR - ENGINE 1 (L950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-100-803PROC. REF: AMM 71-00-00-100-803								
71-00-00-100-803-02	CLEANING OF THE ENGINE INTERIOR - ENGINE 2 (M950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-100-803PROC. REF: AMM 71-00-00-100-803								
71-00-00-100-803-03	CLEANING OF THE ENGINE INTERIOR - ENGINE 3 (R950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-100-803PROC. REF: AMM 71-00-00-100-803								
71-00-00-160-801-01	NO. 1 ENGINE - PERFORM COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS	22-Jan-20	2		22-Mar-20		OVD	
	HRS	4761:36						
	ENC	1898						
								WO#: JWL-25-049
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-01	NO. 2 ENGINE - PERFORM COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS	24-Apr-15	2		24-Jun-15		OVD	
	HRS	2990:12						
	ENC	1342						
								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-01	NO. 3 ENGINE - PERFORM COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS	14-Jan-08	2		14-Mar-08		OVD	
	HRS	0						
	ENC	0						
								WO#: JWL-25-049
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-02	NO. 1 ENGINE - ACCOMPLISH PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	18-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-02	NO. 2 ENGINE - ACCOMPLISH PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	23-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-02 ^S	NO. 3 ENGINE - ACCOMPLISH PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	14-Jan-08	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-03	NO. 1 ENGINE - ACCOMPLISH TURBINE WASH							Service ATA:71
	MOS/MSC	18-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-160-801-03	^S NO. 3 ENGINE - ACCOMPLISH TURBINE WASH							Service ATA:71
	MOS/MSC	14-Jan-08	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-04	NO. 1 ENGINE - PERFORM FAN WASH							Service ATA:71
	MOS/MSC	18-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-04	NO. 2 ENGINE - PERFORM FAN WASH							Service ATA:71
	MOS/MSC	23-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-04	NO. 3 ENGINE - PERFORM FAN WASH							Service ATA:71
	MOS/MSC	14-Jan-08	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-05	NO. 1 ENGINE - PERFORM EXTERNAL WASH							Service ATA:71
	MOS/MSC	18-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-160-801-05	NO. 2 ENGINE - PERFORM EXTERNAL WASH							Service ATA:71
	MOS/MSC	23-Aug-06	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-160-801-05	NO. 3 ENGINE - PERFORM EXTERNAL WASH							Service ATA:71
	MOS/MSC	14-Jan-08	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-210-801-01	^U	GENERAL VISUAL INSPECTION OF ENGINES AND ACCESSORIES - ENGINE 1 AND ACCESSORIES (L950EZ)						Service ATA:71
	MOS/MSC	04-Dec-15	O/C					
	HRS	3061:13						
WC#: 71.050	AFL	1404						
71-00-00-210-801-02	^U	GENERAL VISUAL INSPECTION OF ENGINES AND ACCESSORIES - ENGINE 2 AND ACCESSORIES (M950EZ)						Service ATA:71
	MOS/MSC	04-Dec-15	O/C					
	HRS	3061:13						
WC#: 71.050	AFL	1404						
71-00-00-210-801-03	^U	GENERAL VISUAL INSPECTION OF ENGINES AND ACCESSORIES - ENGINE 3 AND ACCESSORIES (R950EZ)						Service ATA:71
	MOS/MSC	04-Dec-15	O/C					
	HRS	3061:13						
WC#: 71.050	AFL	1404						
71-00-00-210-801-04	^U	GENERAL VISUAL INSPECTION OF ENGINES AND ACCESSORIES - ENGINE 1 COMPRESSOR INLET, FAN CASE AND EXIT STATOR VANES (L950EZ)						Service ATA:71
	MOS/MSC	04-Dec-15	O/C					
	HRS	3061:13						
WC#: 71.080	AFL	1404						
71-00-00-210-801-05	^U	GENERAL VISUAL INSPECTION OF ENGINES AND ACCESSORIES - ENGINE 2 COMPRESSOR INLET, FAN CASE AND EXIT STATOR VANES (M950EZ)						Service ATA:71
	MOS/MSC	04-Dec-15	O/C					
	HRS	3061:13						
WC#: 71.080	AFL	1404						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-210-801-06	U	GENERAL VISUAL INSPECTION OF ENGINES AND ACCESSORIES - ENGINE 3 COMPRESSOR INLET, FAN CASE AND EXIT STATOR VANES (R950EZ)						Service ATA:71
	MOS/MSC	04-Dec-15	O/C					
	HRS	3061:13						
WC#: 71.080	AFL	1404						
PROC. REF: AMM 71-00-00-210-801								
71-00-00-210-801-07		GENERAL VISUAL INSPECTION OF ENGINES ACCESSORIES - ENGINE 1 ACCESSORY GEAR BOX (L950EZ)						Service ATA:71
	MOS	11-Aug-23						
	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 71-00-00-210-801								
71-00-00-210-801-08		GENERAL VISUAL INSPECTION OF ENGINES ACCESSORIES - ENGINE 2 ACCESSORY GEAR BOX AND SECONDARY LOAD PATH DEVICE COMPONENTS (M950EZ)						Service ATA:71
	MOS	11-Aug-23						
	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 71-00-00-210-801								
71-00-00-210-801-09		GENERAL VISUAL INSPECTION OF ENGINES ACCESSORIES - ENGINE 3 ACCESSORY GEAR BOX (R950EZ)						Service ATA:71
	MOS	11-Aug-23						
	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 71-00-00-210-801								
71-00-00-350-801-01		NO. 1 ENGINE - CALIBRATION CHECK ENGINE						Service ATA:71
	MOS/MSC	18-Aug-06	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-350-801-01	NO. 2 ENGINE - CALIBRATION CHECK ENGINE							Service ATA:71
	MOS/MSC	23-Aug-06	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-350-801-01 ^S	NO. 3 ENGINE - CALIBRATION CHECK ENGINE							Service ATA:71
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-700-801-01	ENGINE STARTING AND SHUTDOWN - ENGINE 1 (L950EZ)							Service ATA:71
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 71-00-00-700-801PROC. REF: AMM 71-00-00-700-801								
71-00-00-700-801-02	ENGINE STARTING AND SHUTDOWN - ENGINE 2 (M950EZ)							Service ATA:71
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-00-700-801PROC. REF: AMM 71-00-00-700-801								
71-00-00-700-801-03	ENGINE STARTING AND SHUTDOWN - ENGINE 3 (R950EZ)							Service ATA:71
	MOS/MSC	22-Jan-20	O/C					
	HRS	5287:57						
	AFL	2109						
PROC. REF: AMM 71-00-00-700-801PROC. REF: AMM 71-00-00-700-801								
71-00-00-910-802-01	NO. 1 ENGINE - PERFORM ENGINE INSPECTION RUN-UP							Service ATA:71
	MOS/MSC	11-Aug-23	A/R					
	HRS	6249:23						
	ENC	2307						
PROC. REF: AMM 71-00-00-910-802PROC. REF: AMM 71-00-00-910-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-910-802-01	NO. 2 ENGINE - PERFORM ENGINE INSPECTION RUN-UP							Service ATA:71
	MOS/MSC	11-Aug-23	A/R					
	HRS	6320:25						
	ENC	2382						
PROC. REF: AMM 71-00-00-910-802PROC. REF: AMM 71-00-00-910-802								
71-00-00-910-802-01 ^S	NO. 3 ENGINE - PERFORM ENGINE INSPECTION RUN-UP							Service ATA:71
	MOS/MSC	07-Mar-14	A/R					
	HRS	2143:06						
	ENC	695						
PROC. REF: AMM 71-00-00-910-802PROC. REF: AMM 71-00-00-910-802								
71-00-00.8I	NO. 1 ENGINE - BLEED VALVE OPERATIONAL CHECK							Service ATA:71
	MOS/MSC	11-Aug-23	A/R					
	HRS	6249:23						
	ENC	2307						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00.8I	NO. 2 ENGINE - BLEED VALVE OPERATIONAL CHECK							Service ATA:71
	MOS/MSC	11-Aug-23	A/R					
	HRS	6320:25						
	ENC	2382						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-05-000-801-01	REMOVAL OF THE ENGINE 2 - ENGINE 2 (M950EZ)							Service ATA:71
PN:30P0100-01	MOS/MSC	12-Jun-20	E/C					
SN:PCE-CH0017	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 71-00-05-000-801PROC. REF: AMM 71-00-05-000-801								
71-00-05-400-801-01	INSTALLATION OF THE ENGINE 2 - ENGINE 2 (M950EZ)							Service ATA:71
PN:30P0100-01	MOS/MSC	12-Jun-20	E/C					
SN:PCE-CH0017	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 71-00-05-400-801PROC. REF: AMM 71-00-05-400-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-05-860-801-01	NO. 2 ENGINE - ENGINE 2 CUSTOMIZATION - ENGINE 2 (M950EZ)							Service ATA:71
	MOS/MSC	12-Jun-20	O/C					
	HRS	5284:57						
	ENC	2107						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-20-00-200-801-01	INSPECTION OF THE ENGINE MOUNTS - SPECIAL DETAILED INSPECTION OF THE ENGINE MOUNTS ISOLATORS							Service ATA:71
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 71.070	AFL	2518						
PROC. REF: AMM 71-20-00-200-801PROC. REF: AMM 71-20-00-200-801								
71-20-00-200-801-02	INSPECTION OF THE ENGINE MOUNTS - DETAILED INSPECTION OF THE ENGINE MOUNT PRIMARY LOAD PATH SLEEVES AND FAIL-SAFE BOLT TORQUES							Service ATA:71
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	
	HRS	6775:44	4800 (+50)		11575:44	11625:44	4083:10 (+50)	
WC#: 71.070	AFL	2518						
PROC. REF: AMM 71-20-00-200-801PROC. REF: AMM 71-20-00-200-801								
71-20-00-220-801-01 ^S	DETAILED INSPECTION OF THE ENGINE MOUNTS							Service ATA:71
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 71.070	AFL	2518	8000					
								PKG:42
PROC. REF: AMM 71-20-00-220-801PROC. REF: AMM 71-20-00-220-801								
71-20-00-220-801-01C	DETAILED INSPECTION OF THE ENGINE MOUNTS (CPCP)							Service ATA:71
	MOS	11-Aug-23	192 (+2m)		11-Aug-39	11-Oct-39	5060 d (+61)	CPCP
	HRS	6775:44						
WC#: 71.070	AFL	2518						
PROC. REF: AMM 71-20-00-220-801PROC. REF: AMM 71-20-00-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00-280-801-02	SPECIAL DETAILED INSPECTION OF THE ENGINE MOUNT BOLT/NUT INSTALLATION - SPECIAL DETAILED INSPECTION OF ENGINE 1 MOUNT BOLT/NUT INSTALLATION							Service ATA:71
	MOS	15-Sep-17	96 (+2m)		15-Sep-25	15-Nov-25	TOL (+43 d)	
	HRS	3863:53	3600 (+50)		7463:53	7513:53	TOL (+21:19)	
	AFL	1673						
PROC. REF: AMM 71-20-00-280-801PROC. REF: AMM 71-20-00-280-801								WO#: JWL-25-049
71-20-00-280-801-03	SPECIAL DETAILED INSPECTION OF THE ENGINE MOUNT BOLT/NUT INSTALLATION - SPECIAL DETAILED INSPECTION OF ENGINE 2 MOUNT BOLT/NUT INSTALLATION							Service ATA:71
	MOS	15-Sep-17	96 (+2m)		15-Sep-25	15-Nov-25	TOL (+43 d)	
	HRS	3863:53	3600 (+50)		7463:53	7513:53	TOL (+21:19)	
	AFL	1673						
PROC. REF: AMM 71-20-00-280-801PROC. REF: AMM 71-20-00-280-801								WO#: JWL-25-049
71-20-00-280-801-04	SPECIAL DETAILED INSPECTION OF THE ENGINE MOUNT BOLT/NUT INSTALLATION - SPECIAL DETAILED INSPECTION OF ENGINE 3 MOUNT BOLT/NUT INSTALLATION							Service ATA:71
	MOS	15-Sep-17	96 (+2m)		15-Sep-25	15-Nov-25	TOL (+43 d)	
	HRS	3863:53	3600 (+50)		7463:53	7513:53	TOL (+21:19)	
	AFL	1673						
PROC. REF: AMM 71-20-00-280-801PROC. REF: AMM 71-20-00-280-801								WO#: JWL-25-049
71-20-00-280-802-01	SPECIAL DETAILED FATIGUE INSPECTION (PENETRANT INSPECTION) OF THE ENGINE YOKE AND ATTACHMENT BOLTS - ENGINE 1 FORWARD YOKE (L100BA)							Service ATA:71
PN:F7XC541221111A1	MOS							
SN:LK0047	HRS							
WC#: 71.025	AFL		T:12000 (+100)		12000 (M)		9340	
PROC. REF: AMM 71-20-00-280-802PROC. REF: AMM 71-20-00-280-802								
71-20-00-280-802-01A	SPECIAL DETAILED FATIGUE INSPECTION (PENETRANT INSPECTION) OF THE ENGINE YOKE AND ATTACHMENT BOLTS - ENGINE 1 FORWARD YOKE (L100BA) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541221111A1	MOS							ALI / FD
SN:LK0047	HRS							
WC#: 71.025	AFL		T:12100		12100		9440	
PROC. REF: AMM 71-20-00-280-802PROC. REF: AMM 71-20-00-280-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00-280-802-02	SPECIAL DETAILED FATIGUE INSPECTION (PENETRANT INSPECTION) OF THE ENGINE YOKE AND ATTACHMENT BOLTS - ENGINE 3 FORWARD YOKE (R100BB)							Service ATA:71
PN:F7XC541221110A3	MOS	14-Jul-18						
SN:LK1796	HRS	4398:30						
WC#: 71.025	AFL	1825	12000		13825		11165	
PROC. REF: AMM 71-20-00-280-802PROC. REF: AMM 71-20-00-280-802								
71-20-00-280-802-02A	SPECIAL DETAILED FATIGUE INSPECTION (PENETRANT INSPECTION) OF THE ENGINE YOKE AND ATTACHMENT BOLTS - NO. 3 ENGINE FORWARD YOKE (R100BB) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541221110A3	MOS	14-Jul-18						ALI / FD
SN:LK1796	HRS	4398:30						
	AFL	1825	12000		13825		11165	
PROC. REF: AMM 71-20-00-280-802PROC. REF: AMM 71-20-00-280-802								
71-20-02-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 YOKE ASSEMBLY - ENGINE 1 FORWARD YOKE (L100BA)							Component ATA:71
PN:F7XC541221111A1	MOS/MSC	11-Aug-23	O/C					
SN:LK0047	HRS	6775:44						
WC#: 54.010	AFL	2518						
PROC. REF: AMM 71-20-02-900-801PROC. REF: AMM 71-20-02-900-801								
71-20-02-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 YOKE ASSEMBLY - ENGINE 3 FORWARD YOKE (R100BB)							Component ATA:71
PN:F7XC541221110A3	MOS/MSC	14-Jul-18	O/C	TSN 0				
SN:LK1796	HRS	4398:30		TSN 0				
WC#: 54.010	AFL	1825		TSN 0				
PROC. REF: AMM 71-20-02-900-801PROC. REF: AMM 71-20-02-900-801								
71-20-05-350-801-01	RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 1 FRONT MOUNT UPPER ISOLATOR (L103EM)							Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23	192 (+3%)	TAC 17	11-Mar-38	03-Sep-38	4542 d (+176)	OVERHAUL
SN:LK1280F	HRS	6775:44		TAC 0				
WC#: 71.030	AFL	2518	5500	TAC 0	8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-05-350-801-01A		RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 1 FRONT MOUNT UPPER ISOLATOR (L103EM) (MANDATORY 5-40)						Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23						ALI / FD
SN:LK1280F	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								
71-20-05-350-801-02		RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 1 FRONT MOUNT LOWER ISOLATOR (L203EM)						Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23	192 (+3%)	TAC 12	11-Aug-38	03-Feb-39	4695 d (+176)	OVERHAUL
SN:LK0042	HRS	6775:44		TAC 0				
WC#: 71.030	AFL	2518	5500	TAC 0	8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								
71-20-05-350-801-02A		RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 1 FRONT MOUNT LOWER ISOLATOR (L203EM) (MANDATORY 5-40)						Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23						ALI / FD
SN:LK0042	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								
71-20-05-350-801-03		RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 3 FRONT MOUNT UPPER ISOLATOR (R102EM)						Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23	192 (+3%)	TAC 19	11-Jan-38	03-Jul-38	4483 d (+173)	OVERHAUL
SN:LK0589F	HRS	6775:44		TAC 0				
WC#: 71.040	AFL	2518	5500	TAC 0	8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								
71-20-05-350-801-03A		RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 3 FRONT MOUNT UPPER ISOLATOR (R102EM) (MANDATORY 5-40)						Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23						ALI / FD
SN:LK0589F	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-05-350-801-04	RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 3 FRONT MOUNT LOWER ISOLATOR (R202EM)							Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23	192 (+3%)	TAC 29	11-Mar-37	03-Sep-37	4177 d (+176)	OVERHAUL
SN:LK0161	HRS	6775:44		TAC 0				
WC#: 71.040	AFL	2518	5500	TAC 0	8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								
71-20-05-350-801-04A	RESTORATION OF ENGINES 1 AND 3 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 3 FRONT MOUNT LOWER ISOLATOR (R202EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23						ALI / FD
SN:LK0161	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-05-350-801PROC. REF: AMM 71-20-05-350-801								
71-20-05-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 FRONT VIBRATION ISOLATORS - ENGINE 1 FRONT MOUNT UPPER ISOLATOR (L103EM)							Component ATA:71
PN:F7XC541201121A1	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:LK1280F	HRS	6775:44		TSO 0				
WC#: 71.030	AFL	2518		TSO 0				
PROC. REF: AMM 71-20-05-900-801PROC. REF: AMM 71-20-05-900-801								
71-20-05-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 FRONT VIBRATION ISOLATORS - ENGINE 1 FRONT MOUNT LOWER ISOLATOR (L203EM)							Component ATA:71
PN:F7XC541201121A1	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:LK0042	HRS	6775:44		TSO 0				
WC#: 71.030	AFL	2518		TSO 0				
PROC. REF: AMM 71-20-05-900-801PROC. REF: AMM 71-20-05-900-801								
71-20-05-900-801-03	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 FRONT VIBRATION ISOLATORS - ENGINE 3 FRONT MOUNT UPPER ISOLATOR (R102EM)							Component ATA:71
PN:F7XC541201121A1	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:LK0589F	HRS	6775:44		TSO 0				
WC#: 71.040	AFL	2518		TSO 0				
PROC. REF: AMM 71-20-05-900-801PROC. REF: AMM 71-20-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-05-900-801-04	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 FRONT VIBRATION ISOLATORS - ENGINE 3 FRONT MOUNT LOWER ISOLATOR (R202EM)							Component ATA:71
PN:F7XC541201121A1	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:LK0161	HRS	6775:44		TSO 0				
WC#: 71.040	AFL	2518		TSO 0				
PROC. REF: AMM 71-20-05-900-801PROC. REF: AMM 71-20-05-900-801								
71-20-09-350-801-01	RESTORATION OF ENGINES 1 AND 3 REAR VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 1 REAR MOUNT ISOLATOR (L303EM)							Service ATA:71
PN:F7XC541211131A3	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:LK1178F	HRS	6775:44						
WC#: 71.030	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-09-350-801PROC. REF: AMM 71-20-09-350-801								
71-20-09-350-801-01A	RESTORATION OF ENGINES 1 AND 3 REAR VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 1 REAR MOUNT ISOLATOR (L303EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541211131A3	MOS	11-Aug-23						ALI / FD
SN:LK1178F	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-09-350-801PROC. REF: AMM 71-20-09-350-801								
71-20-09-350-801-02	RESTORATION OF ENGINES 1 AND 3 REAR VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 3 REAR MOUNT ISOLATOR (R302EM)							Service ATA:71
PN:F7XC541211131A3	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:LK1231F	HRS	6775:44						
WC#: 71.040	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-09-350-801PROC. REF: AMM 71-20-09-350-801								
71-20-09-350-801-02A	RESTORATION OF ENGINES 1 AND 3 REAR VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 3 REAR MOUNT ISOLATOR (R302EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541211131A3	MOS	11-Aug-23						ALI / FD
SN:LK1231F	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-09-350-801PROC. REF: AMM 71-20-09-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-09-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 REAR VIBRATION ISOLATORS - ENGINE 1 REAR MOUNT ISOLATOR (L303EM)							Component ATA:71
PN:F7XC541211131A3	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:LK1178F	HRS	6775:44		TSN 0				
WC#: 71.030	AFL	2518		TSN 0				
PROC. REF: AMM 71-20-09-900-801PROC. REF: AMM 71-20-09-900-801								
71-20-09-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE 1 AND 3 REAR VIBRATION ISOLATORS - ENGINE 3 REAR MOUNT ISOLATOR (R302EM)							Component ATA:71
PN:F7XC541211131A3	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:LK1231F	HRS	6775:44		TSN 0				
WC#: 71.040	AFL	2518		TSN 0				
PROC. REF: AMM 71-20-09-900-801PROC. REF: AMM 71-20-09-900-801								
71-20-13-280-801-01	SPECIAL DETAILED FATIGUE INSPECTION OF ENGINE 2 CONICAL FITTINGS - CONICAL FITTING-CTR (M104EM)							Service ATA:71
PN:F7XC542201131A1	MOS	12-Jun-07						
SN:LK0017	HRS	0						
	AFL	0	5500		5500		2840	
PROC. REF: AMM 71-20-13-280-801PROC. REF: AMM 71-20-13-280-801								
71-20-13-280-801-01A	SPECIAL DETAILED FATIGUE INSPECTION OF ENGINE 2 CONICAL FITTINGS - CONICAL FITTING-CTR (M104EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC542201131A1	MOS	12-Jun-07						ALI / FD
SN:LK0017	HRS	0						
	AFL	0	5500		5500		2840	
PROC. REF: AMM 71-20-13-280-801PROC. REF: AMM 71-20-13-280-801								
71-20-13-280-801-02	SPECIAL DETAILED FATIGUE INSPECTION OF ENGINE 2 CONICAL FITTINGS - CONICAL FITTING-CTR (M204EM)							Service ATA:71
PN:F7XC542201131A1	MOS	12-Jun-07						
SN:LK0018	HRS	0						
	AFL	0	5500		5500		2840	
PROC. REF: AMM 71-20-13-280-801PROC. REF: AMM 71-20-13-280-801								
71-20-13-280-801-02A	SPECIAL DETAILED FATIGUE INSPECTION OF ENGINE 2 CONICAL FITTINGS - CONICAL FITTING-CTR (M204EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC542201131A1	MOS	12-Jun-07						ALI / FD
SN:LK0018	HRS	0						
	AFL	0	5500		5500		2840	
PROC. REF: AMM 71-20-13-280-801PROC. REF: AMM 71-20-13-280-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-13-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE 2 CONICAL FITTINGS - CONICAL FITTING-CTR (M104EM)								Component ATA:71
PN:F7XC542201131A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:LK0017	HRS	0		TSN 0				
WC#: 71.010	AFL	0		TSN 0				
PROC. REF: AMM 71-20-13-900-801PROC. REF: AMM 71-20-13-900-801								
71-20-13-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE 2 CONICAL FITTINGS - CONICAL FITTING-CTR (M204EM)								Component ATA:71
PN:F7XC542201131A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:LK0018	HRS	0		TSN 0				
WC#: 71.010	AFL	0		TSN 0				
PROC. REF: AMM 71-20-13-900-801PROC. REF: AMM 71-20-13-900-801								
71-20-17-350-801-01 RESTORATION OF ENGINE 2 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 2 FRONT MOUNT LH ISOLATOR (M101EM)								Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23	192 (+3%)	TAC 12	11-Aug-38	03-Feb-39	4695 d (+176)	OVERHAUL
SN:LK0046	HRS	6775:44		TAC 0				
WC#: 71.020	AFL	2518	5500	TAC 0	8018		5358	
PROC. REF: AMM 71-20-17-350-801PROC. REF: AMM 71-20-17-350-801								
71-20-17-350-801-01A RESTORATION OF ENGINE 2 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 2 FRONT MOUNT LH ISOLATOR (M101EM) (MANDATORY 5-40)								Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23						ALI / FD
SN:LK0046	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-17-350-801PROC. REF: AMM 71-20-17-350-801								
71-20-17-350-801-02 RESTORATION OF ENGINE 2 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 2 FRONT MOUNT RH ISOLATOR (M201EM)								Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:LK2674	HRS	6775:44						
WC#: 71.020	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-17-350-801PROC. REF: AMM 71-20-17-350-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-17-350-801-02A	RESTORATION OF ENGINE 2 FRONT VIBRATION ISOLATORS (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 2 FRONT MOUNT RH ISOLATOR (M201EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541201121A1	MOS	11-Aug-23						ALI / FD
SN:LK2674	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-17-350-801PROC. REF: AMM 71-20-17-350-801								
71-20-17-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE 2 FRONT VIBRATION ISOLATORS - ENGINE 2 FRONT MOUNT LH ISOLATOR (M101EM)							Component ATA:71
PN:F7XC541201121A1	MOS/MSC	11-Aug-23	O/C	TSO 0				
SN:LK0046	HRS	6775:44		TSO 0				
WC#: 71.020	AFL	2518		TSO 0				
PROC. REF: AMM 71-20-17-900-801PROC. REF: AMM 71-20-17-900-801								
71-20-17-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE 2 FRONT VIBRATION ISOLATORS - ENGINE 2 FRONT MOUNT RH ISOLATOR (M201EM)							Component ATA:71
PN:F7XC541201121A1	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:LK2674	HRS	6775:44		TSN 0				
WC#: 71.020	AFL	2518		TSN 0				
PROC. REF: AMM 71-20-17-900-801PROC. REF: AMM 71-20-17-900-801								
71-20-21-350-801-01	RESTORATION OF ENGINE 2 REAR VIBRATION ISOLATOR (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 2 REAR MOUNT ISOLATOR (M301EM)							Service ATA:71
PN:F7XC541211131A3	MOS	11-Aug-23	192 (+3%)		11-Aug-39	03-Feb-40	5060 d (+176)	OVERHAUL
SN:LK1179F	HRS	6775:44						
WC#: 71.020	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-21-350-801PROC. REF: AMM 71-20-21-350-801								
71-20-21-350-801-01A	RESTORATION OF ENGINE 2 REAR VIBRATION ISOLATOR (OVERHAUL WITH VIBRATION ISOLATOR ELASTOMER REPLACEMENT) - ENGINE 2 REAR MOUNT ISOLATOR (M301EM) (MANDATORY 5-40)							Service ATA:71
PN:F7XC541211131A3	MOS	11-Aug-23						ALI / FD
SN:LK1179F	HRS	6775:44						
	AFL	2518	5500		8018		5358	
PROC. REF: AMM 71-20-21-350-801PROC. REF: AMM 71-20-21-350-801								
71-20-21-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE 2 REAR VIBRATION ISOLATOR - ENGINE 2 REAR MOUNT ISOLATOR (M301EM)							Component ATA:71
PN:F7XC541211131A3	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:LK1179F	HRS	6775:44		TSN 0				
WC#: 71.020	AFL	2518		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-21-900-801PROC. REF: AMM 71-20-21-900-801								
71-70-00-200-801-01	INSPECTION OF THE ENGINE DRAINS - ENGINE 1 (L950EZ) ACCESSORY DRAIN LINES							Service ATA:71
	MOS	11-Aug-23						
	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
WC#: 71.060	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 71-70-00-200-801PROC. REF: AMM 71-70-00-200-801								
71-70-00-200-801-02	INSPECTION OF THE ENGINE DRAINS - ENGINE 2 (M950EZ) ACCESSORY DRAIN LINES							Service ATA:71
	MOS	11-Aug-23						
	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
WC#: 71.060	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 71-70-00-200-801PROC. REF: AMM 71-70-00-200-801								
71-70-00-200-801-03	INSPECTION OF THE ENGINE DRAINS - ENGINE 3 (R950EZ) ACCESSORY DRAIN LINES							Service ATA:71
	MOS	11-Aug-23						
	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
WC#: 71.060	AFL	2518						
								WO#: JWL-25-049
PROC. REF: AMM 71-70-00-200-801PROC. REF: AMM 71-70-00-200-801								
71-70-00-200-801-04 ^U	INSPECTION OF THE ENGINE DRAINS - ENGINE 1 (L950EZ) DRAIN MAST SEAL							Service ATA:71
	MOS	01-Sep-25						
	HRS	7445:40	600 (+3%)		8045:40	8063:40	553:06 (+18)	
WC#: 71.060	AFL	2653						
71-70-00-200-801-05 ^U	INSPECTION OF THE ENGINE DRAINS - ENGINE 2 (M950EZ) DRAIN MAST SEAL							Service ATA:71
	MOS	01-Sep-25						
	HRS	7445:40	600 (+3%)		8045:40	8063:40	553:06 (+18)	
WC#: 71.060	AFL	2653						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-70-00-200-801-06	^U	INSPECTION OF THE ENGINE DRAINS - ENGINE 3 (R950EZ) DRAIN MAST SEAL						Service ATA:71
	MOS	01-Sep-25						
	HRS	7445:40	600 (+3%)		8045:40	8063:40	553:06 (+18)	
WC#: 71.060	AFL	2653						

71EN1	NO. 1 ENGINE							Component ATA:71
PN:30P0100-01	MOS/MSC	14-Jul-18	E/C					
SN:PCE-CH0014	HRS	4398:30		TSN 3872:09				
WC#: 71.EN1	AFL	1825						
PROC. REF: AMM 71-00-01-000-801, AMM 71-00-01-400-801PROC. REF: AMM 71-00-01-000-801, AMM 71-00-01-400-801								

71EN2	NO. 2 ENGINE							Component ATA:71
PN:30P0100-01	MOS/MSC	27-Jan-21	E/C					
SN:PCE-CH0017	HRS	4771:06		TSN 4768:06				
WC#: 71.EN2	AFL	1969						
PROC. REF: AMM 71-00-05-000-801, AMM 71-00-05-400-801PROC. REF: AMM 71-00-05-000-801, AMM 71-00-05-400-801								

71EN3	NO. 3 ENGINE							Component ATA:71
PN:30P0100-01	MOS/MSC	18-Nov-24	E/C					
SN:PCE-CH0185	HRS	7061:12						
WC#: 71.EN3	AFL	2584						
								WO#: JWL-24-076
PROC. REF: AMM 71-00-01-000-801, AMM 71-00-01-400-801PROC. REF: AMM 71-00-01-000-801, AMM 71-00-01-400-801								

ATA 72 - ENGINE								
72-00-00-210-801-01	NO. 1 ENGINE - VISUALLY INSPECT FAN BLADES (PRESSURE AND SUCTION SURFACES) AND LOWPRESSURE CORE STATORS							Service ATA:72
	MOS/MSC	18-Aug-06	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								

72-00-00-210-801-01	NO. 2 ENGINE - VISUALLY INSPECT FAN BLADES (PRESSURE AND SUCTION SURFACES) AND LOWPRESSURE CORE STATORS							Service ATA:72
	MOS/MSC	23-Aug-06	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-210-801-01	^S	NO. 3 ENGINE - VISUALLY INSPECT FAN BLADES (PRESSURE AND SUCTION SURFACES) AND LOWPRESSURE CORE STATORS						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-00-00-290-801-01		NO. 1 ENGINE - BORESCOPE INSPECTION						Service ATA:72
	MOS/MSC	23-Dec-14	O/C					
	HRS	2895:52						
	ENC	1250						
PROC. REF: AMM 72-00-00-290-801PROC. REF: AMM 72-00-00-290-801								
72-00-00-290-801-01		NO. 2 ENGINE - BORESCOPE INSPECTION						Service ATA:72
	MOS/MSC	24-Dec-14	O/C					
	HRS	2987:52						
	ENC	1341						
PROC. REF: AMM 72-00-00-290-801PROC. REF: AMM 72-00-00-290-801								
72-00-00-290-801-01	^S	NO. 3 ENGINE - BORESCOPE INSPECTION						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
PROC. REF: AMM 72-00-00-290-801PROC. REF: AMM 72-00-00-290-801								
72-00-00-290-802-01		NO. 1 ENGINE - BORESCOPE INSPECTION OF THE HPC						Service ATA:72
	MOS/MSC	18-Aug-06	O/C					
	HRS	0						
	ENC	0						
72-00-00-290-802-01		NO. 2 ENGINE - BORESCOPE INSPECTION OF THE HPC						Service ATA:72
	MOS/MSC	23-Aug-06	O/C					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-290-802-01	^S	NO. 3 ENGINE - BORESCOPE INSPECTION OF THE HPC						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
72-00-00-290-803-01		NO. 1 ENGINE - BORESCOPE INSPECTION OF THE HPT						Service ATA:72
	MOS/MSC	18-Aug-06	O/C					
	HRS	0						
	ENC	0						
72-00-00-290-803-01		NO. 2 ENGINE - BORESCOPE INSPECTION OF THE HPT						Service ATA:72
	MOS/MSC	06-Apr-15	O/C					
	HRS	2990:02						
	ENC	1342						
72-00-00-290-803-01	^S	NO. 3 ENGINE - BORESCOPE INSPECTION OF THE HPT						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
72-00-00-610-801-01		NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK						Service ATA:72
	MOS/MSC	22-Jul-15	O/C					
	HRS	2906:42						
	ENC	1258						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00-610-801-01		NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK						Service ATA:72
	MOS/MSC	22-Jul-15	O/C					
	HRS	2997:27						
	ENC	1347						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-610-801-01	^S	NO. 3 ENGINE - PERFORM ENGINE PRESERVATION CHECK						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00-620-801-01		NO. 1 ENGINE - PRESERVATION / DEPRESERVATION OF THE ENGINE						Service ATA:72
	MOS/MSC	22-Jul-15	O/C					
	HRS	2906:42						
	ENC	1258						
PROC. REF: AMM 72-00-00-620-801, EMM 72-00-00PROC. REF: AMM 72-00-00-620-801, EMM 72-00-00								
72-00-00-620-801-01		NO. 2 ENGINE - PRESERVATION / DEPRESERVATION OF THE ENGINE						Service ATA:72
	MOS/MSC	22-Jul-15	O/C					
	HRS	2997:27						
	ENC	1347						
PROC. REF: AMM 72-00-00-620-801, EMM 72-00-00PROC. REF: AMM 72-00-00-620-801, EMM 72-00-00								
72-00-00-620-801-01	^S	NO. 3 ENGINE - PRESERVATION / DEPRESERVATION OF THE ENGINE						Service ATA:72
	MOS/MSC	01-Nov-24	O/C					
	HRS	4248:30						
	ENC	1571						
PROC. REF: AMM 72-00-00-620-801, EMM 72-00-00PROC. REF: AMM 72-00-00-620-801, EMM 72-00-00								
72-00-00-630-801-01		NO. 1 ENGINE - DE-PRESERVATION OF ENGINE						Service ATA:72
	MOS/MSC	17-Oct-13	O/C					
	HRS	2711						
	ENC	1111						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00-630-801-01		NO. 2 ENGINE - DE-PRESERVATION OF ENGINE						Service ATA:72
	MOS/MSC	17-Oct-13	O/C					
	HRS	2803:40						
	ENC	1202						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-630-801-01	^S	NO. 3 ENGINE - DE-PRESERVATION OF ENGINE						Service ATA:72
	MOS/MSC	05-Aug-09	O/C					
	HRS	30						
	ENC	15						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-10-280-801-01		NO. 1 ENGINE - HOT SECTION INSPECTION						Service ATA:72
	MOS/MSC	10-Apr-18	N/R					
	HRS	3872:09						
	ENC	1614						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-10-280-801-01		NO. 2 ENGINE - HOT SECTION INSPECTION						Service ATA:72
	MOS/MSC	24-Apr-15	N/R					
	HRS	2991:27						
	ENC	1344						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-10-280-801-01	^S	NO. 3 ENGINE - HOT SECTION INSPECTION						Service ATA:72
	MOS/MSC	22-Aug-22	N/R					
	HRS	2919:42						
	ENC	966						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-11-280-801-01		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION HP COMPRESSOR, 1ST STAGE HP COMPRESSOR BLADE, 4TH STAGE HP COMPRESSOR BLADE, IMPELLER LEADING EDGE AND SHROUD						Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-11-280-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION HP COMPRESSOR, 1ST STAGE HP COMPRESSOR BLADE, 4TH STAGE HP COMPRESSOR BLADE, IMPELLER LEADING EDGE AND SHROUD							Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	1200 (+30)		(7520:25) 7975:44	7550:25	483:10 (+30)	
	ENC	2382						
PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00								
72-00-11-280-801-01 ^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION HP COMPRESSOR, 1ST STAGE HP COMPRESSOR BLADE, 4TH STAGE HP COMPRESSOR BLADE, IMPELLER LEADING EDGE AND SHROUD							Service ATA:72
	MOS	14-Jan-08						
	HRS	0	T:3600 (+30)					
	ENC	0						
PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00								
72-00-15-280-801-01	NO. 1 ENGINE - OVERHAUL ENGINE							Service ATA:72
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	ENC	0						
72-00-15-280-801-01	NO. 2 ENGINE - OVERHAUL ENGINE							Service ATA:72
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	ENC	0						
72-00-15-280-801-01 ^S	NO. 3 ENGINE - OVERHAUL ENGINE							Service ATA:72
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
72-00-20-280-801-01	NO. 1 ENGINE - INSPECTION LOW UTILIZATION ENGINE							Service ATA:72
	MOS	10-Apr-18	T:180 (+12m)		10-Apr-33	10-Apr-34	2746 d (+365)	
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-20-280-801-01	NO. 2 ENGINE - INSPECTION LOW UTILIZATION ENGINE							Service ATA:72
	MOS	26-Mar-15	T:180 (+12m)		26-Mar-30	26-Mar-31	1635 d (+365)	
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-20-280-801-01	NO. 3 ENGINE - INSPECTION LOW UTILIZATION ENGINE							Service ATA:72
	MOS	01-Nov-24	24 (+12m)		01-Nov-26	01-Nov-27	394 d (+365)	
	HRS	4248:30						
	ENC	1328						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-30-280-801-01	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF COMBUSTION CHAMBER LINER							Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-30-280-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF COMBUSTION CHAMBER LINER							Service ATA:72
	MOS	27-Jul-24						
	HRS	6592:36	1200 (+30)		(7792:36) 8247:55	7822:36	755:21 (+30)	
	ENC	2445						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-30-280-801-01 ^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF COMBUSTION CHAMBER LINER							Service ATA:72
	MOS	22-Aug-16						
	HRS	2919:42	T:3600 (+30)		(6519:42) 9332:24 (M)	6549:42	1839:50 (+30)	
	ENC	966						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-40-280-801-01	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF 1ST STAGE TURBINE VANE, 1ST STAGE HP TURBINE SHROUD SEGMENT, 1ST STAGE HP TURBINE BLADE, 2ND STAGE TURBINE VANE, 2ND STAGE HP TURBINE SHROUD SEGMENT, 2ND STAGE HP TURBINE BLADE							Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00								
72-00-40-280-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF 1ST STAGE TURBINE VANE, 1ST STAGE HP TURBINE SHROUD SEGMENT, 1ST STAGE HP TURBINE BLADE, 2ND STAGE TURBINE VANE, 2ND STAGE HP TURBINE SHROUD SEGMENT, 2ND STAGE HP TURBINE BLADE							Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	1200 (+30)		(7520:25) 7975:44	7550:25	483:10 (+30)	
	ENC	2382						
PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00								
72-00-40-280-801-01 ^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF 1ST STAGE TURBINE VANE, 1ST STAGE HP TURBINE SHROUD SEGMENT, 1ST STAGE HP TURBINE BLADE, 2ND STAGE TURBINE VANE, 2ND STAGE HP TURBINE SHROUD SEGMENT, 2ND STAGE HP TURBINE BLADE							Service ATA:72
	MOS	14-Jan-08						
	HRS	0	T:3600 (+30)					
	ENC	0						
PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00, EMM 72-00-00								
72-00-50-280-801-01	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF LP TURBINE BLADES AND LP TURBINE VANES							Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00								
72-00-50-280-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF LP TURBINE BLADES AND LP TURBINE VANES							Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	1200 (+30)		(7520:25) 7975:44	7550:25	483:10 (+30)	
	ENC	2382						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00								
72-00-50-280-801-01	^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF LP TURBINE BLADES AND LP TURBINE VANES						Service ATA:72
	MOS	14-Jan-08						
	HRS	0	T:3600 (+30)					
	ENC	0						
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00								
72-00-60-280-801-01		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF ENGINE FUEL NOZZLES						Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-60-280-801-01		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF ENGINE FUEL NOZZLES						Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	1200 (+30)		(7520:25) 7975:44	7550:25	483:10 (+30)	
	ENC	2382						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-60-280-801-01	^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION BORESCOPE INSPECTION OF ENGINE FUEL NOZZLES						Service ATA:72
	MOS	14-Jan-08						
	HRS	0	T:3600 (+30)					
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-20-10-900-801-01		NO. 1 ENGINE - FAN HUB						Component ATA:72
PN:30P0031-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:BE100230	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 12211 (M)		9551	
	ACCCYC	0	12000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-20-10-900-801-01	NO. 2 ENGINE - FAN HUB							Component ATA:72
PN:30P1871-01	MOS	13-Jan-21		TSN 163				LIFE LIMIT
SN:BE100247	HRS	5426:31		TSN 5426:31				
	ENC	2156		TSN 2156	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2156				
72-20-10-900-801-01 ^S NO. 3 ENGINE - FAN HUB								
PN:30P1871-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:BE100741	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-30-01-350-801-01 NO. 1 ENGINE - REFURBISH LOW PRESSURE COMPRESSOR								
	MOS	18-Aug-06						Service ATA:72
	HRS	0	7200		(7200) 7726:21		233:47	SOFT-TIME
	ENC	0						
72-30-01-350-801-01 NO. 2 ENGINE - REFURBISH LOW PRESSURE COMPRESSOR								
	MOS	23-Aug-06						Service ATA:72
	HRS	0	7200		(7200) 7655:19		162:45	SOFT-TIME
	ENC	0						
72-30-01-350-801-01 ^S NO. 3 ENGINE - REFURBISH LOW PRESSURE COMPRESSOR								
	MOS/MSC	14-Jan-08	O/C					Service ATA:72
	HRS	0						SOFT-TIME
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-01-900-801-01	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR							Component ATA:72
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-30-01-900-801-01	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR							Component ATA:72
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-30-01-900-801-01 ^S	NO. 3 ENGINE - LOW PRESSURE COMPRESSOR							Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-30-01-900-801-02	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:02R30P2127-01	MOS/MSC	12-Jun-20	O/C	TSR 0				
SN:BDAA002A530	HRS	4953:22		TSR 0				
	ENC	1957		TSR 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								WO#: JWL-24-076
72-30-01-900-801-02 ^S	NO. 3 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-30-02-350-801-01	NO. 1 ENGINE - REFURBISH HIGH PRESSURE COMPRESSOR							Service ATA:72
	MOS	18-Aug-06						SOFT-TIME
	HRS	0	7200		(7200) 7726:21		233:47	
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-02-350-801-01	NO. 2 ENGINE - REFURBISH HIGH PRESSURE COMPRESSOR							Service ATA:72
	MOS	23-Aug-06						SOFT-TIME
	HRS	0	7200		(7200) 7655:19		162:45	
	ENC	0						
72-30-02-350-801-01 ^S	NO. 3 ENGINE - REFURBISH HIGH PRESSURE COMPRESSOR							Service ATA:72
	MOS/MSC	14-Jan-08	O/C					SOFT-TIME
	HRS	0						
	ENC	0						
72-30-02-900-801-01	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR							Component ATA:72
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-02-900-801-01	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR							Component ATA:72
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-02-900-801-01 ^S	NO. 3 ENGINE - HIGH PRESSURE COMPRESSOR							Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-10-900-801-01	NO. 1 ENGINE - LP SHAFT							Component ATA:72
PN:30P1850-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:DDAA000A561	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-30-10-900-801-01 NO. 2 ENGINE - LP SHAFT								
PN:30P1850-01	MOS	13-Jan-21		TSN 163				LIFE LIMIT
SN:DDAA000A062	HRS	5426:31		TSN 5426:31				
	ENC	2156		TSN 2156	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2156				
72-30-10-900-801-01 ^S NO. 3 ENGINE - LP SHAFT								
PN:30P1850-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:DDAA005A850	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-30-20-900-801-01 NO. 1 ENGINE - INDUCER IMPELLER								
PN:30P1741-01	MOS	15-Aug-13						LIFE LIMIT
SN:A003AFF6	HRS	2711		TSN 0				
	ENC	1111		TSN 0	(16111) 16322 (M)		13662	
	ACCCYC	0	15000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-20-900-801-01	NO. 2 ENGINE - INDUCER IMPELLER							Component ATA:72
PN:30P1841-01	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:A001N29E	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				
72-30-20-900-801-01 ^S NO. 3 ENGINE - INDUCER IMPELLER								
PN:30P1841-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029YHL	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-30-30-900-801-01 NO. 1 ENGINE - EXDUCER IMPELLER								
PN:30P1842-01	MOS	15-Aug-13						LIFE LIMIT
SN:A003A4XB	HRS	2711		TSN 0				
	ENC	1111		TSN 0	(8911) 9122 (M)		6462	
	ACCCYC	0	7800	TSN 0				
72-30-30-900-801-01 NO. 2 ENGINE - EXDUCER IMPELLER								
PN:30P1842-01	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:A001MYMW	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(7800) 7936 (M)		5276	
	ACCCYC	0	7800	TSN 2107				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-30-900-801-01	^S	NO. 3 ENGINE - EXDUCER IMPELLER						Component ATA:72
PN:30P1842-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A000A191	HRS	0		TSN 0				
	ENC	0		TSN 0	(7800) 8813 (M)		6153	
	ACCCYC	0	7800	TSN 0				
72-38-01-210-801-01 NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN CASE AND COMPRESSOR INLET Service ATA:72								
	MOS	In progress						
	HRS	6919:19	400 (+30)		(7319:19) 7845:40	7349:19	353:06 (+30)	
	ENC	2442						
PROC. REF: EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01								
72-38-01-210-801-01 NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN CASE AND COMPRESSOR INLET Service ATA:72								
	MOS	01-Sep-25						
	HRS	6990:21	400 (+30)		(7390:21) 7845:40	7420:21	353:06 (+30)	
	ENC	2517						
PROC. REF: EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01								
72-38-01-210-801-01 NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF FAN CASE AND COMPRESSOR INLET Service ATA:72								
	MOS	29-Mar-24						
	HRS	4185:06	400 (+30)		(4585:06) 7397:48	4615:06	OVD	
	ENC	1547						
PROC. REF: EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01								
72-38-01-210-802-01 ^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN EXIT STATOR VANES Service ATA:72								
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								

PKG:12
WO#: JWL-25-049

PKG:12
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-38-01-210-802-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN EXIT STATOR VANES						Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:12 WO#: JWL-25-049
72-38-01-210-802-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF FAN EXIT STATOR VANES						Service ATA:72
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:12
72-38-01-210-803-01	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF INTERMEDIATE CASE						Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:12 WO#: JWL-25-049
72-38-01-210-803-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF INTERMEDIATE CASE						Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:12 WO#: JWL-25-049
72-38-01-210-803-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF INTERMEDIATE CASE						Service ATA:72
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-38-01-210-804-01	NO. 1 ENGINE - FAN BLADE LUBRICATION							Service ATA:72
	MOS	25-Mar-21						
	HRS	5375:41	1600 (+30)		(6975:41) 7502:02	7005:41	9:28 (+30)	
	ENC	2097						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								WO#: JWL-25-049
72-38-01-210-804-01	NO. 2 ENGINE - FAN BLADE LUBRICATION							Service ATA:72
	MOS	28-Feb-22						
	HRS	5866:57	1600 (+30)		(7466:57) 7922:16	7496:57	429:42 (+30)	
	ENC	2287						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-38-01-210-804-01	NO. 3 ENGINE - FAN BLADE LUBRICATION							Service ATA:72
	MOS	14-Jan-08						
	HRS	0	1600 (+30)		(4880) 7692:42 (M)	4910	200:08 (+30)	
	ENC	0						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
72-40-01-350-801-01	NO. 1 ENGINE - REFURBISH COMBUSTOR							Service ATA:72
	MOS/MSC	18-Aug-06	O/C					SOFT-TIME
	HRS	0						
	ENC	0						
72-40-01-350-801-01	NO. 2 ENGINE - REFURBISH COMBUSTOR							Service ATA:72
PN:PN	MOS/MSC	13-May-20	O/C					SOFT-TIME
SN:UNKNOWN	HRS	5284:57						
	ENC	2107						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-40-01-350-801-01	^S	NO. 3 ENGINE - REFURBISH COMBUSTOR						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					SOFT-TIME
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
72-40-01-900-801-01		NO. 1 ENGINE - COMBUSTOR						Component ATA:72
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
72-40-01-900-801-01		NO. 2 ENGINE - COMBUSTOR						Component ATA:72
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
72-40-01-900-801-01	^S	NO. 3 ENGINE - COMBUSTOR						Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
72-40-01.6	^S	NO. 3 ENGINE - COMBUSTION LINER						Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
72-50-01-350-801-01	^S	NO. 1 ENGINE - REFURBISH HIGH PRESSURE TURBINE						Service ATA:72
	MOS/MSC	18-Aug-06	N/A					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-01-350-801-01	NO. 2 ENGINE - REFURBISH HIGH PRESSURE TURBINE							Service ATA:72
PN:PN	MOS/MSC	13-May-20	O/C					SOFT-TIME
SN:UNKNOWN	HRS	5284:57						
	ENC	2107						
72-50-01-350-801-01 ^S NO. 3 ENGINE - REFURBISH HIGH PRESSURE TURBINE								
	MOS/MSC	14-Jan-08	O/C					Service ATA:72
	HRS	0						SOFT-TIME
	ENC	0						
72-50-01-900-801-01 NO. 1 ENGINE - HIGH PRESSURE TURBINE								
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-01, EMM 72-50-01, EMM 72-50-01PROC. REF: EMM 72-50-01, EMM 72-50-01, EMM 72-50-01								
72-50-01-900-801-01 NO. 2 ENGINE - HIGH PRESSURE TURBINE								
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-01, EMM 72-50-01, EMM 72-50-01PROC. REF: EMM 72-50-01, EMM 72-50-01, EMM 72-50-01								
72-50-01-900-801-01 ^S NO. 3 ENGINE - HIGH PRESSURE TURBINE								
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-01, EMM 72-50-01, EMM 72-50-01PROC. REF: EMM 72-50-01, EMM 72-50-01, EMM 72-50-01								
72-50-02-210-801-01 ^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE AREA (INCLUDING EXHAUST)								
	MOS	11-Aug-23						Service ATA:72
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

PKG:12
WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-02-210-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE AREA (INCLUDING EXHAUST)						Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
								PKG:12 WO#: JWL-25-049
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-50-02-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE AREA (INCLUDING EXHAUST)						Service ATA:72
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
								PKG:12
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-50-02-350-801-01		NO. 1 ENGINE - REFURBISH LOW PRESSURE TURBINE						Service ATA:72
	MOS	18-Aug-06						SOFT-TIME
	HRS	0	7200		(7200) 7726:21		233:47	
	ENC	0						
72-50-02-350-801-01		NO. 2 ENGINE - REFURBISH LOW PRESSURE TURBINE						Service ATA:72
	MOS	23-Aug-06						SOFT-TIME
	HRS	0	7200		(7200) 7655:19		162:45	
	ENC	0						
72-50-02-350-801-01	^S	NO. 3 ENGINE - REFURBISH LOW PRESSURE TURBINE						Service ATA:72
	MOS/MSC	14-Jan-08	O/C					SOFT-TIME
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-02-900-801-01	NO. 1 ENGINE - LOW PRESSURE TURBINE							Component ATA:72
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-02, EMM 72-50-02, EMM 72-50-02PROC. REF: EMM 72-50-02, EMM 72-50-02, EMM 72-50-02								
72-50-02-900-801-01	NO. 2 ENGINE - LOW PRESSURE TURBINE							Component ATA:72
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-02, EMM 72-50-02, EMM 72-50-02PROC. REF: EMM 72-50-02, EMM 72-50-02, EMM 72-50-02								
72-50-02-900-801-01 ^S	NO. 3 ENGINE - LOW PRESSURE TURBINE							Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-02, EMM 72-50-02, EMM 72-50-02PROC. REF: EMM 72-50-02, EMM 72-50-02, EMM 72-50-02								
72-50-03-280-801-01	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION ENGINE EMERGENCY SHUTOFF-CHECK FUEL SHUTOFF MECHANISM							Service ATA:72
	MOS	25-Mar-21						
	HRS	5375:41	1600 (+30)		(6975:41) 7502:02	7005:41	9:28 (+30)	
	ENC	2097						
PROC. REF: EMM 72-50-03PROC. REF: EMM 72-50-03								WO#: JWL-25-049
72-50-03-280-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION ENGINE EMERGENCY SHUTOFF-CHECK FUEL SHUTOFF MECHANISM							Service ATA:72
	MOS	28-Feb-22						
	HRS	5866:57	1600 (+30)		(7466:57) 7922:16	7496:57	429:42 (+30)	
	ENC	2287						
PROC. REF: EMM 72-50-03PROC. REF: EMM 72-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-03-280-801-01	^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION ENGINE EMERGENCY SHUTOFF-CHECK FUEL SHUTOFF MECHANISM						Service ATA:72
	MOS	05-Mar-13						
	HRS	1737	1600 (+30)					
	ENC	579						
PROC. REF: EMM 72-50-03PROC. REF: EMM 72-50-03								
72-50-10-900-801-01		NO. 1 ENGINE - HP COMPRESSOR (1ST-STAGE) ROTOR						Component ATA:72
PN:30P0481-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001KPRE	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-50-10-900-801-01		NO. 2 ENGINE - HP COMPRESSOR (1ST-STAGE) ROTOR						Component ATA:72
PN:30P0481-01	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:A001N610	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				
72-50-10-900-801-01	^S	NO. 3 ENGINE - HP COMPRESSOR (1ST-STAGE) ROTOR						Component ATA:72
PN:30P1731-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029FC4	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-50-20-900-801-01		NO. 1 ENGINE - HP COMPRESSOR (2ND-STAGE) ROTOR						Component ATA:72
PN:30P1752-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001KRLO	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-20-900-801-01	NO. 2 ENGINE - HP COMPRESSOR (2ND-STAGE) ROTOR							Component ATA:72
PN:30P1752-01	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:A001LA0T	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				
72-50-20-900-801-01 ^S NO. 3 ENGINE - HP COMPRESSOR (2ND-STAGE) ROTOR								
PN:30P2022-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029YHW	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-50-30-900-801-01 NO. 1 ENGINE - HP COMPRESSOR (3RD-STAGE) ROTOR								
PN:30P1743-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001HD69	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-50-30-900-801-01 NO. 2 ENGINE - HP COMPRESSOR (3RD-STAGE) ROTOR								
PN:30P1743-01	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:A001KPRH	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-30-900-801-01	^S	NO. 3 ENGINE - HP COMPRESSOR (3RD-STAGE) ROTOR						Component ATA:72
PN:30P1743-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029X01	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-50-40-900-801-01		NO. 1 ENGINE - HP COMPRESSOR (4TH-STAGE) ROTOR						Component ATA:72
PN:30P1744-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001KA8F	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-50-40-900-801-01		NO. 2 ENGINE - HP COMPRESSOR (4TH-STAGE) ROTOR						Component ATA:72
PN:30P1744-01	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:A001N1KR	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				
72-50-40-900-801-01	^S	NO. 3 ENGINE - HP COMPRESSOR (4TH-STAGE) ROTOR						Component ATA:72
PN:30P2014-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029CRN	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-50-900-801-01	NO. 1 ENGINE - HP TURBINE (1ST-STAGE) DISK							Component ATA:72
PN:30P1881-01	MOS	10-Apr-18		TSN 0				LIFE LIMIT
SN:A0046EC7	HRS	3872:09		TSN 0				
	ENC	1614		TSN 0	(5214) 5425 (M)		2765	
	ACCCYC	0	3600	TSN 0				
72-50-50-900-801-01	NO. 2 ENGINE - HP TURBINE (1ST-STAGE) DISK							Component ATA:72
PN:30P1881-01	MOS	13-Jan-21						LIFE LIMIT
SN:A003KXXE	HRS	5426:31		TSN 2436:15				
	ENC	2156		TSN 814	(4942) 5078 (M)		2418	
	ACCCYC	0	3600	TSN 814				
72-50-50-900-801-01 ^S	NO. 3 ENGINE - HP TURBINE (1ST-STAGE) DISK							Component ATA:72
PN:30P1881-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029MWM	HRS	0		TSN 0				
	ENC	0		TSN 0	(3600) 4613 (M)		1953	
	ACCCYC	0	3600	TSN 0				
72-50-60-900-801-01	NO. 1 ENGINE - HP TURBINE (2ND-STAGE) DISK							Component ATA:72
PN:30P1952-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001LYTM	HRS	0		TSN 0				
	ENC	0		TSN 0	(4000) 4211 (M)		1551	
	ACCCYC	0	4000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-60-900-801-01	NO. 2 ENGINE - HP TURBINE (2ND-STAGE) DISK							Component ATA:72
PN:30P1952-01	MOS	13-Jan-21		TSN 163				LIFE LIMIT
SN:A001MECM	HRS	5426:31		TSN 5426:31				
	ENC	2156		TSN 2156	(4000) 4136 (M)		1476	
	ACCCYC	0	4000	TSN 2156				
72-50-60-900-801-01 ^S NO. 3 ENGINE - HP TURBINE (2ND-STAGE) DISK								
PN:30P1952-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029KME	HRS	0		TSN 0				
	ENC	0		TSN 0	(4000) 5013 (M)		2353	
	ACCCYC	0	4000	TSN 0				
72-50-70-900-801-01 NO. 1 ENGINE - LP TURBINE (3RD-STAGE) DISK								
PN:30N0123	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:ATP00642	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-50-70-900-801-01 NO. 2 ENGINE - LP TURBINE (3RD-STAGE) DISK								
PN:30N0123	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:ATP00647	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-70-900-801-01	^S	NO. 3 ENGINE - LP TURBINE (3RD-STAGE) DISK						Component ATA:72
PN:30N0253	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:ABT00302	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-50-80-900-801-01 NO. 1 ENGINE - LP TURBINE (4TH-STAGE) DISK								
PN:30N0064	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:ATP00348	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-50-80-900-801-01 NO. 2 ENGINE - LP TURBINE (4TH-STAGE) DISK								
PN:30N0064	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:ATP00338	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				
72-50-80-900-801-01 ^S NO. 3 ENGINE - LP TURBINE (4TH-STAGE) DISK								
PN:30N0254	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:ABT00515	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-90-900-801-01	NO. 1 ENGINE - LP TURBINE (5TH-STAGE) DISK							Component ATA:72
PN:30N0125	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:ATP00948	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15211 (M)		12551	
	ACCCYC	0	15000	TSN 0				
72-50-90-900-801-01 NO. 2 ENGINE - LP TURBINE (5TH-STAGE) DISK Component ATA:72								
PN:30N0125	MOS	13-May-20		TSN 155				LIFE LIMIT
SN:ATP00955	HRS	5284:57		TSN 5284:57				
	ENC	2107		TSN 2107	(15000) 15136 (M)		12476	
	ACCCYC	0	15000	TSN 2107				
72-50-90-900-801-01 ^S NO. 3 ENGINE - LP TURBINE (5TH-STAGE) DISK Component ATA:72								
PN:30N0125	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:MAA14973	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 16013 (M)		13353	
	ACCCYC	0	15000	TSN 0				
72-51-00-900-801-01 NO. 1 ENGINE - FRONT HP TURBINE COVER Component ATA:72								
PN:30P0113-01	MOS	10-Apr-18						LIFE LIMIT
SN:A002KX40	HRS	3872:09		TSN 4999				
	ENC	1614		TSN 1787	(11827) 12038 (M)		9378	
	ACCCYC	0	12000	TSN 1787				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-900-801-01	NO. 2 ENGINE - FRONT HP TURBINE COVER							Component ATA:72
PN:30P0113-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001LK24	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 12136 (M)		9476	
	ACCCYC	0	12000	TSN 0				
72-51-00-900-801-01 ^S NO. 3 ENGINE - FRONT HP TURBINE COVER								
PN:30P0113-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A00291W6	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 13013 (M)		10353	
	ACCCYC	0	12000	TSN 0				
72-51-10-900-801-01 NO. 1 ENGINE - REAR HP TURBINE COVER								
PN:30P1882-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001MNL5	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 12211 (M)		9551	
	ACCCYC	0	12000	TSN 0				
72-51-10-900-801-01 NO. 2 ENGINE - REAR HP TURBINE COVER								
PN:30P1882-01	MOS	13-Jan-21		TSN 163				LIFE LIMIT
SN:A001MNL4	HRS	5426:31		TSN 5426:31				
	ENC	2156		TSN 2156	(12000) 12136 (M)		9476	
	ACCCYC	0	12000	TSN 2156				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-10-900-801-01	^S	NO. 3 ENGINE - REAR HP TURBINE COVER						Component ATA:72
PN:30P1882-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0028WC1	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 13013 (M)		10353	
	ACCCYC	0	12000	TSN 0				
72-52-10-900-801-01 NO. 1 ENGINE - HP TURBINE TIE ROD Component ATA:72								
PN:30P1943-01	MOS	12-Jun-07		TSN 0				LIFE LIMIT
SN:A001N910	HRS	0		TSN 0				
	ENC	0		TSN 0	(7800) 8011 (M)		5351	
	ACCCYC	0	7800	TSN 0				
PROC. REF: EMM 72-50-01, EMM 72-50-01PROC. REF: EMM 72-50-01, EMM 72-50-01								
72-52-10-900-801-01 NO. 2 ENGINE - HP TURBINE TIE ROD Component ATA:72								
PN:30P1943-01	MOS	13-Jan-21		TSN 163				LIFE LIMIT
SN:A001N21K	HRS	5426:31		TSN 5426:31				
	ENC	2156		TSN 2156	(7800) 7936 (M)		5276	
	ACCCYC	0	7800	TSN 2156				
PROC. REF: EMM 72-50-01, EMM 72-50-01PROC. REF: EMM 72-50-01, EMM 72-50-01								
72-52-10-900-801-01	^S	NO. 3 ENGINE - HP TURBINE TIE ROD						Component ATA:72
PN:30P2164-01	MOS	14-Jan-08		TSN 0				LIFE LIMIT
SN:A0029YH3	HRS	0		TSN 0				
	ENC	0		TSN 0	(7800) 8813 (M)		6153	
	ACCCYC	0	7800	TSN 0				
PROC. REF: EMM 72-50-01, EMM 72-50-01PROC. REF: EMM 72-50-01, EMM 72-50-01								
72-60-01-350-801-01		NO. 1 ENGINE - REFURBISH ACCESSORY GEARBOX						Service ATA:72
	MOS	18-Aug-06						SOFT-TIME
	HRS	0	7200		(7200) 7726:21		233:47	
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-60-01-350-801-01	NO. 2 ENGINE - REFURBISH ACCESSORY GEARBOX							Service ATA:72
	MOS	23-Aug-06						SOFT-TIME
	HRS	0	7200		(7200) 7655:19		162:45	
	ENC	0						
72-60-01-350-801-01 ^S	NO. 3 ENGINE - REFURBISH ACCESSORY GEARBOX							Service ATA:72
	MOS/MSC	14-Jan-08	O/C					SOFT-TIME
	HRS	0						
	ENC	0						
72-60-01-900-802-01	NO. 1 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01								
72-60-01-900-802-01	NO. 2 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01								
72-60-01-900-802-01 ^S	NO. 3 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01								
72-70-01-900-801-02	NO. 1 ENGINE - LEFT LOWER FAIRING HALF BYPASS DUCT							Component ATA:72
PN:PN	MOS							
SN:UNKNOWN	HRS							
	ENC							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-01-900-801-02	NO. 2 ENGINE - LEFT LOWER FAIRING HALF BYPASS DUCT							Component ATA:72
PN:PN	MOS							
SN:UNKNOWN	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-01-900-801-03	NO. 1 ENGINE - RIGHT LOWER FAIRING HALF BYPASS DUCT							Component ATA:72
PN:PN	MOS							
SN:UNKNOWN	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-01-900-801-03	NO. 2 ENGINE - RIGHT LOWER FAIRING HALF BYPASS DUCT							Component ATA:72
PN:PN	MOS							
SN:UNKNOWN	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-78-01-200-801-01 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF ENGINE EXTERNAL BYPASS DUCTS							Service ATA:72
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								PKG:12 WO#: JWL-25-049
72-78-01-200-801-01 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF ENGINE EXTERNAL BYPASS DUCTS							Service ATA:72
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								PKG:12 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-78-01-200-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF ENGINE EXTERNAL BYPASS DUCTS						Service ATA:72
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								PKG:12
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-230-801-01		SPECIAL DETAILED INSPECTION OF THE FLOW DIVIDER AND SHUT-OFF VALVE, LINKAGE AND CABLE - FLOW DIVIDER AND SHUT-OFF VALVE, LINKAGE AND CABLE, ENGINE 1 (L950EZ)						Service ATA:73
	MOS/MSC	17-Oct-13	O/C					
	HRS	2803:40						
WC#: 73.020	AFL	1202						
PROC. REF: AMM 73-10-00-230-801PROC. REF: AMM 73-10-00-230-801								
73-10-00-230-801-02		SPECIAL DETAILED INSPECTION OF THE FLOW DIVIDER AND SHUT-OFF VALVE, LINKAGE AND CABLE - FLOW DIVIDER AND SHUT-OFF VALVE, LINKAGE AND CABLE, ENGINE 2 (M950EZ)						Service ATA:73
	MOS/MSC	17-Oct-13	O/C					
	HRS	2803:40						
WC#: 73.020	AFL	1202						
PROC. REF: AMM 73-10-00-230-801PROC. REF: AMM 73-10-00-230-801								
73-10-00-230-801-03		SPECIAL DETAILED INSPECTION OF THE FLOW DIVIDER AND SHUT-OFF VALVE, LINKAGE AND CABLE - FLOW DIVIDER AND SHUT-OFF VALVE, LINKAGE AND CABLE, ENGINE 3 (R950EZ)						Service ATA:73
	MOS/MSC	17-Oct-13	O/C					
	HRS	2803:40						
WC#: 73.020	AFL	1202						
PROC. REF: AMM 73-10-00-230-801PROC. REF: AMM 73-10-00-230-801								
73-10-01-900-801-01		NO. 1 ENGINE - REMOVAL / INSTALLATION OF THE FLOW DIVIDER AND SHUT-OFF VALVES						Component ATA:73
PN:30P0565-03	MOS	25-Mar-21		TSN 165				
SN:1ADM0962	HRS	5375:41	8500	TSN 5375:41	(8500) 9026:21		1533:47	
	ENC	2097		TSN 2097				
PROC. REF: AMM 73-10-01-900-801, EMM 73-10-05PROC. REF: AMM 73-10-01-900-801, EMM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-01-900-801-01 NO. 2 ENGINE - REMOVAL / INSTALLATION OF THE FLOW DIVIDER AND SHUT-OFF VALVES								Component ATA:73
PN:154829	MOS	13-Jan-21		TSN 163				
SN:1ADR2095	HRS	5426:31	8500	TSN 5426:31	(8500) 8955:19		1462:45	
	ENC	2156		TSN 2156				
PROC. REF: AMM 73-10-01-900-801, EMM 73-10-05PROC. REF: AMM 73-10-01-900-801, EMM 73-10-05								
73-10-01-900-801-01 ^S NO. 3 ENGINE - REMOVAL / INSTALLATION OF THE FLOW DIVIDER AND SHUT-OFF VALVES								Component ATA:73
PN:30P0565-03	MOS	14-Jan-08		TSN 0				
SN:1ATM0315	HRS	0	8500	TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 73-10-01-900-801, EMM 73-10-05PROC. REF: AMM 73-10-01-900-801, EMM 73-10-05								
73-10-04-900-801-01 NO. 1 ENGINE - NO. 1 AIRBLAST FUEL NOZZLE								Component ATA:73
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-04-900-801-01 NO. 2 ENGINE - NO. 1 AIRBLAST FUEL NOZZLE								Component ATA:73
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-04-900-801-01 NO. 3 ENGINE - NO. 1 AIRBLAST FUEL NOZZLE								Component ATA:73
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-04-900-801-02 NO. 1 ENGINE - NO. 2 AIRBLAST FUEL NOZZLE								Component ATA:73
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-04-900-801-02	NO. 2 ENGINE - NO. 2 AIRBLAST FUEL NOZZLE							Component ATA:73
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-04-900-801-02	NO. 3 ENGINE - NO. 2 AIRBLAST FUEL NOZZLE							Component ATA:73
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-04.5 ^S	NO. 3 ENGINE - FUEL MANIFOLD							Component ATA:73
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-04.7 ^S	NO. 3 ENGINE - FUEL NOZZLES							Component ATA:73
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-10-05-960-801-01	NO. 1 ENGINE - DISCARD FUEL DRAIN VALVE ADAPTER PREFORMED PACKING AND TRANSFER TUBE PREFORMED PACKING							Service ATA:73
	MOS	25-Mar-21						
	HRS	5375:41	1600 (+30)		(6975:41) 7502:02	7005:41	9:28 (+30)	
	ENC	2097						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-05-960-801-01	NO. 2 ENGINE - DISCARD FUEL DRAIN VALVE ADAPTER PREFORMED PACKING AND TRANSFER TUBE PREFORMED PACKING							Service ATA:73
	MOS	25-Mar-21						
	HRS	5446:43	1600 (+30)		(7046:43) 7502:02	7076:43	9:28 (+30)	
	ENC	2172						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								WO#: JWL-25-049
73-10-05-960-801-01	NO. 3 ENGINE - DISCARD FUEL DRAIN VALVE ADAPTER PREFORMED PACKING AND TRANSFER TUBE PREFORMED PACKING							Service ATA:73
	MOS							
	HRS	EFF	1600 (+30)					
	ENC							
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
73-10-17-900-801-01	NO. 1 ENGINE - FUEL/ OIL HEAT EXCHANGER							Component ATA:73
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
73-10-17-900-801-01	NO. 2 ENGINE - FUEL/ OIL HEAT EXCHANGER							Component ATA:73
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
73-10-17-900-801-01	NO. 3 ENGINE - FUEL/OIL HEAT EXCHANGER							Component ATA:73
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-20-200-801-01	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FLOW DIVIDER AND SHUT-OFF VALVES							Service ATA:73
PN:30P0565-03	MOS	25-Mar-21						
SN:1ADM0962	HRS	5375:41	1600 (+30)		(6975:41) 7502:02	7005:41	9:28 (+30)	
	ENC	2097						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								WO#: JWL-25-049
73-10-20-200-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FLOW DIVIDER AND SHUT-OFF VALVES							Service ATA:73
PN:154829	MOS	28-Feb-22						
SN:1ADR2095	HRS	5866:57	1600 (+30)		(7466:57) 7922:16	7496:57	429:42 (+30)	
	ENC	2287						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
73-10-20-200-801-01 ^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION OF THE FLOW DIVIDER AND SHUT-OFF VALVES							Service ATA:73
PN:30P0565-03	MOS	01-Mar-13						
SN:1ATM0315	HRS	1737	1600 (+30)					
	ENC	579						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
73-10-21-900-801-01	NO. 1 ENGINE - FUEL FILTER							Component ATA:73
PN:30P2336-02	MOS/MSC	18-Jun-25	H/T	TSN 0				
SN:LOT#LT24-01711	HRS	6807:48		TSN 0				
	ENC	2422		TSN 0				
PROC. REF: AMM 73-11-31, AMM 73-11-31, AMM 73-10-21-900-801PROC. REF: AMM 73-11-31, AMM 73-11-31, AMM 73-10-21-900-801								
73-10-21-900-801-01	NO. 2 ENGINE - FUEL FILTER							Component ATA:73
PN:30P2336-02	MOS/MSC	18-Jun-25	H/T	TSN 9				
SN:LOT#LT24-01495	HRS	6878:50		TSN 0				
	ENC	2497		TSN 0				
PROC. REF: AMM 73-11-31, AMM 73-11-31, AMM 73-10-21-900-801PROC. REF: AMM 73-11-31, AMM 73-11-31, AMM 73-10-21-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-21-900-801-01	^S	NO. 3 ENGINE - FUEL FILTER						Component ATA:73
PN:30P2336-02	MOS/MSC	27-Dec-24	H/T	TSN 4				
SN:LOT3089787	HRS	4294		TSN 0				
	ENC	1579		TSN 0				
PROC. REF: AMM 73-11-31, AMM 73-11-31, AMM 73-10-21-900-801PROC. REF: AMM 73-11-31, AMM 73-11-31, AMM 73-10-21-900-801								
73-10-21-960-801-01	^S	NO. 1 ENGINE - DISCARD FUEL FILTER						Service ATA:73
PN:30P2336-02	MOS	18-Jun-25						
SN:LOT#LT24-01711	HRS	6807:48	600 (+30)					
	ENC	2422						
PROC. REF: AMM 73-10-21-960-801, EMM 73-10-03PROC. REF: AMM 73-10-21-960-801, EMM 73-10-03								PKG:11
73-10-21-960-801-01	^S	NO. 2 ENGINE - DISCARD FUEL FILTER						Service ATA:73
PN:30P2336-02	MOS	18-Jun-25						
SN:LOT#LT24-01495	HRS	6878:50	600 (+30)					
	ENC	2497						
PROC. REF: AMM 73-10-21-960-801, EMM 73-10-03PROC. REF: AMM 73-10-21-960-801, EMM 73-10-03								PKG:11
73-10-21-960-801-01	^S	NO. 3 ENGINE - DISCARD FUEL FILTER						Service ATA:73
PN:30P2336-02	MOS	27-Dec-24						
SN:LOT3089787	HRS	4294	600 (+30)					
	ENC	1579						
PROC. REF: AMM 73-10-21-960-801, EMM 73-10-03PROC. REF: AMM 73-10-21-960-801, EMM 73-10-03								PKG:11 WO#: JWL-25-049
73-18-01-210-801-01	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FUEL TUBES						Service ATA:73
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								PKG:12 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-18-01-210-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FUEL TUBES						Service ATA:73
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								PKG:12 WO#: JWL-25-049
73-18-01-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF FUEL TUBES						Service ATA:73
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								PKG:12
73-18-02-210-801-01		NO. 1 ENGINE - GENERAL VISUAL INSPECTION FUEL/ OIL HEAT EXCHANGER WITH OIL AND FUEL FILTERS REMOVED						Service ATA:73
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
73-18-02-210-801-01		NO. 2 ENGINE - GENERAL VISUAL INSPECTION FUEL/ OIL HEAT EXCHANGER WITH OIL AND FUEL FILTERS REMOVED						Service ATA:73
	MOS	28-Feb-22						
	HRS	5866:57	1200 (+30)		(7066:57) 7522:16	7096:57	29:42 (+30)	
	ENC	2287						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								WO#: JWL-25-049
73-18-02-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION ENGINE FUEL/OIL HEAT EXCHANGER - INSPECTION OF FOHE WITH OIL AND FUEL FILTERS REMOVED						Service ATA:73
PN:PN	MOS	19-Jul-17						
SN:UNKNOWN	HRS	3154:42	1200 (+30)					
	ENC	1049						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-20-01-900-801-01	NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:73
PN:30P0608-10	MOS/MSC	11-Aug-23	O/C					
SN:07010746	HRS	6249:23						
	ENC	2307						
PROC. REF: AMM 73-20-01-900-801, EMM 73-20-02PROC. REF: AMM 73-20-01-900-801, EMM 73-20-02								
73-20-01-900-801-01	NO. 2 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:73
PN:30P0608-10	MOS/MSC	11-Aug-23	O/C					
SN:07010748	HRS	6320:25						
	ENC	2382						
PROC. REF: AMM 73-20-01-900-801, EMM 73-20-02PROC. REF: AMM 73-20-01-900-801, EMM 73-20-02								
73-20-01-900-801-01 ^S	NO. 3 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:73
PN:1003091-2-008	MOS/MSC	25-Apr-12	O/C	TSR 0				
SN:08095162	HRS	1178:30		TSR 0				
	ENC	408		TSR 0				
PROC. REF: AMM 73-20-01-900-801, EMM 73-20-02PROC. REF: AMM 73-20-01-900-801, EMM 73-20-02								
73-20-05-900-801-01	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:30P0563-07	MOS	25-Mar-21		TSN 165				
SN:F64705	HRS	5375:41	10000	TSN 5375:41	(10000) 10526:21		3033:47	
	ENC	2097		TSN 2097				
PROC. REF: AMM 73-20-05-900-801, EMM 73-20-01PROC. REF: AMM 73-20-05-900-801, EMM 73-20-01								
73-20-05-900-801-01	NO. 2 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:1002918-8	MOS	13-Jan-21		TSN 163				
SN:F64803	HRS	5426:31	10000	TSN 5426:31	(10000) 10455:19		2962:45	
	ENC	2156		TSN 2156				
PROC. REF: AMM 73-20-05-900-801, EMM 73-20-01PROC. REF: AMM 73-20-05-900-801, EMM 73-20-01								
73-20-05-900-801-01 ^S	NO. 3 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:30P0563-07	MOS	14-Jan-08		TSN 0				
SN:F67978	HRS	0	10000	TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: AMM 73-20-05-900-801, EMM 73-20-01PROC. REF: AMM 73-20-05-900-801, EMM 73-20-01								
73-20-09-900-801-01	NO. 1 ENGINE - PERMANENT MAGNETIC ALTERNATOR							Component ATA:73
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 73-20-09-900-801, EMM 73-20-04PROC. REF: AMM 73-20-09-900-801, EMM 73-20-04								
73-20-09-900-801-01	NO. 2 ENGINE - PERMANENT MAGNETIC ALTERNATOR							Component ATA:73
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 73-20-09-900-801, EMM 73-20-04PROC. REF: AMM 73-20-09-900-801, EMM 73-20-04								
73-20-09-900-801-01 ^S	NO. 3 ENGINE - PERMANENT MAGNETIC ALTERNATOR							Component ATA:73
PN:30P1374-04	MOS/MSC	21-Jun-23	O/C					
SN:AAL01817	HRS	4017:48		TSN 864:06				
	ENC	1508						
PROC. REF: AMM 73-20-09-900-801, EMM 73-20-04PROC. REF: AMM 73-20-09-900-801, EMM 73-20-04								
73-20-11-220-801-01	DETAILED INSPECTION OF THE PMA DRIVE SHAFTS - FCS PMA DRIVE SHAFT, ENGINE 1 (L950EZ)							Service ATA:73
	MOS	12-Jun-07						
	HRS	0	10000		10000		2507:26	
WC#: 73.010	AFL	0						
PROC. REF: AMM 73-20-11-220-801PROC. REF: AMM 73-20-11-220-801								
73-20-11-220-801-02	DETAILED INSPECTION OF THE PMA DRIVE SHAFTS - FCS PMA DRIVE SHAFT, ENGINE 2 (M950EZ)							Service ATA:73
	MOS	12-Jun-07						
	HRS	0	10000		10000		2507:26	
WC#: 73.010	AFL	0						
PROC. REF: AMM 73-20-11-220-801PROC. REF: AMM 73-20-11-220-801								
73-20-13-900-801-01	NO. 1 ENGINE - OUTER ELECTRICAL WIRING HARNESS							Component ATA:73
PN:30P0578-03	MOS/MSC	10-Apr-18	O/C					
SN:EFA036000031	HRS	3872:09						
	ENC	1614						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: AMM 73-20-13-900-801, EMM 73-20-03PROC. REF: AMM 73-20-13-900-801, EMM 73-20-03								
73-20-13-900-801-01	NO. 2 ENGINE - OUTER ELECTRICAL WIRING HARNESS							Component ATA:73
PN:30P0578-03	MOS/MSC	13-Jan-21	O/C					
SN:EFA036000039	HRS	5426:31						
	ENC	2156						
PROC. REF: AMM 73-20-13-900-801, EMM 73-20-03PROC. REF: AMM 73-20-13-900-801, EMM 73-20-03								
73-20-13-900-801-01 ^S	NO. 3 ENGINE - OUTER ELECTRICAL WIRING HARNESS							Component ATA:73
PN:30P0578-03	MOS/MSC	21-Jun-23	O/C					
SN:EFA036000216	HRS	4017:48		TSN 4017:48				
	ENC	1508						
PROC. REF: AMM 73-20-13-900-801, EMM 73-20-03PROC. REF: AMM 73-20-13-900-801, EMM 73-20-03								
73-28-01-210-801-01	NO. 1 ENGINE - GENERAL VISUAL INSPECTION FUEL CONTROL UNIT FOR GENERAL CONDITION							Service ATA:73
PN:30P0563-07	MOS	25-Mar-21						
SN:F64705	HRS	5375:41	1600		(6975:41) 7502:02		9:28	
	ENC	2097						
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								WO#: JWL-25-049
73-28-01-210-801-01	NO. 2 ENGINE - GENERAL VISUAL INSPECTION FUEL CONTROL UNIT FOR GENERAL CONDITION							Service ATA:73
PN:1002918-8	MOS	28-Feb-22						
SN:F64803	HRS	5866:57	1600		(7466:57) 7922:16		429:42	
	ENC	2287						
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								
73-28-01-210-801-01 ^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION FUEL CONTROL UNIT FOR GENERAL CONDITION							Service ATA:73
PN:30P0563-07	MOS	19-Jul-17						
SN:F67978	HRS	3154:42	1600 (+30)					
	ENC	1049						
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-28-03-200-801-01	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF CORE WIRING HARNESS AND OUTER WIRING HARNESS						Service ATA:73
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								PKG:12 WO#: JWL-25-049
73-28-03-200-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF CORE WIRING HARNESS AND OUTER WIRING HARNESS						Service ATA:73
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								PKG:12 WO#: JWL-25-049
73-28-03-200-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF CORE WIRING HARNESS AND OUTER WIRING HARNESS						Service ATA:73
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								PKG:12
73-28-05-210-801-01	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION P3 TRANSDUCER FOR LEAKS AND CONDITION						Service ATA:73
PN:30P0610-01	MOS	11-Aug-23						
SN:KL04093853	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 73-20-05PROC. REF: EMM 73-20-05								PKG:12 WO#: JWL-25-049
73-28-05-210-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION P3 TRANSDUCER FOR LEAKS AND CONDITION						Service ATA:73
PN:30P0610-01	MOS	11-Aug-23						
SN:KL04113987	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 73-20-05PROC. REF: EMM 73-20-05								PKG:12 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-28-05-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION P3 TRANSDUCER FOR LEAKS AND CONDITION						Service ATA:73
PN:30P0610-01	MOS	29-Mar-24						
SN:KL07086599	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 73-20-05PROC. REF: EMM 73-20-05								PKG:12
73-30-01-900-801-01		NO. 1 ENGINE - P3 TRANSDUCER						Component ATA:73
PN:30P0610-01	MOS/MSC	22-Jan-20	O/C	TSN 161				
SN:KL04093853	HRS	4761:36		TSN 4761:36				
	ENC	1898		TSN 1898				
PROC. REF: AMM 73-30-01-900-801, EMM 73-20-05PROC. REF: AMM 73-30-01-900-801, EMM 73-20-05								
73-30-01-900-801-01		NO. 2 ENGINE - P3 TRANSDUCER						Component ATA:73
PN:30P0610-01	MOS/MSC	13-Jan-21	O/C					
SN:KL04113987	HRS	5426:31						
	ENC	2156						
PROC. REF: AMM 73-30-01-900-801, EMM 73-20-05PROC. REF: AMM 73-30-01-900-801, EMM 73-20-05								
73-30-01-900-801-01	^S	NO. 3 ENGINE - P3 TRANSDUCER						Component ATA:73
PN:30P0610-01	MOS/MSC	21-Jun-23	O/C					
SN:KL07086599	HRS	4017:48		TSN 4017:48				
	ENC	1508						
PROC. REF: AMM 73-30-01-900-801, EMM 73-20-05PROC. REF: AMM 73-30-01-900-801, EMM 73-20-05								
73-30-05-200-801-01	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION FUEL FILTER BYPASS SWITCH BYPASS VALVE SPRING AND ADJUSTER						Service ATA:73
PN:30P3148-02	MOS	18-Jun-25						
SN:HE0123	HRS	6807:48	600 (+30)					
	ENC	2422						
PROC. REF: EMM 73-30-02PROC. REF: EMM 73-30-02								PKG:11
73-30-05-200-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION FUEL FILTER BYPASS SWITCH BYPASS VALVE SPRING AND ADJUSTER						Service ATA:73
PN:30P3148-02	MOS	18-Jun-25						
SN:HE0129	HRS	6878:50	600 (+30)					
	ENC	2497						
								PKG:11

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: EMM 73-30-02PROC. REF: EMM 73-30-02								
73-30-05-200-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION FUEL FILTER BYPASS SWITCH BYPASS VALVE SPRING AND ADJUSTER						Service ATA:73
PN:30P3148-01	MOS	29-Mar-24						
SN:HE-0198	HRS	4185:06	600 (+30)					
	ENC	1547						
PROC. REF: EMM 73-30-02PROC. REF: EMM 73-30-02								PKG:11 WO#: JWL-25-049
73-30-05-220-801-01		NO. 1 ENGINE - DETAILED INSPECTION FUEL FILTER BYPASS SWITCH						Service ATA:73
PN:30P3148-02	MOS/MSC		O/C					
SN:HE0123	HRS							
	ENC							
PROC. REF: AMM 73-30-05-220-801PROC. REF: AMM 73-30-05-220-801								
73-30-05-220-801-01		NO. 2 ENGINE - DETAILED INSPECTION FUEL FILTER BYPASS SWITCH						Service ATA:73
PN:30P3148-02	MOS/MSC	13-Jan-21	O/C					
SN:HE0129	HRS	5426:31						
	ENC	2156						
PROC. REF: AMM 73-30-05-220-801PROC. REF: AMM 73-30-05-220-801								
73-30-05-220-801-01	^S	NO. 3 ENGINE - DETAILED INSPECTION FUEL FILTER BYPASS SWITCH						Service ATA:73
PN:30P3148-01	MOS/MSC	28-Feb-13	O/C					
SN:HE-0198	HRS	1737						
	ENC	579						
PROC. REF: AMM 73-30-05-220-801PROC. REF: AMM 73-30-05-220-801								
73-30-05-900-801-01		NO. 1 ENGINE - FUEL FILTER BYPASS SWITCH						Component ATA:73
PN:30P3148-02	MOS/MSC	05-Sep-19	O/C					
SN:HE0123	HRS	4471:14						
	ENC	1820						
PROC. REF: AMM 73-31-06, AMM 73-31-06, EMM 73-30-02PROC. REF: AMM 73-31-06, AMM 73-31-06, EMM 73-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-30-05-900-801-01		NO. 2 ENGINE - FUEL FILTER BYPASS SWITCH					Component	ATA:73
PN:30P3148-02	MOS/MSC	13-Jan-21	O/C					
SN:HE0129	HRS	5426:31						
	ENC	2156						
PROC. REF: AMM 73-31-06, AMM 73-31-06, EMM 73-30-02PROC. REF: AMM 73-31-06, AMM 73-31-06, EMM 73-30-02								
73-30-05-900-801-01 ^S		NO. 3 ENGINE - FUEL FILTER BYPASS SWITCH					Component	ATA:73
PN:30P3148-01	MOS/MSC	27-Apr-12	O/C	TSN 0				
SN:HE-0198	HRS	1178:30		TSN 0				
	ENC	408		TSN 0				
PROC. REF: AMM 73-31-06, AMM 73-31-06, EMM 73-30-02PROC. REF: AMM 73-31-06, AMM 73-31-06, EMM 73-30-02								
73-30-06-900-801-01		NO. 1 ENGINE - FUEL TEMPERATURE SENSOR					Component	ATA:73
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-30-03PROC. REF: EMM 73-30-03								
73-30-06-900-801-01		NO. 2 ENGINE - FUEL TEMPERATURE SENSOR					Component	ATA:73
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-30-03PROC. REF: EMM 73-30-03								
73-30-06-900-801-01 ^S		NO. 3 ENGINE - FUEL TEMPERATURE SENSOR					Component	ATA:73
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-30-03PROC. REF: EMM 73-30-03								
73-30-07-900-801-10		ENGINE 3 LOW FUEL PRESSURE SWITCH (R101EH)					Component	ATA:73
PN:30P0566-01	MOS/MSC	13-Aug-20	O/C					
SN:NHE0047	HRS	5621:17						
	AFL	2217						
PROC. REF: AMM 73-30-07-900-801PROC. REF: AMM 73-30-07-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-30-09-900-801-01	REMOVAL / INSTALLATION OF THE FUEL FLOWMETERS - ENGINE 1 FUEL FLOWMETER (L102QJ)							Component ATA:73
PN:787921-3-0	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:787921IN01502	HRS	6775:44		TSN 0				
WC#: 73.030	AFL	2518		TSN 0				
PROC. REF: AMM 73-30-09-900-801PROC. REF: AMM 73-30-09-900-801								
73-30-09-900-801-02	REMOVAL / INSTALLATION OF THE FUEL FLOWMETERS - ENGINE 2 FUEL FLOWMETER (M102QJ)							Component ATA:73
PN:787921-3-0	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:787921IN01501	HRS	6775:44		TSN 0				
WC#: 73.030	AFL	2518		TSN 0				
PROC. REF: AMM 73-30-09-900-801PROC. REF: AMM 73-30-09-900-801								
73-30-09-900-801-03	REMOVAL / INSTALLATION OF THE FUEL FLOWMETERS - ENGINE 3 FUEL FLOWMETER (R102QJ)							Component ATA:73
PN:787921-3-0	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:787921IN01500	HRS	6775:44		TSN 0				
WC#: 73.030	AFL	2518		TSN 0				
PROC. REF: AMM 73-30-09-900-801PROC. REF: AMM 73-30-09-900-801								
ATA 74 - IGNITION								
74-00-00-200-801-01	NO. 1 ENGINE - INSPECTION OF THE IGNITION SYSTEM							Service ATA:74
	MOS/MSC	06-Apr-13	O/C					
	HRS	2711:10						
	ENC	1111						
PROC. REF: AMM 74-00-00-200-801, EMM 74-10-01PROC. REF: AMM 74-00-00-200-801, EMM 74-10-01								
74-00-00-200-801-01	NO. 2 ENGINE - INSPECTION OF THE IGNITION SYSTEM							Service ATA:74
	MOS/MSC	06-Apr-13	O/C					
	HRS	2711:10						
	ENC	1111						
PROC. REF: AMM 74-00-00-200-801, EMM 74-10-01PROC. REF: AMM 74-00-00-200-801, EMM 74-10-01								
74-00-00-200-801-01 ^S	NO. 3 ENGINE - INSPECTION OF THE IGNITION SYSTEM							Service ATA:74
	MOS/MSC	28-Feb-13	O/C					
	HRS	1737						
	ENC	579						
PROC. REF: AMM 74-00-00-200-801, EMM 74-10-01PROC. REF: AMM 74-00-00-200-801, EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-00-00-710-801-01	NO. 1 ENGINE - OPERATIONAL TEST OF THE IGNITION SYSTEM							Service ATA:74
	MOS/MSC	25-Mar-21	O/C					
	HRS	5375:41						
	ENC	2097						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
74-10-01-220-801-01	^S	NO. 1 ENGINE - DETAILED INSPECTION OF SPARK IGNITERS						Service ATA:74
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12 WO#: JWL-25-049
74-10-01-220-801-01	^S	NO. 2 ENGINE - DETAILED INSPECTION OF SPARK IGNITERS						Service ATA:74
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12 WO#: JWL-25-049
74-10-01-220-801-01	^S	NO. 3 ENGINE - DETAILED INSPECTION OF SPARK IGNITERS						Service ATA:74
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12
74-10-01-900-801-01	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:30P0604-07	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:200603	HRS	5375:41		TSN 0				
	ENC	2097		TSN 0				
PROC. REF: AMM 74-10-01-900-801PROC. REF: AMM 74-10-01-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-01-900-801-01	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:30P0604-07	MOS/MSC	20-May-21	O/C	TSO 0				
SN:191522	HRS	5537:47		TSN 1470:42, TSO 0				
	ENC	2198		TSO 0				
PROC. REF: AMM 74-10-01-900-801PROC. REF: AMM 74-10-01-900-801								
74-10-01-900-801-01	NO. 3 ENGINE - IGNITION EXCITER							Component ATA:74
PN:30P0604-07	MOS/MSC	22-Jan-10	O/C	TSN 0				
SN:CL092374	HRS	161:36		TSN 0				
	ENC	78		TSN 0				
PROC. REF: AMM 74-10-01-900-801PROC. REF: AMM 74-10-01-900-801								
74-10-02-210-801-01	NO. 1 ENGINE - GENERAL VISUAL INSPECTION IGNITION EXCITER							Service ATA:74
PN:30P0604-07	MOS	11-Aug-23						
SN:200603	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12 WO#: JWL-25-049
74-10-02-210-801-01	NO. 2 ENGINE - GENERAL VISUAL INSPECTION IGNITION EXCITER							Service ATA:74
PN:30P0604-07	MOS	11-Aug-23						
SN:191522	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12 WO#: JWL-25-049
74-10-02-210-801-01	NO. 3 ENGINE - GENERAL VISUAL INSPECTION IGNITION EXCITER							Service ATA:74
PN:30P0604-07	MOS	29-Mar-24						
SN:CL092374	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-03-210-801-01	^S	NO. 1 ENGINE - DETAILED INSPECTION OF IGNITION CABLES						Service ATA:74
PN:PN	MOS	11-Aug-23						
SN:UNKNOWN	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12 WO#: JWL-25-049
74-10-03-210-801-01	^S	NO. 2 ENGINE - DETAILED INSPECTION OF IGNITION CABLES						Service ATA:74
PN:PN	MOS	11-Aug-23						
SN:UNKNOWN	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12 WO#: JWL-25-049
74-10-03-210-801-01	^S	NO. 3 ENGINE - DETAILED INSPECTION OF IGNITION CABLES						Service ATA:74
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:12
74-10-05-900-801-01		NO. 1 ENGINE - UPPER SPARK IGNITER						Component ATA:74
PN:30P0606-03	MOS/MSC	06-Apr-13	O/C	TSN 1				
SN:UNKNOWN	HRS	2711:10		TSN 0				
	ENC	1111		TSN 0				
PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01								
74-10-05-900-801-01		NO. 2 ENGINE - UPPER SPARK IGNITER						Component ATA:74
PN:30P0606-03	MOS/MSC	11-May-21	O/C	TSN 0				
SN:NSN	HRS	5533:53		TSN 0				
	ENC	2193		TSN 0				
PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-05-900-801-01 ^S NO. 3 ENGINE - UPPER SPARK IGNITER								Component ATA:74
PN:30P0606-03	MOS/MSC	02-Jun-16	O/C	TSN 0				
SN:NSN	HRS	2918:30		TSN 0				
	ENC	965		TSN 0				
PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01								
74-10-05-900-801-04 NO. 1 ENGINE - LOWER SPARK IGNITER								Component ATA:74
PN:30P0606-03	MOS/MSC	06-Apr-13	O/C	TSN 1				
SN:UNKNOWN	HRS	2711:10		TSN 0				
	ENC	1111		TSN 0				
PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01								
74-10-05-900-801-04 NO. 2 ENGINE - LOWER SPARK IGNITER								Component ATA:74
PN:30P0606-03	MOS/MSC	06-Apr-13	O/C	TSN 1				
SN:UNKNOWN	HRS	2711:10		TSN 0				
	ENC	1111		TSN 0				
PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01								
74-10-05-900-801-04 ^S NO. 3 ENGINE - LOWER SPARK IGNITER								Component ATA:74
PN:30P0606-03	MOS/MSC	02-Jun-16	O/C	TSN 0				
SN:NSN	HRS	2918:30		TSN 0				
	ENC	965		TSN 0				
PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01PROC. REF: AMM 74-10-05-900-801, EMM 74-10-01								
74-10-05-900-801-07 NO. 1 ENGINE - UPPER IGNITION CABLE								Component ATA:74
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
74-10-05-900-801-07 NO. 2 ENGINE - UPPER IGNITION CABLE								Component ATA:74
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-05-900-801-07	^S	NO. 3 ENGINE - UPPER IGNITION CABLE						Component ATA:74
PN:30P0605-02	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
74-10-05-900-801-10		NO. 1 ENGINE - LOWER IGNITION CABLE						Component ATA:74
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
74-10-05-900-801-10		NO. 2 ENGINE - LOWER IGNITION CABLE						Component ATA:74
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
74-10-05-900-801-10	^S	NO. 3 ENGINE - LOWER IGNITION CABLE						Component ATA:74
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
ATA 75 - AIR								
75-30-02-960-801-01		NO. 3 ENGINE - DISCARD BOV SOLENOID PACKING						Service ATA:75
	MOS	08-May-23						
	HRS	4017:48	3600		(7617:48) 10430:30		2937:56	
	ENC	1508						
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								
75-30-03.5	^S	NO. 3 ENGINE - P2.2 AND P2.8 AIR TUBES						Component ATA:75
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
PROC. REF: EMM 75-30-03PROC. REF: EMM 75-30-03								
75-30-04-900-801-01	NO. 1 ENGINE - COMPRESSOR BLEED-OFF VALVE (BOV) SOLENOID VALVE							Component ATA:75
PN:EB1020080	MOS/MSC	12-Nov-11	O/C	TSN 53				
SN:EKV090	HRS	1900		TSN 1900				
	ENC	819		TSN 819				
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								
75-30-04-900-801-01	NO. 2 ENGINE - COMPRESSOR BLEED-OFF VALVE (BOV) SOLENOID VALVE							Component ATA:75
PN:EB102003C	MOS/MSC	13-Jan-21	O/C					
SN:EKT132	HRS	5426:31						
	ENC	2156						
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								
75-30-04-900-801-01 ^S	NO. 3 ENGINE - COMPRESSOR BLEED-OFF VALVE (BOV) SOLENOID VALVE							Component ATA:75
PN:30P0612-04	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:ENT266	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								
75-30-05-200-801-01 ^S	NO. 1 ENGINE - INSPECTION OF P2.8 TUBES/SEAL RINGS							Service ATA:75
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 75-30-05PROC. REF: EMM 75-30-05								PKG:12 WO#: JWL-25-049
75-30-05-200-801-01 ^S	NO. 2 ENGINE - INSPECTION OF P2.8 TUBES/SEAL RINGS							Service ATA:75
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 75-30-05PROC. REF: EMM 75-30-05								PKG:12 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-05-200-801-01	^S	NO. 3 ENGINE - INSPECTION OF P2.8 TUBES/SEAL RINGS						Service ATA:75
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 75-30-05PROC. REF: EMM 75-30-05								PKG:12
75-30-05-960-801-01		NO. 1 ENGINE - DISCARD COMPRESSOR BLEED-OFF VALVE (BOV) SOLENOID VALVE FILTER						Service ATA:75
PN:EB1020080	MOS	11-Aug-23						
SN:EKV090	HRS	6249:23	2400 (+30)		(8649:23) 9175:44	8679:23	1683:10 (+30)	
	ENC	2307						
PROC. REF: AMM 75-30-05-900-801, EMM 75-30-02PROC. REF: AMM 75-30-05-900-801, EMM 75-30-02								
75-30-05-960-801-01		NO. 2 ENGINE - DISCARD COMPRESSOR BLEED-OFF VALVE (BOV) SOLENOID VALVE FILTER						Service ATA:75
PN:EB102003C	MOS	29-Jul-20						
SN:EKT132	HRS	5403:04	2400 (+30)		(7803:04) 8258:23	7833:04	765:49 (+30)	
	ENC	2147						
PROC. REF: AMM 75-30-05-900-801, EMM 75-30-02PROC. REF: AMM 75-30-05-900-801, EMM 75-30-02								
75-30-05-960-801-01	^S	NO. 3 ENGINE - DISCARD COMPRESSOR BLEED-OFF VALVE (BOV) SOLENOID VALVE FILTER						Service ATA:75
PN:30P0612-04	MOS	22-Apr-14						
SN:ENT266	HRS	2209:36	2400 (+30)					
	ENC	709						
PROC. REF: AMM 75-30-05-900-801, EMM 75-30-02PROC. REF: AMM 75-30-05-900-801, EMM 75-30-02								
75-30-05.5	^S	NO. 3 ENGINE - P3 AND P2.8 AIR TUBES						Component ATA:75
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-05PROC. REF: EMM 75-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-09-900-801-01	NO. 1 ENGINE - LINEAR STATOR VANE ACTUATOR							Component ATA:75
PN:30P0607-03	MOS	12-Jun-07		TSN 0				
SN:14023125	HRS	0	8500	TSN 0	(8500) 9026:21		1533:47	
	ENC	0		TSN 0				
PROC. REF: AMM 75-30-09-900-801, EMM 75-30-04PROC. REF: AMM 75-30-09-900-801, EMM 75-30-04								
75-30-09-900-801-01	NO. 2 ENGINE - LINEAR STATOR VANE ACTUATOR							Component ATA:75
PN:8100-041	MOS	13-Jan-21		TSN 163				
SN:14023124	HRS	5426:31	8500	TSN 5426:31	(8500) 8955:19		1462:45	
	ENC	2156		TSN 2156				
PROC. REF: AMM 75-30-09-900-801, EMM 75-30-04PROC. REF: AMM 75-30-09-900-801, EMM 75-30-04								
75-30-09-900-801-01 ^S	NO. 3 ENGINE - LINEAR STATOR VANE ACTUATOR							Component ATA:75
PN:30P0607-04	MOS	14-Jan-08		TSN 0				
SN:15452834	HRS	0	8500	TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 75-30-09-900-801, EMM 75-30-04PROC. REF: AMM 75-30-09-900-801, EMM 75-30-04								
75-30-13-280-801-01	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION P2.5 COMPRESSOR BLEED VALVE							Service ATA:75
PN:PN	MOS	10-Apr-18						
SN:UNKNOWN	HRS	3872:09	3600 (+30)		(7472:09) 7998:30	7502:09	505:56 (+30)	
	ENC	1614						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-280-801-01	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION P2.5 COMPRESSOR BLEED VALVE							Service ATA:75
PN:PN	MOS	13-May-20						
SN:UNKNOWN	HRS	5284:57	3600 (+30)		(8884:57) 9340:16	8914:57	1847:42 (+30)	
	ENC	2107						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-13-280-801-01	^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION P2.5 COMPRESSOR BLEED VALVE						Service ATA:75
PN:30P0473-04	MOS	14-Jan-08						
SN:UNKNOWN	HRS	0	3600 (+30)					
	ENC	0						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-280-801-02		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION LH P2.8 COMPRESSOR BLEED VALVE						Service ATA:75
PN:PN	MOS	10-Apr-18						
SN:UNKNOWN	HRS	3872:09	3600 (+30)		(7472:09) 7998:30	7502:09	505:56 (+30)	
	ENC	1614						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-280-801-02		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION LH P2.8 COMPRESSOR BLEED VALVE						Service ATA:75
PN:PN	MOS	13-May-20						
SN:UNKNOWN	HRS	5284:57	3600 (+30)		(8884:57) 9340:16	8914:57	1847:42 (+30)	
	ENC	2107						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-280-801-02	^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION LH P2.8 COMPRESSOR BLEED VALVE						Service ATA:75
PN:PN	MOS	14-Jan-08						
SN:UNKNOWN	HRS	0	3600 (+30)					
	ENC	0						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-280-801-03		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION RH P2.8 COMPRESSOR BLEED VALVE						Service ATA:75
PN:PN	MOS	10-Apr-18						
SN:UNKNOWN	HRS	3872:09	3600 (+30)		(7472:09) 7998:30	7502:09	505:56 (+30)	
	ENC	1614						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-13-280-801-03	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION RH P2.8 COMPRESSOR BLEED VALVE							Service ATA:75
PN:PN	MOS	13-May-20						
SN:UNKNOWN	HRS	5284:57	3600 (+30)		(8884:57) 9340:16	8914:57	1847:42 (+30)	
	ENC	2107						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-280-801-03 ^S	NO. 3 ENGINE - SPECIAL DETAILED INSPECTION RH P2.8 COMPRESSOR BLEED VALVE							Service ATA:75
PN:PN	MOS	14-Jan-08						
SN:UNKNOWN	HRS	0	3600 (+30)					
	ENC	0						
PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01PROC. REF: AMM 75-30-13-280-801, EMM 75-30-01								
75-30-13-900-801-01	NO. 1 ENGINE - P2.5 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-01	NO. 2 ENGINE - P2.5 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-01 ^S	NO. 3 ENGINE - P2.5 COMPRESSOR BLEED VALVE							Component ATA:75
PN:30P0473-04	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-04	NO. 1 ENGINE - LH P2.8 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-13-900-801-04	NO. 2 ENGINE - LH P2.8 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-04	NO. 3 ENGINE - LH P2.8 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-07	NO. 1 ENGINE - RH P2.8 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-07	NO. 2 ENGINE - RH P2.8 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-13-900-801-07	NO. 3 ENGINE - RH P2.8 COMPRESSOR BLEED VALVE							Component ATA:75
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-38-03-210-801-01	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF P2.5 AND P2.8 AIR TUBES FOR LEAKS AND CONDITION							Service ATA:75
	MOS	10-Apr-18						
	HRS	3872:09	3600 (+30)					
	ENC	1614						
PROC. REF: EMM 75-30-03PROC. REF: EMM 75-30-03								

PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-38-03-210-801-01	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF P2.5 AND P2.8 AIR TUBES FOR LEAKS AND CONDITION						Service ATA:75
	MOS	13-May-20						
	HRS	5284:57	3600 (+30)					
	ENC	2107						
PROC. REF: EMM 75-30-03PROC. REF: EMM 75-30-03								PKG:16
75-38-03-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF P2.5 AND P2.8 AIR TUBES FOR LEAKS AND CONDITION						Service ATA:75
	MOS	18-Jul-17						
	HRS	3154:42	3600 (+30)					
	ENC	1049						
PROC. REF: EMM 75-30-03PROC. REF: EMM 75-30-03								
ATA 76 - ENGINE CONTROLS								
76-10-01-900-801-01		REMOVAL / INSTALLATION OF THE THROTTLE CONTROL UNIT - THROTTLE CONTROL UNIT (201EC)						Component ATA:76
PN:3F1211G	MOS/MSC	09-Aug-18	O/C	TSR 0				
SN:0068	HRS	4434:43		TSR 0				
WC#: 76.010	AFL	1844		TSR 0				
PROC. REF: AMM 76-10-01-900-801PROC. REF: AMM 76-10-01-900-801								
76-10-09-710-801-01		OPERATIONAL TEST OF THE ENGINE FIRE LAMPS - TCU ENGINE 1 FIRE LAMP (L9501EC)						Service ATA:76
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 76.030	AFL	1341						
PROC. REF: AMM 76-10-09-710-801PROC. REF: AMM 76-10-09-710-801								
76-10-09-710-801-02		OPERATIONAL TEST OF THE ENGINE FIRE LAMPS - TCU ENGINE 2 FIRE LAMP (M9501EC)						Service ATA:76
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 76.030	AFL	1341						
PROC. REF: AMM 76-10-09-710-801PROC. REF: AMM 76-10-09-710-801								
76-10-09-710-801-03		OPERATIONAL TEST OF THE ENGINE FIRE LAMPS - TCU ENGINE 3 FIRE LAMP (R9501EC)						Service ATA:76
	MOS/MSC	02-Sep-14	O/C					
	HRS	2987:52						
WC#: 76.030	AFL	1341						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
PROC. REF: AMM 76-10-09-710-801PROC. REF: AMM 76-10-09-710-801								
76-10-13-710-801-01	^S	OPERATIONAL TEST OF THE ENGINE FUEL SWITCHES - TCU ENGINE 1 FUEL SWITCH (L9500EC)						Service ATA:76
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 76.040	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 76-10-13-710-801PROC. REF: AMM 76-10-13-710-801								
76-10-13-710-801-02	^S	OPERATIONAL TEST OF THE ENGINE FUEL SWITCHES - TCU ENGINE 2 FUEL SWITCH (M9500EC)						Service ATA:76
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 76-10-13-710-801PROC. REF: AMM 76-10-13-710-801								
76-10-13-710-801-03	^S	OPERATIONAL TEST OF THE ENGINE FUEL SWITCHES - TCU ENGINE 3 FUEL SWITCH (R9500EC)						Service ATA:76
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
	AFL	2518	4000					
								PKG:41
PROC. REF: AMM 76-10-13-710-801PROC. REF: AMM 76-10-13-710-801								
ATA 77 - ENGINE INDICATING								
77-10-01-900-801-01		NO. 1 ENGINE - N1 SPEED SENSOR						Component ATA:77
PN:30P2386-03	MOS/MSC	10-Apr-18	O/C					
SN:CH2442	HRS	3872:09						
	ENC	1614						
PROC. REF: AMM 77-10-01-900-801, EMM 77-10-01PROC. REF: AMM 77-10-01-900-801, EMM 77-10-01								
77-10-01-900-801-01		NO. 2 ENGINE - N1 SPEED SENSOR						Component ATA:77
PN:30P2386-05	MOS/MSC	13-Jan-21	O/C					
SN:CH2435	HRS	5426:31						
	ENC	2156						
PROC. REF: AMM 77-10-01-900-801, EMM 77-10-01PROC. REF: AMM 77-10-01-900-801, EMM 77-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-01-900-801-01	^S	NO. 3 ENGINE - N1 SPEED SENSOR						Component ATA:77
PN:30P2386-05	MOS/MSC	18-Apr-11	O/C	TSN 0				
SN:CH2230	HRS	836:48		TSN 0				
	ENC	263		TSN 0				
PROC. REF: AMM 77-10-01-900-801, EMM 77-10-01PROC. REF: AMM 77-10-01-900-801, EMM 77-10-01								
77-20-00-720-801-01		NO. 1 ENGINE - FUNCTIONAL CHECK OF ENGINE TEMPERATURE INDICATING SYSTEM (T4.8 THERMOCOUPLE WIRING HARNESS)						Service ATA:77
	MOS	10-Apr-18						
	HRS	3872:09	3600 (+30)		(7472:09) 7998:30	7502:09	505:56 (+30)	
	ENC	1614						
PROC. REF: AMM 77-20-00-720-801, EMM 77-20-01PROC. REF: AMM 77-20-00-720-801, EMM 77-20-01								
77-20-00-720-801-01		NO. 2 ENGINE - FUNCTIONAL CHECK OF ENGINE TEMPERATURE INDICATING SYSTEM (T4.8 THERMOCOUPLE WIRING HARNESS)						Service ATA:77
	MOS	13-May-20						
	HRS	5284:57	3600 (+30)		(8884:57) 9340:16	8914:57	1847:42 (+30)	
	ENC	2107						
PROC. REF: AMM 77-20-00-720-801, EMM 77-20-01PROC. REF: AMM 77-20-00-720-801, EMM 77-20-01								
77-20-00-720-801-01	^S	NO. 3 ENGINE - FUNCTIONAL CHECK OF ENGINE TEMPERATURE INDICATING SYSTEM (T4.8 THERMOCOUPLE WIRING HARNESS)						Service ATA:77
	MOS	14-Jan-08						
	HRS	0	3600 (+30)					
	ENC	0						
PROC. REF: AMM 77-20-00-720-801, EMM 77-20-01PROC. REF: AMM 77-20-00-720-801, EMM 77-20-01								
77-20-03-210-801-01		NO. 1 ENGINE - GENERAL VISUAL INSPECTION FIRE/OVERHEAT DETECTOR LOOP - INSPECTION OF OXIDATION AT THE LOOP AND CONNECTING TERMINALS, BEND RADIUS OF SENSOR TUBE						Service ATA:77
	MOS/MSC	10-Apr-18	O/C					
	HRS	3872:09						
	ENC	1614						
PROC. REF: EMM 77-20-03PROC. REF: EMM 77-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-03-210-801-01	NO. 2 ENGINE - GENERAL VISUAL INSPECTION FIRE/OVERHEAT DETECTOR LOOP - INSPECTION OF OXIDATION AT THE LOOP AND CONNECTING TERMINALS, BEND RADIUS OF SENSOR TUBE						Service	ATA:77
	MOS/MSC	14-Jul-18	O/C					
	HRS	4395:30						
	ENC	1823						
PROC. REF: EMM 77-20-03PROC. REF: EMM 77-20-03								
77-20-03-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION FIRE/OVERHEAT DETECTOR LOOP - INSPECTION OF OXIDATION AT THE LOOP AND CONNECTING TERMINALS, BEND RADIUS OF SENSOR TUBE						Service ATA:77
	MOS/MSC		O/C					
	HRS	EFF						
	ENC							
PROC. REF: EMM 77-20-03PROC. REF: EMM 77-20-03								
77-20-05-900-801-01	NO. 1 ENGINE - T4.8 THERMOCOUPLE WIRING HARNESS						Component	ATA:77
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-20-05-900-801, EMM 77-20-01PROC. REF: AMM 77-20-05-900-801, EMM 77-20-01								
77-20-05-900-801-01	NO. 2 ENGINE - T4.8 THERMOCOUPLE WIRING HARNESS						Component	ATA:77
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-20-05-900-801, EMM 77-20-01PROC. REF: AMM 77-20-05-900-801, EMM 77-20-01								
77-20-05-900-801-01	^S	NO. 3 ENGINE - T4.8 THERMOCOUPLE WIRING HARNESS					Component	ATA:77
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-20-05-900-801, EMM 77-20-01PROC. REF: AMM 77-20-05-900-801, EMM 77-20-01								
77-20-09-900-801-01	NO. 1 ENGINE - P1/T1 SENSOR						Component	ATA:77
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-20-09-900-801PROC. REF: AMM 77-20-09-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-09-900-801-01	NO. 2 ENGINE - P1/T1 SENSOR							Component ATA:77
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-20-09-900-801PROC. REF: AMM 77-20-09-900-801								
77-20-09-900-801-01 ^S	NO. 3 ENGINE - P1/T1 SENSOR							Component ATA:77
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-20-09-900-801PROC. REF: AMM 77-20-09-900-801								
77-20-13-210-801-01	GENERAL VISUAL INSPECTION OF THE P1 PRESSURE TUBES - ENGINE 1 P1 PRESSURE TUBE (L9510ET)							Service ATA:77
PN:F7XC310910010A5	MOS	11-Aug-23						
SN:UNKNOWN	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
	AFL	2518						
PROC. REF: AMM 77-20-13-210-801PROC. REF: AMM 77-20-13-210-801								
77-20-13-210-801-02	GENERAL VISUAL INSPECTION OF THE P1 PRESSURE TUBES - ENGINE 2 P1 PRESSURE TUBE (M9510ET)							Service ATA:77
PN:F7XC310930030A5	MOS	11-Aug-23						
SN:UNKNOWN	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
	AFL	2518						
PROC. REF: AMM 77-20-13-210-801PROC. REF: AMM 77-20-13-210-801								
77-20-13-210-801-03	GENERAL VISUAL INSPECTION OF THE P1 PRESSURE TUBES - ENGINE 3 P1 PRESSURE TUBE (R9510ET)							Service ATA:77
PN:F7XC310920010A4	MOS	11-Aug-23						
SN:UNKNOWN	HRS	6775:44	800 (+3%)		7575:44	7599:44	83:10 (+24)	
	AFL	2518						
PROC. REF: AMM 77-20-13-210-801PROC. REF: AMM 77-20-13-210-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-13-680-801-01	^S	DRAINING OF THE P1 PRESSURE TUBES - ENGINE 1 P1 PRESSURE TUBE (L9510ET)						Service ATA:77
PN:F7XC310910010A5	MOS	18-Nov-24						
SN:UNKNOWN	HRS	7061:12	800 (+3%)					
	AFL	2584						
PROC. REF: AMM 77-20-13-680-801PROC. REF: AMM 77-20-13-680-801								PKG:8
77-20-13-680-801-02	^S	DRAINING OF THE P1 PRESSURE TUBES - ENGINE 2 P1 PRESSURE TUBE (M9510ET)						Service ATA:77
PN:F7XC310930030A5	MOS	18-Nov-24						
SN:UNKNOWN	HRS	7061:12	800 (+3%)					
	AFL	2584						
PROC. REF: AMM 77-20-13-680-801PROC. REF: AMM 77-20-13-680-801								PKG:8
77-20-13-680-801-03	^S	DRAINING OF THE P1 PRESSURE TUBES - ENGINE 3 P1 PRESSURE TUBE (R9510ET)						Service ATA:77
PN:F7XC310920010A4	MOS	18-Nov-24						
SN:UNKNOWN	HRS	7061:12	800 (+3%)					
	AFL	2584						
PROC. REF: AMM 77-20-13-680-801PROC. REF: AMM 77-20-13-680-801								PKG:8
77-20-13-900-801-01	^U	NO. 1 ENGINE - P1 PRESSURE TUBE						Component ATA:77
PN:F7XC310910010A5	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	ENC							
77-20-13-900-801-01	^U	NO. 2 ENGINE - P1 PRESSURE TUBE						Component ATA:77
PN:F7XC310930030A5	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	ENC							
77-20-13-900-801-01		REMOVAL / INSTALLATION OF THE P1 PRESSURE TUBES - ENGINE 1 P1 PRESSURE TUBE (L9510ET)						Component ATA:77
PN:F7XC310910010A5	MOS/MSC	25-Mar-21	O/C					
SN:UNKNOWN	HRS	5902:02						
	AFL	2308						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: AMM 77-20-13-900-801PROC. REF: AMM 77-20-13-900-801								
77-20-13-900-801-02 REMOVAL / INSTALLATION OF THE P1 PRESSURE TUBES - ENGINE 2 P1 PRESSURE TUBE (M9510ET)								Component ATA:77
PN:F7XC310930030A5	MOS/MSC	25-Mar-21	O/C					
SN:UNKNOWN	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 77-20-13-900-801PROC. REF: AMM 77-20-13-900-801								
77-20-13-900-801-03 REMOVAL / INSTALLATION OF THE P1 PRESSURE TUBES - ENGINE 3 P1 PRESSURE TUBE (R9510ET)								Component ATA:77
PN:F7XC310920010A4	MOS/MSC	25-Mar-21	O/C					
SN:UNKNOWN	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 77-20-13-900-801PROC. REF: AMM 77-20-13-900-801								
77-30-01-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE VIBRATION MONITORING UNIT (EVMU) - ENGINE VIBRATION MONITORING UNIT (101EA)								Component ATA:77
PN:241-311-000-021	MOS/MSC	12-Jul-17	O/C					
SN:AHA48252	HRS	3691:46						
WC#: 76.020	AFL	1622						
PROC. REF: AMM 77-30-01-900-801PROC. REF: AMM 77-30-01-900-801								
77-30-05-900-801-01 NO. 1 ENGINE - VIBRATION SENSOR								Component ATA:77
PN:30P0642-01	MOS/MSC	10-Apr-18	O/C					
SN:EDV0024	HRS	3872:09						
	ENC	1614						
PROC. REF: AMM 77-30-05-900-801, EMM 77-30-01PROC. REF: AMM 77-30-05-900-801, EMM 77-30-01								
77-30-05-900-801-01 NO. 2 ENGINE - VIBRATION SENSOR								Component ATA:77
PN:30P0642-01	MOS/MSC	13-Jan-21	O/C					
SN:EDBA000A608	HRS	5426:31						
	ENC	2156						
PROC. REF: AMM 77-30-05-900-801, EMM 77-30-01PROC. REF: AMM 77-30-05-900-801, EMM 77-30-01								
77-30-05-900-801-01 ^S NO. 3 ENGINE - VIBRATION SENSOR								Component ATA:77
PN:30P3288-02	MOS/MSC	01-Nov-24	O/C	TSN 0				
SN:EDBA001A942	HRS	4248:30		TSN 0				
	ENC	1571		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: AMM 77-30-05-900-801, EMM 77-30-01PROC. REF: AMM 77-30-05-900-801, EMM 77-30-01								
77-40-01-900-801-01	NO. 1 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:30P0609-04	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:DP05-068	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 77-40-01-900-801, EMM 77-40-01PROC. REF: AMM 77-40-01-900-801, EMM 77-40-01								
77-40-01-900-801-01	NO. 2 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:54500-305	MOS/MSC	13-Jan-21	O/C	TSN 149				
SN:DP07-329	HRS	5426:31		TSN 4885:31				
	ENC	2156		TSN 1957				
PROC. REF: AMM 77-40-01-900-801, EMM 77-40-01PROC. REF: AMM 77-40-01-900-801, EMM 77-40-01								
77-40-01-900-801-01	NO. 3 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:30P2936-02	MOS/MSC	05-Jun-25	O/C	TSN 4				
SN:24118560	HRS	4488:54		TSN 0				
	ENC	1615		TSN 0				
								WO#: JWL-25-029
PROC. REF: AMM 77-40-01-900-801, EMM 77-40-01PROC. REF: AMM 77-40-01-900-801, EMM 77-40-01								
77-50-01-900-801-01	NO. 1 ENGINE - FIRE/OVERHEAT DETECTOR							Component ATA:77
PN:30P0982-01	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:VT1244	HRS	6249:23		TSN 0				
	ENC	2307		TSN 0				
PROC. REF: EMM 77-20-03PROC. REF: EMM 77-20-03								
77-50-01-900-801-01	NO. 2 ENGINE - FIRE/OVERHEAT DETECTOR							Component ATA:77
PN:30P0982-01	MOS/MSC	10-Feb-17	O/C	TSN 0				
SN:VT1128	HRS	3372:37		TSN 0				
	ENC	1542		TSN 0				
PROC. REF: EMM 77-20-03PROC. REF: EMM 77-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-50-01-900-801-01	^S	NO. 3 ENGINE - FIRE/OVERHEAT DETECTOR						Component ATA:77
PN:10506-01	MOS/MSC	21-Jun-23	O/C					
SN:VT0294	HRS	4017:48		TSN 4017:48				
	ENC	1508						
PROC. REF: EMM 77-20-03PROC. REF: EMM 77-20-03								
77AA01	^U	- DOWNLOAD ENGINE #1 COMPUTER						Service ATA:77
	DAYS/MSC	21-Jan-17	A/R					CUSTOMER OPERATIONS REQUIREMENT
	HRS	3337:52						
	AFL	1534						
77AA02	^U	DOWNLOAD ENGINE #2 COMPUTER						Service ATA:77
	MOS/MSC	21-Jan-17	A/R					CUSTOMER OPERATIONS REQUIREMENT
	HRS	3337:52						
	AFL	1534						
77AA03	^U	DOWNLOAD ENGINE #3 COMPUTER						Service ATA:77
	MOS/MSC	21-Jan-17	A/R					CUSTOMER OPERATIONS REQUIREMENT
	HRS	3337:52						
	AFL	1534						
ATA 78 - EXHAUST								
78-30-00-200-801-01	^S	INSPECTION OF THE THRUST REVERSER						Service ATA:78
	MOS	11-Aug-23	96 (+2m)					
	HRS	6775:44						
WC#: 78.110	AFL	2518	4000					
PROC. REF: AMM 78-30-00-200-801PROC. REF: AMM 78-30-00-200-801								
PKG:41								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-30-00-200-801-01C	INSPECTION OF THE THRUST REVERSER (CPCP)							Service ATA:78
	MOS	11-Aug-23	96 (+2m)		11-Aug-31	11-Oct-31	2138 d (+61)	CPCP
	HRS	6775:44						
	AFL	2518						
PROC. REF: AMM 78-30-00-200-801PROC. REF: AMM 78-30-00-200-801								
78-30-00-200-802-01 ^S	INSPECTION OF THE INHIBITION FITTING OF THE THRUST REVERSER ACTUATOR							Service ATA:78
	MOS	11-Aug-23	192 (+2m)					
	HRS	6775:44						
WC#: 78.115	AFL	2518	8000					
PROC. REF: AMM 78-30-00-200-802PROC. REF: AMM 78-30-00-200-802								
78-30-00-720-801-01	FUNCTIONAL TEST OF THE THRUST REVERSER SYSTEM - TR ASSEMBLY (9500ER)							Service ATA:78
	MOS/MSC	12-Jun-20	O/C					
	HRS	5479:43						
	AFL	2168						
PROC. REF: AMM 78-30-00-720-801PROC. REF: AMM 78-30-00-720-801								
78-30-00-720-802-01	FUNCTIONAL TEST OF THE TR ACCUMULATOR SYSTEM - TR ASSEMBLY (9500ER)							Service ATA:78
	MOS	28-Feb-22	72 (+1m)		29-Feb-28	31-Mar-28	879 d (+31)	
	HRS	6322:16	2400 (+50)		8722:16	8772:16	1229:42 (+50)	
WC#: 78.080	AFL	2423						
PROC. REF: AMM 78-30-00-720-802PROC. REF: AMM 78-30-00-720-802								
78-30-00-720-802-01A	FUNCTIONAL TEST OF THE TR ACCUMULATOR SYSTEM - TR ASSEMBLY (9500ER) (MANDATORY 5-40)							Service ATA:78
	MOS	28-Feb-22						CMR
	HRS	6322:16	2500		8822:16		1329:42	
WC#: 78.080	AFL	2423						
PROC. REF: AMM 78-30-00-720-802PROC. REF: AMM 78-30-00-720-802								
78-30-00-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER ASSEMBLY - TR ASSEMBLY (9500ER)							Component ATA:78
PN:F7XC782140020B3	MOS/MSC	23-Dec-14	O/C	TSN 2				
SN:283	HRS	2987:52		TSN 0				
WC#: 78.020	AFL	1341		TSN 0				
PROC. REF: AMM 78-30-00-900-801PROC. REF: AMM 78-30-00-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-30-00-910-807-01	INHIBITION OF THE THRUST REVERSER - TR ASSEMBLY (9500ER)							Service ATA:78
	MOS/MSC	12-Jun-07	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 78-30-00-910-807PROC. REF: AMM 78-30-00-910-807								
78-31-01-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER PIVOT DOOR - THRUST REVERSER PIVOT DOOR (L9510ER)							Component ATA:78
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.040	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01-900-801PROC. REF: AMM 78-31-01-900-801								
78-31-01-900-801-02	REMOVAL / INSTALLATION OF THE THRUST REVERSER PIVOT DOOR - THRUST REVERSER PIVOT DOOR (R9510ER)							Component ATA:78
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.040	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01-900-801PROC. REF: AMM 78-31-01-900-801								
78-31-05-710-801-01 ^S	OPERATIONAL TEST OF THE THRUST REVERSER DOOR HOOKS							Service ATA:78
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 78.125	AFL	2518						
								PKG:31
PROC. REF: AMM 78-31-05-710-801PROC. REF: AMM 78-31-05-710-801								
78-31-13-710-801-01 ^S	OPERATIONAL TEST OF THE THRUST REVERSER DOOR ACTUATOR LOCKS - TR LH DOOR ACTUATOR (L4101ER)							Service ATA:78
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 78.090	AFL	2518						
								PKG:31
PROC. REF: AMM 78-31-13-710-801PROC. REF: AMM 78-31-13-710-801								
78-31-13-710-801-01A	OPERATIONAL TEST OF THE THRUST REVERSER DOOR ACTUATOR LOCKS - TR LH DOOR ACTUATOR (L4101ER) (MANDATORY 5-40)							Service ATA:78
	MOS	11-Aug-23						CMR
	HRS	6775:44	2500		9275:44		1783:10	
WC#: 78.090	AFL	2518						
PROC. REF: AMM 78-31-13-710-801PROC. REF: AMM 78-31-13-710-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-31-13-710-801-02	S	OPERATIONAL TEST OF THE THRUST REVERSER DOOR ACTUATOR LOCKS - TR RH DOOR ACTUATOR (R4101ER)						Service ATA:78
	MOS	11-Aug-23						
	HRS	6775:44	2400 (+50)					
WC#: 78.090	AFL	2518						
								PKG:31
PROC. REF: AMM 78-31-13-710-801PROC. REF: AMM 78-31-13-710-801								
78-31-13-710-801-02A		OPERATIONAL TEST OF THE THRUST REVERSER DOOR ACTUATOR LOCKS - TR RH DOOR ACTUATOR (R4101ER) (MANDATORY 5-40)						Service ATA:78
	MOS	11-Aug-23						CMR
	HRS	6775:44	2500		9275:44		1783:10	
WC#: 78.090	AFL	2518						
PROC. REF: AMM 78-31-13-710-801PROC. REF: AMM 78-31-13-710-801								
78-31-13-900-801-01		REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATORS - TR LH DOOR ACTUATOR (L4101ER)						Component ATA:78
PN:F7XC782140280A5	MOS/MSC	11-Aug-23	O/C					
SN:AAA276P619	HRS	6775:44						
WC#: 78.070	AFL	2518						
PROC. REF: AMM 78-31-13-900-801PROC. REF: AMM 78-31-13-900-801								
78-31-13-900-801-02		REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATORS - TR RH DOOR ACTUATOR (R4101ER)						Component ATA:78
PN:F7XC782140280A5	MOS/MSC	25-Mar-21	O/C					
SN:AAA123P619	HRS	5902:02						
WC#: 78.070	AFL	2308						
PROC. REF: AMM 78-31-13-900-801PROC. REF: AMM 78-31-13-900-801								
78-32-05-900-801-01		REMOVAL / INSTALLATION OF THE THRUST REVERSER NON-RETURN VALVES (NRV) - TR HYDRAULIC PRESSURE NRV (L5201ER)						Component ATA:78
PN:F7XC296939008A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0020	HRS	0		TSN 0				
WC#: 78.060	AFL	0		TSN 0				
PROC. REF: AMM 78-32-05-900-801PROC. REF: AMM 78-32-05-900-801								
78-32-05-900-801-02		REMOVAL / INSTALLATION OF THE THRUST REVERSER NON-RETURN VALVES (NRV) - TR HYDRAULIC RETURN NRV (R5201ER)						Component ATA:78
PN:F7XC296939008A1	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
WC#: 78.060	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
PROC. REF: AMM 78-32-05-900-801PROC. REF: AMM 78-32-05-900-801								
78-32-09-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER HYDRAULIC ACCUMULATOR - TR HYDRAULIC ACCUMULATOR (4401ER)						Component	ATA:78
PN:F7XC296939004	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:013	HRS	0		TSN 0				
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-32-09-900-801PROC. REF: AMM 78-32-09-900-801								
78-32-13-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER ISOLATION CONTROL UNIT (ICU) - TR ISOLATION CONTROL UNIT (5101ER)						Component	ATA:78
PN:F7XC296939006	MOS/MSC	25-Oct-08	O/C	TSN 0				
SN:AAA050P620	HRS	608:15		TSN 0				
WC#: 78.030	AFL	227		TSN 0				
PROC. REF: AMM 78-32-13-900-801PROC. REF: AMM 78-32-13-900-801								
78-32-17-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER DIRECTIONAL CONTROL UNIT - TR DIRECTIONAL CONTROL UNIT (5201ER)						Component	ATA:78
PN:F7XC296939010A1	MOS/MSC	25-Oct-08	O/C	TSN 0				
SN:AAA053P621	HRS	608:15		TSN 0				
WC#: 78.050	AFL	227		TSN 0				
PROC. REF: AMM 78-32-17-900-801PROC. REF: AMM 78-32-17-900-801								
78-32-21-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER ELECTRO-HYDRAULIC LOCK - TR DOOR ELECTRO-HYDRAULIC LOCK (4301ER)						Component	ATA:78
PN:F7XC296939014A2	MOS/MSC	26-Apr-11	O/C	TSN 0				
SN:AAA166P623	HRS	1516:26		TSN 0				
WC#: 78.130	AFL	674		TSN 0				
PROC. REF: AMM 78-32-21-900-801PROC. REF: AMM 78-32-21-900-801								
78-32-29-900-801-04	REMOVAL / INSTALLATION OF THE THRUST REVERSER STOW SWITCHES - TR LOWER STOW SWITCH (R5301ER)						Component	ATA:78
PN:F7XC240939140	MOS/MSC	04-Oct-11	O/C					
SN:09122715	HRS	1821:12						
	AFL	791						
PROC. REF: AMM 78-32-29-900-801PROC. REF: AMM 78-32-29-900-801								
78-32-33-900-801-02	REMOVAL / INSTALLATION OF THE THRUST REVERSER DEPLOY SWITCHES - TR RH DEPLOY SWITCH (R5501ER)						Component	ATA:78
PN:F7XC240939080W1	MOS/MSC	23-Aug-16	O/C					
SN:813464	HRS	3101:57						
	AFL	1446						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
PROC. REF: AMM 78-32-33-900-801PROC. REF: AMM 78-32-33-900-801								
ATA 79 - OIL								
79-00-00-170-801-01	NO. 1 ENGINE - FLUSH ENGINE OIL SYSTEM							Service ATA:79
	MOS/MSC	18-Aug-06	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-170-801-01	NO. 2 ENGINE - FLUSH ENGINE OIL SYSTEM							Service ATA:79
	MOS/MSC	23-Aug-06	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-170-801-01 ^S	NO. 3 ENGINE - FLUSH ENGINE OIL SYSTEM							Service ATA:79
	MOS/MSC	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-610-801-01	NO. 1 ENGINE - SERVICING OF THE ENGINE OIL SYSTEM (DRAINING AND OIL SYSTEM FILLING)							Service ATA:79
	MOS	01-Mar-22						
	HRS	5795:55	1200 (+30)		(6995:55) 7522:16	7025:55	29:42 (+30)	
	ENC	2212						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								WO#: JWL-25-049
79-00-00-610-801-01	NO. 2 ENGINE - SERVICING OF THE ENGINE OIL SYSTEM (DRAINING AND OIL SYSTEM FILLING)							Service ATA:79
	MOS	11-Aug-23						
	HRS	6320:25	1200 (+30)		(7520:25) 7975:44	7550:25	483:10 (+30)	
	ENC	2382						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-00-00-610-801-01	S	NO. 3 ENGINE - SERVICING OF THE ENGINE OIL SYSTEM (DRAINING AND OIL SYSTEM FILLING)						Service ATA:79
	MOS	04-Jan-16						
	HRS	2708:24	1200 (+30)					
	ENC	904						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-610-801-02		NO. 1 ENGINE - SERVICING OF THE ENGINE OIL SYSTEM (CHECK OIL LEVEL AND REPLENISH AS REQUIRED)						Service ATA:79
	MOS/MSC	04-Sep-25	BF/F					
	HRS	6935:11						
	ENC	2445						
							WO#: (RTS-UPDATE OVERDUE)JWL-25-024	
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-610-801-02		NO. 2 ENGINE - SERVICING OF THE ENGINE OIL SYSTEM (CHECK OIL LEVEL AND REPLENISH AS REQUIRED)						Service ATA:79
	MOS/MSC	04-Sep-25	BF/F					
	HRS	7006:13						
	ENC	2520						
							WO#: (RTS-UPDATE OVERDUE)JWL-25-024	
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-610-801-02		NO. 3 ENGINE - SERVICING OF THE ENGINE OIL SYSTEM (CHECK OIL LEVEL AND REPLENISH AS REQUIRED)						Service ATA:79
	MOS/MSC	04-Sep-25	BF/F					
	HRS	4648:50						
	ENC	1643						
							WO#: (RTS-UPDATE OVERDUE)JWL-25-024	
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-00-00-610-802-01		NO. 1 ENGINE - FILLING OF THE ENGINE OIL SYSTEM						Service ATA:79
	MOS/MSC	14-Dec-22	O/C					
	HRS	6151:37						
	ENC	2290						
PROC. REF: AMM 79-00-00-610-802, EMM 72-00-00PROC. REF: AMM 79-00-00-610-802, EMM 72-00-00								
79-00-00-610-802-01		NO. 2 ENGINE - FILLING OF THE ENGINE OIL SYSTEM						Service ATA:79
	MOS/MSC	14-Dec-22	O/C					
	HRS	6222:39						
	ENC	2365						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: AMM 79-00-00-610-802, EMM 72-00-00PROC. REF: AMM 79-00-00-610-802, EMM 72-00-00								
79-00-00-610-802-01	^S	NO. 3 ENGINE - FILLING OF THE ENGINE OIL SYSTEM						Service ATA:79
	MOS/MSC	04-Dec-14	O/C					
	HRS	2332:42						
	ENC	773						
PROC. REF: AMM 79-00-00-610-802, EMM 72-00-00PROC. REF: AMM 79-00-00-610-802, EMM 72-00-00								
79-00-00-680-801-01		NO. 1 ENGINE - DRAINING OF THE ENGINE OIL SYSTEM						Service ATA:79
	MOS/MSC	15-Aug-13	O/C					
	HRS	2711						
	ENC	1111						
PROC. REF: AMM 79-00-00-680-801PROC. REF: AMM 79-00-00-680-801								
79-00-00-680-801-01		NO. 2 ENGINE - DRAINING OF THE ENGINE OIL SYSTEM						Service ATA:79
	MOS/MSC	06-May-15	O/C					
	HRS	2990:12						
	ENC	1342						
PROC. REF: AMM 79-00-00-680-801PROC. REF: AMM 79-00-00-680-801								
79-00-00-680-801-01	^S	NO. 3 ENGINE - DRAINING OF THE ENGINE OIL SYSTEM						Service ATA:79
	MOS/MSC	04-Dec-14	O/C					
	HRS	2332:42						
	ENC	773						
PROC. REF: AMM 79-00-00-680-801PROC. REF: AMM 79-00-00-680-801								
79-20-01-900-801-01		NO. 1 ENGINE - OIL PUMP						Component ATA:79
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 79-20-01-900-801, EMM 79-20-02PROC. REF: AMM 79-20-01-900-801, EMM 79-20-02								
79-20-01-900-801-01		NO. 2 ENGINE - OIL PUMP						Component ATA:79
PN:30P2660-01	MOS/MSC	13-Jan-21	O/C					
SN:22A1122	HRS	5426:31						
	ENC	2156						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: AMM 79-20-01-900-801, EMM 79-20-02PROC. REF: AMM 79-20-01-900-801, EMM 79-20-02								
79-20-01-900-801-01 ^S NO. 3 ENGINE - OIL PUMP								Component ATA:79
PN:30P2628-01	MOS/MSC	21-Jun-23	O/C					
SN:22A474	HRS	4017:48		TSN 4017:48				
	ENC	1508						
PROC. REF: AMM 79-20-01-900-801, EMM 79-20-02PROC. REF: AMM 79-20-01-900-801, EMM 79-20-02								
79-20-02.5 ^S NO. 3 ENGINE - OIL PRESSURE ADJUSTMENT / COLD START VALVE								Component ATA:79
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
79-20-02.6 ^S NO. 3 ENGINE - OIL PRESSURE CHECK VALVE								Component ATA:79
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
79-20-05-220-801-01 ^S NO. 1 ENGINE - DETAILED INSPECTION OIL FILTER ASSEMBLY OF ENGINE OIL FILTER								Service ATA:79
	MOS	18-Jun-25						
	HRS	6807:48	600 (+30)					
	ENC	2422						
PROC. REF: AMM 79-20-05-220-801, EMM 79-20-01PROC. REF: AMM 79-20-05-220-801, EMM 79-20-01								PKG:11
79-20-05-220-801-01 ^S NO. 2 ENGINE - DETAILED INSPECTION OIL FILTER ASSEMBLY OF ENGINE OIL FILTER								Service ATA:79
	MOS	18-Jun-25						
	HRS	6878:50	600 (+30)					
	ENC	2497						
PROC. REF: AMM 79-20-05-220-801, EMM 79-20-01PROC. REF: AMM 79-20-05-220-801, EMM 79-20-01								PKG:11

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20-05-220-801-01	^S	NO. 3 ENGINE - DETAILED INSPECTION OIL FILTER ASSEMBLY OF ENGINE OIL FILTER						Service ATA:79
PN:30P2335-03	MOS	01-Nov-24						
SN:N/A	HRS	4248:30	600 (+30)					
	ENC	1571						
								PKG:11 WO#: JWL-25-049
PROC. REF: AMM 79-20-05-220-801, EMM 79-20-01PROC. REF: AMM 79-20-05-220-801, EMM 79-20-01								
79-20-05-900-801-01		NO. 1 ENGINE - OIL FILTER ASSEMBLY						Component ATA:79
PN:30P2335-03	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:NSN	HRS	6249:23		TSN 0				
	ENC	2307		TSN 0				
PROC. REF: AMM 79-20-05-900-801PROC. REF: AMM 79-20-05-900-801								
79-20-05-900-801-01		NO. 2 ENGINE - OIL FILTER ASSEMBLY						Component ATA:79
PN:30P2335-02	MOS/MSC	19-Jun-25	O/C	TSN 0				
SN:LOT#LT23-01197	HRS	6878:50		TSN 0				
	ENC	2497		TSN 0				
PROC. REF: AMM 79-20-05-900-801PROC. REF: AMM 79-20-05-900-801								
79-20-05-900-801-01	^S	NO. 3 ENGINE - OIL FILTER ASSEMBLY						Component ATA:79
PN:30P2335-03	MOS/MSC	29-Mar-24	O/C					
SN:N/A	HRS	4185:06						
	ENC	1547						
PROC. REF: AMM 79-20-05-900-801PROC. REF: AMM 79-20-05-900-801								
79-20-05-960-801-01		NO. 1 ENGINE - DISCARD OIL FILTER ASSEMBLY OIL FILTER						Service ATA:79
	MOS	11-Aug-23						
	HRS	6249:23	1200 (+30)		(7449:23) 7975:44	7479:23	483:10 (+30)	
	ENC	2307						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20-05-960-801-01	NO. 2 ENGINE - DISCARD OIL FILTER ASSEMBLY OIL FILTER							Service ATA:79
	MOS	24-Dec-21						
	HRS	5822:37	1200 (+30)		(7022:37) 7477:56	7052:37	TOL (+15:22)	
	ENC	2278						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								WO#: JWL-25-049
79-20-05-960-801-01 ^S	NO. 3 ENGINE - DISCARD OIL FILTER ASSEMBLY OIL FILTER							Service ATA:79
PN:30P2335-03	MOS	06-Jan-16						
SN:N/A	HRS	2708:24	1200 (+30)					
	ENC	904						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
79-20-09-210-801-01	NO. 1 ENGINE - GENERAL VISUAL INSPECTION AIR COOLED OIL COOLER							Service ATA:79
PN:PN	MOS/MSC	06-Apr-13	O/C					
SN:UNKNOWN	HRS	2711:10						
	ENC	1111						
PROC. REF: AMM 79-20-09-210-801, EMM 79-20-05PROC. REF: AMM 79-20-09-210-801, EMM 79-20-05								
79-20-09-210-801-01	NO. 2 ENGINE - GENERAL VISUAL INSPECTION AIR COOLED OIL COOLER							Service ATA:79
PN:PN	MOS/MSC	06-Apr-13	O/C					
SN:UNKNOWN	HRS	2711:10						
	ENC	1111						
PROC. REF: AMM 79-20-09-210-801, EMM 79-20-05PROC. REF: AMM 79-20-09-210-801, EMM 79-20-05								
79-20-09-210-801-01 ^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION AIR COOLED OIL COOLER							Service ATA:79
PN:30P2124-02	MOS/MSC		O/C					
SN:0215	HRS							
	ENC							
PROC. REF: AMM 79-20-09-210-801, EMM 79-20-05PROC. REF: AMM 79-20-09-210-801, EMM 79-20-05								
79-20-09-900-801-01	NO. 1 ENGINE - AIR COOLED OIL COOLER							Component ATA:79
PN:PN	MOS/MSC	18-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 79-20-09-900-801, EMM 79-20-05PROC. REF: AMM 79-20-09-900-801, EMM 79-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20-09-900-801-01	NO. 2 ENGINE - AIR COOLED OIL COOLER							Component ATA:79
PN:PN	MOS/MSC	23-Aug-06	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 79-20-09-900-801, EMM 79-20-05PROC. REF: AMM 79-20-09-900-801, EMM 79-20-05								
79-20-09-900-801-01 ^S	NO. 3 ENGINE - AIR COOLED OIL COOLER							Component ATA:79
PN:30P2124-02	MOS/MSC	21-Jun-23	O/C					
SN:0215	HRS	4017:48		TSN 4017:48				
	ENC	1508						
PROC. REF: AMM 79-20-09-900-801, EMM 79-20-05PROC. REF: AMM 79-20-09-900-801, EMM 79-20-05								
79-20-13-350-801-01	NO. 1 ENGINE - RESTORATION OIL THERMAL CONTROL VALVE (WITH BY-PASS VALVE REPLACEMENT)							Service ATA:79
PN:30P2123-01	MOS	10-Apr-18						
SN:0732	HRS	3872:09	7200 (+30)	(11072:09) 11598:30	11102:09	4105:56 (+30)		
	ENC	1614						
PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06								
79-20-13-350-801-01	NO. 2 ENGINE - RESTORATION OIL THERMAL CONTROL VALVE (WITH BY-PASS VALVE REPLACEMENT)							Service ATA:79
PN:30P2123-02	MOS	10-Jun-17						
SN:0730	HRS	3605:03	7200 (+30)	(10805:03) 11260:22	10835:03	3767:48 (+30)		
	ENC	1601						
PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06								
79-20-13-350-801-01 ^S	NO. 3 ENGINE - RESTORATION OIL THERMAL CONTROL VALVE (WITH BY-PASS VALVE REPLACEMENT)							Service ATA:79
PN:30P2123-01	MOS	14-Jan-08						
SN:0223	HRS	0	7200 (+30)					
	ENC	0						
PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20-13-900-801-01	NO. 1 ENGINE - OIL THERMAL CONTROL VALVE							Component ATA:79
PN:30P2123-01	MOS/MSC	26-Jun-17	O/C	TSN 1				
SN:0732	HRS	3545:56		TSN 0				
	ENC	1519		TSN 0				
PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06								
79-20-13-900-801-01	NO. 2 ENGINE - OIL THERMAL CONTROL VALVE							Component ATA:79
PN:30P2123-02	MOS/MSC	10-Jun-17	O/C	TSN 1				
SN:0730	HRS	3605:03		TSN 0				
	ENC	1601		TSN 0				
PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06								
79-20-13-900-801-01 ^S	NO. 3 ENGINE - OIL THERMAL CONTROL VALVE							Component ATA:79
PN:30P2123-01	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:0223	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06PROC. REF: AMM 79-20-13-900-801, EMM 79-20-06								
79-28-03-210-801-01 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF OIL SCAVENGE AND PRESSURE TUBES							Service ATA:79
	MOS	11-Aug-23						
	HRS	6249:23	800 (+30)					
	ENC	2307						
PROC. REF: EMM 79-20-03, EMM 79-20-04PROC. REF: EMM 79-20-03, EMM 79-20-04								PKG:12 WO#: JWL-25-049
79-28-03-210-801-01 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF OIL SCAVENGE AND PRESSURE TUBES							Service ATA:79
	MOS	11-Aug-23						
	HRS	6320:25	800 (+30)					
	ENC	2382						
PROC. REF: EMM 79-20-03, EMM 79-20-04PROC. REF: EMM 79-20-03, EMM 79-20-04								PKG:12 WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-28-03-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF OIL SCAVENGE AND PRESSURE TUBES						Service ATA:79
	MOS	29-Mar-24						
	HRS	4185:06	800 (+30)					
	ENC	1547						
PROC. REF: EMM 79-20-03, EMM 79-20-04PROC. REF: EMM 79-20-03, EMM 79-20-04								PKG:12
79-28-05-210-801-01		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF AIR COOLED OIL COOLER (ACOC) THERMAL VALVE AND TUBES						Service ATA:79
	MOS	25-Mar-21						
	HRS	5375:41	1600		(6975:41) 7502:02		9:28	
	ENC	2097						
PROC. REF: EMM 79-20-05, EMM 79-20-06PROC. REF: EMM 79-20-05, EMM 79-20-06								WO#: JWL-25-049
79-28-05-210-801-01		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF AIR COOLED OIL COOLER (ACOC) THERMAL VALVE AND TUBES						Service ATA:79
	MOS	28-Feb-22						
	HRS	5866:57	1600		(7466:57) 7922:16		429:42	
	ENC	2287						
PROC. REF: EMM 79-20-05, EMM 79-20-06PROC. REF: EMM 79-20-05, EMM 79-20-06								
79-28-05-210-801-01	^S	NO. 3 ENGINE - GENERAL VISUAL INSPECTION OF AIR COOLED OIL COOLER (ACOC) THERMAL VALVE AND TUBES						Service ATA:79
	MOS	19-Jul-17						
	HRS	3154:42	1600 (+30)					
	ENC	1049						
PROC. REF: EMM 79-20-05, EMM 79-20-06PROC. REF: EMM 79-20-05, EMM 79-20-06								
79-30-01-700-801-01	^S	NO. 3 ENGINE - PERFORM OIL ANALYSIS (TAN AND WATER CONTENT)						Service ATA:79
	MOS/MSC	06-Jan-16	O/C					
	HRS	2708:24						
	ENC	904						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-700-801-02	NO. 1 ENGINE - PERFORM OIL SAMPLE ANALYSIS							Service ATA:79
	MOS/MSC	15-Dec-16	A/R					
	HRS	3183:03						
	ENC	1437						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-30-01-700-801-02	NO. 2 ENGINE - PERFORM OIL SAMPLE ANALYSIS							Service ATA:79
	MOS/MSC	29-May-17	A/R					
	HRS	3603:28						
	ENC	1601						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-30-01-700-801-02 ^S	NO. 3 ENGINE - PERFORM OIL SAMPLE ANALYSIS							Service ATA:79
	MOS/MSC	14-Jan-08	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-30-01-700-801-03	NO. 1 ENGINE - OIL SAMPLE ANALYSIS - DO AN OIL SAMPLE ANALYSIS TO DETERMINE ALUMINIUM CONTENT							Service ATA:79
	MOS/MSC	18-Aug-06	N/A					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-30-01-700-801-03	NO. 2 ENGINE - OIL SAMPLE ANALYSIS - DO AN OIL SAMPLE ANALYSIS TO DETERMINE ALUMINIUM CONTENT							Service ATA:79
	MOS/MSC	23-Aug-06	N/A					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
79-30-01-700-801-03 ^S	NO. 3 ENGINE - OIL SAMPLE ANALYSIS - DO AN OIL SAMPLE ANALYSIS TO DETERMINE ALUMINIUM CONTENT							Service ATA:79
	MOS							
	HRS	EFF	800 (+30)					
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-820-801-01	CALIBRATION OF THE ENGINE OIL LEVEL GAUGES							Service ATA:79
	MOS/MSC	29-Jul-20	O/C					
	HRS	5597:50						
	AFL	2208						
PROC. REF: AMM 79-30-01-820-801PROC. REF: AMM 79-30-01-820-801								
79-30-01-900-801-01	NO. 1 ENGINE - CHIP DETECTOR							Component ATA:79
PN:30P0640-03	MOS/MSC	25-Mar-21	O/C	TSN 0				
SN:NSN	HRS	5375:41		TSN 0				
	ENC	2097		TSN 0				
WO#: JWL-25-049								
79-30-01-900-801-01	NO. 2 ENGINE - CHIP DETECTOR							Component ATA:79
PN:30P0640-03	MOS/MSC	11-Aug-23	O/C	TSN 0				
SN:NSN	HRS	6320:25		TSN 0				
	ENC	2382		TSN 0				
79-30-01-900-801-01 ^S	NO. 3 ENGINE - CHIP DETECTOR							Component ATA:79
PN:30P0640-03	MOS/MSC	21-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	4017:48		TSN 0				
	ENC	1508		TSN 0				
79-30-01-900-801-02	NO. 1 ENGINE - OIL PRESSURE SENSOR							Component ATA:79
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-02PROC. REF: EMM 79-30-02								
79-30-01-900-801-02	NO. 2 ENGINE - OIL PRESSURE SENSOR							Component ATA:79
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-02PROC. REF: EMM 79-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-900-801-02 ^S		NO. 3 ENGINE - OIL PRESSURE SENSOR						Component ATA:79
PN:30P0550-02	MOS/MSC	26-Jan-15	O/C					
SN:KLA070208	HRS	2334						
	ENC	774						
PROC. REF: EMM 79-30-02PROC. REF: EMM 79-30-02								
79-30-01-900-801-03		NO. 1 ENGINE - OIL TEMPERATURE SENSOR						Component ATA:79
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02, EMM 79-30-02, EMM 79-30-03PROC. REF: EMM 73-10-02, EMM 79-30-02, EMM 79-30-03								
79-30-01-900-801-03		NO. 2 ENGINE - OIL TEMPERATURE SENSOR						Component ATA:79
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02, EMM 79-30-02, EMM 79-30-03PROC. REF: EMM 73-10-02, EMM 79-30-02, EMM 79-30-03								
79-30-01-900-801-03 ^S		NO. 3 ENGINE - OIL TEMPERATURE SENSOR						Component ATA:79
PN:30P0910-04	MOS/MSC	21-Jun-23	O/C					
SN:ADXAH000327	HRS	4017:48		TSN 4017:48				
	ENC	1508						
PROC. REF: EMM 73-10-02, EMM 79-30-02, EMM 79-30-03PROC. REF: EMM 73-10-02, EMM 79-30-02, EMM 79-30-03								
79-30-01-900-801-04		NO. 1 ENGINE - OIL LEVEL (ELECTRICAL) INDICATOR						Component ATA:79
PN:30P1095-01	MOS/MSC	10-Apr-18	O/C					
SN:AKA3893P	HRS	3872:09						
	ENC	1614						
PROC. REF: EMM 79-30-06PROC. REF: EMM 79-30-06								
79-30-01-900-801-04		NO. 2 ENGINE - OIL LEVEL (ELECTRICAL) INDICATOR						Component ATA:79
PN:PN	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-06PROC. REF: EMM 79-30-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-900-801-04	^S	NO. 3 ENGINE - OIL LEVEL (ELECTRICAL) INDICATOR						Component ATA:79
PN:30P1095-01	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:AKA0326R	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-06PROC. REF: EMM 79-30-06								
79-30-01-900-801-05		NO. 1 ENGINE - OIL FILTER IMPENDING AND BYPASS SWITCH						Component ATA:79
PN:30P3147-02	MOS/MSC	29-May-17	O/C					
SN:HE0170	HRS	3514:28						
	ENC	1512						
PROC. REF: EMM 79-30-07PROC. REF: EMM 79-30-07								
79-30-01-900-801-05		NO. 2 ENGINE - OIL FILTER IMPENDING AND BYPASS SWITCH						Component ATA:79
PN:30P3147-02	MOS/MSC	13-Jan-21	O/C					
SN:HE061	HRS	5426:31						
	ENC	2156						
PROC. REF: EMM 79-30-07PROC. REF: EMM 79-30-07								
79-30-01-900-801-05	^S	NO. 3 ENGINE - OIL FILTER IMPENDING AND BYPASS SWITCH						Component ATA:79
PN:30P3147-02	MOS/MSC	27-Apr-12	O/C	TSN 0				
SN:HE-0131	HRS	1178:30		TSN 0				
	ENC	408		TSN 0				
PROC. REF: EMM 79-30-07PROC. REF: EMM 79-30-07								
79-30-01-960-801-01		NO. 1 ENGINE - DISCARD ENGINE CHIP DETECTOR						Service ATA:79
PN:30P0640-03	MOS	25-Mar-21						
SN:NSN	HRS	5375:41	1600 (+30)		(6975:41) 7502:02	7005:41	9:28 (+30)	
	ENC	2097						
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01								WO#: JWL-25-049

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-960-801-01	NO. 2 ENGINE - DISCARD ENGINE CHIP DETECTOR							Service ATA:79
PN:30P0640-03	MOS	11-Aug-23						
SN:NSN	HRS	6320:25	1600 (+30)		(7920:25) 8375:44	7950:25	883:10 (+30)	
	ENC	2382						
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01								
79-30-01-960-801-01	NO. 3 ENGINE - DISCARD ENGINE CHIP DETECTOR							Service ATA:79
PN:30P0640-03	MOS	21-Jun-23						
SN:UNKNOWN	HRS	4017:48	1600 (+30)		(5617:48) 8430:30	5647:48	937:56 (+30)	
	ENC	1508						
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01								
79-30-02-700-801-01	NO. 1 ENGINE - CHECK ENGINE OIL SYSTEM CHIP DETECTOR							Service ATA:79
	MOS	25-Mar-21						
	HRS	5375:41	1600		(6975:41) 7502:02		9:28	
	ENC	2097						
PROC. REF: AMM 79-30-02-700-801, EMM 72-00-00PROC. REF: AMM 79-30-02-700-801, EMM 72-00-00								WO#: JWL-25-049
79-30-02-700-801-01	NO. 2 ENGINE - CHECK ENGINE OIL SYSTEM CHIP DETECTOR							Service ATA:79
	MOS	11-Aug-23						
	HRS	6320:25	1600		(7920:25) 8375:44		883:10	
	ENC	2382						
PROC. REF: AMM 79-30-02-700-801, EMM 72-00-00PROC. REF: AMM 79-30-02-700-801, EMM 72-00-00								
79-30-02-700-801-01 ^S	NO. 3 ENGINE - CHECK ENGINE OIL SYSTEM CHIP DETECTOR							Service ATA:79
	MOS/MS	14-Jan-08	O/C					
	HRS	0						
	ENC	0						
PROC. REF: AMM 79-30-02-700-801, EMM 72-00-00PROC. REF: AMM 79-30-02-700-801, EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-02.5 ^S	NO. 3 ENGINE - MAIN OIL PRESSURE SENSOR							Component ATA:79
PN:PN	MOS/MSC	14-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-02PROC. REF: EMM 79-30-02								
ATA 80 - STARTING								
80-10-01-900-801-01	REMOVAL / INSTALLATION OF THE STARTING PANEL - STARTING PANEL (1000EK)							Component ATA:80
PN:FE1489	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:101	HRS	0		TSN 0				
WC#: 80.010	AFL	0		TSN 0				
PROC. REF: AMM 80-10-01-900-801PROC. REF: AMM 80-10-01-900-801								
80-10-05-220-801-01	DETAILED INSPECTION OF THE ENGINE PNEUMATIC STARTER MAGNETIC CHIP COLLECTOR - ENGINE 1 PNEUMATIC STARTER MAGNETIC CHIP COLLECTOR (L9530EK)							Service ATA:80
	MOS/MSC	25-Mar-21	A/R					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 80-10-05-220-801PROC. REF: AMM 80-10-05-220-801								
80-10-05-220-801-02	DETAILED INSPECTION OF THE ENGINE PNEUMATIC STARTER MAGNETIC CHIP COLLECTOR - ENGINE 2 PNEUMATIC STARTER MAGNETIC CHIP COLLECTOR (M9530EK)							Service ATA:80
	MOS/MSC	25-Mar-21	A/R					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 80-10-05-220-801PROC. REF: AMM 80-10-05-220-801								
80-10-05-220-801-03	DETAILED INSPECTION OF THE ENGINE PNEUMATIC STARTER MAGNETIC CHIP COLLECTOR - ENGINE 3 PNEUMATIC STARTER MAGNETIC CHIP COLLECTOR (R9530EK)							Service ATA:80
	MOS/MSC	25-Mar-21	A/R					
	HRS	5902:02						
	AFL	2308						
PROC. REF: AMM 80-10-05-220-801PROC. REF: AMM 80-10-05-220-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 80 - STARTING								
80-10-05-610-801-04		ENGINE PNEUMATIC STARTER OIL CHANGE - ENGINE 1 PNEUMATIC STARTER (L101EK)						Service ATA:80
PN:3506034-4	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	
SN:129	HRS	7061:12	600 (+3%)		7661:12	7679:12	168:38 (+18)	
WC#: 80.020	AFL	2584						
PROC. REF: AMM 80-10-05-610-801PROC. REF: AMM 80-10-05-610-801								WO#: JWL-25-049
80-10-05-610-801-05		ENGINE PNEUMATIC STARTER OIL CHANGE - ENGINE 2 PNEUMATIC STARTER (M101EK)						Service ATA:80
PN:3506034-4	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	
SN:130	HRS	7061:12	600 (+3%)		7661:12	7679:12	168:38 (+18)	
WC#: 80.020	AFL	2584						
PROC. REF: AMM 80-10-05-610-801PROC. REF: AMM 80-10-05-610-801								WO#: JWL-25-049
80-10-05-610-801-06		ENGINE PNEUMATIC STARTER OIL CHANGE - ENGINE 3 PNEUMATIC STARTER (R101EK)						Service ATA:80
PN:3506034-4	MOS	18-Nov-24	12 (+3%)		18-Nov-25	28-Nov-25	46 d (+10)	
SN:408	HRS	7061:12	600 (+3%)		7661:12	7679:12	168:38 (+18)	
WC#: 80.020	AFL	2584						
PROC. REF: AMM 80-10-05-610-801PROC. REF: AMM 80-10-05-610-801								WO#: JWL-25-049
80-10-05-610-802-01		ENGINE PNEUMATIC STARTER OIL FILLING - ENGINE 1 PNEUMATIC STARTER (L101EK)						Service ATA:80
PN:3506034-4	MOS/MSC	02-Apr-10	O/C					
SN:129	HRS	1176:40						
WC#: 80.020	AFL	430						
PROC. REF: AMM 80-10-05-610-802PROC. REF: AMM 80-10-05-610-802								
80-10-05-610-802-02		ENGINE PNEUMATIC STARTER OIL FILLING - ENGINE 2 PNEUMATIC STARTER (M101EK)						Service ATA:80
PN:3506034-4	MOS/MSC	22-Jan-20	O/C					
SN:130	HRS	5287:57						
WC#: 80.020	AFL	2109						
PROC. REF: AMM 80-10-05-610-802PROC. REF: AMM 80-10-05-610-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 80 - STARTING								
80-10-05-610-802-03 ENGINE PNEUMATIC STARTER OIL FILLING - ENGINE 3 PNEUMATIC STARTER (R101EK)								Service ATA:80
PN:3506034-4	MOS/MSC	22-Jan-20	O/C					
SN:408	HRS	5287:57						
WC#: 80.020	AFL	2109						
PROC. REF: AMM 80-10-05-610-802PROC. REF: AMM 80-10-05-610-802								
80-10-05-700-801-01 OIL LEVEL CHECK OF THE ENGINE PNEUMATIC STARTER - ENGINE 1 PNEUMATIC STARTER (L101EK)								Service ATA:80
PN:3506034-4	MOS/MSC	12-Jun-07	O/C					
SN:129	HRS	0						
	AFL	0						
PROC. REF: AMM 80-10-05-700-801PROC. REF: AMM 80-10-05-700-801								
80-10-05-700-801-02 OIL LEVEL CHECK OF THE ENGINE PNEUMATIC STARTER - ENGINE 2 PNEUMATIC STARTER (M101EK)								Service ATA:80
PN:3506034-4	MOS/MSC	12-Jun-07	O/C					
SN:130	HRS	0						
	AFL	0						
PROC. REF: AMM 80-10-05-700-801PROC. REF: AMM 80-10-05-700-801								
80-10-05-700-801-03 OIL LEVEL CHECK OF THE ENGINE PNEUMATIC STARTER - ENGINE 3 PNEUMATIC STARTER (R101EK)								Service ATA:80
PN:3506034-4	MOS/MSC	12-Jun-07	O/C					
SN:408	HRS	0						
	AFL	0						
PROC. REF: AMM 80-10-05-700-801PROC. REF: AMM 80-10-05-700-801								
80-10-05-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTERS - ENGINE 1 PNEUMATIC STARTER (L101EK)								Component ATA:80
PN:3506034-4	MOS/MSC	25-Mar-21	O/C	TSN 165				
SN:129	HRS	5902:02		TSN 5902:02				
WC#: 80.020	AFL	2308		TSN 2308				
PROC. REF: AMM 80-10-05-900-801PROC. REF: AMM 80-10-05-900-801								
80-10-05-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTERS - ENGINE 2 PNEUMATIC STARTER (M101EK)								Component ATA:80
PN:3506034-4	MOS/MSC	25-Mar-21	O/C	TSN 165				
SN:130	HRS	5902:02		TSN 5902:02				
WC#: 80.020	AFL	2308		TSN 2308				
PROC. REF: AMM 80-10-05-900-801PROC. REF: AMM 80-10-05-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: FALCON 7X Serial: 005 RegNo: N247GT HRS: 7492:34 AFL: 2660 As Of: 12-Sep-2025

03-Oct-2025 07:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 80 - STARTING								
80-10-05-900-801-03 REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTERS - ENGINE 3 PNEUMATIC STARTER (R101EK)								Component ATA:80
PN:3506034-4	MOS/MSC	25-Mar-21	O/C					
SN:408	HRS	5902:02						
WC#: 80.020	AFL	2308						
PROC. REF: AMM 80-10-05-900-801PROC. REF: AMM 80-10-05-900-801								
80-10-13-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTER VALVES - ENGINE 1 PNEUMATIC VALVE (L301EK)								Component ATA:80
PN:3215866-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:208	HRS	0		TSN 0				
WC#: 80.030	AFL	0		TSN 0				
PROC. REF: AMM 80-10-13-900-801PROC. REF: AMM 80-10-13-900-801								
80-10-13-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTER VALVES - ENGINE 2 PNEUMATIC VALVE (M301EK)								Component ATA:80
PN:3215866-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:167	HRS	0		TSN 0				
WC#: 80.030	AFL	0		TSN 0				
PROC. REF: AMM 80-10-13-900-801PROC. REF: AMM 80-10-13-900-801								
80-10-13-900-801-03 REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTER VALVES - ENGINE 3 PNEUMATIC VALVE (R301EK)								Component ATA:80
PN:3215866-3	MOS/MSC	12-Jun-07	O/C	TSN 0				
SN:168	HRS	0		TSN 0				
WC#: 80.030	AFL	0		TSN 0				
PROC. REF: AMM 80-10-13-900-801PROC. REF: AMM 80-10-13-900-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task