

# Overview of Unmarked: An R Package for the Analysis of Data from Unmarked Animals

Ian Fiske and Richard Chandler

December 19, 2011

## Abstract

Unmarked aims to be a complete environment for the statistical analysis of data from surveys of unmarked animals. Currently, the focus is on hierarchical models that separately model a latent state (or states) and an observation process. This vignette provides a brief overview of the package — for a more thorough treatment see [2]

## 1 Overview of unmarked

Unmarked provides methods to estimate site occupancy, abundance, and density of animals (or possibly other organisms/objects) that cannot be detected with certainty. Numerous models are available that correspond to specialized survey methods such as temporally replicated surveys, distance sampling, removal sampling, and double observer sampling. These data are often associated with metadata related to the design of the study. For example, in distance sampling, the study design (line- or point-transect), distance class break points, transect lengths, and units of measurement need to be accounted for in the analysis. Unmarked uses S4 classes to store data and metadata in a way that allows for easy data manipulation, summarization, and model specification. Table 1 lists the currently implemented models and their associated fitting functions and data classes.

Model	Fitting Function	Data	Citation
Occupancy	occu	unmarkedFrameOccu	[4]
Royle-Nichols	occuRN	unmarkedFrameOccu	[8]
Point Count	pcount	unmarkedFramePCount	[6]
Distance-sampling	distsamp	unmarkedFrameDS	[7]
Generalized distance-sampling	gdistsamp	unmarkedFrameGDS	[1]
Arbitrary multinomial-Poisson	multinomPois	unmarkedFrameMPois	[5]
Colonization-extinction	colect	unmarkedMultFrame	[3]
Generalized multinomial-mixture	gmultmix	unmarkedFrameGMM	[5]

Table 1: Models handled by unmarked.

Each data class can be created with a call to the constructor function of the same name as described in the examples below.

## 2 Typical unmarked session

The first step is to import the data into R, which we do below using the **read.csv** function. Next, the data need to be formatted for use with a specific model fitting function. This can be accomplished with a call to the appropriate type of **unmarkedFrame**. For example, to prepare the data for a single-season site-occupancy analysis, the function **unmarkedFrameOccu** is used.

```
> library(unmarked)
> wt <- read.csv(system.file("csv", "widewt.csv", package = "unmarked"))
> y <- wt[, 2:4]
> siteCovs <- wt[, c("elev", "forest", "length")]
> obsCovs <- list(date = wt[, c("date.1", "date.2", "date.3")],
```

```

      ivel = wt[, c("ivel.1", "ivel.2", "ivel.3")])
> wt <- unmarkedFrameOccu(y = y, siteCovs = siteCovs, obsCovs = obsCovs)
> summary(wt)
unmarkedFrame Object

```

```

237 sites
Maximum number of observations per site: 3
Mean number of observations per site: 2.81
Sites with at least one detection: 79

```

Tabulation of y observations:

```

  0    1 <NA>
483 182   46

```

Site-level covariates:

	elev	forest	length
Min.	:-1.436125	Min. :-1.265e+00	Min. :0.1823
1st Qu.	:-0.940726	1st Qu.:-9.744e-01	1st Qu.:1.4351
Median	:-0.166666	Median :-6.499e-02	Median :1.6094
Mean	: 0.007612	Mean : 8.798e-05	Mean :1.5924
3rd Qu.	: 0.994425	3rd Qu.: 8.080e-01	3rd Qu.:1.7750
Max.	: 2.434177	Max. : 2.299e+00	Max. :2.2407

Observation-level covariates:

	date	ivel
Min.	:-2.9043386	Min. :-1.753e+00
1st Qu.	:-1.1186243	1st Qu.:-6.660e-01
Median	:-0.1186243	Median :-1.395e-01
Mean	:-0.0002173	Mean :-3.008e-11
3rd Qu.	: 1.3099471	3rd Qu.: 5.493e-01
Max.	: 3.8099471	Max. : 5.980e+00
NA's	:42.0000000	NA's : 4.600e+01

Alternatively, the convenience function **csvToUMF** can be used

```

> wt <- csvToUMF(system.file("csv", "widewt.csv", package = "unmarked"),
  long = FALSE, type = "unmarkedFrameOccu")

```

If not all sites have the same numbers of observations, then manual importation of data in long format can be tricky. **csvToUMF** seamlessly handles this situation.

```

> pcru <- csvToUMF(system.file("csv", "frog2001pcru.csv",
  package = "unmarked"), long = TRUE, type = "unmarkedFrameOccu")

```

To help stabilize the numerical optimization algorithm, we recommend standardizing the covariates.

```

> obsCovs(pcru) <- scale(obsCovs(pcru))

```

Occupancy models can then be fit with the `occu()` function:

```

> fm1 <- occu(~1 ~ 1, pcru)
> fm2 <- occu(~MinAfterSunset + Temperature ~ 1, pcru)
> fm2
Call:
occu(formula = ~MinAfterSunset + Temperature ~ 1, data = pcru)

```

Occupancy:

Estimate	SE	z	P(> z )
1.54	0.292	5.26	1.42e-07

Detection:

	Estimate	SE	z	P(> z )
(Intercept)	0.2098	0.206	1.017	3.09e-01

```
MinAfterSunset -0.0855 0.160 -0.536 5.92e-01
Temperature    -1.8936 0.291 -6.508 7.60e-11
```

```
AIC: 356.7591
```

Here, we have specified that the detection process is modeled with the MinAfterSunset and Temperature covariates. No covariates are specified for occupancy here. See ?occu for more details.

Unmarked fitting functions return unmarkedFit objects which can be queried to investigate the model fit. Variables can be back-transformed to the unconstrained scale using backTransform. Standard errors are computed using the delta method.

```
> backTransform(fm2, "state")
Backtransformed linear combination(s) of Occupancy estimate(s)
```

```
Estimate      SE LinComb (Intercept)
0.823 0.0425    1.54                1
```

```
Transformation: logistic
```

Because the detection component was modeled with covariates, covariate coefficients must be specified to back-transform. Here, we request the probability of detection given a site is occupied and all covariates are set to 0.

```
> backTransform(linearComb(fm2, coefficients = c(1, 0,
0), type = "det"))
Backtransformed linear combination(s) of Detection estimate(s)
```

```
Estimate      SE LinComb (Intercept) MinAfterSunset Temperature
0.552 0.051    0.210                1                0                0
```

```
Transformation: logistic
```

A predict method also exists.

```
> newData <- data.frame(MinAfterSunset = 0, Temperature = -2:2)
> round(predict(fm2, type = "det", newdata = newData, appendData = TRUE),
2)
```

```
Predicted      SE lower upper MinAfterSunset Temperature
1      0.98 0.01  0.93  1.00                0            -2
2      0.89 0.04  0.78  0.95                0            -1
3      0.55 0.05  0.45  0.65                0             0
4      0.16 0.03  0.10  0.23                0             1
5      0.03 0.01  0.01  0.07                0             2
```

Confidence intervals are requested with confint, using either the asymptotic normal approximation or profiling.

```
> confint(fm2, type = "det")
              0.025      0.975
p(Int)      -0.1946872  0.6142292
p(MinAfterSunset) -0.3985642  0.2274722
p(Temperature)  -2.4638797 -1.3233511
> confint(fm2, type = "det", method = "profile")
Profiling parameter 1 of 3 ... done.
Profiling parameter 2 of 3 ... done.
Profiling parameter 3 of 3 ... done.
              0.025      0.975
p(Int)      -0.1929210  0.6208837
p(MinAfterSunset) -0.4044794  0.2244221
p(Temperature)  -2.5189984 -1.3789261
```

Model selection and multi-model inference can be implemented after organizing models using the fitList function.

```

> fms <- fitList(`psi(.)p(.)` = fm1, `psi(.)p(Time+Temp)` = fm2)
> modSel(fms)

```

	nPars	AIC	delta	AICwt	cumltvWt
psi(.)p(Time+Temp)	4	356.76	0.00	1.0e+00	1.00
psi(.)p(.)	2	461.00	104.25	2.3e-23	1.00

```

> predict(fms, type = "det", newdata = newData)

```

	Predicted	SE	lower	upper
1	0.98196076	0.01266193	0.957143378	1.00677814
2	0.89123189	0.04248804	0.807955332	0.97450844
3	0.55225129	0.05102660	0.452239161	0.65226342
4	0.15658708	0.03298276	0.091940874	0.22123328
5	0.02718682	0.01326263	0.001192059	0.05318158

The parametric bootstrap can be used to check the adequacy of model fit. Here we use a  $\chi^2$  statistic appropriate for binary data.

```

> chisq <- function(fm) {
  umf <- getData(fm)
  y <- getY(umf)
  y[y > 1] <- 1
  sr <- fm@sitesRemoved
  if (length(sr) > 0)
    y <- y[-sr, , drop = FALSE]
  fv <- fitted(fm, na.rm = TRUE)
  y[is.na(fv)] <- NA
  sum((y - fv)^2/(fv * (1 - fv)), na.rm = TRUE)
}
> (pb <- parboot(fm2, statistic = chisq, nsim = 100))
Call: parboot(object = fm2, statistic = chisq, nsim = 100)

Parametric Bootstrap Statistics:
  t0 mean(t0 - t_B) StdDev(t0 - t_B) Pr(t_B > t0)
1 356          20.2          15.6          0.0792

t_B quantiles:
  0% 2.5% 25% 50% 75% 97.5% 100%
t*1 299 306 326 334 346 371 385

t0 = Original statistic computed from data
t_B = Vector of bootstrap samples

```

We fail to reject the null hypothesis, and conclude that the model fit is adequate.

## References

- [1] R. B. Chandler, J. A. Royle, and D. I. King. Inference about density and temporary emigration in unmarked populations. *Ecology*, 92(7):1429–1435, July 2011.
- [2] Ian Fiske and Richard Chandler. **unmarked**: An **R** package for fitting hierarchical models of wildlife occurrence and abundance. *Journal of Statistical Software*, 43(10):1–23, 2011.
- [3] Darryl I. MacKenzie, James D. Nichols, James E. Hines, Melinda G. Knutson, and Alan B. Franklin. Estimating site occupancy, colonization, and local extinction when a species is detected imperfectly. *Ecology*, 84(8):2200–2207, 2003.
- [4] Darryl I. MacKenzie, James D. Nichols, G. B. Lachman, S. Droege, J. A. Royle, and C. A. Langtimm. Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83(8):2248–2255, 2002.
- [5] J. A. Royle. Generalized estimators of avian abundance from count survey data. *Animal Biodiversity and Conservation*, 27(1):375–386, 2004.

- [6] J. A. Royle. N-mixture models for estimating population size from spatially replicated counts. *Biometrics*, 60(1):108–115, 2004.
- [7] J. A. Royle, D. K. Dawson, and S. Bates. Modeling abundance effects in distance sampling. *Ecology*, 85(6):1591–1597, 2004.
- [8] J. A. Royle and J. D. Nichols. Estimating abundance from repeated presence-absence data or point counts. *Ecology*, 84(3):777–790, 2003.