











Carrier 12:52 AM 100%

**doe** Est. 1992

Home DOE SPARES **DOE WATER** DOE ENERGY SERVICE CONTACT GALLERY DOWNLOADS

## DOE WATER

STORK Water Maker (fresh water) PELICAN Water Maker (salt water) SEAHORSE UV disinfection DODO Dolomite tank MOSQUITO Chemical dosing OCTOPUS Skid for post treatment TURTLE Hydrophore SHARK Water tank

### STORK - Water Maker (from fresh water)



**Stork** is a skid mounted desalinator. The incoming water can come from various fresh water sources like drinking water, rivers, lakes, port water with brackish water.

The inlet water can be very dirty - in such case we offer additional DOE filter HUZAR

**Technical data:**  
Production: up to 60 tons per day  
Inlet: Sweet water (max. 2000ppm)  
Pressure: Low  
Construction: Stainless steel, power painted  
Pumps: Stainless steel durable (drinking water certificate)  
Power supply: 3x400V 50Hz or 3x440V 60Hz

**Features:**  
Reverse Osmosis technology  
Ultrafiltration technology  
No consumables  
Backflush (self cleaning unit)  
Small power consumption

**Application:**  
Tank cleaning with demineralized water  
Technical water for cooling and heating systems  
Drinking  
Cooking  
Washing

**LEAFLET**  
PDF: EN PL  
Online: EN

**DOCUMENTATION**  
Select language: EN PL RU

HOME MATERIALS DOE ENERGY **DOE WATER** CONNECT

Carrier 12:52 AM 100%

**doe** Est. 1992

Home DOE SPARES DOE WATER DOE ENERGY SERVICE CONTACT GALLERY DOWNLOADS

## DOE ENERGY

**SEAL - Calorifier**

**Seal** is a **marine sanitary hot water heater** (water calorifier). Tank comes with marine certificate: DNV, Lloyd, GL, ABS, BV, PRS or other class on demand. Seal is used for heating and storage of the sanitary hot water on ships. There are multiple means of heating: electric, steam, hot water or oil.

Standard delivery consist of:

- Certified black steel (galvanized) tank
- 50mm insulation
- Galvanized and powder painted steel plate as cover
- Electric box and regulation plate installed on the tank
- Heaters of ordered power
- Safety valve 8 bar
- All connected and tested

As an option we offer:

- Tank in stainless steel material
- Heating coil of 1 or 2 cubic meter heating surface
- Heating coil regulation with regulation valve and accessories
- circulation pumps and accessories
- compensation tank for hot water
- mixing thermostatic valve for outlet water
- protection anode for extra protection

**LEAFLET**  
PDF: EN  
Online: EN

**DOCUMENTATION**  
Type & Language ▾

Doc

HOME MATERIALS DOE ENERGY DOE WATER CONNECT

