



EVIDENCE ROOM

AP Agent Starter Kit

Operating model, ten blueprints, first-wave method

Proof before permission.

A working subset a named practitioner can use to design Wave 1 and stand a two-week shadow. Default autonomy is L0 or L1. Payment stays human.

Hard hold. ERP remains the system of record for accounting. Named humans remain the system of record for cash. Vendor-bank change and close attestation stay human. Duplicate & Anomaly flags are hypotheses, not fraud verdicts. This book is a method, not hosted software.

How to use this book

Buy Friday. Begin Monday. Do not charter from memory.

1. Score the free diagnostic (36 questions). Honour vetoes.
2. Map one path (usually PO-goods). Code exceptions from the closed list.
3. Charter Wave 1 at L0 or L1: Intake, Validation, Matching, Triage, Duplicate & Anomaly, Orchestrator.
4. Write the payment sentence on the wall. Agent 12 annotates; humans release.
5. Shadow before any write path. Promote only with an evidence pack.

Every page should answer at least one of: What should I do? How? Who owns it? What can go wrong? How do I control it? How do I measure it? What evidence proves it works?

Northline Industrials is a *fictional* manufacturer used so tables can be concrete (~15,000 invoices/month, Dynamics 365, Cleveland SSC). Figures are illustrative, not a client result.

Customer-facing statistics are limited to the research ledger. Do not paste vendor cost-per-invoice figures into a business case as targets.

Starter — AP Agent OS

SKU: ER-START · \$79 · Individual licence

Lockup: EVIDENCE ROOM — AP AGENT OS

Brand idea: Proof before permission.

Job: Give one practitioner enough working paper to name Wave 1 this week.

Starter is a licensed method pack. It is not the full sixteen-agent library, not a Team sharing licence, and not hosted software. It does not replace your AP stack, authorise payments, detect fraud, certify compliance, or promise savings or ROI.

What you received

File	Use first when
STARTER_GUIDE.md	You need the operating model, templates, and Monday sequence in one place
TOP_10_AGENT_BLUEPRINTS.md	You are chartering a role
IMPLEMENTATION_CHECKLIST.md	You want a tick-list from diagnose to first recertification
TRANSFORMATION_ROADMAP.md	A sponsor asks “what happens after Wave 1?”

Also use the Free pack you already have: 01_FREE_AP_AI_READINESS/.

What Starter is for

You have taken the diagnostic (or will today). The layer is undesigned or informal. You need canvases, blueprints, and a checklist — not another slide about “AI in finance.”

Work product you should be able to finish with this pack:

- Human-held control list, ticked against your system.
- Blank autonomy register with Wave 1 rows started.
- Six Wave 1 charters at L0/L1, plus optional Wave 2 sketches for four more roles.
- Ten-exception / one-payment-run classification.
- A two-week shadow plan.
- A Monday note that does not contain a savings number.

What Starter is not

- Full specifications for all sixteen agents (Professional).
- Completed Matching example at Professional depth (Professional charter template).
- Full L0–L4 gate tables (Professional AUTONOMY_PROGRESSION.md).
- Team workshop and steering templates (Team).
- Permission to republish or resell these files.

If you will hold the pen on the whole OS, Professional (\$199) is the correct next SKU. If several functions must share one system, Team (\$499).

Payment sentence (print)

Agent 12 annotates. Humans release.
There is no Starter path that changes this.

Document control

Field	Value
Toolkit	Evidence Room — AP Agent OS
Object	Starter pack README
Status	Edition 1.0.0

Starter guide — AP Agent Operating Model

Product: Evidence Room — AP Agent OS · Starter

Audience: One named practitioner (Transformation, AP Manager, or Controller)

Use: Design Wave 1 on paper and stand a two-week shadow.


Principle: Proof before permission. Payment authorisation stays human.

This guide is the operating model. The ten blueprints, the implementation checklist, and the roadmap are companion files in this folder. Use them together. Do not charter from memory.

Northline Industrials is a fictional manufacturer used so the tables can be concrete. Figures are illustrative.

1. Operating model overview

Accounts Payable already has systems of record (ERP), systems of capture, systems of workflow, and a bank. The missing object is a **workforce model for agents**: named roles, packets, rights, refusals, and owners.



Design the layer. Keep the stack. Implementation may use ERP workflow, RPA, document capture, iPaaS, spreadsheets, and people. Starter does not care which. Starter cares that the role is named before the model is called.

1.1 Four objects you must create

Object	Definition	Starter artefact
Charter	What the agent may do, on which objects, at which level, with which exclusions	§8 job description + blueprint
Evidence pack	What must exist before a human may rely on a recommendation	§1.2
Autonomy register	Every live helper, including informal copilots	§10
Human hold list	Decisions that stay human at every level	§5

1.2 Evidence pack (minimum)

A recommendation is eligible for a human decision only when the packet contains: source artefact; structured extract; match worksheet **or** coded fail reason; owner; SLA clock; autonomy context; Agent 10 outcome if a flag exists; a link that can be reopened.

Incomplete packets do not travel. Complete packets do not pay.

1.3 Autonomy in one table

Level	Name	May	May not
L0	Observe	Shadow report	Be the system of record
L1	Recommend	Propose with evidence	Write ERP; send external mail
L2	Prepare	Complete a ready-to-act packet	Execute; pay
L3	Execute within guardrails	Named low-risk action in a limit table	Pay; change bank; expand scope
L4	Managed autonomy	Same set as L3, exception review	Any new class of work

Starter commissions at **L0 or L1 only**. Remaining at L1 is success. Full gate tables ship in Professional.

2. Readiness diagnostic pointer

If you have not scored the organisation, stop and complete 01_FREE_AP_AI_READINESS/DIAGNOSTIC_GUIDE.md (36 questions, 0–4, six dimensions). Place the band using MATURITY_MODEL.md.

Bring into this guide:

- Band (L1–L5)
- Veto flags (especially payment hold C1 and vendor-bank C2)
- Six dimension averages
- Draft Wave 1 names

If C1 is 0, you may still write charters at L0. You may not open Payment Proposal Review.

3. Top ten agents (subset of sixteen)

Working blueprints: TOP_10_AGENT_BLUEPRINTS.md. Summary:

ID	Agent	Wave	Default	Owner (role)
01	Invoice Intake	1	L1 / L0	AP Operations Lead
02	Invoice Validation	1	L1	AP Quality Lead
03	Matching	1	L1	AP Match Lead
04	Exception Triage	1	L1	Exception Desk Lead
10	Duplicate & Anomaly	1	L0	AP Controls Lead
16	Orchestrator	1	L1	AP Process Owner
05	Goods Receipt	2	L1	Plant finance liaison
07	Approval	2	L1	Approvals Coordinator
08	Supplier Resolution	2	L1	Supplier desk
12	Payment Proposal Review	2	L1 (ceiling L2 annotate)	Payments Lead / Treasury

Not in Starter as full blueprints: 06 PO Quality, 09 Internal Follow-up, 11 Vendor Statement, 13 AP Close, 14 AP Reporting, 15 Root Cause. Professional specifies them. Do not invent charters for them from this sentence.

4. Exception taxonomy — summary

An exception is a reason the invoice cannot move. It is not a fraud finding or an accounting adjustment. Use a closed list. Free-text-only parks are a design smell.

Starter list (extend only through change control):

Code	Name	First agent	Human who resolves commercially
EX-MPO	Missing PO	04, then 08/09	Buyer
EX-IPO	Invalid PO	03, 01	Buyer / supplier
EX-POC	PO closed	03, 09	Buyer
EX-POE	PO exhausted	03, 04	Buyer
EX-PRM	Price mismatch	03, 09	Buyer
EX-QTM	Quantity mismatch	03	Receiver / buyer
EX-MGR	Missing goods receipt	03, 05	Receiver
EX-UOM	Unit of measure mismatch	03, 06 later	Buyer / procurement
EX-TAX	Tax field or position flag	02	Tax desk (position is human)
EX-VEN	Vendor identity / master issue	02, 08	Vendor master
EX-DUP	Possible duplicate	10	Controls Lead — four outcomes only
EX-ANM	Anomaly (unusual pattern)	10	Controls Lead
EX-BNK	Payee / bank-data concern	12 / hold	Dual-control vendor master — never the agent
EX-DOA	Approval / DOA break	07	Approver in the table
EX-ENT	Wrong entity	02, 03	AP lead; do not switch entity to make a PO valid
EX-OTH	Other	04	Process owner — each use is a candidate for a new code

EX-DUP is not “duplicate.” Possible ≠ confirmed. Full catalogue and decision trees: Professional EXCEPTION_TAXONOMY.md.

Aging starts the day the code is set, unless your SOP says otherwise.

5. Human vs agent — Starter framework

Work these questions in order. Stop at the first human-only answer.

1. Does this move cash, change a beneficiary, or release a payment file? → **Human**. Agent may annotate.
2. Does this create or change vendor payability data? → **Human dual control**. Agent may assemble a pack.
3. Does this change policy, tolerance, DOA, or tax position? → **Human**.
4. Does this attest a control (close, audit representation)? → **Human**. Agent may prepare the file.
5. Is there an open EX-DUP / EX-ANM, stop-pay, or audit hold? → **Human clears**. Agent does not recommend proceed.
6. Is the action reversible without cash and without legal commitment? If no → **Human**.
7. Do we have sampled evidence for this object type at this level? If no → **L0 or L1 only**.
8. Is a named owner available inside the SLA? If no → **queue waits**. Do not raise autonomy to hide a staffing gap.

Decision classes (wall card)

Class	Examples	Agent ceiling
A Cash	Release, bank file, wire	Annotate only
B Payability master	Bank, payment method	Pack only
C Reversible accounting	Park, match-accept, clean-match post	L1 default; L3 only after Professional gates
D Documentary	Extract, classify, register	L1 default
E Routing	Assign, SLA, internal reminder	L1/L2
F External commitment	Supplier mail that agrees terms	Draft only
G Judgement	Waive tolerance, accept short-ship	Facts only
H Investigation signal	Possible duplicate	Flag only
I Attestation	Close sign-off	Prepare only
J Design change	New rule, new scope	Propose only

Stop words in tickets: “just this once,” “the CFO said to pay,” “update the PO to match the invoice,” “post a dummy GR,” “release so we keep the discount,” “the statement is the invoice,” “change the bank so it goes through,” “catch the fraud,” “guaranteed savings if we auto-post.”

Response: hold, prepare a packet, name the human, state the class.

6. Process-mapping template

Map one path before you charter Matching. Suggested first path: PO goods, one company code, one plant.

6.1 Header

Field	Your path	Northline illustration (fictional)
Path name		NIL PO-goods US-OH
Entity / plant		Dayton, company 1000
Document types		PO inventory 3-way
Volume last quarter		~8,400 invoices (subset of 15,000/month book)
Systems		D365, email, portal
Process owner		AP Manager
Date mapped		

6.2 Stages (fill left to right)

For each stage write: trigger, work object, human role, agent (if any), evidence produced, exit state, exception codes.

#	Stage	Trigger	Object	Human	Agent	Evidence	Exit	Codes
1	Intake	Mail/portal	Invoice	Ops	01	Source + extract	Registered / capture fail	—
2	Validate	Registered	Invoice	Quality	02	Checklist result	Ready / EX-*	EX-TAX, EX-VEN, EX-ENT
3	Dup signal	Parallel	Invoice	Controls	10	Flag or quiet	Flagged / clear-to-match	EX-DUP, EX-ANM
4	Match	Ready + no open flag	Invoice+PO+GR	Match	03	Worksheet	Ready-to-post / break	EX-MGR, EX-PRM, EX-QTM...
5	Triage	Break	Exception	Desk	04	Code, owner, SLA	Assigned	(blocking code)
6	Resolve	Assigned	Exception	Buyer/ receiver	05/08 later	Packet + human decision	Return to match	—
7	Post	Ready-to-post	Invoice	Poster	— (L1)	Accept log	Posted	—
8	Propose pay	Run calendar	Proposal	Payments	12 later	Annotations	Human release	EX-BNK, open flags
9	Release	Dual approval	Bank file	Treasury + Payments	—	Two signatures	Transmitted	—

Stage 8–9 stay human-authorised even when Agent 12 exists.

6.3 Walkthrough

Take five live invoices through the table. If a stage has no evidence column, the map is unfinished. Full method: Professional Process_Mapping/.

7. Agent job description template

Use one page per agent. This is the Starter charter.

AGENT JD / CHARTER

Product: Evidence Room – AP Agent OS (Starter)

Organisation: _____

Agent ID / name: _____

Human owner / backup: _____

Path / entities / object types: _____

Out of scope (must list): _____

Starting autonomy: L0 / L1 (circle one)

Commission date: _____ Review date: _____

1. Purpose (two sentences)
2. Inputs (systems, fields)
3. Outputs (packet contents)
4. Duties (bullets – only these)
5. Exclusions (bullets – if silent, forbidden)
6. Codes this agent may set
7. Failure detection (who notices, how, how fast)
8. Rollback (one business hour)
9. Language rules (no fraud / compliance / accuracy-as-property / savings claims)
10. Sign-off: Owner ____ Controls ____ Process Owner ____

Northline illustration — Agent 03 Matching (fictional, not a target)

- Owner: AP Match Lead (Jordan Hale); backup: Exception Desk Lead.
- Objects: US-OH inventory PO invoices, header ≤ \$50,000, 3-way, no open Agent 10 flag.
- Out of scope: services, intercompany, MX/CA tax judgement, first invoice from a vendor.
- Autonomy: L1. Output: match worksheet or coded break. Does not post. Does not invent GR.
- Detection: daily sample of 10 worksheets vs human; Orchestrator coverage.
- Rollback: hide recommendations; operators revert to native D365 match.

8. Instruction template (what the model sees)

A prompt is furniture inside a charter. It is not the product. If you use a model, bind it with this wrapper. Change control applies.

ROLE

You are the [Agent name] described in charter [ID], autonomy [L0/L1].

You are not the ERP. You are not a payment authority. You are not an auditor.

OBJECT

Work only on [object types]. If the object is out of scope, emit OUT_OF_SCOPE and stop.

EVIDENCE

Produce the packet fields: [list]. If a required field is missing, emit INCOMPLETE_PACKET and stop.

Do not guess a PO, GR, vendor, tax position, or bank detail.

DECISION RIGHTS

You may: [duties].

You may not: [exclusions].

If asked to pay, change a vendor bank, create a GR, or agree a price, refuse and name the human class.

LANGUAGE

Do not write: fraud, compliant, SOX, guaranteed savings, accurate, approved for payment.

Write: possible, flag, recommend, hold, packet incomplete.

OUTPUT

JSON or table matching the charter schema. No extra narrative claims.

Paste the charter exclusions into the wrapper every time. Do not rely on a chat's memory.

9. KPI scorecard (Starter)

Measure operating discipline. Do not add a savings tile.

KPI	Formula idea	Source	Owner	30-day intent
Capture completeness	In-scope invoices with a work object / invoices received	Orchestrator vs intake	Ops Lead	Completeness, not speed
Coded fail share	Validation fails with a code / all validation fails	Agent 02	Quality	Analysable mix
Worksheet sample	Worksheets reviewed / sample size	Match files	Match Lead	Inspectable matching
Flag outcomes	Flags with clear/confirm/escalate/defer / flags raised	Agent 10 register	Controls	No silent ignore
Aging by owner	Open exceptions > SLA, by named person	Orchestrator	Desk Lead	Visibility
Dual-human release	Payment runs with two human approvers / runs	Bank / ERP	Payments	Control held
Autonomy hygiene	Live agents on the register at L0/L1 / live agents	Register	Process Owner	No silent promotion
Layer cost	(licence + model + exception minutes) / 1,000 invoices	Cost ledger	Process Owner	Visible cost

Hours “released” are estimates until finance validates a method. Estimated hours are not savings. Professional KPI files add formulas and veto families.

10. Governance checklist (Starter)

Tick before any recommendation is the system of record.

- ☐ Diagnostic sat; band written; vetoes applied.
- ☐ Payment procedure written; last run shows two humans (or your policy's equivalent).
- ☐ Vendor-bank dual control evidenced on the last five changes.
- ☐ Six Wave 1 charters signed (owner, controls, process owner).
- ☐ Autonomy register opened; informal copilots listed or turned off.
- ☐ Exception codes agreed; EX-OTH monitored.
- ☐ Evidence pack definition in the Orchestrator charter.
- ☐ Service account or least-privilege pattern — no shared specialist login.
- ☐ Language note issued to the team (no “fraud,” no “the AI approved it”).
- ☐ Internal Audit invited as observer at day 30.
- ☐ Weekly 30-minute exception mix booked for six weeks.
- ☐ Rollback tested on paper (hide output; operators continue).
- ☐ Cost ledger started (even if \$0 model spend).
- ☐ Written refusal on file: no auto-release of payments.

Monthly: limit tables and codes. Quarterly: recertify or stay. After any payment-adjacent incident: freeze promotions.

Team licence adds steering templates. Professional adds the full governance standard.

11. Transformation roadmap (summary)

Detail: TRANSFORMATION_ROADMAP.md.

Wave	Agents	Autonomy	Clock (indicative, not a promise)
0	None	—	Diagnostic, holds, owners (this week)
1	01 02 03 04 10 16	L0 then L1	Two-week shadow, then recommend on one path
2	05 07 08 12	L1; $12 \leq L2$ annotate	After coded mix exists
3	06 09 11 13 14 15	L0/L1	Periodic / diagnostic — Professional recommended
4	Named clean-match class only	L3 execute within guardrails	Only after gates; never payment

A 4–6 week illustration for **one** agent (usually Matching at $L0 \rightarrow L1$) lives in Professional IMPLEMENTATION_ROADMAP.md. It is an illustration with caveats, not a delivery SLA.

12. Implementation checklist pointer

Work IMPLEMENTATION_CHECKLIST.md in order. Do not skip the payment-run classification to “save time.”

13. Friday-to-Monday (Starter edition)

Friday: Diagnostic band + human-hold tick.

Saturday: Ten exceptions + last payment run; start six JDs.

Sunday: Evidence pack, register, sampling plan, Monday note.
Monday: Circulate; start L0 if owners exist.

See 00_READ_ME/QUICK_START.md for the twelve steps.

14. What “worth more than a prompt pack” means in practice

By the end of Starter you should hold:

1. A scored diagnostic, not a vibe.
2. A map of one path with evidence columns.
3. Six signed (or ready-to-sign) charters.
4. A closed exception list.
5. A wall card that refuses payment release.
6. A scorecard that cannot be gamed by counting tokens.
7. A register that makes informal copilots visible.
8. A two-week shadow plan with a rollback.
9. Sponsor language that does not invent ROI.
10. A written next SKU decision (Professional vs Team vs stop).

If you only wanted a prompt, you overbought — and you still should not paste an unbound prompt onto a payment proposal.

Document control

Field	Value
Toolkit	Evidence Room — AP Agent OS · Starter
Object	Starter guide / operating model
Related	Blueprints, checklist, roadmap, free diagnostic
Status	Edition 1.0.0

Top ten agent blueprints

Product: Evidence Room — AP Agent OS · Starter

Use: Charter Wave 1 and sketch Wave 2. Copy a blueprint into a JD (STARTER_GUIDE.md §7) and strike what is out of scope.

Not: The Professional specification. If a blueprint and a later Professional spec differ, the Professional spec wins for Professional licensees.

Default autonomy is L0 or L1. Payment authorisation is never in these pages as an agent right.

Northline Industrials notes are fictional illustrations.

How to commission from a blueprint

1. Confirm the fit test.
 2. Name owner and backup.
 3. Narrow object types until you can sample them.
 4. Copy duties and exclusions verbatim, then add local systems.
 5. Set autonomy L0 unless extract/match quality is already sampled.
 6. Sign. If unsigned, the agent does not run.
-

Blueprint 01 — Invoice Intake

Fit test: You can name inbound sources.

Owner: AP Operations Lead

Default autonomy: L1 if extract is sampled; else L0

Wave: 1

Purpose. Register every in-scope inbound invoice as a work object with a retrievable source and a structured extract.

Inputs. Mailbox, portal, XML/EDI, scan; vendor master (read); company-code list.

Outputs. Work object ID; source URI; extract fields (supplier, invoice no., date, amounts, currency, PO if present, tax fields as printed); classification (PO / non-PO / recurring / unknown); confidence by field; INCOMPLETE or REGISTERED.

Duties.

- Detect inbound files and classify document type.
- Extract printed/structured fields; do not invent a PO number from “recent POs.”
- Register or return INCOMPLETE_PACKET.
- Hand to Validation. Emit OUT_OF_SCOPE for T&E, employee reimbursements, or unlisted entities.

Exclusions. Match; post; vendor create; tax position; changing the extract after a human has accepted it without a new version.

Codes. Capture fails only (unreadable, wrong document type). Do not set EX-PRM.

Failure detection. Daily count: invoices received vs. objects created. Sample 25 extracts against source.

Rollback. Stop registration; operators key as today.

Northline (fictional). Email + portal in-scope; Monterrey paper is a separate object type, L0 only.

Instruction stub. “If the PO is unreadable, leave PO blank and set INCOMPLETE. Do not borrow a PO from the last invoice.”

Blueprint 02 — Invoice Validation

Fit test: A checklist will exist before go-live.

Owner: AP Quality Lead

Default autonomy: L1

Wave: 1

Purpose. Test completeness, supplier identity, tax *fields*, entity, and posting readiness. Produce pass / fail / query with codes.

Inputs. Intake packet; vendor master (read); entity calendar; tax-field checklist (not a tax opinion library).

Outputs. PASS, FAIL + codes, or QUERY; coded reasons; fields that failed; recommended human (Quality, Vendor Master, Tax).

Duties.

- Apply the written checklist only.
- Compare supplier name/account to master; flag mismatch; do not merge vendors.
- Check tax fields are present and arithmetically consistent with the face *as printed*.
- Block match when EX-VEN, EX-ENT, or EX-TAX (field) is set.

Exclusions. Decide use-tax, GST/HST, or IVA position. Post. Approve. Clear EX-DUP.

Failure detection. Share of fails with EX-OTH; should fall as codes mature. Dual review of 20 fails per week in month one.

Rollback. Hide recommendations; Quality uses the native checklist.

Northline (fictional). Cross-border invoices always QUERY to Tax; Agent 02 does not “know IVA.”

Blueprint 03 — Matching

Fit test: Written 2-way/3-way/GR-IR policy; PO and GR queryable.

Owner: AP Match Lead

Default autonomy: L1

Wave: 1

Purpose. Apply the signed match tree and tolerance table. Emit a worksheet or a coded break.

Inputs. Validated invoice; PO; GR/IR or service entry; tolerance table (read-only); open Agent 10 flags.

Outputs. Worksheet (lines compared, tolerances applied, residual); RECOMMEND_MATCH or BREAK + code; RECOMMEND_NO_ACTION_ANOMALY_HOLD if a flag is open.

Duties.

- Select the tree (3-way, 2-way, GR-based) from policy, not from convenience.
- Apply tolerances; do not widen them.
- On missing GR, code EX-MGR and stop. Do not create a receipt.

- On price/qty/UoM/residual breaks, set the blocking code.

Exclusions. Invent PO or GR. Edit tolerance. Force-match. Post (even if the worksheet is perfect). Clear flags. Multi-PO or multi-entity unless in charter.

Failure detection. Sample 10 worksheets/day vs human on the same tree. Material disagreement logged, not argued away.

Rollback. Recommendations hidden; native ERP match.

Northline (fictional). US-OH inventory 3-way, header ≤ \$50,000, no flags. Services and first-invoice-from-vendor out of Wave 1.

Modifier rule. Value, new vendor, related party, customs — any modifier raises the human, not the autonomy.

Blueprint 04 — Exception Triage

Fit test: Closed code list exists.

Owner: Exception Desk Lead

Default autonomy: L1

Wave: 1

Purpose. Name the blocking code, the owner, the next action, and the clock. Do not resolve.

Inputs. Break packet from 02/03/10; RACI for codes; SLA table.

Outputs. Code; owner role + named person if the roster allows; next action (chase supplier / chase receiver / wait Tax / hold); SLA start; escalation state.

Duties.

- Apply one blocking code first; record related codes in the pack.
- Assign from the RACI, not from who is online.
- Start aging on code date.
- Pass EX-MGR packets toward Agent 05 when that agent is chartered; until then, assign the plant liaison.

Exclusions. Waive PO. Accept price. Create GR. Write off. Change owner to “someone senior” outside DOA.

Failure detection. Open items without owner; EX-OTH share; SLA clocks not started.

Rollback. Desk assigns manually using the same code list.

Northline (fictional). Escalation: AP lead at the code’s working-day limit; process owner at 10 days for unreferenced missing PO.

Blueprint 05 — Goods Receipt

Fit test: Missing GR is a material code. Wave 2.

Owner: Plant / warehouse finance liaison

Default autonomy: L1; L2 prepare only if chartered

Wave: 2

Purpose. Detect missing or aged receipts and assemble a receiver packet. The receiver confirms or disputes.

Inputs. EX-MGR objects; PO; inbound delivery if any; prior receipts; warehouse roster.

Outputs. Packet: PO lines, invoiced qty, received qty, days aged, photos/IDs if available; draft question to the receiver; never a draft GR.

Duties.

- Build the packet.
- Name the receiver or liaison.
- Age the silence; hand to internal follow-up only when that agent exists.

Exclusions. Create or post a GR. Accept “post a dummy GR.” Change PO qty.

Failure detection. Packets sent vs. responses; any GR created without warehouse identity is an incident.

Rollback. Liaison chases with the same packet template, manually.

Northline (fictional). Birmingham aged GR; warehouse silent six days — packet, not a created receipt.

Blueprint 06 — Approval (Agent 07)

Fit test: Non-PO or over-tolerance volume is material; DOA table exists.

Owner: AP Approvals Coordinator

Default autonomy: L1

Wave: 2

Purpose. Route complete packets to the person in the DOA table. Chase completeness. Do not approve.

Inputs. Non-PO or over-tolerance invoice; DOA table (read); deputy list; packet from Validation.

Outputs. Route to named approver or deputy; WAIT_NO_DEPUTY if the table is empty; chase log.

Duties.

- Apply the table as written.
- If the owner is on leave, use the deputy in the table only.
- If no deputy, wait. Do not climb.

Exclusions. Approve. Edit DOA. “Approve on their behalf, they’re travelling.”

Failure detection. Routes to people not in the table; emergency DOA without a ticket.

Rollback. Coordinator routes in native workflow only.

Northline (fictional). \$8,400 service invoice, cost-centre owner on leave, deputy in table — route to deputy. No deputy — wait.

Blueprint 07 — Supplier Resolution (Agent 08)

Fit test: Supplier latency is measured.

Owner: Supplier desk / Vendor Master

Default autonomy: L1; send is human

Wave: 2

Purpose. Draft a factual query. Track the reply. Commit nothing.

Inputs. Coded exception; invoice face; buyer instruction if required (price/PO).

Outputs. Draft email or portal message; correspondence URI; status DRAFT / SENT_BY_HUMAN / REPLIED.

Duties.

- Draft questions: “Please confirm the PO number on invoice [n].”
- After buyer instruction, draft a request for credit or revised invoice.
- Never thank them for agreeing a new price you did not have authority to accept.

Exclusions. Agree price, qty, due date, concession, or pay date. Change bank details. Create vendors. Send without approval if the charter says human-send.

Failure detection. Drafts that contain “we will pay,” “we accept,” or a date. Language sample weekly.

Rollback. Disable send; drafts remain internal.

Northline (fictional). Supplier says price is \$12.10 not \$11.40 — draft a question; buyer decides; Matching does not override.

Blueprint 08 — Duplicate & Anomaly (Agent 10)

Fit test: Always. Especially if flags currently die in email.

Owner: AP Controls Lead

Default autonomy: L0

Wave: 1

Purpose. Raise hypotheses. Do not verdict.

Inputs. Extract; recent invoices for the vendor; amounts; dates; payment history (read); new billing address signals.

Outputs. FLAG with reason codes (possible_duplicate_invoice_no, possible_duplicate_amount_date, unusual_amount, new_remit_address); or quiet. Never FRAUD.

Human outcomes (only these): Clear · Confirm · Escalate · Defer. The agent does not choose.

Duties.

- Shadow in week one: flags in a register, not in the operator’s critical path, unless Controls says otherwise.
- Attach the compared objects.
- Block Matching from RECOMMEND_MATCH while a flag is open (Orchestrator rule).

Exclusions. The word “fraud” in operator-facing text. Clearing a high-value flag. Releasing or holding payment autonomously. Claiming a detection rate.

Failure detection. Flags without outcomes after SLA; quiet month treated as “proof of no issue” (a reasoning error — call it out in the weekly).

Rollback. Register off; Controls reviews manually if a process exists; if none, that is a diagnostic finding, not a reason to skip this agent.

Northline (fictional). 0.8% suspect rate is an observational illustration, not a KPI target and not a fraud rate.

Blueprint 09 — Payment Proposal Review (Agent 12)

Fit test: Payment hold is real (diagnostic C1 $\geq$ 3). Otherwise do not open.

Owner: Treasury / AP Payments Lead

Default autonomy: L1; **ceiling L2 annotate**

Wave: 2

Purpose. Mark the proposal. Humans deselect. Humans release.

Inputs. Payment proposal / batch; open flags; bank-change log (last N days); holds (audit, stop-pay, sanctions review as *your* process provides — the agent does not perform screening).

Outputs. Line annotations: HOLD_OPEN_FLAG, HOLD_BANK_CHANGE, HOLD_POLICY, NOTE; never APPROVE or RELEASE.

Duties.

- List lines that should not travel with the run until a human decides.
- Quote the reason from the register, not from model “instinct.”

Exclusions. Authorise. Transmit. Deselect-and-release. Positive Pay decisions. “Release so we keep the discount.” Override of a policy hold.

Failure detection. Any annotation that uses approve/release language is a language incident. Any file that left without two humans is a control incident — the agent is demoted and the run is investigated by humans.

Rollback. Annotations off; proposal reviewed as today.

Northline (fictional). Tuesday, 612 lines, \$4.1m illustrative; two uncleared flags; one bank change yesterday — annotate holds; Payments Lead + Treasury release the rest.

Blueprint 10 — Orchestrator (Agent 16)

Fit test: A process owner exists.

Owner: AP Process Owner

Default autonomy: L1

Wave: 1

Purpose. Be the system of record for work-object *state*. ERP remains the system of record for accounting.

Work-object fields. Object ID; source system; current agent; human owner; status (new / in_review / waiting_internal / waiting_supplier / ready / held / closed); autonomy context; evidence URI; SLA clock; escalation; cost token.

Duties.

- Create the object at intake.
- Enforce that incomplete packets do not move.
- Block match-recommend when a flag is open.
- Show aging by named owner.
- Record handoffs.

Exclusions. Post. Pay. Change vendor master. Pick an approver not in the DOA table. Expand another agent's scope.

Failure detection. Objects without owners; objects that skip Validation; evidence URI 404s; silent status jumps to `closed`.

Rollback. Spreadsheet or ticket tool with the same fields; slower is acceptable.

Northline (fictional). One AP instance, four company codes — objects carry company code; Orchestrator does not switch entity to make a PO valid.

Cross-blueprint rules

1. Intake does not match. Matching does not invent receipts. Triage does not resolve.
 2. Agent 10 output never contains “fraud.”
 3. Agent 12 never contains “approved.”
 4. If the blueprint is silent, the action is forbidden.
 5. Staffing pressure does not edit exclusions.
 6. A vendor feature that contradicts an exclusion is refused and filed.
-

Promotion (Starter ceiling)

Starter users may move L0 → L1 on a blueprint when:

- Shadow covered the in-scope objects for at least ten operating days.
- A sample of disagreements is written down.
- No out-of-charter objects were processed.
- Language sample is clean.
- Owner and backup are still in post.

L1 → L2 and any L3 discussion require Professional gate tables and a change-controlled case. Payment-adjacent work has no path to execute.

Document control

Field	Value
Toolkit	Evidence Room — AP Agent OS · Starter
Object	Ten agent blueprints
Status	Edition 1.0.0
Related	STARTER_GUIDE.md; Professional Agent_Library

Implementation checklist — Starter

Product: Evidence Room — AP Agent OS · Starter

Use: Tick in order. A skipped payment-hold line is not a time-saver.

Owner of the list: the named practitioner on the Individual licence.

Items marked **GATE** must be true before the next section starts. Items marked **STOP** pause the programme if they become true later.

Northline examples are fictional.

0. Licence and hygiene

- ☐ I am the named Individual licensee (or I have Team/Professional rights).
 - ☐ I will not upload production invoices, bank details, or employee files to Evidence Room.
 - ☐ I have told colleagues this is a method pack, not software that “goes live.”
 - ☐ I have read the payment sentence: Agent 12 annotates; humans release.
-

1. Diagnose

- ☐ 36-question diagnostic completed with a challenger (01_FREE_AP_AI_READINESS/DIAGNOSTIC_GUIDE.md).
 - ☐ Artefacts recorded; memory-only answers scored 0.
 - ☐ Dimension averages written.
 - ☐ Veto caps applied (C1, C2, A5, E1, E2, F6).
 - ☐ Maturity band written in one sentence.
 - ☐ **GATE:** Band and veto page circulated to AP Manager and Controls (even if that is you).
-

2. Holds

- ☐ Last payment run reconstructed: who built, who reviewed, who authorised, who transmitted.
 - ☐ Policy and system agree that release is human.
 - ☐ Last five vendor bank changes show dual control and before/after.
 - ☐ New vendor approval is human.
 - ☐ DOA and tolerance edits are human.
 - ☐ Close attestation is human.
 - ☐ High-value flag clearance has a named role (even if the register is new).
 - ☐ **GATE:** C1 is not 0, **or** we have written “L0 only, no Agent 12” on the Wave 1 page.
-

3. Classify real work

- ☐ Ten recent exceptions exported.
- ☐ Each line: class A–J, modifiers, who decided, agent ceiling at L1, vendor-demo temptation.
- ☐ Last payment proposal classified the same way.

- ☐ At least one line shows a class A decision a demo would have auto-released — or we record that the demo risk is theoretical.
 - ☐ **GATE:** The classification sheet exists. Northline's April 2026 70-minute exercise is *not* a substitute (fictional).
-

4. Map one path

- ☐ Path header filled (STARTER_GUIDE.md §6).
 - ☐ Stages 1–9 have evidence columns.
 - ☐ Five live invoices walked.
 - ☐ Out-of-scope types listed (T&E, intercompany, etc.).
 - ☐ **GATE:** Matching will only be chartered on a mapped path.
-

5. Charter Wave 1

For each of 01, 02, 03, 04, 10, 16:

- ☐ JD/charter complete (purpose, inputs, outputs, duties, exclusions, codes, detection, rollback).
 - ☐ Owner named and confirmed they know.
 - ☐ Backup named.
 - ☐ Object types narrow enough to sample.
 - ☐ Autonomy L0 or L1 circled.
 - ☐ Language rules included.
 - ☐ Signed by owner, controls, process owner.
 - ☐ **GATE:** All six signed, **or** unsigned agents are explicitly not running.
-

6. Register and informal helpers

- ☐ Autonomy register opened (agent, owner, objects, level, evidence URI, next review).
 - ☐ Informal copilots, RPA jobs, and vendor AI features listed.
 - ☐ Any helper that can post, send externally, or touch a proposal is off or chartered.
 - ☐ **GATE:** No unlisted helper on the pilot path.
-

7. Codes, packets, access

- ☐ Starter exception list adopted; local adds go through change control.
 - ☐ Evidence-pack minimum written into Orchestrator.
 - ☐ Service account / least privilege — no shared UI login for a model.
 - ☐ Prompt wrapper stored with the charter (STARTER_GUIDE.md §8).
 - ☐ Prompt changes require a ticket.
-

8. Shadow (L0) — two weeks

- ☐ Operators briefed: work as today; do not rely on shadow output.

- ☐ Coverage report defined.
 - ☐ Daily extract/match sample sized.
 - ☐ Language sample scheduled (twice in two weeks).
 - ☐ Cost ledger opened (licence, model, minutes).
 - ☐ Rollback tested on paper.
 - ☐ Week-1 review: silent scope? missing owners? EX-OTH explosion?
 - ☐ Week-2 review: disagreements coded?
 - ☐ **GATE to L1:** Ten operating days; sample written; no out-of-charter objects; language clean; owners in post.
 - ☐ If GATE fails: remain L0. Fix. Restart the clock. Do not “try L1 anyway.”
-

9. L1 recommend (optional)

- ☐ Recommendations visible to operators.
 - ☐ Accept / edit / reject is mandatory and logged.
 - ☐ Rejects are reviewed weekly (not punished).
 - ☐ Agent 10 still L0 unless Controls opens a separate case (Starter default stays L0).
 - ☐ Agent 12 still closed unless C1 ≥ 3 and Wave 2 is open.
-

10. Governance rhythm

- ☐ Weekly 30-minute exception mix booked (six weeks minimum).
 - ☐ Day-30 Audit observer session booked.
 - ☐ Day-90 recertify/demote slot booked.
 - ☐ Language incidents have a place in the weekly.
 - ☐ **STOP:** payment released on an agent act; bank changed without dual control; “fraud” on a ticket; vacant owner; vendor asks to skip gates.
-

11. Scorecard

- ☐ Starter KPI table populated with *sources*, even if some are “not yet.”
 - ☐ No savings tile.
 - ☐ No fraud-catch tile.
 - ☐ No compliance score.
-

12. Wave 2 (do not start early)

- ☐ Wave 1 L0 GATE passed.
 - ☐ Coded mix exists.
 - ☐ 05 / 07 / 08 charters only if fit tests pass.
 - ☐ 12 charter only if C1 used (not merely documented).
 - ☐ **GATE:** Process owner written approval to open Wave 2.
-

13. Decision on next licence

- ☐ We will stay on Starter and remain at L0/L1 on six agents; **or**
- ☐ We will licence Professional for the sixteen specs and gate tables; **or**
- ☐ We will licence Team because more than one function must share; **or**
- ☐ We will apply for Custom Blueprint; **or**
- ☐ We will stop and keep the register of informal helpers only.

Write the choice. Drift is how unofficial L3 happens.

Sign-off

Role	Name	Date	Section last completed
Practitioner			
AP Process Owner			
Controls Lead			
Observer (Audit), optional			

Document control

Field	Value
Toolkit	Evidence Room — AP Agent OS · Starter
Object	Implementation checklist
Status	Edition 1.0.0

Transformation roadmap — Starter

Product: Evidence Room — AP Agent OS · Starter

Audience: Practitioner and sponsor

Use: Describe waves without promising cycle time, savings, or touchless AP.

Clock note: Durations are planning illustrations. They are not delivery commitments and not evidence that a wave will pay for itself.

Northline Industrials dates below are fictional.

1. What “transformation” means here

It means the organisation moves from an undesigned or informal agent situation to a **named, held, evidence-gated layer**. It does not mean the AP team is replaced, the ERP is replaced, or payments become autonomous.

Success criteria are band movement (maturity L1 → L3 → L4) and operating-discipline KPIs. Financial outcomes, if they later appear, are management judgements from *your* baseline — not roadmap milestones.

2. Waves at a glance

Wave 0	Diagnose, holds, owners
Wave 1	Six agents · L0 shadow → L1 recommend
Wave 2	Prepare packets · Agent 12 annotate only
Wave 3	Periodic / diagnostic agents (Professional)
Wave 4	Rare L3 on a named clean-match class · never payment

Do not run waves in parallel as sixteen projects. Do not skip Wave 0 because a vendor is on-site.

3. Wave 0 — Deserve a charter

Intent. Know the band. Prove the holds. Name owners.

Work.

- Sit the diagnostic.
- Reconstruct a payment run and five bank changes.
- Classify ten exceptions.
- Map one path.
- Refuse any live model on the payment proposal.

Exit. Maturity sentence; veto list; six owner names (or a written gap).

Illustration. Northline (fictional) spends one week. The informal matching copilot is listed and set to observe-only.

Typical duration. 3–10 working days, depending on artefact availability — not on enthusiasm.

4. Wave 1 — Observe, then recommend

Agents. 01 Intake, 02 Validation, 03 Matching, 04 Triage, 10 Duplicate & Anomaly, 16 Orchestrator.

Autonomy. Two weeks L0. L1 only per checklist GATE.

In scope. One path, one entity if possible.

Out of scope. Payment annotation, supplier send, GR creation, posting by the agent.

Exit. Coverage and sample packs; coded fails; flag register; autonomy register; day-30 Audit observer session booked or held.

Failure mode. Treating L0 output as the system of record “because it looks good.” That is an informal promotion. Demote the habit, not just the agent.

Illustration. Northline Wave 1 on US-OH PO goods. Monterrey paper stays out.

5. Wave 2 — Packets, not execution

Agents. 05 Goods Receipt, 07 Approval, 08 Supplier Resolution, 12 Payment Proposal Review.

Autonomy. L1. Selected packets may be prepared (L2) only if Professional gates are in use. Agent 12 ceiling remains annotate.

Pre-conditions.

- Wave 1 L0 GATE passed.
- Exception mix is coded enough that EX-MGR, EX-DOA, and supplier queries are visible.
- C1 ≥ 3 before Agent 12 opens.

Exit. Receiver packets exist; DOA routing does not invent deputies; supplier drafts are fact-only; payment proposals show holds for open flags and recent bank changes; humans still release.

Failure mode. “Just send the supplier mail; it’s only a chase.” External send is a commitment surface. Keep human-send until a charter and sample say otherwise — and never for commercial terms.

6. Wave 3 — Periodic and diagnostic

Agents. 06 PO Quality, 09 Internal Follow-up, 11 Vendor Statement, 13 AP Close, 14 AP Reporting, 15 Root Cause.

Recommendation. Use Professional specifications. Starter users should not invent these charters from a one-line description.

Autonomy. L0/L1. Close attestation and statement-to-pay confusion are the two common failures. Statements are not invoices. Close is signed by a human.

Exit. Periodic objects exist; Root Cause produces proposals, not silent process edits.

7. Wave 4 — Earned execute (rare)

What it is. A named clean-match *class* may be proposed for autonomy L3 execute-within-guardrails (for example: post a 3-way match under a dollar cap, no flags, listed entity). Sampling continues. Recertification is mandatory.

What it is not. Touchless AP. Payment release. Vendor-bank change. A reward for hitting a date.

Pre-conditions. Professional gate tables; Controller sign-off on any posting class; one-hour rollback; maturity band at least L4.

Starter users: do not open Wave 4 on this licence. Write the desire down and buy the gate tables first.

8. Multi-entity and multi-ERP

Add company codes the way you add object types: remap, re-charter, restart the L0 clock for that class. A Dynamics path that is L1 does not make a newly acquired Oracle path L1.

Team ENTERPRISE_GOVERNANCE_PACK.md covers overlay governance. Custom Blueprint exists for political or multi-stack design.

9. Capacity and people

The roadmap does not include a headcount target. Agents prepare and recommend. Named humans own outcomes. If volume requires more specialists at close, that is a queue decision. It is not evidence for L3.

Plant liaisons (Wave 2) need hours. If those hours are not freed, do not charter Agent 05.

10. Sponsor view (one slide of text)

Wave	What the board can be told	What the board must not be told
0	We diagnosed the layer and listed informal helpers	We will save \$X
1	Six agents shadowing one path; payment still human	We detect fraud
2	Packets for GR, approval, supplier, proposal holds	We auto-pay discounts
3	Periodic control objects designed	We are compliant because we have agents
4	A narrow class may execute inside a limit table	We are autonomous

11. Sequence with the rest of the suite

When	Open
Wave 0	Free diagnostic; this roadmap §3; QUICK_START.md
Wave 1	Blueprints 01–04, 10, 16; checklist §5–8
Wave 2	Blueprints 05, 07, 08, 12
Wave 3–4	Professional library, autonomy progression, testing packs
Multi-function	Team workshop and steering
Contested stack	Custom Blueprint

Document control

Field	Value
Toolkit	Evidence Room — AP Agent OS · Starter
Object	Transformation roadmap
Status	Edition 1.0.0
Not	A delivery SLA or a financial forecast

Disclaimer — Draft for Counsel

Status: Working draft. **Not legal advice.** Intended for /disclaimer, checkout footers, and the zip. Counsel must confirm jurisdiction-specific wording.

Last updated: 20 September 2026

Lockup: EVIDENCE ROOM — AP AGENT OS

If this Disclaimer conflicts with a marketing sentence, **this Disclaimer controls** and the marketing sentence should be removed.

1. Nature of the product

Evidence Room — AP Agent OS is a **digital method and toolkit**. It contains written architectures, charters, frameworks, and examples to help an organisation **design, govern, and discuss** an Accounts Payable agent layer.

It is **not**:

- software that connects to, posts to, or operates your ERP
 - a payment service, money-transmission service, or bank
 - an audit, assurance, or attestation engagement
 - legal, tax, accounting, or regulatory advice
 - a certification that you meet any law, standard, or control framework
 - a fraud-detection, AML, or sanctions-screening product
 - a guarantee of any financial or operational result
-

2. Outcomes we do not promise

Without limitation, we do **not** promise or guarantee:

- savings, cost reduction, or **ROI**
- **fraud detection**, fraud prevention, or the absence of duplicate or abusive payments
- **regulatory compliance** (including but not limited to SOX, VAT/GST rules, employment, or data-protection law)
- **accounting accuracy** or correct postings
- **autonomous payment safety**
- cycle-time reduction
- “touchless AP” as an operating state
- that any model you later use will be correct

Any number in the materials labelled illustrative, fictional, or Northline Industrials is **not** a benchmark and **not** a target.

3. Payment authority

The method states that **payment authorisation and release remain human**. That is a design rule in a document. It does not itself stop a person or a vendor from wiring a model to a payment file. **You** must implement holds in your systems and policies.

We are not liable for payments you or your agents release.

4. Implementation is yours

You choose vendors, models, prompts, permissions, owners, and whether to commission any agent. You are responsible for testing, sampling, access control, and local policy.

The toolkit cannot see your invoices unless **you** paste them somewhere. Do not paste production data to us.

5. No professional relationship

Using the site or the files does not create an attorney-client, auditor-client, fiduciary, or similar relationship. Blueprint facilitation, if any, is scoped method design, not an audit opinion.

6. Third parties and names

Mentions of ERP or AP vendors are descriptive. No sponsorship or compatibility certification is implied unless a written agreement says so (none at the time of this draft).

We are **not** affiliated with Evidence Room LLC (forensic animation / evidence-room.net). See Trademark notes.

Lemon Squeezy and Stripe are independent. Their MoR and payment terms are theirs.

7. Site content

Resources, charts, and posts are educational and commercial description. They are not advice to buy or refrain from buying any security or to take any tax position.

8. Limitation pointer

Liability, to the extent it can be limited, is addressed in the Terms. **Counsel must write that limit.** Nothing here is an additional warranty.

9. Short footer (site and checkout)

Evidence Room — AP Agent OS is a digital method and toolkit. It is not an ERP, payment service, audit, or compliance certification. It does not detect fraud, authorise payments, or guarantee savings, accuracy, or ROI. You remain responsible for implementation and for all payment decisions.

Counsel checklist

- ☐ Conform to mandatory consumer wording
- ☐ Harmonise with insurance if any
- ☐ Confirm “not advice” is not over-claimed in Blueprint sales calls