
Block Schedule

Conference Manager's Manual

For Indico event managers

Block Schedule plugin for Indico

Screenshots taken from a live Indico site

Block Schedule — Conference Manager's Manual

A grid-based timetable for Indico events: time down the rows, rooms across the columns.

This manual is for **conference managers** — the people who build and publish an event's programme. It assumes the plugin is already installed on your Indico site and that you can reach your event's management area.

Japanese edition: [docs/ja/](#). 日本語版は [docs/ja/](#) にあります。

Contents

Chapter	What is in it
1 Introduction	What Block Schedule is, and how it sits beside Indico's own Timetable
2 Turning Block Schedule on	The feature switch, the menu entries, who sees what
3 A tour of the management page	Toolbar, add bar, grid, unscheduled panel
4 Columns	Creating, naming, colouring, reordering and deleting rooms
5 Placing talks on the grid	Drag and drop, the two rules, working hours, GapSnap
6 Autoschedule	Filling a timespan automatically, and clearing one
7 Spanning blocks and session blocks	Lunch breaks, plenaries and parallel-session banners
8 Track colours	A colour-coded programme, with readable badges guaranteed
9 Room groups and filtering	Cutting a wide schedule into printable slices
10 How the grid looks	Slot, row height, title lines, badges, abstracts
11 The page your attendees see	The display page, favourites and highlighting
12 Printing and exporting	Paper sizes, what gets printed, CSV/Excel/ODS
13 The phone app	What reaches attendees' phones, and what you control
14 If something looks wrong	The questions that come up most
15 Glossary	Every term, English and Japanese

The shortest possible start


1. **Advanced options → Features** — turn **Block Schedule** on.

2. Open **Block Schedule** in the management side menu.
3. **Column** → type a room name → **Add column**. Repeat for each room.
4. Drag talks from **Unscheduled contributions** onto the grid.
5. **Track colours** — give each track a colour.
6. **Switch to display view** → **Block Schedule** to see what attendees see, and **Print...** when you are happy.

Everything else in this manual is refinement of those six steps.

1. Introduction

Block Schedule is an Indico plugin that gives your event a second, grid-shaped timetable. **Time runs down the rows; rooms run across the columns.** It is the shape most conference programmes are printed in, and it is the shape most committees think in when they argue about what clashes with what.



The management page

What it is for

You use Block Schedule when you have to place a lot of talks into a lot of rooms and see the whole day at once. Its three working parts are:

- the **grid** itself — one column per room, one row per time slot;
- the **unscheduled contributions** panel beside it, holding every talk that has no time yet — see the warning below;
- a **display page** your attendees see, which is the same grid without the editing controls.

You drag a talk from the panel onto the grid to schedule it, and drag it around the grid to move it. That is the whole of the core interaction.

How it relates to Indico's own Timetable

Block Schedule is **added alongside** Indico's built-in Timetable, not in place of it. Both stay usable, and they are not two separate copies of your programme: scheduling a talk here writes a real entry into Indico's own timetable data.

That means:

- a talk you place on the grid appears in the built-in **Timetable** too;
- the event's exports, its API and its public timetable page all stay in step;
- the room shown on a talk's own page is the **column label** you typed, not a room-booking record.

Build the programme in one place. The unscheduled panel holds contributions that have **no timetable entry at all**. A talk that somebody has already scheduled in Indico's built-in Timetable therefore appears *neither* in the panel *nor* on this grid, and Autoschedule will not pick it up either — it is simply invisible here until it is unscheduled in the Timetable. Decide which of the two timetables owns your programme before you start.

You can therefore build the programme here and let everything else in Indico carry on as normal. What you cannot do is expect the built-in Timetable's own session-block structure to appear on this grid — Block Schedule deliberately places talks as plain top-level entries, and draws its own banners instead (see chapter 7).

What this manual covers

This manual is written for **conference managers**: the people who build and publish an event's programme. It assumes you can already reach your event's management area in Indico and that somebody has installed the plugin on your site.

It does not cover installing or configuring the plugin at the server level, and it is not a guide for attendees.

A note on wording

Indico's own vocabulary is used throughout, because that is what the buttons say. In particular:

Word	What it means here
Contribution	One talk, poster or presentation. Indico's word for it; the plugin's panel is called <i>Unscheduled contributions</i> .
Track	A thematic strand of the programme, set up under Organisation → Programme .
Session	An Indico session a contribution belongs to.
Column	One vertical division of the grid. In practice a room, but the plugin never insists on that.
Spanning block	A bar drawn across <i>every</i> column — a lunch break, a plenary.
Session block	A banner drawn across <i>some</i> columns, optionally tied to a real session.


Chapter 15 has the full glossary, including the Japanese term used for each.

2. Turning Block Schedule on

Block Schedule is a **feature** of an event, like registration or surveys. It is off until somebody turns it on.

The switch

Go to your event's management area, open **Advanced options** at the bottom of the side menu, and choose **Features**. Block Schedule is in the list:




The Block Schedule feature switch

Gives event managers a grid-based timetable: time down the rows, rooms across the columns.

Turn it on and the event gains its menu entries.

What the switch gives you

In the management side menu, a **Block Schedule** entry appears near the top, just under **Timetable**:



The management side menu

In the event's public navigation, a **Block Schedule** entry appears for your attendees, leading to the display page (chapter 11). This one is specific to **conference**-type events, which are the ones with a public navigation menu; a meeting or a lecture gets the management entry but has no menu for the public entry to appear in.

Turn the switch off again and both entries disappear. The plugin's addresses also stop answering — a bookmarked or guessed URL returns *not found* rather than working around the switch. Nothing is deleted: turn it back on and your grid is exactly as you left it.

Defaults on an existing site

Two rules decide where the switch *starts*:

1. **A new event starts with it off** — unless your site administrator has turned on *Enabled by default* for the whole site.
2. **An event that already has a Block Schedule grid starts with it on.** This is there so that installing a new version of the plugin does not take working schedules off their event menus.

Both rules are defaults, and Indico only consults a default for an event whose feature list has never been touched. As soon as anyone switches *any* feature on or off for an event — registration, surveys, anything at all, not just this one — that event has an explicit list of its own, and no default applies to it again.


In practice most real events have touched some feature at some point, so do not rely on rule 2 to carry an existing grid across an upgrade. Check the switch.

Who can do what

- **Managers of the event** see the management page and can change anything on it.
- **Anyone who can see the event** sees the display page.
- The display page shows only the contributions that particular viewer is allowed to see. A talk protected inside an otherwise public event is absent from the grid, from the phone app's copy and from the public spreadsheet exports — you do not have to do anything to make that happen.

3. A tour of the management page


Open **Block Schedule** from the management side menu. Four parts make up the page: the **toolbar** across the top, the **add bar** and the **grid** below it, and the **unscheduled contributions** panel down the left-hand side. They are described in that order below.



The management page

1. The toolbar

Everything that changes how the grid *behaves* or *looks* lives here.



The toolbar

Control	What it does	Chapter
The date box	Which day of the event you are editing — shown only on events lasting more than one day	—
Day starts, Day ends	The working-hours window the grid shows	5
Slot (min)	How much time one grid row represents	10

Control	What it does	Chapter
Gap after contributions (min)	The gap GapSnap leaves after each talk	5
Snap to (min, 0 = off)	The rounding a dragged talk lands on	5
Row height (px)	How tall one row is drawn	10
Title lines (0 = no limit)	Where long titles are cut off	10
Full day	Show midnight to midnight instead of working hours	5
Show session/track	Whether the pill badges are drawn	10
Description	Hidden / Truncated / Full abstract preview	10
Room groups	Manage named sets of rooms	9
All rooms, All tracks	Narrow the grid to part of the programme	9
Autoschedule...	Fill a timespan automatically	6
Track colours	Give each track its own colour	8
Export...	CSV, ODS or Excel	12
The corner icon	Fullscreen	—

How each one is remembered differs, and it is worth knowing which is which:

- **Day starts, Day ends, Slot, Gap, Snap to, Row height, Title lines, Show session/track and Description are saved per event.** There is no *Save* button: the toggles and the dropdown save the moment you change them, and the typed boxes save when you click or tab out of them. Pressing Enter does not commit — a value still sitting in a focused box has not been saved yet.
- **Full day lasts only for the current visit.** It is off again on the next page load.
- **The room and track filters live in the page address**, which is what lets a filtered view be bookmarked and shared (chapter 9). They are not stored against the event, so a fresh visit to the page starts unfiltered.

2. The add bar

Directly above the grid sit three buttons:



Adding a column

Column, **Spanning block** and **Session block** each open a small form below the bar. Only one is open at a time. They live at the top of the workspace so you can reach them without scrolling past a whole


day first.

Columns are chapter 4; the two kinds of block are chapter 7.

3. The grid

One column per room, one row per slot, time down the left-hand gutter.

Each scheduled talk is drawn as a block whose **height is proportional to its real duration**, so a 90-minute workshop is visibly three times a 30-minute talk.




A single block

A block carries, from the top: its title, its speaker or speakers, its session and track badges, and — bottom right — its start and end time. Two icons sit in the top-right corner: **X** removes the talk from the grid — as does dragging the block back onto the unscheduled panel — and the **star** adds it to your favourites.

Taking a talk off the grid does not delete the contribution — it goes back to the unscheduled panel with its title, abstract, speakers and track intact. It does, however, drop the note the grid was keeping of the talk's Indico **session** (chapter 5 explains why that note exists), so a talk that had one comes back without it and has to be re-assigned under **Organisation** → **Contributions** if you want it again.

A talk you have starred is drawn with an amber border and a pale amber fill wherever it appears, on this grid and on the display page alike.

4. The unscheduled contributions panel



The unscheduled panel

Every contribution in the event that has no time yet is listed here, with its speaker and its track badge. This is what you drag onto the grid.

At the top is a search box — **Filter by title or speaker...** — which narrows the list as you type. The track filter in the toolbar narrows it too.

When there is nothing left the panel says **All contributions are scheduled**. If a filter is hiding everything it says **No unscheduled contributions match the current filters**. — worth knowing, because the two look similar at a glance and mean very different things.

Where the talks come from

Block Schedule never creates contributions. It only places the ones your event already has. They are created and edited in the normal place — **Organisation → Contributions**:

ID	Title	Time	Duration	Presenters	Subcontributions	Session	Track	Material
☐ 48	Opening address	14/10/2026, 09:30	20m	Hannah Reid	Subcontributions 0	No session	No track	None
☐ 49	Keynote: thin films after the th	14/10/2026, 10:00	45m	Peter Osei	Subcontributions 0	No session	Materials	None
☐ 50	Grain boundaries under cyclic	14/10/2026, 10:00	30m	Mari Lindqvist	Subcontributions 0	No session	Materials	None
☐ 51	A cheaper route to solid electr	14/10/2026, 10:00	30m	Daniel Okonkwo	Subcontributions 0	No session	Energy	None
☐ 52	Fatigue in additively manufact	14/10/2026, 10:45	30m	Sofia Barros	Subcontributions 0	No session	Materials	None
☐ 53	Grid storage at the district sca	14/10/2026, 10:45	45m	Anders Holm	Subcontributions 0	No session	Energy	None
☐ 54	Reproducible pipelines for lab t	14/10/2026, 11:30	30m	Yuki Tanabe	Subcontributions 0	No session	Data and Methods	None
☐ 55	Hands-on: sample preparation	14/10/2026, 13:30	1h 30m	Clara Meier	Subcontributions 0	No session	Materials	None
☐ 56	Panel: what students need for	14/10/2026, 13:30	1h	Ravi Menon	Subcontributions 0	No session	Education	None
☐ 57	Hands-on: open notebooks in f	14/10/2026, 14:00	1h	Jonas Weber	Subcontributions 0	No session	Data and Methods	None

The contributions page

A contribution needs a **duration** to be placed sensibly; that is the one field the grid really depends on.


4. Columns

A column is one vertical division of the grid. In practice it is a room, and its header is what attendees read at the top of the printed sheet.

A brand-new event has **no columns**, and an empty grid until you make one. That is normal, not a broken install.

Adding a column

Click **Column** in the add bar.



Adding a column

There are three fields and a button:

- **Pick a room (optional)...** — offers your site's Room Booking rooms. Choosing one **prefills the name**; the room is remembered against the column as a purely informational link, and nothing is booked or reserved by it. The label you type still governs everything anyone sees. **This field is only there if your site runs Indico's Room Booking module.** Without it the form is just the name, the colour swatch and **Add column** — which works exactly as well.
- **Column name** — the free-text label. This is what is drawn as the column header, and what appears as the room on each scheduled talk's own page.
- The small colour swatch — an optional colour for the column (see below).
- **Add column** — creates it, at the right-hand end.

The column name is the truth. Even when you pick a room, the label you type is what everyone sees.

To rename a column, click its title in the column header and type.

The new name takes effect at once on the grid, the display page, the printed sheet and the exports. It does **not** reach back into talks that are already scheduled: each of those had the old label copied onto its own Indico contribution page at the moment it was placed, and keeps it until it is moved again. If that matters, rename the column *before* filling it, or drag its talks once afterwards.

Colour

A column can be given a colour. The header is drawn in the saturated colour and the body of the column in a pale tint of it, which is a cheap way to make one room — the main hall, the poster room — findable at a glance on a wide sheet.

Set it from the swatch in the add form, or from the swatch in an existing column's header. There is no "no colour" swatch — a column you have never coloured is drawn plain, and once coloured it stays coloured.

Reordering

Drag one column header onto another to move it there. The order is saved immediately and is the order used everywhere: the display page, the printed sheet and the spreadsheet exports.

Minimum width

Each column header carries a small box marked **px**. Hover it and it says **Minimum column width (px), 0 for no minimum**.

By default columns share the available width evenly. Setting a minimum stops a column being squeezed to unreadability when a lot of rooms are shown at once; the grid scrolls sideways instead.

Leave it at 0 unless you have a specific column that must stay legible.

Deleting a column

The **×** in a column header deletes it.

- If the column is **empty**, you are asked to confirm and it goes.
- If it holds scheduled talks, the confirmation tells you **how many** will be affected. Those talks are **not deleted** — they are returned to the unscheduled contributions panel, ready to be placed somewhere else.

On a multi-day event, read that number with care. The count in the confirmation is for **the day you are looking at**, but deleting a column removes it from the whole event: its talks on every day go back to the unscheduled panel. A dialog saying "2 scheduled contribution(s)" can be the visible tip of forty. Check the other days first.

A banner (chapter 7) that was drawn across only that column is dropped along with it, since a banner spanning nothing has nothing to draw.

5. Placing talks on the grid

The basic move

Drag a contribution from the unscheduled panel onto a column. Drop it where you want it to start. That is scheduling.

Drag a block already on the grid to move it — to a different time, a different column, or both. Same gesture, same rules.

While you drag, a ghost of the block follows the cursor and tells you the exact time it would land on, updating as you move. **The ghost turns red over a position that would be refused**, so you find out before you let go.

Removing a talk from the grid

Either click the ✕ in a block's top-right corner, or **drag the block back onto the unscheduled contributions panel** — the panel is a drop target, and dropping a talk there does exactly what the ✕ does. The talk returns to the panel.

The contribution is not deleted: its title, abstract, speakers and track are untouched. Two things do not survive the round trip, though:

- **its Indico session** — see the last section of this chapter;
- **its room** — scheduling wrote the column's label onto the contribution as its room, and taking it off the grid does not put back whatever was there before. The talk keeps the room name until it is placed somewhere else.

The two rules

Only two things can refuse a drop, and a refusal always names itself in a banner over the grid rather than silently bouncing the block back.

Outside working hours (09:00–18:00)

The **whole** block must fit between **Day starts** and **Day ends**. A 45-minute talk cannot start at 17:30 if the day ends at 18:00.

Widen the window in the toolbar if you genuinely need the time.

This rule does not relax when **Full day** is on. Full day changes what the grid *draws*, not where you may *drop* — see below.

Overlaps another contribution

Two contributions can never share the same column at overlapping times. This holds however they got there, including through Autoschedule.

If you want to swap two talks, take one off the grid first, move the other, then put the first one back.

Working hours and Full day

Day starts and **Day ends** set the window the grid draws.

The management grid normally shows just that window — plus anything already scheduled outside it, which stays visible and reachable rather than vanishing. Turning **Full day** on shows the whole midnight-to-midnight day instead.

You do not need Full day to see something placed outside the window: the management grid stretches its window to cover anything already placed, precisely so that nothing becomes unreachable. Full day is for looking at the rest of the day — the empty hours either side.

Either way, you still cannot *drop* outside the window. To move an out-of-hours talk somewhere else out of hours, widen **Day starts** / **Day ends** first.

Snap to

Snap to (min, 0 = off) rounds where a dragged block lands. With the default of 5, a drop is rounded to the nearest five minutes, so a day of talks lines up even though you are aiming with a mouse.

Set it to 0 to place things to the exact minute.

GapSnap

Gap after contributions (min) is the changeover time you want left after every talk — five minutes to swap laptops, fifteen to move rooms.

Set it to anything above 0 and dragging becomes magnetic: when you release a block **within one slot** of the right distance from a neighbour, it snaps exactly to that neighbour's edge plus the gap. It works in both directions — before a neighbour as well as after it.

So with a 10-minute gap, dropping a talk roughly after one that ends at 10:30 lands it at exactly 10:40, not 10:38.

Set the gap to 0 and this is off; only **Snap to** rounding applies.

What happens in the rest of Indico

Placing a talk here writes a real entry into Indico's own timetable, so the built-in **Timetable** page, the exports and the API all agree with the grid.

Two consequences worth knowing:

- The **room** recorded on the contribution becomes the **column label** you typed.
- **Scheduling a talk clears its Session field.** This one surprises people, so it is worth reading twice.

Indico only allows a session's contributions to be scheduled *inside* a session block, which would tie every talk's placement to its session and defeat the point of a free grid. Block Schedule therefore takes a note of the talk's session, clears the field, and places the talk as a plain top-level entry.

What you see afterwards:

- **on the grid** — the session badge is still there, from that note, and goes on being shown wherever the talk appears;
- **under Organisation → Contributions** — the talk's **Session** column now reads *No session*;
- **under Organisation → Sessions** — the session no longer lists it.

The note lives on the placement, not on the talk, so it survives exactly as long as the talk stays on the grid. **Taking the talk off destroys it:** unschedule with ✕, delete its column, or clear the timespan with Autoschedule, and the talk returns to the panel with no session at all — no badge, and nothing to restore it but re-assigning it by hand under **Organisation → Contributions**.

Nothing about the schedule goes wrong and the badge is never misleading while the talk is on the grid, but do not go looking for your sessions in Indico's own session pages once you have scheduled here. If you want a session to read as a group on the page, draw a **session block** banner over it (chapter 7).

6. Autoschedule

Autoschedule fills a stretch of the grid with whatever is still sitting in the unscheduled contributions panel. It is a starting point, not a finished programme: run it, then drag things about.

Click **Autoschedule...** in the toolbar.

From

2026-10-14

09:00 AM

To

2026-10-15

06:00 PM

Exclude

Sessions...

Tracks...

☐ Clear schedule (does not reschedule)

Run autoschedule

The autoschedule form

The form

Field	Meaning
From	The day and time to start filling
To	The day and time to stop
Exclude → Sessions...	Sessions it must not touch
Exclude → Tracks...	Tracks it must not touch
Clear schedule (does not reschedule)	See below
Run autoschedule	Do it

What it does

It offers every unscheduled contribution to the grid and places it in the first free space it can find, subject to these rules:

- **Nothing is placed outside your working hours.** If you ask it to fill two days, it fills each day's **Day starts–Day ends** window in turn — never the night in between.

- **A session stays together — if it fits.** Contributions sharing a session are packed as one contiguous run into a single column, so a session is not split across parallel rooms. Contributions with no session are grouped by **track** instead, on the same rule.

The exception matters: if the whole run — every talk in it plus the gaps between them — does not fit contiguously in *any* column anywhere in the timespan, the group is abandoned and its talks are placed individually, wherever there is room, possibly in parallel rooms. Widening the range or adding a column makes the contiguous placement possible again.

- **Talks with neither session nor track** are placed individually, wherever there is room.
- **The gap is respected.** Whatever you set as **Gap after contributions (min)** is left between one talk and the next.
- **Nothing already on the grid is disturbed.** Talks you placed by hand keep their slots; the autoscheduler works around them.
- **No two talks ever share a column at the same time.**

Banners are not obstacles. The autoscheduler looks at *talks* and nothing else. Spanning blocks and session blocks (chapter 7) are invisible to it, so it will happily place a talk straight across your lunch break or underneath a session-block banner.

Either autoschedule first and draw the banners afterwards, or run it in ranges that stop at the break — 09:00 to 12:30, then 13:30 to 18:00.

It gives a different answer every time

Two things are **randomised on every run**: which run or single talk gets first pick of the free space, and **the order of the talks inside each session or track run**. The grouping rules above still hold, but nothing about the particular arrangement will repeat — including the sequence a session's own talks come out in, which you will have to put right by dragging if it matters.

This is deliberate — it lets you run it two or three times and keep the layout you like best — but it does mean *"run it again to get back what I had"* will not work. If you like an arrangement, stop running it.

Excluding sessions and tracks

Anything you list under **Exclude** is left completely alone. It is not placed, and it is not reported as left over either — the autoscheduler simply never looks at it.

Use this when part of the programme is already fixed: exclude the plenary session, autoschedule the rest.

Clearing without refilling

Tick **Clear schedule (does not reschedule)** and the button becomes **Clear schedule**. It empties the timespan you selected — every talk placed in it goes back to the unscheduled panel — and stops there. It does **not** then refill.

Exclusions apply to clearing too, so you can empty a day while leaving the plenary in place.

To clear and refill, do it in two runs: clear, then run again with the box unticked. **But the second run is not the same as a fresh one.** Clearing takes the talks off the grid, and taking a talk off the grid drops the note the grid was keeping of its session (chapter 5). Those talks come back to the panel with no session at all, so on the refill they are grouped by **track** instead — and **Exclude → Sessions** no longer covers them.

If a session's grouping matters, exclude it rather than clearing it.

What it tells you afterwards

One of three messages:

- **Everything was scheduled.**
- **Could not fit N contribution(s) in the given timespan: ...** — with the titles. Widen the range, add a column, or place them by hand.
- **Schedule cleared for the given timespan.** — after a clear.

Before you start

Three things will make it refuse before it starts:

- **No columns.** It has nowhere to put anything.
- **The To day and time is not after the From day and time.** Check the day as well as the clock on both rows.
- **The range does not overlap the working hours of any day.** Asking for 19:00 to 22:00 against a 09:00–18:00 day leaves it nothing to fill.

7. Spanning blocks and session blocks


Not everything on a programme is a contribution. Lunch happens in no room in particular; a student session runs in two rooms and wants a heading. Block Schedule draws those as **banners** rather than as talks.

There are two kinds, and the difference is simply **how many columns they cover**.

Spanning blocks — across every column

A spanning block is one bar drawn across the **whole width** of the grid for a time range. Use it for anything that stops the parallel programme: lunch, coffee, a plenary, the conference photo.

Click **Spanning block** in the add bar.



Adding a spanning block

Field	Notes
Spanning block title (e.g. Lunch break)	Required; it is what is drawn on the bar
Start time	A dropdown of the day's slots
Duration	In minutes — the min box
Colour	Optional
Add spanning block	Creates it

Once on the grid a spanning block can be:

- **renamed** — click its title and type;
- **moved** — drag it up or down to another time;
- **recoloured** — the small swatch on the bar;
- **deleted** — the **x** on the bar, which asks you to confirm first: the dialog names the banner and offers **Cancel** or **Delete**.

Spanning blocks are real Indico **breaks**, which cuts both ways: one you create here appears in the built-in **Timetable** as a break, and a break somebody adds in the built-in Timetable appears here as a spanning block.

A spanning block does **not** block scheduling. You can still place a talk underneath one — the grid will let you, because sometimes that is exactly what you mean (a demo running through the lunch hour). It is a drawing, not a rule.

Session blocks — across some columns

A session block is a banner drawn across **the columns you choose**, to head a group of parallel talks: "Student Session" over the two seminar rooms, "Workshops" over the workshop wing.

Click **Session block** in the add bar.

+ Column

+ Spanning block

- Session block

Pick a session (optional)...

Session block title

08:30

60

min

☒ Main Hall

☒ Seminar Room A

☒ Seminar Room B

☒ Workshop 1

☒ Workshop 2

Add session block

Adding a session block

Field	Notes
Pick a session (optional)...	Ties the banner to a real Indico session; it then takes that session's title and colour
Session block title	Use this instead if you are not tying it to a session — or to override the session's title
Start time, duration	As above
Colour	Offered only when no session is picked, since a tied banner takes the session's colour
The row of checkboxes	One per column — tick the columns the banner should cover. All are ticked by default. See the warning below
Add session block	Creates it

The checkbox row lists the columns currently *shown*, not every column in the event — so with a room, group or track filter active you are ticking a subset. And leaving *every* box ticked does not mean "these columns"; it is stored as "all columns", so the banner is drawn across every column in the event, including the ones the filter is hiding.

Clear the filter before adding a banner, or untick and re-tick to pin an explicit set of columns.

On the grid the banner's title is drawn **once**, on the leftmost column it covers, so a banner across three rooms reads as one continuous heading rather than repeating itself three times.

A session block on the grid can be **recoloured** (the swatch) and **deleted** (the ✕, with the same confirmation). To change its time, its title or which columns it covers, delete it and add it again.

Why these are drawings, not structure

Indico's built-in timetable has its own notion of a session block, with talks nested inside it. Block Schedule deliberately does **not** create those: nesting would tie a talk's placement to its session and stop you putting any talk in any column at any time, which is the whole point of the grid.

So these banners are presentational. A talk keeps its session badge whatever banner happens to be drawn over it, and a banner has no effect on where talks can go.

Deleting a column that a banner covers

A session block created over **a chosen set of columns** narrows when one of them goes, and is deleted when the last of them goes.

A session block left covering **all** columns is a different case: "all" is stored as *all*, not as a list, so deleting a column neither narrows it nor removes it. On a one-column grid that leaves an invisible banner in place, which reappears across whatever columns you create next. If you delete a column and a banner turns up where you did not expect one, that is where it came from — delete it from the bar.

8. Track colours

Every contribution can carry a **track** badge. By default those badges are all the same purple, which tells a reader nothing. Give each track its own colour and the programme becomes readable at a glance — on screen and, more importantly, on paper.

Click **Track colours** in the toolbar. It opens a page of its own, because this is set-once configuration rather than something you fiddle with while scheduling.

The colour a track is given here is used for its badge on every contribution in the block schedule, on the management grid and on the display page alike. Tracks left without a colour keep the default.

Materials			Default	6.9:1
Energy			Default	6.0:1
Data and Methods			Default	13.9:1
Education			Default	6.0:1

[Save colours](#) [Back to the schedule](#)

The track colours page

Setting a colour

Each track has a row. From left to right:

- a **live preview** of the badge as it will actually be drawn;
- a colour box — click it for your system's colour picker;
- a **palette of suggested colours** — one click each, so setting up ten tracks is not ten trips through a colour picker;
- **Default** — puts that track back to the standard badge colour;
- the **contrast ratio** achieved, on the right.

Nothing is saved until you click **Save colours**. It confirms with **Saved**. **Back to the schedule** returns you to the grid.

Where the colour shows up

Everywhere the track badge appears:

- the management grid;
- the unscheduled contributions panel;
- the public display page;

- the phone app, which reads the same colours.

One colour, chosen once, used consistently.

The text colour is not yours to choose

You pick the badge's **background**. The plugin picks the **text** colour, and it only ever picks black or white — whichever of the two contrasts better with your colour.

That guarantee is not decorative. Choosing the better of black and white can never fall below a contrast ratio of about 4.58:1, which clears the WCAG AA threshold of 4.5:1. **There is no colour you can pick that produces an unreadable badge.**

The ratio in each row is what was actually achieved — hover it and it says *WCAG contrast ratio of the badge text against its background*. In the picture above, the pale yellow track gets black text at 13.9:1 while the deep blue gets white text at 6.9:1, without anyone choosing either.

If the page is empty

It says:

This event has no tracks yet. Add tracks under Programme, then come back here to give them colours.

Tracks are an Indico feature, not a Block Schedule one. Create them under **Organisation** → **Programme** and they appear here.

Tracks you leave alone

A track with no colour set keeps the default badge on the management grid, the unscheduled panel and the display page. You do not have to colour all of them — colouring three tracks out of ten and leaving the rest plain is a perfectly good way of drawing attention to three tracks.

That trick does not survive onto the phone, though. The app gives every uncoloured track an automatic colour of its own rather than leaving it plain, so "three coloured, seven plain" reads as ten coloured tracks there. If the distinction matters to you, colour all of them or none.


9. Room groups and filtering

A thirty-room schedule does not fit on a sheet of paper, or usefully on a screen. Filtering is how you cut it into pieces that do.

Everything in this chapter works the same on the management page and on the display page your attendees see, and both remember the filter in the address bar (see the last section).

The two filters

Two dropdowns sit in the toolbar: **All rooms** and **All tracks**. You can use either, or both at once. The tracks one appears only once the event actually has tracks (created under **Organisation** → **Programme**).



The room filter


The rooms dropdown offers **named groups first**, each with the number of rooms in it, then the individual rooms. Pick any combination — two groups and one extra room is a perfectly ordinary selection.

Once anything is selected the toolbar reports **Showing 3 of 5 rooms** and offers a **Clear** button to drop the filter entirely.

Room groups

A group is a named set of columns — "Ground floor", "Main building", "Workshops". Groups exist so a wide schedule can be viewed and printed a slice at a time.

Click **Room groups** in the toolbar.

The screenshot shows a web interface titled "Room groups". Below the title is a descriptive paragraph: "Group rooms so a wide schedule can be viewed and printed a slice at a time — by floor, by building, or any other set that is useful. A room can belong to several groups. Tracks are offered as groups automatically and are not listed here." Below this text are three rows of controls. The first row has a text box containing "Ground floor", followed by a dropdown menu showing "Main Hall x", "Workshop 1 x", and "Workshop 2 x", and a trash icon. The second row has a text box containing "Second floor", followed by a dropdown menu showing "Seminar Room A x" and "Seminar Room B x", and a trash icon. The third row has a text box containing "New group name" and a button labeled "+ Add group".

The room groups panel


- Type a name in **New group name** and click **Add group**.
- **To rename a group**, edit the name box beside it; it saves as soon as you click or tab away.
- Choose the group's rooms in the dropdown beside its name.
- **A room can belong to several groups.** Groups are a way of looking at the schedule, not a way of partitioning it, so they may overlap as much as you like.
- The bin icon removes a group. Its rooms are not affected — you are deleting the grouping, not the columns.

You never need to make a group per track. Tracks have a filter of their own — the **All tracks** dropdown, described next — so the room-groups panel does not list them, and there is no "track group" to keep in step with your actual tracks. (The panel's own wording for this is *Tracks are offered as groups automatically and are not listed here.*)

Filtering by track behaves differently on purpose

Filtering by **room** hides the other rooms. That is what you would expect.

Filtering by **track** does something more useful than hiding:



A track filter applied

- It **keeps the rooms that host talks in those tracks** and drops the rest.
- Within the rooms it keeps, the talks in other tracks are **greyed out rather than removed**.

So the sheet still shows when a room is busy. Handing someone the "Materials" programme that pretends the other four talks in that room do not exist would send them to a room that turns out to be occupied. The dimmed blocks keep the day honest.

The unscheduled panel follows the track filter

On the management page, the **track** filter also narrows the unscheduled contributions panel, which is what makes "place all the Energy talks" a practical way to work: filter to Energy, and the panel holds only Energy.

The panel's own search box — **Filter by title or speaker...** — narrows it further, and the two combine.

Bookmarking and sharing a view

The filter and the day are kept in the page address. That means a particular view can be bookmarked, mailed to a colleague, or reprinted next year exactly as it was.


A reload does not lose your selection either. Changing a filter does **not** add a step to the browser's history, though, so Back leaves the page rather than undoing your last filter change — use **Clear** for that.

Fullscreen

The icon at the end of the toolbar makes the grid fill the screen — **View fullscreen**, and **Exit fullscreen** to come back. Available on both the management and display pages. Useful on a projector, and useful when you are placing talks into a lot of columns at once.

10. How the grid looks

Five toolbar settings control the drawing rather than the content. All of them are saved per event, immediately, and all of them affect the display page and the printed sheet as well as your own working view.



The toolbar

Slot (min)

How much time one grid row represents. The default is 30.

A smaller slot gives a finer ruler and a taller page; a larger one is more compact. It changes the ruler only — a 20-minute talk is still drawn 20 minutes tall whatever the slot is.

Row height (px)

How tall one row is drawn, in pixels. The default is 60.

Slot and row height together set the scale. 30 minutes per 60-pixel row is two pixels a minute; halve the row height and the whole day fits in half the space, with everything correspondingly smaller.

If a day will not fit on one printed page, this is the setting to reach for.

Title lines (0 = no limit)

Contribution titles are cut off with an ellipsis after this many lines — three by default.

Long titles otherwise crowd the speaker, the badges and the time out of the block. The full title is still there on hover, and the limit applies to the management grid too, so **what you arrange is what gets printed**.

Set it to 0 for no limit.

Show session/track

Whether the pill badges are drawn on each block. Turn it off for a cleaner sheet when the programme has no tracks worth showing, or when you are printing one track at a time and the badge is redundant.

Description

How much of each contribution's abstract to preview inside its block:

Setting	Effect
Hidden	No abstract (the default)
Truncated	The first couple of hundred characters
Full	The whole abstract

Formatting is stripped; this is a preview, not a rendering.

Truncated is worth trying when a programme's titles are too similar to tell apart. **Full** makes for very tall blocks and is mostly useful on screen.

What is deliberately not adjustable

A block's height. It is always proportional to the contribution's real duration, so the grid cannot lie about how long anything takes. If a block is the wrong size, the contribution's duration is wrong — fix it under **Organisation → Contributions**.

A badge's text colour. Black or white, whichever contrasts better. See chapter 8.

11. The page your attendees see

Turning the feature on adds a **Block Schedule** entry to the event's public navigation. That is the display page: the same grid, without the editing.

2026-10-14	☐ Highlight my timetable	☐ Black and white	All rooms	All tracks	Export...	Print...	
	Main Hall	Seminar Room A	Seminar Room B	Workshop 1	Workshop 2		
09:30	Opening address Hannah Reid 09:30–09:50						
10:00	Keynote: thin films after the thin-film era Peter Osei Energy Materials 10:00–10:45	Grain boundaries under cyclic load Mari Lindqvist Materials 10:00–10:30	A cheaper route to solid electrolytes Daniel Okonkwo Energy 10:00–10:30				
10:30							
11:00		Fatigue in additively manufactured joints Sofia Barros Materials 10:45–11:15	Grid storage at the district scale Anders Holm Energy 10:45–11:30				
11:30		Reproducible pipelines for lab data Yuki Tanabe Data and Methods 11:30–12:00					
12:00							
12:30	Lunch break						
13:00							
13:30	Panel: what students need from us Ravi Menon Education 13:30–14:30			Hands-on: sample preparation Clara Meier Materials 13:30–15:00	Hands-on: open notebooks in practice Jonas Weber Data and Methods 14:00–15:00		
14:00							
14:30							
15:00		Student Session					
15:30							

The display page

Reach it yourself with **Switch to display view** at the top of the management page and then **Block Schedule** in the event's own menu — which is exactly the route an attendee takes.

What is on it

2026-10-14	☐ Highlight my timetable	☐ Black and white	All rooms	All tracks	Export...	Print...	
------------	---	--	-----------	------------	-----------	----------	--

The display toolbar

Control	What it does
The date box	Which day is shown
Highlight my timetable	See below — signed-in viewers only
Black and white	Drops all colour, for photocopying
All rooms, All tracks	The same filters as chapter 9
Export...	CSV, ODS or Excel — chapter 12
Print...	Chapter 12
The corner icon	Fullscreen

Every block links straight to its contribution's own page, so a reader can get from the grid to the abstract in one click.

Favourites, and "Highlight my timetable"

For a signed-in viewer, a **star** on every block adds that talk to their favourites — the same "add to my timetable" favourite used elsewhere in Indico. It works directly from the grid, without visiting each contribution's page.

A visitor who is not signed in sees **no stars and no Highlight my timetable toggle** at all: both are drawn only when there is an account to attach a favourite to. Worth remembering before telling attendees to "just tap the star" — they have to log in first.

A starred talk is drawn with an amber border wherever it appears.

Highlight my timetable dims everything the viewer has *not* starred:

2026-10-14	☒ Highlight my timetable	☐ Black and white	All rooms	All tracks	Export...	Print...	
Main Hall	Seminar Room A	Seminar Room B	Workshop 1	Workshop 2			
09:30 Opening address Hannah Reid							
10:00 Keynote: thin films after the thin-film era Peter Osei Flexure Materials	10:00-10:30 Grain boundaries under cyclic load Mari Lindqvist Materials	10:00-10:30 A cheaper route to solid electrolytes Daniel Okonkwo Energy					
10:30-10:45	10:45-11:15 Fatigue in additively manufactured joints Sofia Baros Materials	10:45-11:30 Grid storage at the district scale Anders Holm Energy					
11:00							
11:30	11:30-12:00 Reproducible pipelines for lab data Yuki Tanabe Data and Methods						
12:00							
12:30 Lunch break							
13:00							
13:30 Panel: what students need from us Ravi Menon Education			13:30-15:00 Hands-on: sample preparation Clara Meier Materials				
14:00-14:30						14:00-15:00 Hands-on: open notebooks in practice Jonas Weber Data and Methods	
14:30							
15:00	Student Session	Student Session					
15:30							

Highlight my timetable

Notice that the dimmed talks **keep their slots**. Their day is still legible — you can see what you are missing and when the room is busy — but the talks chosen stand out. Turning the toggle off restores everything.

This is a per-viewer thing. It changes nothing about the event and nothing another visitor sees.

Black and white

Converts the whole grid to greyscale — column colours, track badges, session badges and all.

This is the same conversion a monochrome printer does, so it is really a preview: click it before printing and you see exactly which of your colours come out as the same grey. Fixing that means changing the colours themselves (chapter 8), not the toggle.

Long days and wide grids

Two conveniences that are easy to miss:

A wide grid gets a horizontal scrollbar pinned to the bottom of the window. The grid's own scrollbar sits at the foot of a table several screens tall — that is to say, off screen exactly when it is wanted.

Note that the column headers on this page scroll away with the grid. The sticky headers are a convenience of the management grid only, so on a very tall day it is worth keeping the room order in mind, or filtering to fewer rooms.

Who sees what

The display page shows only the contributions that particular viewer is allowed to see. A talk protected inside a public event is absent from the grid — and from the spreadsheet exports and the phone app's copy — for anyone without access. A manager viewing the same page sees everything.


You do not have to configure this; it follows the event's own protection settings.

12. Printing and exporting

Both are available on the **display page**, and exporting is also on the management page.

Printing

Click **Print...** on the display page.

The print panel is a light gray rectangular box. Inside, at the top left, is the text 'Paper size'. To its right is a dropdown menu showing 'A4' with a downward arrow. Below 'Paper size' is the text 'Orientation'. To its right is another dropdown menu showing 'Landscape' with a downward arrow. At the bottom of the panel is a large, solid blue button with the word 'Print' in white, bold, sans-serif font.

The print panel

Field	Choices
Paper size	A4, A3, A2
Orientation	Landscape, Portrait
Print	Opens your browser's print dialogue

What gets printed

Only the grid — not the Indico header, not the event side menu, not the breadcrumbs. Above it a header is added carrying:

- the **event title**;
- the **day** being shown;
- the **active filter**, if any.

That last line is what makes a stack of printed sheets usable. Print the same day four times, once per floor, and each sheet says which floor it is.

Getting a day onto one page

In order of usefulness:

1. **Filter**. One floor, or one track, per sheet. This is what room groups are for (chapter 9).

2. **Go bigger, or turn sideways.** A3 holds roughly twice an A4, and A2 roughly four times — turning the sheet sideways does not change its area, but it does change which way the grid has room to grow.
3. **Reduce Row height (px).** Halving it halves the height of the day.
4. **Reduce Title lines,** or turn **Show session/track** off, to narrow what each block has to hold.


Printing in monochrome

Turn **Black and white** on first, and the print respects it.

What the toggle does is convert the grid to greyscale on screen — the same conversion a monochrome printer performs, so it is a **preview** of what you are about to get. That is its real value: two track colours of similar brightness collapse to the same grey, and this is where you find that out and go and change one of them (chapter 8), rather than after printing forty sheets.

Exporting

Click **Export...**



The export menu

Three formats: **CSV**, **Excel (XLSX)** and **OpenDocument (ODS)**. Each exports **the whole of the day currently shown**.

Exporting is not filtered. Unlike printing, which prints the filtered view, an export always contains every room and every track for that day, whatever the toolbar is set to. Filter the spreadsheet after you open it.

What is in the file

CSV is one flat table, one row per scheduled contribution, sorted by column and then by time, with these fields:

Column	Start	End	Duration (min)	Title	Speakers	Session	Track
--------	-------	-----	----------------	-------	----------	---------	-------

Excel and OpenDocument carry that same table as a first sheet named *Contributions*, and add a second sheet named **Schedule Grid** — which is laid out like the visual grid itself. One spreadsheet column per room, time down the side, and **one merged cell per presentation** spanning its real duration, carrying its room, session, track, author(s) and date/time.

That second sheet is the one to send to whoever lays out the printed programme: it opens in any spreadsheet application and already has the shape of the page.

Exporting from the display page

The same menu is on the display page, and there it exports **what that viewer is allowed to see**. A contribution protected inside a public event is not in the file. The management export has no such restriction, since a manager can see everything anyway.


13. The phone app

Sites running Block Schedule can also offer attendees a **phone app** that reads the same schedule. It is a separate piece of software, installed by whoever runs your Indico site — but what it shows is what *you* build, so it is worth knowing what reaches it.

Ask your site administrator whether it is available and at what address; it is typically **/schedule-app/** on the same site.


What an attendee does

They open the address, tap **Add event**, and find your conference — either by browsing down Indico's category tree from the top, or by typing its name into the search box:



Picking an event


Only events that **actually have a block schedule** are offered. In a large category the list fills in a batch at a time, with a button to keep checking. The whole programme is then copied onto the phone, and works from then on with no signal.



The event library

What they see

Thirty rooms do not fit in a phone screen, so the grid becomes a time-ordered list of the day — the same talks, the same times, the same rooms:



The schedule screen


Note what is carried over from your work: the **room labels** you typed, the **track names and their colours** from chapter 8, and the session names.

A **Filter** sheet narrows the day by room group, individual room or track, using the same rules and the same URL parameters as the plugin's own filter (chapter 9) — so a filtered link works in the app as well as in the browser. The room groups you set up are what make that useful.

Tapping a talk opens its own screen with the **full abstract** and the speakers' affiliations, held on the device. Those come from Indico's contributions export, which only answers once the event's contributions have been **published** — until then the app says *No abstract was published for this talk*.


Starring requires the attendee to be signed in to Indico. Tapping a star while signed out raises a sign-in sheet rather than saving anything, and the agenda tab shows a signed-out state instead of a list. Signing out again removes the copy of the agenda from the device, leaving it on the account.

Starred talks collect in **My agenda**, across every event they have added. Overlapping talks are boxed together so a double-booking is visible as one fact rather than two rows twelve rows apart:



My agenda

Search runs over the copy on the phone rather than over the network, so it works in a basement with no signal — and it covers titles, speakers, rooms, sessions and tracks, which is what makes "which room is Okonkwo in?" answerable:



Search

What you control

Everything an attendee sees in the app comes from Indico, so the things you already do are the things that reach it:

What you do	Where it shows in the app
Name a column	The room on every talk
Set track colours (chapter 8)	The stripe and pill on every talk
Set the event's logo under Customisation → Layout	The event's card in the library
Publish the contributions	Their abstracts become readable on the talk screen
Protect a contribution	It is absent from the copy on the phone
Reschedule anything	On the attendee's next refresh

Stars are shared with Indico itself: one set in the app appears on your event's own pages, and one set on the website appears in the app.

Things worth telling attendees

- **The app needs to be refreshed** to pick up programme changes. Each event's card says how fresh its copy is and has a **Refresh** button. If you change the programme the day before, say so.

- **It is bilingual** — the interface follows the phone's language, English or Japanese, with an override in its settings. Your talk titles, speaker names, rooms and tracks are shown exactly as you wrote them, in whatever language you wrote them.
- **Home-screen installation and full offline use need HTTPS.** On a site served over plain `http://` the app still works in the browser but cannot be installed, and says so.

What it is not

It is not a registration system, a notification service or a place to publish anything. It is a read-only copy of the schedule you have already published, in a shape that survives a conference centre basement with no signal.

14. If something looks wrong

There is no "Block Schedule" in the menu

The feature is off for this event. **Advanced options** → **Features** — see chapter 2. If you cannot see the Features page at all, you are not a manager of the event.

The grid is empty

A new event has no columns. Add one with **Column** in the add bar (chapter 4). An empty grid before that point is normal, not a broken installation.

A talk will not drop where I want it

Two rules, and the ghost turns red before you let go:

- **Outside working hours** — the whole block must fit between **Day starts** and **Day ends**. Widen them in the toolbar.
- **Overlaps another contribution** — something is already there in that column. Move the other one first, or use a different column.

A refused drop always names its reason in a banner. If nothing happens at all and no banner appears, you released the block outside any column.

I cannot move a talk that is already outside working hours

You can already see it: the management grid stretches its window to cover anything placed outside the working hours, so it never becomes unreachable.

What stops you is the drop rule, which **Full day does not relax**. To move it somewhere else outside the working hours, first widen **Day starts** / **Day ends**.

A contribution is not in the unscheduled panel

Three possibilities, in order of likelihood:

1. **It is already scheduled** — look on the grid, or check another day.
2. **A filter is hiding it**. If the panel says *No unscheduled contributions match the current filters*, clear the track filter and the search box. If it says *All contributions are scheduled*, there genuinely is nothing left.
3. **It does not exist yet**. Block Schedule never creates contributions — create it under **Organisation** → **Contributions**.

A talk scheduled in Indico's own Timetable never appears here

The unscheduled panel holds only contributions with **no timetable entry at all**. A talk already scheduled in Indico's built-in Timetable has one, but no Block Schedule column — so it is in neither the panel nor the grid, and Autoschedule will not touch it. Unschedule it in the built-in Timetable and it appears here.

The contributions list says "No session" for talks that clearly have one

That is expected, and it is explained in chapter 5. Placing a talk on this grid clears its Indico **Session** field, because Indico would otherwise insist the talk be scheduled inside a session block. The grid keeps its own note of the session and goes on showing the badge, so nothing on the schedule is wrong — but Indico's Contributions and Sessions pages will no longer show the link.

A talk lost its session badge when I took it off the grid

Expected, and irreversible from here. The session badge on a scheduled talk comes from a note the grid keeps on the *placement*; unscheduling the talk, deleting its column or clearing its timespan removes the placement and the note with it. Re-assign the session under **Organisation → Contributions**.

This is also why clearing a timespan and re-running Autoschedule does not reproduce the first result: those talks are no longer grouped as a session.

A block is the wrong height

Block height is always proportional to the contribution's **duration**, and nothing on this page overrides it. If a block looks wrong, the duration is wrong. Fix it under **Organisation → Contributions**.

A talk's page shows the wrong room

The room on a scheduled contribution is the **column label** you typed, not a room-booking record. Rename the column by clicking its title.

The grid, the display page and the exports update at once. Talks that were already scheduled keep the old label on their own Indico contribution pages until they are moved again — drag them once, or unschedule and re-place them, if that matters.

The track colours page says there are no tracks

Tracks are an Indico feature. Create them under **Organisation → Programme**, then come back.

Autoschedule will not run

- **No columns.** Add at least one.
- **The range is entirely outside working hours.** Autoschedule only fills the **Day starts–Day ends** window of each day, so a request from 19:00 to 22:00 against a 09:00–18:00 day has nowhere to put anything.
- **The end is not after the start.** Check the day *and* the time on both rows.

Autoschedule left talks over

It reports the titles it could not fit. Widen the range, add a column, shorten something, or place those talks by hand.

Autoschedule gave me a different answer than last time

That is deliberate — the order in which talks get first pick is randomised on every run (chapter 6). The grouping rules always hold, but the arrangement will not repeat. If you like a layout, stop running it.

Autoschedule put a talk on top of the lunch break

Autoschedule looks at talks and nothing else; spanning blocks and session blocks are not obstacles to it (chapter 6). Either autoschedule first and draw the banners afterwards, or run it in ranges that stop at the break.

Printing includes the Indico header and menus

Use the **Print...** button on the display page rather than the browser's own print command. The plugin's own printing hides the site around the grid and adds a header with the event, the day and the active filter.

The printed sheet is unreadable in black and white

Turn **Black and white** on *before* printing, and look at the result on screen. It applies the same greyscale conversion the printer will, so it shows you which colours collapse into each other. The fix is then to change those track colours (chapter 8) — the toggle only shows you the problem.

Attendees say they cannot see a talk

The display page shows each viewer only what they are allowed to see. A contribution protected inside a public event is invisible to people without access — on the page, in the exports and in the phone app. Check the contribution's own protection settings.

Attendees say there is no star on the blocks

The star and the **Highlight my timetable** toggle are drawn only for signed-in viewers. Anyone browsing anonymously sees neither. They have to log in first.

The day I want is not in the date dropdown

The dropdown offers the event's own days. Change the event's start and end dates under **Settings**.

I turned the feature off and my schedule vanished

Nothing was deleted. Turn it back on and the grid is exactly as you left it — columns, placements, groups, banners and track colours all intact.

15. Glossary

Every term below is what the interface actually says, character for character, including the {placeholders} — so a row here can be looked up directly in the plugin's translation catalogue. The Japanese column is the word the same control shows when Indico is set to Japanese, which makes this table the bridge between this manual and its Japanese edition.

The English is Indico's **British English** (en_GB), which is what the screenshots show: *Customisation, Organisation, colour*. A site set to American English says *Customization, Organization, color* for the same things.

Concepts

English	日本語	Meaning
Contribution	投稿	One talk, poster or presentation. Indico's own word
Track	トラック	A thematic strand of the programme
Session	セッション	An Indico session a contribution belongs to
Speaker	発表者	Who is giving the talk
Room	部屋	Indico reserves 会場 for a <i>venue</i>
Column	列	One vertical division of the grid — in practice, a room
Spanning block	全体ブロック	A bar across every column
Session block	セッションブロック	A banner across some columns
Room groups	部屋グループ	Named sets of rooms, for filtering and printing
Working hours	表示時間帯	The Day starts–Day ends window
Unscheduled contributions	未配置の投稿	Talks with no time yet
Autoschedule	自動配置	Fill a timespan automatically
Track colours	トラックの色	The per-track badge colour

Three of these are not standalone entries in a catalogue and are derived from longer ones, so here is where each came from: **Speaker** from Indico's *Speakers* → 発表者 (and the plugin's *Filter by title or speaker...* → タイトルまたは発表者で絞り込み…), **Working hours** from *Outside working hours* ({start}–{end}) → 表示時間帯 ({start}–{end}) の外です, and **Autoschedule** from *Autoschedule...* → 自動配置… Nothing in this table was invented.

The management toolbar

English	日本語
Day starts	開始時刻
Day ends	終了時刻
Slot (min)	スロット（分）
Gap after contributions (min)	投稿後の間隔（分）
Snap to (min, 0 = off)	スナップ幅（分、0で無効）
Row height (px)	行の高さ（px）
Title lines (0 = no limit)	タイトルの行数（0で無制限）
Full day	終日
Show session/track	セッション・トラックを表示
Description	説明
Hidden / Truncated / Full	非表示 / 省略 / 全文
Room groups	部屋グループ
All rooms	すべての部屋
All tracks	すべてのトラック
Showing {visible} of {total} rooms	{total}部屋中{visible}部屋を表示
Clear	クリア
Autoschedule...	自動配置...
Track colours	トラックの色
Export...	エクスポート...
View fullscreen / Exit fullscreen	全画面表示 / 全画面表示を終了

Building the grid

English	日本語
Column	列
Pick a room (optional)...	部屋を選択（任意）...
Column name	列名
Add column	列を追加

English	日本語
Minimum column width (px), 0 for no minimum	列の最小幅（px、0で指定なし）
Spanning block	全体ブロック
Spanning block title (e.g. Lunch break)	全体ブロックのタイトル（例：昼休み）
Add spanning block	全体ブロックを追加
Session block	セッションブロック
Pick a session (optional)...	セッションを選択（任意）…
Session block title	セッションブロックのタイトル
Add session block	セッションブロックを追加
min	分

Messages while scheduling

English	日本語
Outside working hours ({start}–{end})	表示時間帯（{start}–{end}）の外です
Overlaps another contribution	ほかの投稿と重複しています

The unscheduled panel

English	日本語
Unscheduled contributions	未配置の投稿
Filter by title or speaker...	タイトルまたは発表者で絞り込み…
All contributions are scheduled.	すべての投稿が配置されています。
No unscheduled contributions match the current filters.	現在の絞り込み条件に一致する未配置の投稿はありません。

Room groups

English	日本語
Room groups	部屋グループ
No groups yet.	グループはまだありません。
No rooms	部屋なし
New group name	新しいグループ名
Add group	グループを追加
Delete this group	このグループを削除
Cancel / Delete	キャンセル / 削除

Autoschedule

English	日本語
From / To	開始 / 終了
Exclude	除外
Sessions... / Tracks...	セッション... / トラック...
Clear schedule (does not reschedule)	配置を解除する（再配置は行いません）
Clear schedule	配置を解除
Run autoschedule	自動配置を実行
Schedule cleared for the given timespan.	指定した時間帯の配置を解除しました。
Everything was scheduled.	すべて配置しました。
Could not fit {count} contribution(s) in the given timespan: {titles}	指定した時間帯に収まらなかった投稿が{count}件あります：{titles}

Track colours

English	日本語
Track colours	トラックの色
Colour for {track}	{track}の色
Default	デフォルト
Save colours	色を保存
Saved.	保存しました。
Back to the schedule	スケジュールに戻る
WCAG contrast ratio of the badge text against its background	バッジの文字と背景の WCAG コントラスト比

The display page

English	日本語
Highlight my timetable	お気に入りを強調表示
Black and white	白黒
Add to my timetable	お気に入りに追加
Remove from my timetable	お気に入りから外す
Print...	印刷...
Paper size	用紙サイズ
Orientation	用紙の向き
Portrait / Landscape	縦向き / 横向き
Print	印刷

Two places where the two languages do not line up word for word

Both are deliberate, and both are worth knowing if you work with a bilingual committee.

"my timetable" vs お気に入り. The English favourite controls say *Add to my timetable* and *Highlight my timetable*, following Indico's own English wording. The Japanese says お気に入り ("favourites"), following Indico's own Japanese. They are the same feature.

投稿 vs 講演. The plugin says 投稿 for a contribution, which is Indico's word. The phone app (chapter 13) says 講演 for a talk on its schedule screen, because it is showing them to attendees rather than to organisers. Again, the same objects.