



Title		
Size	Number	Revision
A		
Date:	3/6/2014	Sheet of
File:	C:\Users\...\CMOY Pro 1.0.SchDoc	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
Cap Pol1	Polarized Capacitor (Radial)	C1, C2, C5, C6, C7, C10	Panasonic VS C	Cap Pol1	6
Cap Pol1	Polarized Capacitor (Radial)	C3, C4, C8, C9	Panasonic VS D	Cap Pol1	4
PMEG4050EP	Default Diode	D1	PMEG4050EP	Diode	1
LED1	Typical RED GaAs LED	D2	SM 0805 polarized	LED1	1
Ferrite	Inductor	FB1, FB2, FB3, FB4, FB5, FB6, FB7	SM 0805 - gap trimmed	Inductor	7
CUI 43515TS		INPUT, OUTPUT	CUI SJ-43515TS	CUI 43515TS	2
Center-positive 2.1 mm power jack	Power jack	J1	PJ-102AH	PWR2.5	1
RK0971221Z05	PCB Mount Dual Ganged 10K Pot	P1	RK0971221Z05	RK0971221Z05	1
Bat2	Header, 2-Pin	P2	HDR1X2	Header 2	1
Bat1	Header, 2-Pin	P3	HDR1X2	Header 2	1
0805	Resistor	R1, R2, R3, R4, R5, R6, R7, R8, R9	SM 0805 - gap trimmed	Res3	9
100SP1T2B1M6RE	Right angle PCB Mount Toggle Switch	SW1	100SP1T2B1M6RE	100SP1T2B1M6RE	1
LME49722MA	Low Noise, High Performance, High Fidelity Dual Audio Operational Amplifier, 8-pin Narrow SOIC	U1	M08A_N	LME49722MA	1
LT1054CS8	Switched-Capacitor Volt	U2	LT-S8-8_N	LT1054CS8	1