



Configuration for hipoterapiabydgoszcz

[nowa.hipoterapia.bydgoszcz.pl](#)

Deploys from **GitHub** with  Astro.

Last update at 8:43 PM.

General

- Project details
- Visitor access
- Status badges
- Project members
- Danger zone

Build & deploy

- Continuous deployment
- Post processing
- Split Testing
- Build plugins

Environment variables

- Environment variables
- Project policies

Visual editor

Notifications

- Slack notifications
- Emails and webhooks

Identity

- Overview

Users

Registration

Emails

Services

Danger zone

Access & security

Firewall Traffic Rules

Web Application Firewall

OAuth

Emails

Build & deploy settings

Continuous deployment

Configuration for continuous deployment from a Git repository

Repository

Your project is linked to a Git repository for continuous deployment.

Current repository:

github.com/adamkempczynski/hipoterapia-bydgoszcz

[Learn more about continuous deployment in the docs](#) ↗

Manage repository ▼

Build settings

Runtime:

Select ▼

Runtimes are automatically installed on project creation. You can change this at any time, although it may affect your builds.

Base directory:

The directory where Netlify installs dependencies and runs your build command.

Package directory:

For monorepos, the directory that contains your project files, including the **netlify.toml**. Set this value only if it is different from the base directory.

Build command:

npm run build

Publish directory:

dist

! Overridden by netlify.toml. Published deploy built with "dist/".

Functions directory:

netlify/functions

The directory where Netlify can find your compiled functions to deploy them. Defaults to **netlify/functions** if not set. You can also define and override this setting in your project's **netlify.toml** file.

Deploy log visibility:



Public logs

Anyone with a deploy detail URL will be able to access the logs.



Private logs

Only project administrators will be able to access the logs.

Build status:



Active builds

Netlify will build your project according to your continuous deployment settings when you push to your Git provider.



Stopped builds

Netlify will not build your project automatically. You can build locally via the CLI and then publish new deploys manually via the CLI or the API.

[Learn more about configuring builds in the docs](#) ↗

Save

Cancel

Enforce deployment methods

All deployment methods can deploy to production.

The Netlify [CLI](#), [MCP](#), [API](#), and [Git workflows](#) will be able to deploy to production.

Configure

Preview Server settings

Configure how Netlify CLI runs your project in the Preview Server. By default, it uses the same settings as when running locally on your machine.

Preview Server command:

Not set

Target port:

Not set

Preview Server size:

1 vCPU, 4 GB RAM, 20 GB Storage

[Learn more about configuring the Netlify CLI](#) ↗

Configure

Functions region



Configure how functions are deployed for your project.

Region:

US East (Ohio) - us-east-2

[Learn more about functions region in the docs ↗](#)

 Upgrade to customize

Dependency management

Manage the software and tool versions installed in the build environment for your project.

Node.js:

22.x

[Learn more about dependency management in the docs ↗](#)

Configure

Branches and deploy contexts

Deploy contexts are branch-based environments that enable you to configure builds depending on the context. This includes production and preview environments.

Production branch:

main

Branch deploys:

Deploy only the production branch

Deploy Previews:

Any pull request against your production branch / branch deploy branches

[Learn more about branches and deploys in the docs ↗](#)

Configure

Collaboration tools

The Netlify Drawer enables your team to collaborate on preview environments before changes go live to production. Discuss changes, file new issues, or annotate screenshots directly from a preview context.

Netlify Drawer:

Enabled on Deploy Previews

Heads-up display:

Disabled

[Learn more about collaboration tools in the docs](#) ↗

Configure

Build hooks

Build hooks give you a unique URL you can use to trigger a build.

[Learn more about build hooks in the docs](#) ↗

Add build hook

Preview Server hooks

Preview Server hooks give you a unique URL you can use to trigger a Preview Server operation.

Add Preview Server hook

Deploy key

A deploy key grants permissions to our build system to access your private submodule.

[Learn more about deploy keys in the docs](#) ↗

Generate public deploy key

Build image selection

Select a different build image to change the operating system and supported software versions in the environment where our buildbot builds your project.

Build image:

Ubuntu Noble 24.04 (default)

[Learn more about build image selection in the docs](#) ↗

Configure

Automatic deploy deletion



Control when deploys are automatically deleted. Netlify will not automatically delete the deploy currently published on your project, nor the most recent successful deploy from a Git branch.

Delete deploys after:

30 days

[Learn more about deploy deletion in the docs](#) ↗

 Upgrade to customize

Post processing

Control the post processing and optimizations Netlify can do for you

Snippet injection

Inject analytics or other scripts into the HTML of your project.

[Learn more about snippet injection in the docs](#) ↗

Add snippet

Pretty URLs

Pretty URLs are enabled. ✓

[Learn more about Pretty URLs in the docs](#) ↗

Configure

Prerendering

Beta

Enable prerendering to allow crawlers used by search engines and social networks to see the pages rendered by your app.

[Learn more about prerendering in the docs](#) ↗

Configure

Split Testing Beta

Simple yet powerful split testing at the edge node. Test alternate designs or gradually roll out features by serving multiple Branch Deploys and distributing them across users.

[Learn more about Split Testing in the docs](#) ↗

Get started with Split Testing

 This feature requires [branch deploys](#) ↗


Activate branch deploys and push changes to the branches you want to test.

[Activate branch deploys](#)

Build plugins

Discover and configure build plugins

[Learn more about build plugins in the docs](#) ↗

 Search build plugins

All ▼



21YunBox
by 21YunBox

Deploy to China straight from your Netlify Dashboard

Enable

Options ▼



Algolia Crawler
by Netlify

Automatically crawls your website and generates an Algolia Search index.

Enable

Options ▼



Visual Diff (Applito)
by Applito

Require visual changes on production to be manually approved before going live!

Enable

Options ▼



Auth0 extension
by Netlify

Connect your Netlify account to Auth0

Enable

Options ▼



Cloudflare cache purge

by Chris Muktar

Clear Cloudflare cache when build completes.

Enable

Options ▼



Cloudinary

by Cloudinary

Automatically optimize your Netlify site images and deliver them in modern formats with Cloudinary.

Enable

Options ▼



CommandBar

by CommandBar

CommandBar plugin for websites deployed to Netlify.

Enable

Options ▼



Cypress

by Cypress

Runs Cypress end-to-end tests after Netlify builds the site.

Enable

Options ▼



DebugBear web performance

by DebugBear

Run tests on DebugBear to see how your deployments affect page performance and Lighthouse scores

Enable

Options ▼



Formspree
by Formspree

Deploy React forms with formspree.json

Enable

Options ▼



Ghost Inspector
by Ghost Inspector

Run Ghost Inspector automated browser tests on your Netlify deploys.

Enable

Options ▼



Inngest
by Inngest

Automatically deploy Inngest functions to Netlify's platform.

Enable

Options ▼



Lighthouse
by Netlify

Automatically run a Lighthouse audit on your website after every build.

Enable

Options ▼



a11y
by sw-yx

Build a more accessible web! Run your critical pages through pa11y and fail build if accessibility failures are found.

Enable

Options ▼



Airbrake
by Bharathvaj Ganesan

Automatically notifies Airbrake of new site deploys.

Enable

Options ▼



AMP server-side rendering

by Martin Bean

A Netlify plugin to server-side render your AMP pages.

Enable

Options ▼



Build Logger

by Amar Parmar

Send build events to a logging service.

Enable

Options ▼



Cecil cache

by Arnaud Ligny

Persist the Cecil cache between Netlify builds.

Enable

Options ▼



Checklinks

by Peter Müller

Checklinks helps you keep all your asset references correct and avoid embarrassing broken links to your internal pages, or even to external pages you link out to.

Enable

Options ▼



Chromium

by soofka

Installs Chromium (installs NPM Chromium package and sets environment variable to location of binaries); useful for other tools requiring Chromium to run, e.g. Lighthouse CI.

Enable

Options ▼



Contextual ENV

by Chris Ball

Replaces ENV vars with ENV vars that are prefixed/suffixed with the context or branch name.

Enable

Options ▾



Dareboost

by Boris Schapira

After a successful build, create an event in your Dareboost monitoring. If you have subscribed to API credits, you can automatically launch analyses.

Enable

Options ▾



Debug cache

by Netlify

Debug & verify the contents of your Netlify build cache.

Enable

Options ▾



Fetch feeds

by Phil Hawksworth

A Netlify plugin to fetch and cache content from remote feeds including RSS and JSON.

Enable

Options ▾



Flutter SDK

by Ben Evans

Install the Flutter SDK for Building and Deploying Flutter Web Apps.

Enable

Options ▾



Ghost Markdown

by David Darnes

Generates posts, pages, tag pages and author pages from a Ghost publication as markdown files, using the Ghost Content API.

Enable

Options ▾



Gridsome Cache

by Eric McCormick

Persist the Gridsome cache between Netlify builds for huge speed improvements!

Enable

Options ▾



Hashfiles

by Peter Müller

Hashfiles sets you up with an optimal caching strategy for static sites, where static assets across pages are cached for as long as possible in the visitors browser and never have to be re-requested.

Enable

Options ▾



HTML Validate

by Oliver Roick

Validate HTML generated by your build.

Enable

Options ▾



Hugo Cache Resources

by Cassius

Persist Hugo resources folder between Netlify builds for huge build speed improvements!

Enable

Options ▾



Image Optim

by Chris Draycott-Wheatley

Optimize images as part of your Netlify build process.

Enable

Options ▾



Inline Critical CSS

by Tom Bonnike

Automatically extract and inline the critical CSS of your pages in order to render content to the user as fast as possible.

Enable

Options ▼



Inline Functions Environment Variables

by Zhenhua Ben Cao

Inline process.env.VARIABLE in netlify functions with netlify build time environment variables.

Enable

Options ▼



Inline Source

by Tom Bonnike

Improve your site's performance by inlining some of your assets/sources, reducing the number of HTTP requests your users need to make.

Enable

Options ▼



Is Website Vulnerable

by Erez Rokah

A Netlify plugin that uses Snyk to test for security vulnerabilities in a website's JavaScript libraries.

Enable

Options ▼



JavaScript Obfuscator

by Anish Roy

An obfuscator for your JavaScript source code.

Enable

Options ▼



Jekyll Cache

Persist the Jekyll cache between Netlify builds.

Enable

Options ▾



Minify HTML

by Phil Hawksworth

A plugin to add HTML minification as a post-processing optimisation in Netlify.

Enable

Options ▾



Netlify Bundle ENV

by Hrishikesh Kokate

A Netlify Build Plugin to inject environment variables in Netlify Functions during Netlify Builds.

Enable

Options ▾



No More 404

by sw-yx

Check that you preserve your own internal URL structure between builds, accounting for Netlify Redirects. Don't break the web!

Enable

Options ▾



Pushover Notification

by Ashik Nesin

Send real time notification to your devices on build success/error via Pushover.net.

Enable

Options ▾



Replace

Replace ENV variables in your publish directory.

Enable

Options ▾



Sitemap

by Netlify

Automatically generate a sitemap for your website after it finishes building in Netlify.

Enable

Options ▾



Skip nx

by Fahd Allebdi

Skip not affected apps in a nx monorepo.

Enable

Options ▾



Subfont

by Peter Müller

Subfont post-processes your web page to analyse you usage of web fonts, then reworks your webpage to use an optimal font loading strategy for the best performance.

Enable

Options ▾



Submit Sitemap

by Cassius

Automatically submit your sitemap to Google and Yandex after every production build!

Enable

Options ▾



Use Env in Runtime

by Ben Lmsc

Make some environment variables available only at build time in the runtime of your app.

Enable

Options ▾



Webmentions

by Luke Bonaccorsi

Automatically discover any webmentions and send them after every production build.

Enable

Options ▾



New Relic
by Aaron Bassett

Automatically notifies New Relic of Netlify build events and installs the New Relic browser agent to monitor your sites.

Enable

Options ▾



Nimbella
by Nimbella

Nimbella plugin to extend Netlify Sites with stateful and portable serverless APIs.

Enable

Options ▾



PerfBeacon
by OnlineOrNot

Tell PerfBeacon to measure page speed after a successful build.

Enable

Options ▾



PageWatch Audit
by PageWatch

Check your site for layout errors, spelling mistakes, broken links and performance issues on every build.

Enable

Options ▾



QA Wolf
by QA Wolf

Run QA Wolf end-to-end tests on Netlify deployments.

Enable

Options ▾



Sentry
by Sentry

The Sentry integration on Netlify helps you quickly identify how code errors and performance issues impact your users.

Enable

Options ▼



Snaplet
by Snaplet

Bootstrap preview databases with your deploy previews on Netlify without affecting production.

Enable

Options ▼



Snyk Security
by Snyk

A Snyk Netlify plugin to find and monitor new security vulnerabilities in JavaScript libraries.

Enable

Options ▼



Speedcurve
by Andy Davies

After a successful build, tell SpeedCurve you've deployed and trigger a round of testing.

Enable

Options ▼



StepZen
by StepZen

Deploy a StepZen (<http://stepzen.com>) GraphQL API with any Netlify build.

Enable

Options ▼



Strapi
by Strapi

Strapi v4 plugin to trigger, monitor, and cancel deployments on one or more Netlify sites

Enable

Options ▾



TakeShape
by TakeShape

Automatically create and configure a TakeShape project for use with your Netlify site.

Enable

Options ▾



Very Good Security
by Very Good Security

Securely collect and use sensitive data without having it ever touch your systems.

Enable

Options ▾

[Docs](#) [Pricing](#) [Support](#) [Blog](#) [Changelog](#) [Terms](#)

© 2025 Netlify

