

Keyboard Shortcuts

Some shortcuts may differ if non-default keybindings are selected (e.g. Emacs, Vim, or Sublime Text).

Accessibility

Description	Windows & Linux	Мас
Toggle Screen Reader Support	Alt+Shift+/	^~/
Speak Text Editor Location	Alt+Shift+1	^ ~ 1
Focus Console Output	Ctrl+` or Alt+Shift+2	Ctrl+` or ^≂2
Toggle Tab Key Always Moves Focus	Alt+Shift+[^~[
Focus Main Toolbar	Alt+Shift+Y	^¬ ~ Y

Console

Description	Windows & Linux	Мас
Move cursor to Console	Ctrl+2	^2
Clear console	Ctrl+L	^L
Move cursor to beginning of line	Home	#←
Move cursor to end of line	End	\mathcal{H} \rightarrow
Navigate command history	Up/Down	↑ or ↓
Popup command history	Ctrl+Up	# ↑
Interrupt currently executing command	Esc	8
Change working directory	Ctrl+Shift+H	^ûH

Source

Description	Windows & Linux	Mac
Go to File/Function	Ctrl+. [period]	^. [period]

Description	Windows & Linux	Мас
Move cursor to Source Editor	Ctrl+1	^1
Toggle document outline	Ctrl+Shift+O	ûЖO
New document (except on Chrome/Windows)	Ctrl+Shift+N	û 米N
New document (Chrome only)	Ctrl+Alt+Shift+N	∼û₩ N
Open document	Ctrl+O	ЖО
Save active document	Ctrl+S	₩S
Save all documents	Ctrl+Alt+S	^~=S
Close active document (except on Chrome)	Ctrl+W	₩W
Close active document (Chrome only)	Ctrl+Alt+W	∼₩W
Close all open documents	Ctrl+Shift+W	r XV
Close other documents	Ctrl+Shift+Alt+W	~û₩W
Preview HTML (Markdown and HTML)	Ctrl+Shift+K	î策K
Knit Document (knitr)	Ctrl+Shift+K	ΰЖK
Compile Notebook	Ctrl+Shift+K	ΰЖK
Compile PDF (TeX and Sweave)	Ctrl+Shift+K	ΰЖK
Insert chunk (Sweave and Knitr)	Ctrl+Alt+I	~#I
Insert code section	Ctrl+Shift+R	î
Run current line/selection	Ctrl+Enter	 Return
Run current line/selection (retain cursor position)	Alt+Enter	∼Return
Re-run previous region	Ctrl+Shift+P	û器P
Run current document	Ctrl+Alt+R	∼ #R
Run from document beginning to current line	Ctrl+Alt+B	~=₩B
Run from current line to document end	Ctrl+Alt+E	∼₩E
Run the current function definition	Ctrl+Alt+F	∼₩F
Run the current code section	Ctrl+Alt+T	∼₩T
Run previous Sweave/Rmd code	Ctrl+Alt+P	∼₩P

Description	Windows & Linux	Мас
Run the current Sweave/Rmd chunk	Ctrl+Alt+C	∼₩C
Run the next Sweave/Rmd chunk	Ctrl+Alt+N	∼ ₩N
Source a file	Ctrl+Alt+G	^~=G
Source the current document	Ctrl+Shift+S	҈ ₩ S
Source the current document (with echo)	Ctrl+Shift+Enter	î 光Return
Send current line/selection to terminal	Ctrl+Alt+Enter	∼∺Return
Fold Selected	Alt+L	∼₩L
Unfold Selected	Shift+Alt+L	~: î
Fold All	Alt+O	~ ₩0
Unfold All	Shift+Alt+O	~: î ЖO
Go to line	Shift+Alt+G	∼û ₩ G
Jump to	Shift+Alt+J	~= û ЖJ
Expand selection	Ctrl+Shift+Up	^~= û ↑
Shrink selection	Ctrl+Shift+Down	^~= û↓
Next section	Ctrl+PgDown	光 ‡
Previous section	Ctrl+PgUp	# ‡
Split into lines	Ctrl+Alt+A	^~=A
Edit lines from start	Ctrl+Alt+Shift+A	^~= û A
Switch to tab	Ctrl+Shift+. [period]	^û. [period]
Previous tab	Ctrl+F11 or Ctrl+Alt+Left	^F11 or ^~-←
Previous tab (desktop only)	Ctrl+Shift+Tab	^ <u>û</u> →
Next tab	Ctrl+F12 or Ctrl+Alt+Right	^F12 or ^¬=→
Next tab (desktop only)	Ctrl+Tab	$^{\wedge}$
First tab	Ctrl+Shift+F11 or Ctrl+Alt+Shift+Left	^ûF11 or ^~û←
Last tab	Ctrl+Shift+F12 or Ctrl+Alt+Shift+Right	^ûF12 or ^~û→
Navigate back	Ctrl+F9	ЖF9
Navigate forward	Ctrl+F10	₩F10
Extract function from selection	Ctrl+Alt+X	~= ₩X

2020	Rolludio. Reyboard Shorto	uis
Description	Windows & Linux	Мас
Extract variable from selection	Ctrl+Alt+V	∼∺V
Reindent lines	Ctrl+I	₩I
Comment/uncomment current line/selection	Ctrl+Shift+C	û 米C
Reflow Comment	Ctrl+Shift+/	^ û/
Reformat Selection	Ctrl+Shift+A	û ₩A
Show Diagnostics for Current Project	Ctrl+Shift+Alt+D	∼û₩D
Transpose Letters	No shortcut	^T
Move Lines Up/Down	Alt+Up/Down	~=↑ or ↓
Copy Lines Up/Down	Shift+Alt+Up/Down	~=₩↑ or↓
Jump to Matching Brace/Paren	Ctrl+P	^P
Expand to Matching Brace/Paren	Ctrl+Shift+Alt+E	^ûE
Add Cursor Above Current Cursor	Ctrl+Alt+Up	^~=↑
Add Cursor Below Current Cursor	Ctrl+Alt+Down	^~=↓
Move Active Cursor Up	Ctrl+Alt+Shift+Up	^~☆↑
Move Active Cursor Down	Ctrl+Alt+Shift+Down	^~ û↓
Find and Replace	Ctrl+F	₩F
Find Next	Win: F3, Linux: Ctrl+G	₩G
Find Previous	Win: Shift+F3, Linux: Ctrl+Shift+G	û 米G
Use Selection for Find	Ctrl+F3	₩E
Replace and Find	Ctrl+Shift+J	ı XJ
Find in Files	Ctrl+Shift+F	û Ж F
Check Spelling	F7	F7
Rename Symbol in Scope	Ctrl+Alt+Shift+M	~÷î ₩M
Insert Roxygen Skeleton	Ctrl+Shift+Alt+R	~= î ∺R

Editing (Console and Source)

Description	Windows & Linux	Mac
Undo	Ctrl+Z	₩Z
Redo	Ctrl+Shift+Z	î黑Z

72020	rectado. Roybodia enortodo	
Description	Windows & Linux	Мас
Cut	Ctrl+X	₩X
Сору	Ctrl+C	策C
Paste	Ctrl+V	₩V
Select All	Ctrl+A	₩A
Jump to Word	Ctrl+Left/Right	~← or →
Jump to Start/End	Ctrl+Home/End or Ctrl+Up/Down	光↑ or ↓
Delete Line	Ctrl+D	₩D
Select	Shift+[Arrow]	û [Arrow]
Select Word	Ctrl+Shift+Left/Right	~û← or →
Select to Line Start	Alt+Shift+Left	î % ←
Select to Line End	Alt+Shift+Right	î H →
Select Page Up/Down	Shift+PageUp/PageDown	û ‡ or ‡
Select to Start/End	Ctrl+Shift+Home/End or Shift+Alt+Up/Down	î∺î or↓
Delete Word Left	Ctrl+Backspace	~ ⊙ or ^~ ⊙
Delete Word Right	No shortcut	$\neg \boxtimes$
Delete to Line End	No shortcut	^K
Delete to Line Start	No shortcut	~<⊠
Indent	Tab (at beginning of line)	→ (at beginning of line)
Outdent	Shift+Tab	↑ → 1
Yank line up to cursor	Ctrl+U	^U
Yank line after cursor	Ctrl+K	^K
Insert currently yanked text	Ctrl+Y	^Y
Insert assignment operator	Alt+-	~~-
Insert pipe operator	Ctrl+Shift+M	û ₩M
Show help for function at cursor	F1	F1
Show source code for function at cursor	F2	F2
Find usages for symbol at cursor (C++)	Ctrl+Alt+U	~ # U

Completions (Console and Source)

Description	Windows & Linux	Мас
Attempt completion	Tab or Ctrl+Space	→ or #Space
Navigate candidates	Up/Down	↑ or ↓
Accept selected candidate	Enter, Tab, or Right	Return, →, or →
Dismiss completion popup	Esc	8

Views

Description	Windows & Linux	Мас
Move focus to Source Editor	Ctrl+1	^1
Zoom Source Editor	Ctrl+Shift+1	^ û 1
Move focus to Console	Ctrl+2	^2
Zoom Console	Ctrl+Shift+2	^ îr 2
Move focus to Help	Ctrl+3	^3
Zoom Help	Ctrl+Shift+3	^ î 3
Move Focus to Terminal	Alt+Shift+T	∼ûΤ
Show History	Ctrl+4	^4
Zoom History	Ctrl+Shift+4	^ û 4
Show Files	Ctrl+5	^5
Zoom Files	Ctrl+Shift+5	^ û 5
Show Plots	Ctrl+6	^6
Zoom Plots	Ctrl+Shift+6	^
Show Packages	Ctrl+7	^7
Zoom Packages	Ctrl+Shift+7	^û7
Show Environment	Ctrl+8	^8
Zoom Environment	Ctrl+Shift+8	^ û 8
Show Viewer	Ctrl+9	^9
Zoom Viewer	Ctrl+Shift+9	^û9
Show Git/SVN	Ctrl+F1	^F1
Zoom Git/SVN	Ctrl+Shift+F1	^ûF1
Show Build	Ctrl+F2	^F2
Zoom Build	Ctrl+Shift+F2	^ûF2
Show Connections	Ctrl+F5	^F5

Description	Windows & Linux	Мас
Zoom Connections	Ctrl+Shift+F5	^ûF5
Zoom Tutorial	Ctrl+Shift+F6	^ûF6
Show Find in Files Results	Ctrl+F6	^F6
Sync Editor & PDF Preview	Ctrl+F8	₩F8
Zoom left column	Ctrl+Alt+Shift+F12	^~ûF12
Zoom right column	Ctrl+Alt+Shift+F11	^~ûF11
Global Options	No shortcut	狀, [comma] (Chrome, Desktop) ~狀, [comma] (Safari, Firefox)
Project Options	No shortcut	î米, [comma]

Help

Description	Windows & Linux	Mac
Show Keyboard Shortcut Reference	Alt+Shift+K	∼≕ û K
Search R Help	Ctrl+Alt+F1	^~F1
Find in Help Topic	Ctrl+F	₩F
Previous Help Topic	Shift+Alt+F2	~ û F2
Next Help Topic	Shift+Alt+F3	~ûF3

Build

Description	Windows & Linux	Mac
Install and Restart	Ctrl+Shift+B	û₩B
Load All (devtools)	Ctrl+Shift+L	ûЖL
Test Package (Desktop)	Ctrl+Shift+T	î壯T
Test Package (Web)	Ctrl+Alt+F7	~#F7
Check Package	Ctrl+Shift+E	ûЖE
Document Package	Ctrl+Shift+D	î XD

Debug

Description Windows & Linux Mac

Description	Windows & Linux	Мас
Toggle Breakpoint	Shift+F9	û F9
Execute Next Line	F10	F10
Step Into Function	Shift+F4	û F4
Finish Function/Loop	Shift+F6	ûF6
Continue	Shift+F5	û F5
Stop Debugging	Shift+F8	û F8
Profile selected lines	Ctrl+Alt+Shift+P	^ ~ û P

Plots

Description	Windows & Linux	Мас
Previous plot	Ctrl+Alt+F11 or Ctrl+Shift+PageUp	~₩F11 or ûЖ‡
Next plot	Ctrl+Alt+F12 or Ctrl+Shift+PageDown	~∺F12 or î∺‡

$\operatorname{Git}/\operatorname{SVN}$

Description	Windows & Linux	Mac
Diff active source document	Ctrl+Alt+D	^~D
Commit changes	Ctrl+Alt+M	^~=M
Scroll diff view	Ctrl+Up/Down	^↑ or ↓
Stage/Unstage (Git)	Spacebar	Spacebar
Stage/Unstage and move to next (Git)	Enter	Return

Session

Description	Windows & Linux	Mac
Quit Session (desktop only)	Ctrl+Q	₩Q
Restart R Session	Ctrl+Shift+F10	û₩F10

Terminal

Description	Windows & Linux	Mae
New Terminal	Shift+Alt+R	~= û R
Move Focus to Terminal	Shift+Alt+T	∼ûΤ
Previous Terminal	Shift+Alt+F11	~ûF11
Next Terminal	Shift+Alt+F12	~:ûF12

Main Menu (Server)

Description	Windows & Linux	Mac
File Menu	Alt+Shift+F	^~F
Edit Menu	Alt+Shift+E	^~I
Code Menu	Alt+Shift+C	^~C
View Menu	Alt+Shift+V	^~V
Plots Menu	Alt+Shift+P	^~P
Session Menu	Challe Alex Clatter C	^ ^ C
Session Menu	Ctrl+Alt+Shift+S	^~ûS
Build Menu	Alt+Shift+B	^~B
Build Menu	Alt+Shift+B	^~B
Build Menu Debug Menu	Alt+Shift+B Alt+Shift+U	^~=B ^~=U