



View your inventory in the Nodes page

HCI

Ann-Marie Grissino

April 23, 2020

This PDF was generated from https://docs.netapp.com/us-en/hci/docs/task_hcc_nodes.html on June 25, 2020.
Always check docs.netapp.com for the latest.

Table of Contents

View your inventory in the Nodes page 1

View your inventory in the Nodes page

You can view both your storage and compute assets in your system and determine their IP addresses, names, and software versions.

You can view storage information for your two-, three-, and four-node systems and any NetApp HCI Witness Nodes associated with two-node or three-node clusters.

Witness Nodes manage quorum within the cluster; they are not used for storage. Witness Nodes are applicable only to NetApp HCI and not to all-flash storage environments.

For more information about Witness Nodes, see [Nodes definitions](#).

Steps

1. Open a web browser and browse to the IP address of the management node. For example:

https://[management node IP address]

2. Log in to NetApp Hybrid Cloud Control by providing the NetApp HCI storage cluster administrator credentials.
3. In the left navigation blue box, select the NetApp HCI installation.

The Hybrid Cloud Control Dashboard appears.

4. In the left navigation, click **Nodes**.

The Storage tab appears.

Nodes

Only NetApp HCI Nodes are displayed on this page.

STORAGE

COMPUTE

RagnarokNomadCluster 1 of 1 Two-node

Filter

Columns

Download

| Hostname | Node Model | Element Version | Management IP Address |
|----------|------------|-----------------|-----------------------|
| stg01 | H410S-0 | 12.0.0.318 | - VLAN 1184 |
| stg02 | H410S-0 | 12.0.0.318 | - VLAN 1184 |

1 - 2 of 2 results

Navigation: 1

30

Witness Nodes

| Hostname | Management IP Address | Storage (iSCSI) IP Address |
|----------|-----------------------|----------------------------|
| wit01 | | |
| wit02 | | |

5. On the **Storage** tab of the Nodes page, review the following information:
 - a. Two-node clusters: A “two-node” label appears on the Storage tab and the associated Witness Nodes are listed.
 - b. Three-node clusters: The storage nodes and associated Witness Nodes are listed. Three-node clusters have a Witness Node deployed on standby to maintain high availability in the case of node failure.
 - c. Clusters with four nodes or more: Information for clusters with four or more nodes appears. Witness Nodes do not apply; the Witness Nodes table does not appear.
6. To view compute inventory information, click **Compute**.
7. Options:
 - a. To filter the list of items in the results, click the **Filter** icon and select the filters. You can also enter text for the filter.
 - b. To show or hide columns, click the **Show/Hide Columns** icon.
 - c. To download the table, click the **Download** icon.



To view the number of storage and compute resources, look at the Hybrid Cloud Control (HCC) Dashboard. See [View storage and compute resources in HCC Dashboard](#).

Find more information

- [NetApp HCI Documentation Center](#)
- [NetApp HCI Resources Page](#)

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.