



Performing a granular-level restore

SaaS Backup For Office 365

NetApp

November 19, 2020

This PDF was generated from https://docs.netapp.com/us-en/saasbackupO365/task_performing_granular_level_restore_exchange.html on November 19, 2020. Always check docs.netapp.com for the latest.



Table of Contents

- Performing a granular-level restore 1
 - Performing a granular-level restore for Microsoft Exchange Online 1
 - Performing a granular-level restore for Microsoft SharePoint Online 2
 - Performing a granular-level restore for Microsoft OneDrive for Business 5

Performing a granular-level restore

Performing a granular-level restore for Microsoft Exchange Online

Within Microsoft Exchange Online, you can restore granular-level items for a single user, such as individual emails, tasks, contacts, and calendar events. You can also restore granular-level items for a Microsoft Office 365 group mailbox.

By default, only the most recent backup is available for restore. You can update your backup settings to maintain a specified number of backed-up versions of individual files. If you have more versions of a file than you have specified for backup, only the number of versions that you have specified is available for restore.

Steps

1. From the Dashboard, click the number above **PROTECTED** in the Exchange box.



2. Select your restore option.
 - a. For shared mailboxes, click the **SHARED** tab.
 - b. For archive mailboxes, click the **ARCHIVE** tab.
 - c. For regular mailboxes, remain on the **USER** tab.
3. Click the mailbox for which you need to perform the granular-level restore.
4. Restore an entire Microsoft Office Exchange category or restore a specific item within a category. For a Microsoft Office 365 Group mailbox, you only have the option to restore from the mail category or the calendar category.
5. Select the category (Mail, Tasks, Contacts, or Other) that you need to restore.



If you want to restore a single item inside the category, click the category, and then select the items that you want to restore.

6. Click **Restore**.
7. Select a restore option.
 - **Restore to the same mailbox**

If you restore to the same mailbox, by default, a restore folder with the current date and time stamp is created in the original content location containing the backup copy. If you select

Replace the existing content, then your current data is completely replaced by the backup.

For Microsoft Office 365 Groups, you only have the option to restore to the same mailbox and you cannot replace the existing content. For Microsoft Exchange Online, you can restore to the same mailbox and replace the existing content or you can restore to another mailbox.

- **Restore to another mailbox** (Available for Microsoft Exchange only)

If you restore to another mailbox, you must enter the destination mailbox in the search field. You can type in a portion of the destination email address in the search field to initiate an automatic search for matching destination mailboxes.

- **Export to PST**

You can select to include all the category subfolders.

If you export to PST, you will receive a notification email with the location of the PST file when the export is completed. Note: This option is not available for Microsoft Office 365 Groups.



If you select the export to PST restore option, the provided link is valid for seven days and is pre-authenticated.

- **Export** (Available for Office 365 groups only):

If you export, a PST file is created with your Microsoft Exchange files and a .zip file is created in your Microsoft SharePoint sites. You will receive a notification email containing the location of the PST file and an authenticated URL to the location of the .zip file.



If you select the export restore option, the provided link is valid for seven days and is pre-authenticated.

8. Click **Confirm**.

A message is displayed indicating that the restore job was created.

9. Click **View the job progress** to monitor the progress of the restore.

Performing a granular-level restore for Microsoft SharePoint Online

Within Microsoft SharePoint Online, you can restore granular-level items for a single user, such as individual folders or files. You can also restore granular-level items for a Microsoft Office 365 group site and OneNote notebooks. Site roles and permissions are protected automatically as part of a restore or backup.

By default, only the most recent backup is available for restore. You can update your backup settings to maintain a specified number of backed-up versions of individual files. If you have more versions of a file than you have specified for backup, only the number of versions that you have specified is available for restore.

Restore SharePoint files and folders

Steps

1. From the Dashboard, click the number above **PROTECTED** in the SharePoint box.
2. Click the site for which you need to perform the granular-level restore.
3. Select the category that you need to restore.




If you want to restore specific individual items inside a category, click the content category and then select the individual items.

4. To restore from the most recent backup, click **Restore**. To restore a previous version of the item, click **Show versions**, and select the version that you want to restore and then click **Restore**.
5. Select a restore option:
 - **Restore to the same site**

If you restore to the same site, by default, a restore folder with the current date and time stamp is created in the original file location containing the backup copy. If you select the **Overwrite with merge** option, no restore folder is created. If the version of the backup file and the current file match, the backup is restored to the original location. Any new content in the destination is ignored and unaffected. For example, if the backup contains File1 version5 and the destination contains File1 version 6, a restore with the **Overwrite with Merge** option selected fails. If you select the **Replace the existing content** option, the current version of the data is completely replaced with the backup copy.

If you select **Restore Only Roles**, only the roles and permissions restore.



Restore
✕

SELECTED SITES

https://sbtnt2.sharepoint.com/sites/QA-Test_4


RESTORE ITEMS

📁 Documents

 RESTORE OPTION:

Restore to the same site ▼

ADDITIONAL OPTIONS

☐ Overwrite with merge 

RESTORE ONLY ROLES

☒

Cancel

Confirm

- **Restore to another site**

If you restore to another site, you must enter the destination site in the search field. You can type a portion of the site in the search field to initiate an automatic search for matching sites.

- **Export Data**

If you export data, you need to download it. Go to **Reporting** on the left menu. Find your export data job. Click on **Total Folders**. Then click **Export Data Download Link**. A zip file downloads. Open the zip file to extract the data.



If you select the **Export Data** restore option, the provided link is valid for seven days and is pre-authenticated.

6. Click **Confirm**.

A message is displayed indicating that the restore job was created.

7. Click **View the job progress** to monitor the progress of the restore.

Restore OneNote notebooks and groups for SharePoint

Steps

1. From the Dashboard, click the number above **PROTECTED** in the OneDrive box.
2. Click the site for which you need to perform the restore.
3. Click **Documents**.

4. Select the notebooks you want to restore.



If you want to restore a specific group or section within the notebook, click on the notebook to select the groups. Click on the group to select the sections.

5. Click **Restore**.

6. Select a restore option:

- **Restore to the same MySite**

If you restore to the same MySite a restore folder with the time stamp is created in the original content location containing the backup copy. If you select **Replace the existing content**, then your current data is completely replaced by the backup.

- **Restore to another MySite**

If you restore to another MySite, you must enter the destination MySite in the search field. You can type in a portion of the destination MySite in the search field to initiate an automatic search for matching destination MySites. A restore folder with the current timestamp is created containing the backup copy.

- **Export Data**

If you export data, you need to download it. Go to **Reporting** on the left menu. Find your export data job. Click on **Total Folders**. Then click **Export Data Download Link**. A zip file downloads. Open the zip file to extract the data.



If you select the **Export Data** restore option, the provided link is valid for seven days and is pre-authenticated.

7. Click **Confirm**.

8. Click **View the job progress** to monitor the progress of the restore.

Performing a granular-level restore for Microsoft OneDrive for Business

Within Microsoft OneDrive for Business, you can restore granular-level items, such as individual folders or files, for a list or library. You can also restore OneNote notebooks or groups.

By default, only the most recent backup is available for restore. You can update your backup settings to maintain a specified number of backed-up versions of individual files. If you have more versions of a file than you have specified for backup, only the number of versions that you have specified is available for restore.

Restore OneDrive files and folders

Steps

1. From the Dashboard, click the number above **PROTECTED** in the OneDrive box.
2. Click the MySite for which you need to perform the restore.
3. Select the group of files.



If you want to restore individual folders or files within a group, click on the group of files. To restore an entire folder, select the folder. To restore individual files within a folder, select the folder containing the files, and then select the individual files.

4. Click **Restore**.
5. Select a restore option:
 - **Restore to the same MySite**

If you are restoring individual files to the same MySite, by default, a restore folder with the current date and time stamp is created in the original content location containing the backup copy. If you select **Replace the existing content**, then your current data is completely replaced by the backup.

- **Restore to another MySite**

If you restore to another MySite, you must enter the destination MySite in the search field. You can type in a portion of the destination MySite in the search field to initiate an automatic search for matching destination MySites.

- **Export Data**

If you export data, you need to download it. Go to Reporting on the left menu. Find your export data job. Click on **Total Folders**. Then click **Export Data Download Link**. A zip file downloads. Open the zip file to extract the data.



If you select the **Export Data** restore option, the provided link is valid for seven days and is pre-authenticated.

6. Click **Confirm**.
7. Click **View the job progress** to monitor the progress of the restore.

Restore OneNote notebooks and groups for OneDrive

Steps

1. From the Dashboard, click the number above **PROTECTED** in the OneDrive box.

2. Click the MySite for which you need to perform the restore.
3. Click on the group of files.
4. Select the notebooks you want to restore.



If you want to restore a specific section within the notebook, click on the notebook and select the sections.

5. Click **Restore**.
6. Select a restore option:

- **Restore to the same MySite**

If you restore to the same MySite a restore folder with the current date and time stamp is created in the original content location containing the backup copy. If you select **Replace the existing content**, then your current data is completely replaced by the backup.

- **Restore to another MySite**

If you restore to another MySite, you must enter the destination MySite in the search field. You can type in a portion of the destination MySite in the search field to initiate an automatic search for matching destination MySites. A restore folder named CC_username_timestamp is created containing the backup copy.

- **Export Data**

If you export data, you need to download it. Go to Reporting on the left menu. Find your export data job. Click on **Total Folders**. Then click **Export Data Download Link**. A zip file downloads. Open the zip file to extract the data.



If you select the **Export Data** restore option, the provided link is valid for seven days and is pre-authenticated.

7. Click **Confirm**.
8. Click **View the job progress** to monitor the progress of the restore.

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.