

Nextech NexCloud/Select

NexCloud/Select API

- Need API access. Get authorization from NexTech itself. I've already reached out and sent further information in response to an email.
- Provide a unique identifier for each practice that connects to the EHR (Each oph practice) `nx-practice-id`

Use PUT/PATCH for writing data

1. Referrals - Fetch all patients

HTTP Request

GET /Patient - all patients

GET /Patient?_lastUpdated=ge{currentDay} - all patients based on when they were last updated. Can use `new Date().setHours(0,0,0,0)` to search for current day.

1	My db field	=> Nextech field
2	firstName	=> name
3	lastName	=> name
4	dob	=> birthDate
5	email	=> telecom
6	generalNotes	=> patient-note
7	phoneNumber	=> telecom
8	consentFormSigned	=> patient-note?
9	surgeonId	=> generalPractitioner
10	referringClinicId	=> patient-location
11	referringProviderId	=> referring-physician?
12		referring-physician.HumanName?
13		primary-care-physician?
14		

Any other fields I can use to fill in any of the **Contact, Pre-op, or post-op** sections

Potential Contact fields for the `patientContacts` table:

1	Db field	=> Nextech field
2	contactNotes	=> patient-note? (may not be any relevant contact note info)
3	dateAttemptedFirstContact	=> n/a
4	dateComanagerAware	=> n/a
5	dateInitialAppointmentScheduled	=> n/a
6	dateReferralReceived	=> n/a

Potential Pre-op fields for the `preOperations` table:

1	Db field	=> Nextech field
2	consultationReportSent	
3	delayInSurgery	
4	delayLetterSent	
5	delayReason	
6	eyesToBeDone	
7	firstEyeSurgeryDate	
8	firstEyeSurgeryType	=> patient-type?
9	initialAppointmentCompleted	=> patient-status? 'Active' may mean they've been seen in the office
10	isComanage	
11	isMedicare	=> patient-type? (could reflect insurance name) self-pay (if self-pay == false doesn't necessarily mean they don't have Medicare)
12	reasonNoSurgeryScheduled	
13	reasonNotComanage	
14	secondEyeSurgeryDate	
15	secondEyeSurgeryType	
16	surgeryScheduled	

Potential Post-op fields from the `postOperations` table:

HTTP Request

GET /Coverage?{parameters}

HTTP Request

GET /Claim?{parameters}

1	checkNumber
2	checkDelivered
3	contactedReferrer
4	reasonNotReferredBack
5	referredBackToOriginalClinic
6	referralCompleted
7	referralCanceled

```
8 referralCanceledReason
9 postOpVisitDate
10 postOpVisitType
11 typeOfInsurance      => type (from /Coverage)?
12 amountToBePaidFromInsurance
13 amountToPayProvider
14 transferOfCare
15 transferOfCareDate
16 paidOptomDate
17 checkDeliveryPaperwork
18 receivedOptomPostOpNotes
```

**NOTE: issue with creating a patient is it needs to be associated with a clinic AND a provider.

You can fetch "referring physician" so might have to loop over the initial fetch and add clinics and providers to the patient. Maybe the providers are one big JSON object that has a lookup of O(1). Might have to O(N) to put the data in an array and JSON object to enable this lookup.

Once you have a referring physician you can connect the clinic because the provider is connected to a clinic. So if you don't have a referring clinic fetched or filled in, but have the referring physician, you can just fill in the referringClinicId using one of the clinics that the physician (optometrist) is attached to.

2. Clinics - Fetch all clinics

HTTP Request

```
GET /Location?{parameters}
```

```
GET https://select.nextech-api.com/api/Location?includeAll=true includes managed and non-managed locations
```

```
1 Db field => Nextech field
2 Fields are from the clinics table
3
4 address => address
5 city    => address
6 email   => telecom
7 state   => address
8 name    => name
9 type    => set default as "optometry"
10 phoneNumber => telecom
```

3. Providers - Fetch all providers

HTTP Request

```
GET /Practitioner?{parameters}
```

```
1 Db field => Nextech field
2 Fields are from the providers table
3
4 image      => ?
5 status     => n/a
6 type       => default as "optometrist"
7 firstName  => name
8 lastName   => name
9 specialties => ?
10 dateVisitedByLiaison => ?
11 dateVisitedByProvider => ?
12 email      => telecom
13 notes      => ?
14 phoneNumber => telecom
15 consentFormOnFile => n/a
16 hasDemographics => n/a
17 hasW9      => n/a
```

4. Appointments

HTTP Request

```
GET /Appointment?{parameters}
```

Parameters to search with would be `practitioner.name` referencing each provider's name that works in the organization.

Returns a `description`, `participant` and `start` fields. The `participant` field includes: provider's name, provider's location and patient's name. The `start` field contains the date of the appointment. The `description` contains what type of appointment it is.

```
1 Db field => Nextech field
2
3 On patients table
4 surgeonId      => participant.practitioner.name (find id in db by using the name here)
5 surgeonClinicId => participant.location.name (find id in db by using the name here)
6
7 On preOperations table
8 firstEyeSurgeryDate    => start (depends on description of appointment)
9 secondEyeSurgeryDate   => start (depends on description of appointment)
10 firstEyeSurgeryType    => appointment-type or appointment-purpose (if determined to be the firstEyeSurgery)
```

