
# Uroš Radulović 98/19 – PC Part Shop

# Sadrzaj

- 1. Opis funkcijonalsnoti
- 2. Organizacija i dizaj baze
- 3. Kodovi


# Opis funkcijonalnosti


# Shop.php



Inicijalni shop page gde se vrsi ispis proizvoda iz baze. Sa strane je meni za filtriranje koji filtrira na serverskoj strai i prikazuje preko AJAX-a. Gore je navigacioni meni koji se menja u zavisnosti od korisnika.


Login i Register





Forme za login i register kojima je moguce prijaviti se. Imaju adekvatnu validaciju i ispis gresaka.


## Cart.php






Nakon sto se korisnik uloguje moguce je na shop stranici dodati proizvode u korpu. Navigacioni meni se menja sa logout i cart linkovima. U cart-u korisnik moze da vidi, dodaje, smanjuje i brise proizvode i kolicinu proizvoda.

### Admin funkijonalnosti




Nakon sto se korisnik uloguje kao admin moguce je pristupiti linkovima za admin pannel. Prvi link je prikaz log fajlova.






Drugi je prikaz editovanje i brisanje korisnika.




Treci su prikaz, editovanje, prisanje i dodavanje proizvoda. Ovde se takođe nalazi export dugme za categorije proizvoda.






Ovo je stranica za unos novog porizvoda. Prima sliku koja ce se sacuvati u originalnoj formi i u resizeovanoj thumbnail formi.


#### Autor stranica



Autor stranica gde se nalazi link za download word dokumenta.

# Organizacija i dizajn baze





### Kodovi

Style.css

```
margin: 0;
  padding: 0;
  box-sizing: border-box;
body {
  text-align: center;
  min-height: 100vh;
.msgTransition {
  transition: 0.3s;
footer {
  margin-top: 15px;
  padding: 5px 0px;
  background-color: #222;
}
.navbar-nav li a {
  transition: 0.3s;
.navbar-nav li a:hover {
  color: gray;
```

```
.nav-cart-box {
 display: grid;
 grid-auto-flow: column;
 align-items: center;
 justify-items: center;
.nav-cart-box a {
 color: white;
.nav-cart {
 width: 20px;
 height: auto;
.gridCenter {
 display: grid;
 justify-items: center;
 gap: 5px;
.about__img {
 width: 500px;
.shopMenu {
 display: grid;
 grid-auto-rows: minmax(min-content, max-content);
 gap: 10px;
.shopMenu label {
 margin: 0;
.shopFilterTitle {
 font-size: 28px;
 text-align: left;
 margin: 0;
.shopCategory {
 text-align: left;
.products {
 display: grid;
```

```
grid-template-columns: repeat(5, 1fr);
  gap: 15px;
 productPrice {
  color: #e52228;
  font-weight: bold;
  font-size: 32px;
 productTitle {
  font-size: 16px;
  font-weight: lighter;
.addToCart {
  margin: 0;
@media only screen and (max-width: 1300px) {
  .products {
    grid-template-columns: repeat(3, 1fr);
@media only screen and (max-width: 767px) {
  .products {
    grid-template-columns: 1fr;
  }
}
.user {
  display: grid;
  background-image: url("../img/background2.jpg");
  background-size: cover;
  background-position: center;
  background-repeat: no-repeat;
 user main {
  padding: 70px 50px;
  border-radius: 3px;
  justify-self: center;
  align-self: center;
 user input {
  padding: 5px 15px;
  border-radius: 3px;
  border: none;
```

```
.user footer {
  align-self: end;
.register-bg {
  background-image: url("../img/background.jpg");
.cart-table__head {
  border-bottom: 3px solid black;
.cart-table__head tr td {
  font-weight: bold;
.table-price {
  color: #e52228;
  font-size: 24px;
 font-weight: bold;
.table-name {
  font-size: 16px;
  font-weight: lighter;
.table td,
.table th {
 vertical-align: unset;
  padding: 0.3rem;
}
.pageDiv {
 display: grid;
  grid-template-columns: 1fr 1fr;
.pageCount {
  color: #e52228;
  font-size: 24px;
  font-weight: bold;
.author {
  height: 800px;
```

```
$.ajax({
 url: "./models/shop/shopGetProductCount.php",
 dataType: "json",
 success: function (data) {
   document.querySelector("#productCount").innerHTML = data[0].c
 },
 error: function (msg) {
   document.write(msg.responseText)
 },
})
// Product initial render
$.ajax({
 url: "./models/shop/shopGetProduct.php",
 dataType: "json",
 success: function (data) {
   genProductHTML(data)
 },
 error: function (msg) {
   document.write(msg.responseText)
 },
})
function genProductHTML(data) {
 const root = document.querySelector(".products")
 root.innerHTML = ""
 if (data.length == 0) root.innerHTML = "No products to show."
 data.forEach(item => {
   let markup = `
   <div class="card">
     <img class="card-img-</pre>
top product__img" src="assets/img/product/image/${item.img}" alt="alt text">
     <div class="card-body">
       ${item.name}
       ${item.price}$
       primary">Add to Cart
     </div>
   </div>
   root.innerHTML += markup
```

```
document
      .querySelectorAll(".addToCart")
      .forEach(e => e.addEventListener("click", addToCart))
  })
function addToCart() {
  const productID = this.id
  $.ajax({
    url: `./models/user/addToCart.php?productID=${productID}`,
    dataType: "json",
    success: function (data) {
      showMsg(data)
    },
    error: function (msg) {
      document.write(msg.responseText)
    },
  })
$.ajax({
  url: "./models/shop/shopGetCategory.php",
  dataType: "json",
  success: function (data) {
    genShopMenu(data)
  },
  error: function (msg) {
    document.write(msg.responseText)
  },
})
function genShopMenu(data) {
  const root = document.querySelector(".shopCategory")
  root.innerHTML = ""
  data.forEach(item => {
    let markup = `
    <div>
      <input type="checkbox" name="category" id="${item.c_name}" value="${it</pre>
em.categoryID}">
      <label for="${item.c_name}">${item.c_name}</label>
    </div>
    root.innerHTML += markup
  })
```

```
document
    .querySelectorAll("input[type='checkbox']")
    .forEach(e => e.addEventListener("change", filterProduct))
document.querySelector("#search").addEventListener("input", filterProduct)
document.querySelector("#sortOrder").addEventListener("change", filterProduc
t)
function filterProduct() {
  const searchValue = document.guerySelector("#search").value.toUpperCase()
 const sortIndex = document.querySelector("#sortOrder").selectedIndex
  const sortValue = document.querySelector("#sortOrder")[sortIndex].value
 let checkedCategory = []
  document.querySelectorAll("input[type='checkbox']").forEach(element => {
    if (element.checked) checkedCategory.push(element.value)
 })
  checkedCategory = checkedCategory.join("-")
 const filterInput = `${searchValue}_${sortValue}_${checkedCategory}`
 $.ajax({
   url: `./models/shop/shopFilterProduct.php?filter=${filterInput}`,
    dataType: "json",
    success: function (data) {
      genProductHTML(data)
    },
    error: function (msg) {
      document.write(msg.responseText)
   },
 })
function showMsg(code) {
 window.scrollTo(0, 0)
 const msg = document.getElementById("msg")
 msg.innerHTML = ""
 msg.classList = ""
 msg.classList.add("msgTransition")
 if (code == 2) {
    msg.innerHTML = "Admin can't add items to cart!"
    msg.classList.toggle("bg-warning")
 } else if (code == 0) {
```

```
msg.innerHTML = "Must be logged in to do that! Please login or register."

msg.classList.toggle("bg-danger")
} else if (code == 1) {
  msg.innerHTML = "Item added to cart!"
  msg.classList.toggle("bg-success")
} else {
  msg.innerHTML = "Unexpected error!"
  msg.classList.toggle("bg-danger")
}
```

Config.php

```
<?php
define('ROOT_DIR', $_SERVER['DOCUMENT_ROOT'] . "/pc-part-shop");

function getConfigParametar($configParametarName)
{
    //! .env might be in ignored by git
    $configParametarArray = file(ROOT_DIR . "/config/.env");
    foreach ($configParametarArray as $configParametar) {
        $configParametar = trim($configParametar);
        list($name, $value) = explode("=", $configParametar);
        if ($name == $configParametarName) return $value;
    }
}

define("SERVER", getConfigParametar("SERVER"));
define("DATABASE", getConfigParametar("DATABASE"));
define("USERNAME", getConfigParametar("USERNAME"));
define("PASSWORD", getConfigParametar("PASSWORD"));</pre>
```

conn.php

```
<?php
require_once "config.php";

try {
    $conn = new PDO(
        "mysql:host=" . SERVER . ";dbname=" . DATABASE,
        USERNAME,
        PASSWORD
    );
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
```

```
catch (PDOException $error) {
    echo 'Connection failed', '<hr>', $error->getMessage();
function write($input)
    echo '', print_r($input, true), '';
function selectDB($query)
    global $conn;
    return $conn->query($query)->fetch();
function selectAllDB($query)
    global $conn;
    return $conn->query($query)->fetchAll();
function shiftDB($sql, $values)
    global $conn;
    $query = $conn->prepare($sql);
    foreach ($values as $index => &$value) {
        $query->bindValue($index + 1, $value);
    $query->execute();
```

#### Admin/addProduct.php

```
<?php
require "../../config/conn.php";

$name = $_REQUEST["name"];
$price = $_REQUEST["price"];
$categoryID = $_REQUEST["category"];

$image = $_FILES["image"];
$filename = $image["name"];
$tmp_name = $image["tmp_name"];
$size = $image["size"];
list($width, $height) = getimagesize($tmp_name);</pre>
```

```
$ext = pathinfo($filename, PATHINFO_EXTENSION);
$allowed = ["jpeg", "jpg", "png"];
if (!in_array($ext, $allowed)) {
    die("Image format not suported<br/>");
if ($size > 3 * 1024 * 1024) {
    die("Slika ne moze biti veca od 3MB.<br/>");
if ($ext == "jpg" || $ext == "jpeg") {
    $image_obj = imagecreatefromjpeg($tmp_name);
} elseif ($ext == "png") {
    $image_obj = imagecreatefrompng($tmp_name);
new_width = 200;
$new_height = (int)(200 * $height / $width);
$image_thumb = imagecreatetruecolor($new_width, $new_height);
imagecopyresampled($image_thumb, $image_obj, 0, 0, 0, 0, $new_height, $new_w
idth, $width, $height);
trv {
    shiftDB("INSERT INTO product VALUES (?, ?, ?, ?)", [null, $categoryID, $
name, $price]);
    trv {
        $time = time();
        $image_name = $time . $filename;
        $thumbnail_name = "thumb_" . $time . $filename;
        imagejpeg($image_obj, "../../assets/img/product/image/$image_name");
        imagejpeg($image_thumb, "../../assets/img/product/thumbnail/$thumbna
il_name");
        $lastID = selectDB("SELECT productID AS p FROM product WHERE product
ID=(SELECT max(productID) FROM product)")->p;
        shiftDB("INSERT INTO product_image VALUES (?, ?, ?, ?)", [null, $las
tID, $image_name, $thumbnail_name]);
    } catch (\Throwable $th) {
        echo "image_name_error";
} catch (\Throwable $th) {
    echo "product_error";
header("Location: ../../index.php?page=addProduct&ft=1&msg=productAdded");
```

```
<?php
require "../../config/conn.php";
$productID = $_REQUEST["productID"];
$name = $_REQUEST["name"];
$price = $_REQUEST["price"];
$categoryID = $_REQUEST["category"];
$imageUploaded = $_FILES["image"]["size"] > 0;
if ($imageUploaded) {
    $image = $_FILES["image"];
    $filename = $image["name"];
    $tmp_name = $image["tmp_name"];
    $size = $image["size"];
    list($width, $height) = getimagesize($tmp_name);
    $ext = pathinfo($filename, PATHINFO_EXTENSION);
    $allowed = ["jpeg", "jpg", "png"];
    if (!in_array($ext, $allowed)) {
        die("Image format not suported<br/>>");
    if ($size > 3 * 1024 * 1024) {
        die("Slika ne moze biti veca od 3MB.<br/>");
    }
    if ($ext == "jpg" || $ext == "jpeg") {
        $image_obj = imagecreatefromjpeg($tmp_name);
    } elseif ($ext == "png") {
        $image_obj = imagecreatefrompng($tmp_name);
    }
    new_width = 200;
    $new_height = (int)(200 * $height / $width);
    $image_thumb = imagecreatetruecolor($new_width, $new_height);
    imagecopyresampled($image_thumb, $image_obj, 0, 0, 0, 0, $new_height, $n
ew_width, $width, $height);
try {
```

```
shiftDB("UPDATE product SET categoryID = ?, name = ?, price = ? WHERE pr
oductID = $productID", [$categoryID, $name, $price]);
    try {
        if ($imageUploaded) {
            $time = time();
            $image_name = $time . $filename;
            $thumbnail_name = "thumb_" . $time . $filename;
            imagejpeg($image_obj, "../../assets/img/product/image/$image_nam
e");
            imagejpeg($image_thumb, "../../assets/img/product/thumbnail/$thu
mbnail_name");
            shiftDB("DELETE FROM product_image WHERE productID = ?", [$produ
ctID]);
            shiftDB("INSERT INTO product_image VALUES (?, ?, ?, ?)", [null,
$productID, $image_name, $thumbnail_name]);
    } catch (\Throwable $th) {
        echo "image_name_error";
} catch (\Throwable $th) {
    echo "product_error";
header("Location: ../../index.php?page=adminProduct&ft=1&msg=productUpdated"
);
```

admin/editUser.php

```
<?php
session_start();
require "../../config/conn.php";
require "../isLogged.php";

$userID = $_REQUEST["userID"];
$email = $_REQUEST["email"];
$pass = $_REQUEST["pass"];

if ($isAdmin) {
    try {
        shiftDB("UPDATE user SET email=?, pass=? WHERE userID=$userID", [$em ail, $pass]);
        header('Location: '. "../../index.php?page=adminUser&ft=1&msg=edit");
    } catch (\Throwable $th) {
        header('Location: '. "../../index.php?page=adminUser&ft=1&msg=0");
}</pre>
```

```
}
}
```

Admin/removeProduct.php

```
<?php
session_start();
require "../../config/conn.php";
require "../isLogged.php";

$productID = $_REQUEST["productID"];

if ($isAdmin) {
    try {
        shiftDB("DELETE FROM product WHERE productID=?", [$productID]);
        header('Location: ' . $_SERVER['HTTP_REFERER'] . "?msg=productDeleted&ft=1");
    } catch (\Throwable $th) {
        header('Location: ' . $_SERVER['HTTP_REFERER'] . "?msg=0&ft=1");
    }
}</pre>
```

Admin/removeUser.php

```
<?php
session_start();
require "../../config/conn.php";
require "../isLogged.php";

$userID = $_REQUEST["userID"];

if ($isAdmin) {
    try {
        shiftDB("DELETE FROM user WHERE userID=?", [$userID]);
        header('Location: ' . $_SERVER['HTTP_REFERER'] . "&msg=delete");
    } catch (\Throwable $th) {
        header('Location: ' . $_SERVER['HTTP_REFERER'] . "&msg=0");
    }
}
</pre>
```

Export/excel.php

```
<?php
require "../../config/conn.php";
header("Content-Type: application/xls");
header("Content-Disposition: attachment; filename=category.xls");</pre>
```

```
$data = selectAllDB("SELECT * FROM category");
$output = "";
$output .= "
<thead>
   CaterogyID
      Category Name
</thead>
";
foreach ($data as $value) {
   $output .= "
   " . $value->categoryID . "
     " . $value->c_name . "
   ";
echo $output;
```

export/word.php

Shop/shopFilterProduct.php

```
<?php
require "../../config/conn.php";
$filterString = $_REQUEST["filter"];
$filterArray = explode("_", $filterString);
$searchValue = $filterArray[0];
$sortIndex = $filterArray[1];
$categoryArray = explode("-", $filterArray[2]);
$sqlWhere = "WHERE p.name LIKE '%$searchValue%'";
foreach ($categoryArray as $category) {
    if (!$category) break;
    $sqlWhere = $sqlWhere . " AND " . "c.categoryID = $category";
$sortValue;
if ($sortIndex == 1) $sortValue = "p.price DESC";
else if ($sortIndex == 2) $sortValue = "p.price ASC";
else $sortValue = "p.name ASC";
$sqlWhere = $sqlWhere . " ORDER BY " . $sortValue;
$sql = "SELECT * FROM product p INNER JOIN product_image i ON p.productID =
i.productID INNER JOIN category c ON c.categoryID = p.categoryID ";
$sql = $sql . $sqlWhere;
echo json_encode(selectAllDB($sql));
shop/shopGetCategory.php
<?php
require "../../config/conn.php";
echo json_encode(selectAllDB("SELECT * FROM category"));
shop/shopGetProduct.php
<?php
require "../../config/conn.php";
echo json_encode(selectAllDB("SELECT * FROM product p INNER JOIN product_ima
ge i ON p.productID = i.productID"));
shop/shopGetProductCount.php
<?php
require "../../config/conn.php";
```

echo json\_encode(selectAllDB("SELECT COUNT(\*) as c FROM product"));

```
<?php
session_start();
require "../../config/conn.php";
require "../isLogged.php";
if (!$isLogged) echo 0;
else if ($isAdmin) echo 2;
else if ($isLogged) {
    $userID = $_SESSION["userID"];
    $productID = $_REQUEST["productID"];
    $isNew = empty(selectDB("SELECT quantity FROM cart WHERE userID={$userID}
} AND productID={$productID}"));
    try {
        if ((int)$isNew) {
            $sql = "INSERT INTO cart(userID, productID, quantity) VALUES (?,
 ?, ?)";
            shiftDB($sql, [$userID, $productID, 1]);
        } else {
            $sql = "UPDATE cart SET quantity=quantity+1 WHERE userID=? AND p
roductID=?";
            shiftDB($sql, [$userID, $productID]);
        if (isset($_REQUEST["php"])) if ($_REQUEST["php"] == 1) header("Loca
tion: ../../index.php?page=cart&ft=1");
        echo 1;
    } catch (\Throwable $th) {
        echo 4;
        echo $th;
} else echo 5;
```

User/deleteFromCart.php

```
<?php
session_start();
require "../../config/conn.php";
require "../isLogged.php";

$userID = $_SESSION["userID"];
$productID = $_REQUEST["productID"];

if ($isLogged) {
   if ($_SERVER["REQUEST_METHOD"] == "GET") {</pre>
```

```
shiftDB("DELETE FROM cart WHERE userID=? AND productID=?", [$userID,
$productID]);
   header('Location: ' . $_SERVER['HTTP_REFERER']);
   echo 1;
} else {
   header('Location: ' . $_SERVER['HTTP_REFERER']);
   echo 5;
}
```

User/loginProcess.php

```
<?php
require "../../config/conn.php";

$email = $_REQUEST["email"];
$pass = $_REQUEST["pass"];

$sql = "SELECT * FROM user WHERE email='{$email}' AND pass='{$pass}'";
$res = selectDB($sql);

if (isset($res->userID)) {
    session_start();
    $_SESSION["userID"] = $res->userID;
    file_put_contents("../../data/user_log.txt", date("d.m.y") . "," . $res->email . "\n", FILE_APPEND);
    header("Location: ../../index.php");
} else {
    header("Location: ../../index.php?page=login&msg=noLogin");
}
```

User/logout.php

```
<?php
session_start();
session_destroy();
header("Location: ../../index.php");</pre>
```

user/register.php

```
<?php
require "../../config/conn.php";
$email = addslashes($_REQUEST["email"]);
$pass = $_REQUEST["pass"];

if (!$_SERVER["REQUEST_METHOD"] == "POST") {</pre>
```

```
header('Location: ' . $_SERVER['HTTP_REFERER'] . '?msg=noURL');
    exit;
$regEx = '/^[^@\s]+@[^@\s\.]+\.[^@\.\s]+$/';
if (!preg_match($regEx, $email)) {
    header('Location: ' . $_SERVER['HTTP_REFERER'] . '?msg=badData');
    exit;
$inUse = selectDB("SELECT email FROM user WHERE email='{$email}'");
if ($inUse) {
    header('Location: ' . $_SERVER['HTTP_REFERER'] . '?msg=inUse');
    exit;
$sql = "INSERT INTO user(userID, email, pass) VALUES(null, ?, ?)";
try {
    shiftDB($sql, [$email, $pass]);
    header('Location: ../../index.php?page=login&msg=ok');
} catch (\Throwable $th) {
    header('Location: ' . $_SERVER['HTTP_REFERER'] . '?msg=Unexpected');
```

#### User/subtrackFromCart.php

```
<?php
session_start();
require "../../config/conn.php";
require "../isLogged.php";
if (!$isLogged) echo 0;
else if ($isAdmin) echo 2;
else if ($isLogged) {
    $userID = $_SESSION["userID"];
    $productID = $_REQUEST["productID"];
    $quantity = selectDB("SELECT * FROM cart WHERE userID={$userID} AND prod
uctID={$productID}")->quantity;
    if ($quantity == 1) header("Location: deleteFromCart.php?productID=$prod
uctID"):
    else {
        $sql = "UPDATE cart SET quantity=quantity-
1 WHERE userID=? AND productID=?";
        shiftDB($sql, [$userID, $productID]);
```

```
header('Location: ' . $_SERVER['HTTP_REFERER']);
}
```

User/isLogged.php

```
<?php
$isAdmin = false;
$isLogged = isset($_SESSION["userID"]);
if ($isLogged) $isAdmin = $_SESSION["userID"] == 11;</pre>
```

fixed/footer.php

Fixed/header.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>PC Part Shop</title>
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/</pre>
4.5.2/css/bootstrap.min.css" integrity="sha384-
JcKb8q3iqJ61qNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z" crossorigi
n="anonymous">
  <script src="https://code.jquery.com/jquery-</pre>
3.6.0.min.js" integrity="sha256-
/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=" crossorigin="anonymous"></scri
pt>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstra</pre>
p.bundle.min.js" integrity="sha384-
ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx" crossorigi
n="anonymous"></script>
  <link rel="stylesheet" href="assets/css/style.css?v=3" />
  <link rel="shortcut icon" href="assets/img/logo_small.png" type="image/x-</pre>
icon" />
</head>
```

```
<div class="navbar-expand">
   <nav class="navbar bg-dark mb-4">
       <a href="index.php"><img class="navbar-
brand" src="assets/img/logo_small.png" alt="logo"></a></a>
       <?php
          if ($isAdmin) : ?>
              class="nav-item">
                 <a class="nav-
link" href="index.php?page=adminInfo&ft=1">Website Info</a>
              class="nav-item">
                 <a class="nav-
link" href="index.php?page=adminUser&ft=1">Users</a>
              class="nav-item">
                 <a class="nav-
link" href="index.php?page=adminProduct&ft=1">Product Data</a>
              class="nav-item">
                 <a class="nav-
link" href="models/user/logout.php">Logout</a>
              <?php elseif ($isLogged) : ?>
              <a class="nav-
link" href="index.php?page=cart&ft=1">Cart</a>
                 <img class="nav-cart" src="assets/img/shopping-</pre>
cart.png" alt="cart icon">
              class="nav-item">
                 <a class="nav-
link" href="models/user/logout.php">Logout</a>
              <?php else : ?>
              class="nav-item">
                 <a class="nav-
link" href="index.php?page=login">Login</a>
              class="nav-item">
```

Admin/addProduct.php

```
<?php require "config/conn.php"; ?>
<div>
   <h1>Add Product</h1>
   <?php
   if (isset($_REQUEST["msq"])) {
       $msg = $_REQUEST["msg"];
       if ($msg == 'product_error') {
           echo 'Invalid product data!';
       } else if ($msg == 'image_name_error') {
           echo 'Image error!';
       } else if ($msg = 'productAdded') {
           echo 'Product added!';
       } else {
           echo 'Unexpected Error!';
       }
   }
   ?>
   <form class="gridCenter" enctype="multipart/form-</pre>
data" action="models/admin/addProduct.php" method="post">
       <input name="name" placeholder="Product Name" type="text">
       <input placeholder="Product Price" name="price" type="number">
       <input id="image" name="image" type="file">
       <select name="category" id="category">
           <?php
           $sql = "SELECT * FROM category";
           foreach (selectAllDB($sql) as $item) :
              <option value="<?= $item->categoryID ?>"><?= $item-</pre>
>c_name ?></option>
           <?php endforeach; ?>
       </select>
       <button class="btn btn-primary" type="submit">Add Product</button>
   </form>
</div>
```

```
<div>
   <h1>Website Info and Stats</h1>
   <hr>
   <div class="container">
       <h2>Page Access in last 24h</h2>
       <?php
       $pages = file("data/page_log.txt");
       $pagesTotalCount = 0;
       $pagesCount = ["shop" => 0, "login" => 0, "register" => 0, "author"
=> 0];
       foreach ($pages as $page) {
           $pageArray = explode(",", $page);
           $pageDate = $pageArray[0];
           $pageName = trim($pageArray[1]);
           if ($pageDate == date("d.m.y")) {
               $pagesTotalCount++;
               $pagesCount[$pageName]++;
           }
       }
       foreach ($pagesCount as $name => $page) : ?>
           <div class="pageDiv">
               <?= $name ?>.php
               <?= round($page / $pagesTotalCount * 10</pre>
0) ?>%
           </div>
       <?php endforeach; ?>
   </div>
   <hr>>
   <div class="container">
       <h2>Users in last 24h</h2>
       <?php
       $users = file("data/user_log.txt");
       foreach ($users as $user) {
           $userArray = explode(",", $user);
           $userDate = $userArray[0];
           $userEmail = $userArray[1];
           if ($userDate == date("d.m.y")) : ?>
               <div class="pageDiv">
                   <?= $userDate ?>
                   <?= $userEmail ?> 
               </div>
```

```
<?php endif;
}
    ?>
    </div>
</div>
```

Admin/adminProduct.php

```
<?php require "config/conn.php" ?>
<div>
  <h1 class="mb-4">Product</h1>
  <?php
  if (isset($_REQUEST["msq"])) {
     $msg = $_REQUEST["msg"];
     if ($msg == 'productUpdated') {
        echo 'Product updated!';
     } else if ($msg == 'productDelete') {
        echo 'Product deleted!';
     } else if ($msg = 'productAdded') {
        echo 'Product added!';
     } else {
        echo 'Unexpected Error!';
     }
  }
  ?>
  <thead class="cart-table_head">
        ProductID
           Name
           Category Name
           Price
           Image URL
           Thumbnail
           0ptions
        </thead>
     <?php
        $sql = "SELECT * FROM product p INNER JOIN product_image pimg ON
p.productID = pimg.productID INNER JOIN category c ON p.categoryID = c.cate
goryID";
        foreach (selectAllDB($sql) as $product) :
```

```
<?= $product->productID ?>
                <?= $product-
>name ?>
                <?= $product->c_name ?>
                <?= $product-
>price ?>$
                <form style="display: inline-</pre>
block;" action="index.php?page=editProduct&ft=1" method="post">
                       <input name="productID" value="<?= $product-</pre>
>productID ?>" type="hidden">
                       <input name="name" value="<?= $product-</pre>
>name ?>" type="hidden">
                       <input name="categoryID" value="<?= $product-</pre>
>categoryID ?>" type="hidden">
                       <input name="price" value="<?= $product-</pre>
>price ?>" type="hidden">
                       <button type="submit" class="btn btn-</pre>
warning">Edit
                    </form>
                <a class="btn btn-
danger" href="models/admin/removeProduct.php?productID=<?= $product-</pre>
>productID ?>">X</a>
             <?php endforeach; ?>
      <a class="btn btn-
success" href="index.php?page=addProduct&ft=1">Add Product</a>
   <a class="btn btn-
primary" href="models/export/excel.php">Export Category</a>
</div>
```

Admin/adminUser.php

```
echo 'User updated!';
     } else if ($msg == 'delete') {
        echo 'User deleted!';
     } else if ($msg = 'add') {
        echo 'User added!';
     } else {
        echo 'Unexpected Error!';
     }
  }
  ?>
  <thead class="cart-table_head">
        UserID
           Email
           Password
           Modify
        </thead>
     <?php
        $sql = "SELECT * FROM user";
        foreach (selectAllDB($sql) as $user) :
        ?>
           <?php if ($user->userID != 11) : ?>
              <?= $user->userID; ?>
                <?= $user->email ?>
                <?= md5($user-</pre>
>pass) ?>
                <a class="btn btn-
warning" href="index.php?page=editUser&userID=<?= $user-</pre>
>userID ?>&email=<?= $user->email ?>&pass=<?= $user->pass ?>&ft=1">Edit</a>
                   <a class="btn btn-
danger" href="models/admin/removeUser.php?userID=<?= $user->userID ?>">X</a>
                <?php endif; ?>
        <?php endforeach; ?>
     </div>
```

```
<?php
require "config/conn.php";
$productID = $_REQUEST["productID"];
$name = $_REQUEST["name"];
$categoryID = $_REQUEST["categoryID"];
$price = $_REQUEST["price"];
?>
<div>
    <h1>Add Product</h1>
    if (isset($_REQUEST["msq"])) {
       $msg = $_REQUEST["msg"];
       if ($msg == 'product_error') {
            echo 'Invalid product data!';
       } else if ($msg == 'image_name_error') {
           echo 'Image error!';
       } else {
           echo 'Unexpected Error!';
    }
    ?>
    <form class="gridCenter" enctype="multipart/form-</pre>
data" action="models/admin/editProduct.php" method="post">
       <input name="productID" value="<?= $productID ?>" type="hidden">
       <input name="categoryID" value="<?= $categoryID ?>" type="hidden">
       <input value="<?= $name ?>" name="name" placeholder="Product Name" t
ype="text">
       <input value="<?= $price ?>" placeholder="Product Price" name="price
" type="number">
       <input id="image" name="image" type="file">
       <select name="category" id="category">
           $sql = "SELECT * FROM category";
            foreach (selectAllDB($sql) as $item) :
               <option <?php if ($categoryID == $item-</pre>
>categoryID) echo "selected" ?> value="<?= $item->categoryID ?>"><?= $item-</pre>
>c_name ?></option>
           <?php endforeach; ?>
       </select>
       <button class="btn btn-</pre>
primary" type="submit">Update Product</button>
    </form>
</div>
```

```
<?php
$userID = $_REQUEST["userID"];
$email = $_REQUEST["email"];
$pass = $_REQUEST["pass"];
?>
<div>
    <h1>Edit User</h1>
    <form class="gridCenter" action="models/admin/editUser.php" method="post</pre>
">
        <input readonly type="text" name="userID" value="<?= $userID ?>">
        <input placeholder="Email" value="<?= $email ?>" name="email" type="
email" required>
        <input placeholder="Password" value="<?= $pass ?>" name="pass" type=
"password" required>
        <button class="btn bg-warning mt-</pre>
3 color" type="submit">Edit</button>
    </form>
</div>
```

#### Author.php

```
<div class="author">
    <h1 class="mb-4">Author</h1>
    <div class="container">
       <div class="row">
           <div class="col-md d-flex justify-content-center">
               <img class="about__img mb-</pre>
3" src="assets/img/me.jpg" alt="author">
           </div>
           <div class="col-md">
               Uroš Radulović - student. I am currently studying at ICT
 college in Belgrade. I like pretentious Japanese
                   cartoons, complicated video games and the competitive St
ar Craft scene. I will hopefully become a full stack
                   developer one day. I am also interested in UX design. Al
ways check if the milk is in date.
               <a class="btn btn-
primary" href="https://nanibyte.github.io/portfolio_school/">Portfolio</a>
               <a class="btn btn-
primary" href="https://github.com/NaniByte">Github</a>
               <a class="btn btn-
primary" download="" href="docs.pdf">Docs</a>
```

```
<a class="btn btn-
primary" href="models/export/word.php">Word Document</a>
         </div>
     </div>
  </div>
</div>
<?php file_put_contents("data/page_log.txt", date("d.m.y") . "," . "author"</pre>
. "\n", FILE_APPEND) ?>
Cart.php
<?php require "config/conn.php" ?>
<main>
   <h1 class="mb-4">Cart</h1>
   <thead class="cart-table_head">
        Product Name
           Price
           Quantity
           Modify
        </thead>
     <?php
         $userID = $_SESSION["userID"];
        $sql = "SELECT * FROM cart cp JOIN product p ON cp.productID = p
productID WHERE cp.userID = {$userID}";
         foreach (selectAllDB($sql) as $item) :
         ?>
           <?= $item-
>name; ?>
              <?= $item-</pre>
```

<?= \$item->quantity ?>

>price ?>\$

>productID ?>">+</a>

>productID ?>">-</a>

>productID ?>">X</a>

<a class="btn btnsuccess" href="models/user/addToCart.php?php=1&productID=<?= \$item-</pre>

<a class="btn btnwarning" href="models/user/subtrackFromCart.php?productID=<?= \$item-</pre>

<a class="btn btndanger" href="models/user/deleteFromCart.php?productID=<?= \$item-</pre>

```
<?php endforeach; ?>
       </main>
Login.php
<body class="user">
   <main class="bg-primary">
       <h1 class="mb-3 text-white">Login</h1>
       <?php
       if (isset($_REQUEST["msg"])) {
           $msg = $_REQUEST["msg"];
           if ($msg == 'noLogin') {
               echo 'Invalid email or password!';
           } else if ($msq == 'ok') {
               echo '<p class="bg-
success">Register successful! Please log in.';
           } else {
               echo 'Unexpected Error!';
           }
       }
       ?>
       <form class="gridCenter" action="models/user/loginProcess.php" metho</pre>
d="post">
           <input placeholder="Email" name="email" type="email" required>
           <input placeholder="Password" name="pass" type="password" requir</pre>
ed>
           <button class="btn bg-success mt-3 color text-</pre>
white" type="submit">Login</button>
       </form>
   </main>
</body>
<?php file_put_contents("data/page_log.txt", date("d.m.y") . "," . "login"</pre>
"\n", FILE_APPEND) ?>
Regsiter.php
<body class="user register-bg">
   <main class="bg-primary">
       <h1 class="mb-3 text-white">Register</h1>
       <?php
       if (isset($_REQUEST["msg"])) {
```

```
$msg = $_REQUEST["msg"];
           if ($msg == 'noLogin') {
               echo 'Invalid email or password!';
           } else if ($msq == 'ok') {
               echo '<p class="bg-
success">Register successful! Please log in.';
           } else {
               echo 'Unexpected Error!';
           }
       }
       ?>
       <form class="gridCenter" action="models/user/registerProcess.php" me</pre>
thod="post">
           <input placeholder="Email" name="email" type="email" required>
           <input placeholder="Password" name="pass" type="password" requir</pre>
ed>
           <div>
               <input required type="checkbox" name="terms" id="terms">
               <label for="terms">I accept the terms and conitions of use.<</pre>
/label>
           </div>
           <button class="btn bg-success mt-3 color text-</pre>
white" type="submit">Register</button>
       </form>
   </main>
</body>
<?php file_put_contents("data/page_log.txt", date("d.m.y") . "," . "register</pre>
" . "\n", FILE_APPEND) ?>
Shop.php
<div>
   <h1>PC Part & Components (<span id="productCount">32</span>)</h1>
   Browse our stock and see the best prices on the market
   <main class="mx-5">
       <div class="container-fluid">
           <div class="row">
               <section class="col-xl-2 shopMenu">
                   Filter
                   <input type="text" id="search" name="search" placeholder</pre>
="Search...">
                   <select name="sortOrder" id="sortOrder">
                       <option value="0">Order by...</option>
                       <option value="1">Price Desc.</option>
```

```
<option value="2">Price Asc.</option>
                    </select>
                    <div class="shopCategory"></div>
                </section>
                <section class="products col"></section>
            </div>
        </div>
    </main>
    <script src="assets/js/script.js"></script>
</div>
<?php file_put_contents("data/page_log.txt", date("d.m.y") . "," . "shop" .</pre>
"\n", FILE_APPEND) ?>
Index.php
<?php session_start(); ?>
<?php require "views/fixed/header.php" ?>
<?php require "models/isLogged.php" ?>
<body>
  <?php require "views/fixed/nav.php"; ?>
  <div id="msg"></div>
  <?php
  if (isset($_REQUEST['page'])) {
    $page = $_REQUEST['page'];
    switch ($page) {
      case "shop":
        include_once('views/pages/shop.php');
        break;
      case "login":
        include_once('views/pages/login.php');
        break:
      case "register":
        include_once('views/pages/register.php');
        break;
      case "cart":
        include_once('views/pages/cart.php');
        break;
      case "adminUser":
        include_once('views/pages/admin/adminUser.php');
        break;
      case "adminInfo":
```

include\_once('views/pages/admin/adminInfo.php');

break:

```
case "adminProduct":
        include_once('views/pages/admin/adminProduct.php');
        break;
      case "editUser": // ADMIN PANEL CRUD
        include_once('views/pages/admin/editUser.php');
        break;
      case "addProduct":
        include_once('views/pages/admin/addProduct.php');
        break;
      case "editProduct":
        include_once('views/pages/admin/editProduct.php');
        break;
      case "author":
        include_once('views/pages/author.php');
        break;
      default:
        include_once('views/pages/shop.php');
  } else {
    include_once('views/pages/shop.php');
  if (!isset($_REQUEST["ft"])) require "./views/fixed/footer.php"
  ?>
</body>
```