### Visoka škola strukovnih studija za informacione I telekomunikacione tehnologije

# **CAR ZONE**

https://adamnik101.github.io/web 1/

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 1

Adam Nikolić 101/19

# Sadržaj

Visoka škola strukovnih studija za informacione I telekomunikacione tehnologije	1
CAR ZONE	1
https://adamnik101.github.io/web_1/	1
1. Uvod	3
1.1. Korišćene tehnologije	3
1.2. Opis funkcionalnosti	3
1.3 Template	4
2.0 Organizacija sajta	7
2.1 Organizaciona šema	7
2.2 Mapa sajta	7
2.3 Slike sekcija sajta i opis funkcionalnosti	8
3.0 Kodovi	18
3.1 Index.html	18
3.2 Style.scss	27
3.3 Main.js	51

#### 1. Uvod

#### 1.1. Korišćene tehnologije:


- HTML 5
- CSS3
- Bootstrap
- Javascript
- jQuery
- ¡Query owl-carousel plugin
- Gimp v2.10.22 (optimizacija slika i skaliranje rezolucije)
- Visual Studio Code


#### 1.2. Opis funkcionalnosti:


- Preloader koji se prikazuje dok se cela stranica ne ucita
- Dinamičko ucitavanje navigacionog menija i side navigacije
- Pojavljivanje dugmeta, koji korisnika klikom na isto vraca na vrh stranice
- Meni je prilagođen za sve vrste uređaja tako da se na manjim rezolucijama prilagodi veličini ekrana i ujedno se pojavljuje hamburger i klikom na njega se otvara side navigacija
- Naslov u slajderu se prikazuje uz slide in efektom sa desne strane
- Dinamičko učitavanje sekcije ispod glavnog slajdera sa isprogramiranim slide in I fade in efektom, koji se realizuje nakon što skrolujemo određeni broj piksela na dole
- Dinamički realizovan slajder (owl-carousel jQuery plugin) sa mogućim skrolovanjem po x-osi I mogućim klikom u sekciji pored na određeno dugme, koje pomera slajder levo ili desno u zavisnosti koji je pritisnut I nasumično postavlja različite automobile svaki put kada se stranica učita i ta grupa dugmadi se uklanja na manjim rezolucijama
- Dinamičko prikazivanje sekcije sa svim istaknutim automobilima, svaki put kada korisnik učita stranicu, automobili se postavljaju nasumično. Prvih 6 je vidljivo pri učitavanju stranice, dok klikom na dugme u dnu sekcije prikazaće se jos 3 automobila sa animacijom fade in i slide in, jedan za drugim koji se ispisuju nasumično I tako sve dok korisnik ne stigne do kraja
- Dinamičko učitavanje modala koji se prikazuje kada korisnik pritisne na dugme da vidi više informacija o automobilima u sekciji istakutih automobila, koji u sebi sadrzi slajder(owlcarousel jQuery plugin) I jos informacija o određenom automobilu.
- U sekciji pored forme postoji realizovan slajder sa crossfade efektom (owl-carousel)
- Provera podataka korisnika regularnim izrazima. Korisnik ima opciju da bira izmedju plaćanja kešom ili kreditnom karticom, ako izabere da plati karticom, dinamički se ispisuju još tri dodatna polja za korisnika da unese podatke sa kartice I koji isto sadrže regularne izraze
- Olakšavanje korisniku pomoću Bootstrap 4 tooltips-a da lakše popuni formu ispravnim podacima
- Dinamičko kreiranje modala koji obaveštava korisnika da je zahtev potvrđen, koji sadrži osnovne informacije korisnika
- Dinamičko ispisivanje sadržaja o utiscima korisnika
- Isprogramirani tabovi preko jQuery-ja i dinamičko ispisivanje sadržaja
- Dinamičko ispisivanje sadržaja u about sekciji


#### 1.3 Template


Za Izradu sajta nije korišćen preuzet template











### 2.0 Organizacija sajta

### 2.1 Organizaciona šema

Ovaj sajt sadrži jednu stranicu (index.html)


# 2.2 Mapa sajta

# 2.3 Slike sekcija sajta i opis funkcionalnosti




Preloader


Pre učitavanja cele stranice, prikazuje se fiksni preloader koji u sebi sadrži .gif i nakon učitavanja cele stranice uklanja se sa fadeOut efektom.



Prva sekcija koja je vidljiva nakon učitavanja stranice jeste Header sa pozadinskom slikom. Naslov se prikazuje sa slide in efektom. Sekcija sadrži navigaciju koja se dinamički učitava. Navigacija se pri manjim rezolucijama uklanja i pojavljuje se "hamburger" koji klikom na njega prikazuje side bar navigaciju i svaki element liste linkova se pojavljuje sa slide in efektom, jedan za drugim




Navigacija na manjim rezolucijama



Uvodna sekcija sadrži naslove i tri bloka sa informacijama koji se dinamički ispisuju i ta tri bloka se prikazuju tek nakon što korisnik skroluje ka dole određeni broj piksela sa slide in i fade in efektom.







Ova sekcija sadrži slajder (jQuery owl-carousel plugin), svaki artikal tog slajdera se dinamički učitava i nasumično se bira sadržaj iz niza svaki put kada korisnik učita stranicu. Slajder se automatski pokrece na desno za jedan artikal nakon određenog vremena, nakon sto stigne do kraja vraca se na prvi element. Korisniku je omogućeno da pomera slajder levo ili desno u zavisnosti od toga na koje je dugme kliknuo pored slajdera. Dugmad se uklanjaju na manjim rezolucijama. Ujedno mu je omogućeno da zadržavanjem klika levog tastera miša preko artikla skroluje levo ili desno. Slajder sadrži i paginaciju u dnu sekcije. Klikon na dugme "Request now", korisnik se salje ka formu i automatski mu se popunjava brend automobila i model u zavisnosti koji je prethodno pritisnuo




Sekcija koja sadrži tekst i dugme koje vodi ka formi za popunjavanje.




Ova sekcija sa istaknutim automobilima sadrzi artikle automobila koji se prvih 6 dinamički i nasumično učitavaju iz niza svaki put kada korisnik učita stranicu. Ovi artikli sadrže osnove informacije o automobilima. Klikom na dugme "See more" prikazuje se modal sa fadeIn efektom koji sadrzi više informacija o automobilu. Modal ujedno sadrzi i slajder sa slikama i dugme "Request now" koji šalje korisnika ka formi za popunjavanje sa automatskim selektovanjem dropdown liste u formi na osnovu izabranog automobila. Klikom na dugme "More cars" ispisuju se jos 3 automobila koja nisu vec bila učitana među prvih 6 artikala. I tako sve dok korisnik ne stigne do kraja. Novi artikli se prikazuju uz animaciju fade in i slide in, jedan nakon drugog.



Modal sa slajderom i vise informacija o određenom automobilu




Sekcija sa svim automobilima nakon sto je korisnik stigao do kraja pritiskom na dugme "More cars"




Forma za popunjavanje


Sa leve strane forme, nalazi se owl-carousel slider sa crossfade efektom, sa promenom slike na svakih 10 sekundi. Desno se nalazi forma za popunjavanje podacima koji se proveravaju regularnim izrazima. Korisnik unosi osnovne podatke o sebi i bira koji ce automobil da rentuje na određeni broj dana. Ukoliko korisnik ne unese ispravne podatke, izlaskom iz tog polja, ispisuje se greska i polje dobija crvenu borduru. Zajedno sa greskom prikazuje se i tooltip (Bootstrap 4) koji ako korisnik pređe mišem preko njega, olakšava korisniku unos ispravnih podataka. Korisnik ima opciju da bira između metoda plaćanja (Cash ili Credit card). Ukoliko izabere opciju da plaća karticom, dodatno se dinamički ispisuju nova 3 polja za unos podataka sa kartice, ta polja isto sadrže proveru regularnim izrazima. Korisnik isto mora da unese datum kada bi mu odgovaralo da započne trajanje usluge. Ograničen je da ne moze istog dana da zapocne trajanje i da istog i zavrsi, usluga maksimalno moze da traje 30 dana. Dok ne izabere "Pick up" datum, "Drop off" unos je zabranjen, "Pick up" datum je ogranicen tako da korisniku nije omoguceno da izabere bilo koji datum pre tekućeg datuma. "Drop off" datum se proverava tako da korisnik ne može da unese datum pre današnjeg. Isto će se tako ispisati greška ukoliko korisnik izabere "Drop off" datum da traje duže od 30 dana od početka usluge koju je zadao u prethodnom polju. Korisnik isto ima opciju da bira brend automobila i na osnovu koji izabere, nakon toga se dinamički ispisuju dostupni modeli tog brenda. Nakon što korisnik ispravno unese podatke u polje, to polje dobija zelenu borduru i greška se uklanja. Ako su svi podaci ispravni, korisnik pritiskom na dugme "Request Now!" salje podatke i nakon toga se dinamički ispisuje modal sa porukom da je uspešno poslao zahtev za odredjeni automobil i ispisuje se ukupna cena tog automobila za "x" dana koliko je korisnik izabrao.




Forma koja zadovoljava jedino polje za ime i prezime




Dodatna tri polja ukoliko korisnik izabere plaćanje karticom




Tooltip za pomoć pri unosu podataka



Forma koja zadovoljava sva polja




Modal koji se ispisuje nakon uspešnog slanja



Sekcija sa utiscima


Sekcija sa utiscima korisnika se dinamički ispisuje iz niza, svaki artikal ima efekat kad se pređe mišem preko artikla.



Sekcija "About us" sadrži sliku sa leve strane, dok sa desne se nalazi tekst i isprogramirani tabovi pomoću jQuery-ja. Klikom na bilo koji drugi tab, prethodni tab gubi klasu "active" i dodaje se drugom tabu koji je kliknut i sadržaj ispod se menja za taj tab sa efektom. Sadrzaj je dinamički ispisan.



U footer-u se nalaze osnovni podaci o radnom vremenu kompanije, sva potrebna dokumentacija i linkovi ka socijalnim mrežama. Klikom na "About author" dinamicki se ispisuje sadržaj o autoru pomoću modala sa fadeln efektom.



Informacije o autoru

#### 3.0 Kodovi

#### 3.1 Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <!-- Meta tags-->
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="author" content="Adam Nikolić">
    <meta name="keywords" content="cars, car, rent, carzone, Carzone">
    <meta name="description" content="Do you want to have an amazing experience with cars, ev
en if you don't have one. We got you covered. Car Zone">
   <!-- Title -->
   <title>CarZone - Rent a car</title>
   <!-- Favicon -->
   <link rel="shortcut icon" href="assets/img/favicon.png" type="image/x-icon"/>
   <!-- Font Awesome -->
   <script src="https://kit.fontawesome.com/ef2b9c3629.js" crossorigin="anonymous"></script>
   <!-- CSS files -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootst</pre>
rap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="anonymous">
    <link rel="stylesheet" href="assets/css/dist/style.min.css" type="text/css">
   <!-- jQuery owl carousel plugin -->
   <link rel="stylesheet" href="assets/owlcarousel/owl.carousel.min.css">
    <link rel="stylesheet" href="assets/owlcarousel/owl.theme.default.min.css">
</head>
<body>
   <div class="preloader">
     </div>
   <!-- HEADER -->
    <div class="container-fluid" id="canvas">
        <button id="btnTop"><i class="fas fa-angle-up"></i></button>
       <div class="row pt-1 pb-1 border-bottom">
            <div class="col-6 d-flex justify-content-center p-0">
                <span class="font-weight-bold">
                    <i class="fas fa-map-marked-alt"></i> 71 Dr.Chino, CA 91710
                </span>
            </div>
            <div class="col-6 d-flex justify-content-center p-0">
                <a href="https://www.facebook.com" target="_blank" class="mr-3 p-1">
                    <i class="fab fa-facebook align-middle"></i></i>
                </a>
                <a href="https://www.twitter.com" target=" blank" class="mr-3 p-1">
                    <i class="fab fa-twitter align-middle"></i></i>
                </a>
                <a href="https://www.linkedin.com" target=" blank" class="p-1">
```

```
<i class="fab fa-linkedin align-middle"></i></i>
                </a>
            </div>
       </div>
        <div class="row pt-2 d-flex justify-content-between" id="fixed">
            <div class="col-10 col-md-5 d-flex justify-content-center logo pl-md-5">
                <a href="https://adamnik101.github.io/web_1/">
                    <span class="logo-text leviTekst">CAR</span>
                    <img src="assets/img/logo-black.png" alt="logo">
                    <span class="logo-text">ZONE</span>
                </a>
            </div>
            <div class="col-12 col-md-7 d-none d-lg-block p-0" id="navigacija">
            <div id="openSide" class="d-block d-lg-none">
                <button id="closeSide" class="float-right">
                    <i class="fas fa-times"></i></i>
                </button>
            </div>
            <div class="col-2 d-block d-lg-none p-0">
                <button id="clickSide">
                    <i class="fas fa-bars"></i></i>
                </button>
            </div>
       </div>
       <div class="row">
            <div class="col-12 p-1 p-sm-3 mt-5 mt-md-1 pr-0 pr-md-5">
                <h2 class="canvasTekst pt-2 pt-md-0 m-md-5">
                    SEARCH, </br> <span>RENT</span> & <span>DRIVE</span>
                </h2>
            </div>
        </div>
    </div>
    <!-- HEADER END -->
    <!-- NASLOVI START -->
    <div class="container-fluid">
       <div class="container">
            <div class="row mb-5 naslovContent" id="naslov">
            </div>
       </div>
   </div>
   <!-- NASLOVI END -->
    <!-- OWL CAROUSEL START -->
    <div class="container-fluid">
        <div class="row secondRow-cars">
            <div class="col-12 col-sm-5 col-md-4 col-lg-3 d-flex align-items-sm-center flex-</pre>
column upcoming pb-5 pb-sm-0">
                <h3 class="text-center d-block mb-auto featured mt-5">
```

```
<span class="d-block text-muted w">VIEW</span>
                   <span class="d-block font-weight-bold t">THE BEST</span>
                   <span class="d-block text-muted">OF THE</span>
                   <span class="d-block font-weight-bold w">BEST</span>
               </h3>
               <div id="grupaDugmad" class="p-5 mx-auto d-none d-sm-block">
                   <button name="levoAutomobili" id="btnLevo">
                      <i class="fas fa-caret-left"></i></i>
                   </button>
                   <button name="desnoAutomobili" id="btnDesno">
                      <i class="fas fa-caret-right"></i>
                   </button>
               </div>
           </div>
           <div class="col-12 col-sm-7 col-md-8 col-lg-9 d-flex justify-content-center p-</pre>
0" id="automobili">
           </div>
       </div>
   </div>
   <!-- OWL CAROUSEL END-->
   <!-- SMALL TEXT AND BUTTON START-->
   <div class="container-fluid" id="request">
       <div class="container">
           <div class="row pt-3 pb-3">
               <div class="col-12 col-md-8 d-inline">
                   Request a car right now and have it in your collection in no time!
                   </div>
               <div class="col-12 col-md-4 d-flex align-items-center justify-content-end">
                  <a href="#formNaslov" id="requestBtn">Request now!</a>
               </div>
           </div>
       </div>
   </div>
   <!-- SMALL TEXT AND BUTTON END -->
   <!-- FEATURED START -->
   <div class="container-fluid" id="featuredSection">
       <div class="container">
           <div class="row">
               <div class="col">
                  <h4 class="text-center pt-5 font-weight-bold">
                      All Featured <span>Cars
                   Choose one of our best deals!
                   </div>
```

```
</div>
   </div>
   <div class="container">
       <div class="row justify-content-around" id="showCars">
       </div>
   </div>
   <span class="d-flex justify-content-center">
       <button type="button" id="loadMore">
           More cars <i class="fa fa-chevron-down"></i>
       </button>
   </span>
</div>
<!-- FEATURED END -->
<!-- FORM START-->
<div class="back container-fluid p-0 pb-5">
   <div class="container-lg">
       <div class="row p-3" id="formNaslov">
           <div class="col text-center">
               <span class="naslovBorder"></span>
                    Request form
                    <span class="naslovBorder"></span>
               Fill out the form below to request a car
               </div>
       </div>
       <div class="row d-flex justify-content-center">
           <div class="formSlide">
               <div class="owl-carousel" id="fadeOwl">
                   <div class="item">
                       <img src="assets/img/form1.jpg" alt="car">
                   </div>
                   <div class="item">
                       <img src="assets/img/form3.jpg" alt="car">
                   </div>
                   <div class="item">
                       <img src="assets/img/form4.jpg" alt="car">
                   </div>
                   <div class="item">
                       <img src="assets/img/form5.jpg" alt="car">
                   </div>
               </div>
           </div>
           <div class="requestForm p-2">
               <form id="form" name="formRequest" method="POST">
                   <div class="form-group row col-12 p-0 ml-0 mb-2">
```

```
<input type="text" class="w-</pre>
100" placeholder="Full name" id="fullName">
                           <span id="fullNameError" class="greskaTekst"></span>
                       </div>
                       <div class="form-group row col-12 p-0 ml-0 mb-1">
                           <input type="email" class="w-100" placeholder="E-mail" id="mail">
                           <span id="mailError" class="greskaTekst"></span>
                       </div>
                       <div class="form-row col-12 p-0 p-0 ml-0 mb-1" id="card">
                           <div class="col-12 p-0">
                               <span class="m-0">
                                   Payment method:
                                   <i class="fas fa-info-circle" data-toggle="tooltip" data-</pre>
</span>
                               <div class="custom-control custom-radio">
                                   <input class="custom-control-</pre>
input" type="radio" name="payment" id="cash" value="cash">
                                   <label class="custom-control-label" for="cash">
                                   </label>
                               <div class="custom-control custom-radio">
                                   <input class="custom-control-</pre>
input" type="radio" name="payment" id="creditCard"value="creditCard">
                                   <label class="custom-control-label" for="creditCard">
                                       Credit card
                                   </label>
                               </div>
                               <span id="paymentError" class="greskaTekst"></span>
                           </div>
                       </div>
                       <div class="form-row col-12 p-0 ml-0 mb-1">
                           <div class="col-10 col-sm-6 p-0">
                               <div class="form-group col-12 p-0 ml-0 mb-1 date">
                                   <div class="d-flex justify-content-between align-items-</pre>
center">
                                       <label for="pick" class="m-0">Pick up:</label>
                                       <input type="date" id="pick">
                                   </div>
                                   <div class="d-flex justify-content-between align-items-</pre>
center mt-1">
                                       <label for="drop" class="m-0">Drop off:</label>
                                       <input type="date" id="drop">
                                   </div>
                               </div>
                           </div>
                       </div>
```

```
<div class="row m-0">
                         <div class="col-12 p-0">
                            </div>
                     </div>
                     <span class="form-group row col-12 ddlCar p-0 ml-0 mb-1">
                         <select name="type" id="carType" class="custom-select">
                             <option value="0">Choose a brand</option>
                         </select>
                         <span id="brandError" class="greskaTekst"></span>
                     </span>
                     <span class="form-group row col-12 ddlCar p-0 ml-0 mb-1">
                         <select name="model" id="carModel"class="custom-select">
                         </select>
                     </span>
                     <span class="form-group row col-12 submitButton p-0 ml-0 mb-1">
                         <input type="submit" id="searchBtn" value="Request a car!"/>
                     <span id="secured"><i class="fas fa-shield-</pre>
alt"></i> Secured and powered by <span>Norton</span></span>
                 </form>
              </div>
          </div>
       </div>
   </div>
   <!-- FORM END -->
   <!-- TESTIMONIAL START -->
   <div class="container-fluid pb-5" id="TestimonialsSection">
       <div class="container">
          <div class="row">
              <div class="col-12 text-center">
                 <h6><span class="naslovBorder"></span> Testimonials <span class="naslovBo</pre>
rder"></span></h6>
                 We strive to give our customers best experience
                 <div class="row" id="testimonials">
                 </div>
              </div>
          </div>
       </div>
   </div>
   <!-- TESTIMONIAL END -->
   <div class="container-fluid pb-5" id="about">
       <div class="container">
          <div class="row">
              <div class="col-12 text-center">
```

```
<h3><span class="naslovBorder"></span> About <span>Us</span> <span class=
'naslovBorder"></span></h3>
               </div>
               <div class="col-12 text-left p-0 pt-4">
                   <div class="row m-0">
                       <div class="col-lg-4 d-lg-block d-md-none d-</pre>
block imageAbout"><img src="assets/img/about1.jpeg" class="img-fluid" alt="dashboard-
gauge"></div>
                       <div class="col-lg-8 col-12 textAbout">
                           0">That wonderful feeling - you start the engine and your adventure begins...
                           At Car Zone everything we do is about giving you the freedom t
o discover more. We'll move mountains to find you the right rental car, and bring you a smoot
h, hassle-
free experience from start to finish. Here you can find out more about how we work.
                           <div class="row m-0">
                              <div class="col-12 p-0">
                                  <div id="tabs">
                                      ul id="tabs-nav">
                                          <a href="#tab1">What we're about</a>
                                          <a href="#tab2">How we work</a>
                                          <a href="#tab3">Why use us</a>
                                          <a href="#tab4">Who we are</a>
                                        <div id="tabs-content">
                                          <div id="tab1" class="tab-content">
                                          </div>
                                          <div id="tab2" class="tab-
content">
                                          </div>
                                          <div id="tab3" class="tab-content">
                                          <div id="tab4" class="tab-content">
                                        </div>
                                    </div>
                              </div>
                           </div>
                       </div>
                   </div>
               </div>
           </div>
       </div>
    </div>
    <!-- ABOUT END -->
    <!-- FOOTER START -->
    <div class="container-fluid" id="pageFooter">
       <div class="row p-5">
```

```
<div class="col-12 col-sm-6 col-lg-3 text-center">
   <h2>CAR <span>ZONE</span></h2>
   <span class="borderFooterLink"></span>
   <i class="fas fa-check"></i> <span>Mon-Fri:</span> 06-22
      <i class="fas fa-check"></i> <span>Sat-Sun:</span> 09-15
      <i class="fas fa-check"></i> <span>Holidays:</span> 12-17
   </div>
<div class="col-12 col-sm-6 col-lg-3 text-center">
   <h5>Information</h5>
   <span class="borderFooterLink"></span>
   <a href="robots.txt" target="_blank">Robots.txt</a>
      <a href="rss.xml" target=" blank">RSS</a>
      <a href="#!">Sources</a>
   </div>
<div class="col-12 col-sm-6 col-lg-3 text-center">
   <h5>Docs</h5>
   <span class="borderFooterLink"></span>
   <1i>>
          <a href="Car Zone.pdf" target="_blank">Documentation</a>
      <1i>>
          <a href="sitemap.xml" target="_blank">Sitemap</a>
      <1i>>
          <a href="#!" id="autorBtn">About author</a>
      <div class="col-12 col-sm-6 col-lg-3 text-center">
   <h5>Socials</h5>
   <span class="borderFooterLink"></span>
   <1i>>
          <a href="https://www.facebook.com" target="_blank">Facebook
             <i class="fab fa-facebook align-middle"></i></i>
          </a>
      <1i>>
          <a href="https://www.twitter.com" target="_blank">Twitter
             <i class="fab fa-twitter align-middle"></i></i>
          </a>
```

```
<a href="https://www.linkedin.com" target="_blank">LinkedIn
                           <i class="fab fa-linkedin align-middle"></i></i>
                       </a>
                   </div>
       </div>
       <div class="row">
           <div class="col text-center" id="copyright">
               Copyright © 2020 Car<span> Zone</span>
           </div>
       </div>
   </div>
   <!-- FOOTER END -->
   <!-- AUTOR START -->
   <div id="autor">
       <div class="container-fluid d-flex flex-column justify-content-center postavi">
           <div class="container p-0">
               <div class="row" id="box">
           </div>
       </div>
   </div>
   <!-- AUTOR END-->
   <!-- MODAL NAKON USPESNOG SLANJA FORME -->
   <div id="modal" class="d-flex justify-content-center align-items-center"></div>
   <!-- MODAL ZA VISE INFORMACIJA -->
   <div id="seeMoreModal" class="d-flex justify-content-center align-items-center"></div>
<!-- jQuery -->
<script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
<!-- Bootstrap 4.5 -->
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></script</pre>
<!-- Owl-carousel -->
<script src="assets/owlcarousel/owl.carousel.min.js"></script>
<script src="assets/js/main.min.js"></script>
</body>
</html>
```

#### 3.2 Style.scss

```
@font-face{
    font-family:Work Sans;
    src: url('.../font/WorkSans-Light.ttf');
$red: rgb(211,0,42);
$black: rgb(36,36,36);
$white: rgb(218,218,218);
*{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
    font-family: 'Work Sans';
    scroll-behavior: smooth;
.preloader {
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 9999999999;
    background-image: url('../../assets/img/preloader.gif');
    background-repeat: no-repeat;
    background-color: #fff;
    background-position: center;
a{
    &:hover{
        text-decoration: none;
#modal{
    position: fixed;
    visibility: hidden;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 999999999;
    opacity: 0;
    background-color: rgba(36,36,36, 0.7);
    .row{
        position: relative;
        width: 80%;
        top: -100%;
        opacity: 0;
```

```
background-color: rgb(122,122,122);
        #header{
            background-color: rgb(22, 22, 22);
        #body{
            text-align: center;
            font-weight: bold;
            font-size: 18px;
            background-color: rgb(185, 185, 185);
            color: rgb(42, 42, 42);
            span{
                color: rgb(7, 7, 7);
            .modalTotal{
                font-size: 30px;
        #footer{
            padding: 10px;
            button{
                padding: 5px 10px;
                font-size: 20px;
                font-weight: bold;
                border: none;
                outline: none;
//za seeMoreModal
.hide{
    display: none !important;
.show{
    display: block !important;
#seeMoreModal{
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 999999999;
    background-color: rgba(36, 36, 36, 0.7);
    .relative{
        position: relative;
        width: 500px;
        background-color: rgb(122,122,122);
```

```
box-shadow: 0px 10px 50px $black;
#header1{
    background-color: rgb(22, 22, 22);
    button{
        outline: none;
        border: none;
        background-color: transparent;
        i{
            font-size: 35px;
            color:$red;
#body1{
    h3{
        font-weight: bold;
    background-color: $white;
    #levo{
        position: absolute;
        top: 170px;
        left: 10px;
        font-size: 20px;
        width: 30px;
        height: 30px;
        border: none;
        border-radius: 50%;
        outline: none;
        background-color: $white;
        color: rgb(51, 51, 51);
        z-index: 999;
    #desno{
        position: absolute;
        top: 170px;
        right: 10px;
        font-size: 20px;
        width: 30px;
        height: 30px;
        border: none;
        border-radius: 50%;
        outline: none;
        background-color: $white;
        color: rgb(51, 51, 51);
        z-index: 999;
    ul{
        list-style: none;
```

```
li{
                    font-size: 15px;
            .euro{
                font-size: 50px;
                i{
                    font-size: 25px;
                }
                span{
                    font-size: 20px;
        #footer1{
            padding: 10px;
            background-color:$black;
            button{
                padding: 5px 10px;
                font-size: 20px;
                font-weight: bold;
                border: none;
                outline: none;
h2{
    font-weight: bold;
    color: rgb(222, 222, 222);
    margin-bottom: 0px;
    span{
        color:$red;
#canvas{
    position: relative;
    overflow: hidden;
    border-bottom: 5px solid$red;
    #btnTop{
        z-index: 9999999;
        visibility: hidden;
        position: fixed;
        bottom: 20px;
        right: 20px;
        width: 60px;
        height: 60px;
        border-radius: 50%;
```

```
border: 3px solid$red;
    font-size: 30px;
    outline: none;
    cursor: pointer;
    background-color:$black;
   color: rgb(122, 122, 122);
    transition: 0.5s;
    &:hover{
        background-color: rgb(0, 0, 0);
        transform: scale(1.1);
        transition: 0.5s;
        bottom: 40px;
#navigacija{
   ul{
        list-style-type: none;
        li{
            padding: 5px;
            margin-right: 10px;
            font-size: 20px;
            font-weight: bold;
            text-align: center;
            a{
                color:$black;
                transition: 0.3s;
                border-bottom: 3px solid transparent;
                &:hover{
                    color:$red;
                    border-bottom: 3px solid $red;
.canvasTekst{
   color:$red;
    font-size: 70px;
   font-style: italic;
    position: relative;
    right: -100%;
   text-align: right;
    span{
        color:$black;
#clickSide{
   padding: 10px;
```

```
background-color:transparent;
    color:rgb(211, 0, 42);
    border: none;
    outline: none;
    i{
        font-size: 30px;
        &:hover{
            color:rgb(24, 24, 24);
#openSide{
   height: 100%;
   width: 0;
    position: fixed;
    z-index: 999;
   top: 0;
   left: 0;
    background-color: $black;
    overflow-x: hidden;
    transition: 0.5s;
    button{
        border: none;
        outline: none;
        margin-right: 30px;
        margin-top: 20px;
        background-color: transparent;
        i{
            font-size: 40px;
            color: rgb(65, 65, 65);
            &:hover{
                color:$red;
    nav{
        ul{
            margin-top: 100px;
            .slideIn{
                position: relative;
                    left: -250px;
                    opacity: 0;
                a{
                    padding: 8px 8px 20px 32px;
                    text-decoration: none;
                    font-size: 20px;
                    font-weight: bold;
                    color: #818181;
```

```
display: block;
                    transition: 0.3s;
                    border-right: 5px solid transparent;
                    &:hover{
                        color:$red;
                        border-right:5px solid $red;
height:850px;
position: relative;
background-image: url('../../img/back.jpg');
background-size: cover;
background-position: center;
background-repeat: no-repeat;
.fab{
    color: black;
    font-size: 20px;
    transition: 0.5s;
    &:hover{
        color: $red;
.tekstBoja{
    color: black;
.logo{
    height:80px;
    a{
        height: 80px;
        .leviTekst{
            color:$red !important;
            vertical-align: middle;
        img{
            display: inline;
            height: 100%;
            vertical-align: middle;
        .logo-text{
            font-size: 60px;
            font-weight: bold;
            color: black;
            vertical-align: middle;
```

```
.naslovContent{
   .naslov{
       h1{
            span{
            color:$red;
            font-weight: bold;
       span{
            .fas{
                font-size: 35px;
                color:$red;
    .sectionContent{
       position: relative;
       z-index: 99;
       top: -250px;
       opacity: 0;
       color:$black;
       i{
           font-size: 60px;
            padding: 15px;
       h5{
            font-size: 25px;
            font-weight: bold;
            color: rgb(126, 126, 126);
       p{
            font-size: 17px;
            font-weight: bold;
            padding-bottom: 15px;
.secondRow-cars{
   border-top: 5px solid$red;
   border-bottom: 5px solid$red;
    .upcoming{
        .featured{
            position: relative;
           left: -500px;
```

```
font-size: 35px;
        .w{
            font-size: 50px;
        .t{
            font-size: 28px;
#automobili{
    .slideContent{
        h5{
            font-weight: bold;
            padding: 10px;
            font-size: 20px;
        p{
            padding-top: 20px;
            padding-left: 10px;
            font-weight: bold;
            font-size: 20px;
            i{
                font-size: 25px;
            }
            .regBtn{
                margin-right: 5px;
                padding: 10px 15px;
                font-size: 17px;
                background-color:$red;
                color: rgb(24, 24, 24);
        }
    .owl-dots{
        display: flex;
        flex-direction: row;
        justify-content: center;
        .owl-dot{
            width: 20px;
            margin: 10px;
            height: 20px;
            border-radius: 50%;
            background-color: rgb(122, 122, 122);
            &:focus{
                outline: none;
        .active{
```

```
background-color: rgb(24, 24, 24);
    #grupaDugmad{
        button{
            width: 50px;
            height: 50px;
            background-color: rgb(65, 65, 65);
            border: none;
            font-size: 30px;
            transition: 0.5s;
            &:focus{
                outline: none;
                background-color:$red;
#request{
    background-color:$black;
    color: rgb(122, 122, 122);
    border-bottom: 5px solid rgb(122, 122, 122);
    p{
        font-weight: bold;
        font-size: 18px;
    a{
        padding: 10px 20px;
        background-color: rgb(122, 122, 122);
        color:$black;
        font-weight: bold;
        font-size: 19px;
        transition: 0.5s;
        &:hover{
            background-color:$red;
            color:$black;
#featuredSection{
    background-color: rgb(244,244,244);
    h4{
        font-size: 40px;
        span{
            color:$red;
        }
```

```
#showCars{
    .scale{
        &:hover{
            .imgHolder{
                overflow: hidden;
                img{
                    transform: scale(1.1);
                    transition: 0.5s ease;
        .imgHolder{
            overflow: hidden;
            img{
                transition: 0.5s ease;
    .slide{
        position: relative;
        top: -250px;
        opacity: 0;
    }
    .holder{
        border-bottom: 5px solid$red;
        padding: 10px;
        background-color: rgba(218,218,218,0.5);
        h5{
            color: rgb(24, 24, 24);
            font-weight: bold;
            display: block;
        p{
            font-weight: bold;
        button{
            display: block;
            width: 100%;
            border: none;
            outline: none;
            padding: 10px 15px;
            background-color: rgb(24, 24, 24);
            color: rgb(151, 151, 151);
            font-weight: bold;
            transition: 1s;
            background-size: 0% 200%;
            transition: background-color 1.5s;
```

```
&:hover{
                    background-color:rgb(211, 0, 42);
                    background-image:linear-
gradient(to right,$red 100%, rgb(255, 255, 255) 100%);
                    background-repeat:no-repeat;
                    background-size: 200% 100%;
                    transition:background-size 1.5s, background-color 1.5s;
    #loadMore{
        background-color: rgb(167, 167, 167);
        color: rgb(24, 24, 24);
        font-weight: bold;
        font-size: 20px;
        padding: 15px 20px;
        margin-bottom: 50px;
        transition: 0.5s;
        outline: none;
        border: none;
        &:hover{
            background-color: rgb(65, 65, 65);
    .vis{
        height: 1000px;
#TestimonialsSection{
    background-color: rgb(244, 244, 244);
    h6{
        font-size: 25px;
        font-weight: bold;
    p{
        font-weight: bold;
    #testimonials{
        .testContent{
            border-radius: 5px;
            background-color: rgba(200, 200, 200,0.3);
            transition: 0.5s;
            min-height: 350px;
            i{
                font-size: 50px;
            .testImage{
```

```
width: 70px;
                height: 70px;
                img{
                    width: 100%;
                    height: 100%;
                    clip-path: circle(50%);
            .fa-star{
                font-size: 16px;
                color: $black;
            .blockquote{
                p{
                    font-size: 16px;
            &:hover{
                box-shadow: 0 2.8px 2.2px rgba(0, 0, 0, 0.034),
                0 6.7px 5.3px rgba(0, 0, 0, 0.048),
                0 12.5px 10px rgba(0, 0, 0, 0.06),
                0 22.3px 17.9px rgba(0, 0, 0, 0.072),
                0 30.8px 33.4px rgba(0, 0, 0, 0.086),
                0 50px 80px rgba(0, 0, 0, 0.12);
.naslovBorder{
   width: 9%;
   height: 5px;
   display: inline-block;
   vertical-align: middle;
   background-color:$red;
.back{
   background-color: rgb(244,244,244);
   #formNaslov{
       font-size: 25px;
       font-weight: bold;
       #fillForm{
            font-size: 16px;
       }
    .formSlide{
       background-color:$black;
       width: 500px;
       height: 750px;
```

```
box-shadow: Opx Opx 15px $black;
.requestForm{
   height: 750px;
   width: 500px;
   box-shadow: 0px 0px 15px $black;
   input{
        padding: 7px 14px;
        background-color: rgb(65, 65, 65);
        color: $white;
        border: 2px solid transparent;
        outline: none;
        font-weight: bold;
       font-size: 14px;
    .date{
        label{
            font-size: 15px;
        input[type= date]{
            width: 150px;
            padding: 5px;
            margin: 0px left;
    .custom-control-input{
        &:checked~{
            .custom-control-label{
                &::before{
                    background-color:$red;
                    border-color: rgb(65, 65, 65);
                    box-shadow: none;
                    border:none;
                    &:focus{
                        background-color:transparent;
                &::after{
                    background-image: none;
                    border-radius: none;
                }
    .custom-control-label{
        &::before{
            background-color: rgb(65, 65, 65);
            border:none;
```

```
border-radius: none;
background-color: rgb(24, 24, 24);
color: $white;
font-weight: bold;
.ddlCar{
    #carType, #carModel{
        font-size: 17px;
        padding: 5px;
        font-weight: bold;
        width: 100%;
        border: none;
        border-radius: 0px;
        &:focus{
            box-shadow: none;
.greska{
        border: 2px solid $red;
.greskaTekst{
    color:$red;
    font-weight: bold;
.correct{
    border: 2px solid rgb(10, 160, 30);
.submitButton{
    input[type=submit]{
        border: none;
        outline: none;
        padding: 10px;
        font-weight: bold;
        font-size: 20px;
        background-color:rgb(211, 0, 42);
        color: #fff;
        width: 100%;
#secured{
    font-size: 12px;
    color: rgb(129, 129, 129);
    span{
        color:$red;
```

```
#about{
    background-color: #f4f4f4;;
        font-weight: bold;
        span{
            color: $red;
    .textAbout{
        font-size: 17px;
        span{
            color: $red;
    #tabs{
        background-color: $white;
        padding: 10px;
        ul{
            list-style: none;
            margin: 0;
            padding-bottom: 10px;
            overflow: auto;
            display: flex;
            flex-direction: row;
            justify-content: flex-start;
            li{
                padding: 10px;
                text-align: center;
                margin-right: 10px;
                background-color: rgb(192, 192, 192);
                transition: 0.5s;
                a{
                    color: $black;
                    font-weight: lighter;
                }
                &:hover{
                    background-color: rgb(73, 73, 73);
                    cursor: pointer;
                    a{
                        color: $white;
        #tabs-content{
            background-color: rgb(192, 192, 192);
```

```
padding: 10px;
        .active{
            transition: 0.5s;
            background-color: rgb(73, 73, 73);
            a{
                color: $white;
    }
#pageFooter{
    background-color: rgb(24, 24, 24);
    h2{
        font-size: 35px;
    .borderFooterLink{
        display: inline-block;
        background-color:$red;
        width: 100px;
        height: 2px;
   ul{
        list-style: none;
        li{
            padding: 5px;
            a{
                color: $white;
                font-weight: bold;
                transition: 0.5s;
                i{
                    font-size: 20px;
                .fa-facebook{
                    color: rgb(66, 103, 178);
                .fa-twitter{
                    color: rgb(29, 161, 242);
                .fa-linkedin{
                    color: rgb(40,103,178);
                &:hover{
                    color:$red;
                    transition: 0.5s;
```

```
.hours{
        color: rgb(110, 110, 110);
        font-weight: bold;
        span{
            color: $white;
    h5{
        color: $white;
        font-weight: bold;
        font-size: 30px;
    p{
        font-size: 17px;
        color: $white;
        font-weight: bold;
    #copyright{
        span{
            color: $red;
#autor{
    display: none;
    width: 100%;
    height: 100%;
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 999999999999;
    background-color: rgba($color: #000000, $alpha: 0.5);
    .postavi{
        height: 100%;
        #box{
            box-shadow: 0px 0px 70px $black;
            #infoAutor{
                background-color:$white;
                color: $black;
                span{
                    color: $red;
                .linkovi{
                    p{
```

```
color: $black;
            font-weight: bold;
        .linkBtn{
            margin-left: 15px;
            border: none;
            outline: none;
            width: 50px;
            height: 50px;
            border-radius: 50%;
            background-color: $black;
            color: $white;
            transition: 0.5s;
            i{
                font-size: 25px;
                transition: 0.5s;
            &:hover{
                transition: 0.5s;
                box-shadow: 0px 0px 20px $black;
                i{
                    transform: scale(1.2);
                    transition: 0.5s;
#closeAutor{
    border:none;
    outline: none;
    width: 30px;
    height: 30px;
    background-color: transparent;
    i{
        color: $black;
        font-size: 25px;
        transition: 0.5s;
        &:hover{
            color: $red;
            transition: 0.5s;
```

```
//responsive
@media screen and (max-width: 1500px){
    #canvas{
        .logo{
            height: 60px;
            a{
                height: 60px;
                .logo-text{
                    font-size: 30px;
        #navigacija{
            a{
                font-size: 16px;
@media screen and (max-width: 1016px) {
    .back{
        .requestForm{
            .ddlCar{
                #carType, #carModel{
                    font-size: 17px;
                    padding: 5px 17px;
            .submitButton{
                button{
                    font-size: 17px;
@media screen and (max-width: 992px){
    #canvas{
        .logo{
            height: 50px;
            a{
                height: 50px;
                .logo-text{
                    font-size: 25px;
```

```
#navigacija{
            nav{
                ul{
                    1i{
                        font-size: 17px;
@media screen and (max-width: 768px){
    #modal{
        .row{
            width: 90%;
            font-size: 15px;
    #canvas{
        height: 700px;
        .searchForm{
            width: 60%;
    .back{
        .requestForm{
            font-size: 15px;
            input{
                padding: 5px 12px;
            .w-50{
                input{
                    width: 70% !important;
    #about{
        #tabs{
            font-size: 16px;
            ul{
                flex-direction: column;
                align-items: stretch;
```

```
li{
                    margin-right: 0;
@media screen and (max-width: 576px){
    #modal{
        #body{
            p{
                font-size: 15px;
    #seeMoreModal{
        .relative{
            width: 90%;
            #body1{
                h3{
                    font-size: 21px;
                }
                #levo{
                    top: 80px;
                #desno{
                    top: 80px;
                }
                .euro{
                    font-size: 30px;
                ul{
                    li{
                        font-size: 13px;
        #canvas{
            .border-bottom{
                font-size: 13px;
            .canvasTekst{
                    font-size: 50px;
                    text-align: center;
```

```
.back{
            width: 100%;
            .formSlide{
                max-width: 100%;
                height: auto;
            .requestForm{
                max-width: 100%;
                height: auto;
                font-size: 17px;
                input{
                    padding: 15px 10px;
                .greskaTekst{
                    i{
                        font-size: 20px;
                        margin-top: 8px;
        }
        #autor{
            .postavi{
                #box{
                    max-width: 90%;
                    margin: 0px auto;
                    #infoAutor{
                         .linkovi{
                             .linkBtn{
                                 width: 45px;
                                 height: 45px;
                                 margin-left: 3px;
                        font-size: 14px;
                        text-align: center;
                        h3{
                             font-size: 16px;
@media screen and(max-width: 350px){
    #canvas{
        .searchForm{
            .search{
```

## 3.3 Main.js

```
//cekanje za izvrsavanje DOM-a
window.addEventListener("DOMContentLoaded", function(){
    navigacija1();
    info1();
    owlCarouselContent();
    ispisCarContent();
    ddl();
    testimonials();
    sideNav();
    about();
    typeClick();
})
window.onscroll = function(){
    scrollUp1()
};
var navigacija = [["<i class='fas fa-home'></i>", "Home"], ["<i class='fas fa-chalkboard-</pre>
teacher'></i>", "Introduction"], ["<i class='fas fa-
star'></i>", "Featured"], ["<i class='fas fa-car'></i>", "Rent a car"], ["<i class='fas fa-
user'></i>", "Testimonials"], ["<i class='far fa-address-card'></i>", "About us"]];
var navigacijaLinkovi = ["index.html", "#naslov", "#featuredSection", "#formNaslov", "#Testim
onialsSection", "#about"];
var navigacija1 = function(){
    let navGet = document.getElementById("navigacija");
    let navSet = document.createElement("nav");
    navSet.className = "d-flex align-items-center justify-content-center";
    navGet.appendChild(navSet);
    let uList = document.createElement("ul");
    uList.className = "d-flex justify-content-around";
    navSet.appendChild(uList);
    for(indeks in navigacija){
        let liList = document.createElement("li");
        uList.appendChild(liList);
        let aList = document.createElement("a");
        liList.appendChild(aList);
        aList.setAttribute("href", `${navigacijaLinkovi[indeks]}`);
        aList.textContent = `${navigacija[indeks][1]}`;
function scrollUp1(){
```

```
let myBtn = document.getElementById("btnTop");
    if(document.body.scrollTop > 500 || document.documentElement.scrollTop > 500){
        myBtn.style.visibility = "visible";
    else {
        myBtn.style.visibility = "hidden";
//Introduction section
var info1 = function(){
    let naslov = ["WELCOME TO OUR SITE", "CAR", "ZONE"];
    let content = [
        ["BRANDS","We got latest and most popular brands from automotive industry", "fas fa-
car"],
        ["ROAD SUPPORT", "24/7 available support to help you on road if you have any mechanic
al problem with our car", "fas fa-road"],
        ["AFFORDABLE", "Exotic cars that have best deals according to their performance", "fa
s fa-coins"]
    ];
    document.getElementsByClassName("naslovContent")[0].innerHTML =`<div class="col-12 text-</pre>
center naslov p-4">
                                                                          <h4>${naslov[0]}</h4>
                                                                          <span><i class="fas f</pre>
a-angle-double-down"></i></span>
                                                                          <h1><span>${naslov[1]
}</span> ${naslov[2]}</h1>
                                                                      </div>`
    for(let i = 0; i < content.length - 1;i++){</pre>
        document.getElementsByClassName("naslovContent")[0].innerHTML +=`
        <div class="col-12 col-sm-6 col-lg-4 text-center">
            <div class="col-12 sectionContent p-2 mb-3">
                <i class="${content[i][2]}"></i></i></or>
                <h5>${content[i][0]}</h5>
                ${content[i][1]}
            </div>
        </div>`
    //zbog poslednjeg elementa kome je potreban col-sm-12
    document.getElementsByClassName("naslovContent")[0].innerHTML +=`
        <div class="col-12 col-sm-12 col-lg-4 text-center">
                        <div class="col-12 sectionContent p-2 mb-3">
                             <i class="${content[2][2]}"></i></i>
                        <h5>${content[2][0]}</h5>
                        ${content[2][1]}
                        </div>
                    </div>`
```

```
function sideNav(){
    let sideNav = document.getElementById("openSide");
    let nav = document.createElement("nav");
    sideNav.appendChild(nav);
    let button = document.createElement("button");
    button.textContent = "Close"
    let sideUl = document.createElement("ul");
    nav.appendChild(sideUl);
    for(indeks in navigacija){
        let sideLi = document.createElement("li");
        let hr = document.createElement("hr");
        hr.after(sideLi);
        sideLi.classList.add("slideIn");
        sideUl.appendChild(sideLi);
        var sideA = document.createElement("a");
        sideLi.appendChild(sideA);
        sideA.setAttribute("href", `${navigacijaLinkovi[indeks]}`);
        sideA.innerHTML = `${navigacija[indeks][0] + ' ' + navigacija[indeks][1]}`;
    }
function openNav() {
    document.getElementById("openSide").style.width = "250px";
function closeNav() {
    document.getElementById("openSide").style.width = "0";
document.getElementById("clickSide").addEventListener("click", openNav);
document.getElementById("closeSide").addEventListener("click", closeNav);
var izabranAuto;
var cena = [["Chevrolet", 180],
            ["Dodge", 200],
            ["BMW", 120],
            ["Subaru", 130],
            ["Mitsubishi", 110],
            ["Ford", 160],
            ["Honda", 120],
            ["Toyota", 300],
            ["Mercedes", 160]];
// dinamicko ispisivanje ddl
function ddl(){
    var carsAndModels = {}; // za vrednosti za dve dropdown liste
```

```
carsAndModels["Chevrolet"] = ["ZL1"];
            carsAndModels["Dodge"] = ["Challenger"];
            carsAndModels["BMW"] = ["420d Coupe", "X6m"];
            carsAndModels["Subaru"] = ["Impreza STi", "WRX"];
            carsAndModels["Mitsubishi"] = ["EVO X"];
            carsAndModels["Ford"] = ["Mustang", "F-150"]
            carsAndModels["Honda"] = ["Civic Type R"];
            carsAndModels["Toyota"] = ["Supra"];
            carsAndModels["Mercedes"] = ["450 CLS"];
    var firstOpt = document.createElement("option");
        firstOpt.setAttribute("value","0");
    var sadrzaj = document.createTextNode("Choose a model");
        firstOpt.appendChild(sadrzaj);
        model.appendChild(firstOpt);
model.disabled = true;
//za upisivanje vrednosti na osnovu prvog selecta u drugi
document.getElementById("carType").onchange = function(){
    model.disabled = this.value == '0'
    var selCar = this.options[this.selectedIndex].value;
        model.appendChild(firstOpt);
    while (model.options.length) {
        model.remove(0);
     for(let i = 0; i < cena.length;i++){</pre>
        if(selCar == cena[i][0]){
            izabranAuto = cena[i][1];
    if(selCar == "0"){
        model.appendChild(firstOpt);
    var cars = carsAndModels[selCar];
    if (cars) {
        for (var i = 0; i < cars.length; i++) {</pre>
        var car = document.createElement("option");
            car.setAttribute("value", i);
        var text = document.createTextNode(cars[i]);
            car.appendChild(text);
            model.options.add(car);
        document.getElementById("brandError").textContent = "";
var ispisivanjeOpt = function(){
    var type = document.getElementById("carType");
    for(let i = 0; i < Object.keys(carsAndModels).length; i++){</pre>
```

```
//preuzimanje vrednosti iz objekata
        var opt = document.createElement("option");
            opt.setAttribute("value", Object.keys(carsAndModels)[i]);
        var text = document.createTextNode(Object.keys(carsAndModels)[i]);
            opt.appendChild(text);
            type.appendChild(opt);
ispisivanjeOpt();
// dinamicko i nasumicno ispisivanje automobila
var carContent = [
    ["assets/img/sports_civic1.jpg", "Honda Civic Type R", 120, "350hp"],
   ["assets/img/sports_supra1.jpg", "Toyota Supra", 300, "382hp"],
    ["assets/img/sports_subaru1.jpg", "Subaru Impreza STi", 130, "340hp"],
    ["assets/img/muscle_chevy.jpg","Chevrolet ZL1", 180, "650hp"],
    ["assets/img/muscle_demon1.jpg","Dodge Challenger", 200, "700hp"],
    ["assets/img/sports_benz1.jpg", "Mercedes 450 CLS", 160, "375hp"],
    ["assets/img/sports_evo.jpg", "Subaru WRX", 130, "360hp"],
    ["assets/img/sports_bmw1.jpg","BMW 420d Coupe",120, "310hp"],
    ["assets/img/sports_mitsubishi1.jpg","Mitsubishi EVO X",110, "290hp"],
    ["assets/img/muscle_mustang1.jpg", "Ford Mustang", 160, "750hp"],
    ["assets/img/sports_bmw2.jpg","BMW X6m",120, "310hp"],
    ["assets/img/suv_ford1.jpg","Ford F-150",160, "280hp"]];
var random = [];
function generate(){ // funkcija za random ispisivanje iz niza
    for (var i = 0; i < carContent.length; i++){</pre>
        var trenutni = Math.floor(Math.random() * carContent.length);
        if(random.indexOf(trenutni) == -1){
            random.push(trenutni); //niz u koji ubacujemo DISTINCT vrednosti do 12
        else i--;
var value = [];
//nasumicno generisanje sadrzaja za svaki element owl-carousel-a
function owlCarouselContent(){
        generate();
        let parent = document.getElementById("automobili");
        let child = document.createElement("div");
            child.classList.add("owl-carousel", "first-owl");
            parent.appendChild(child);
        for(let i = 0; i < 6; i++){
            value.push(carContent[random[i]][1].split(" "));
```

```
child.innerHTML +=`<div class="slideContent"><img src="${carContent[random[i]][0]}</pre>
}" alt="${carContent[random[i]][1]}"><h5>${carContent[random[i]][1]}</h5>
           <span><i class="fas fa-dollar-</pre>
sign"></i> ${carContent[random[i]][2]}/day</span><a href="#formNaslov"class="d-</pre>
inline reqBtn">Request now</a>
       </div>`
       random=[];
//modal sa vise informacija
function upisVrednosti(){
    let noveSlike = ["assets/img/seeMoreHonda.jpg", "assets/img/seeMoreSupra.jpeg", "assets/i
mg/seeMoreRedSubaru.jpg", "assets/img/seeMoreChevy.jpg", "assets/img/seeMoreDemon.jpg", "asse
ts/img/seeMoreMerc.jpeg", "assets/img/seeMoreSubaru.jpeg", "assets/img/seeMoreBmw.jpg", "asse
ts/img/seeMore1.jpg", "assets/img/seeMoreMustang.jpeg","assets/img/seeMoreBmw2.jpg", "assets/
img/seeMoreFord.jpeg"];
    var seeMore = document.getElementsByClassName("seeMore");
    let modal = document.getElementById("seeMoreModal");
    let request = document.getElementsByClassName("request");
    let typeNew = document.getElementById("carType");
    let model2 = document.getElementById("carModel")
       for(let i = 0; i < seeMore.length; i++){</pre>
           seeMore[i].addEventListener("click", function(){
                 if(seeMore[i].value == carContent[random[i]][1]){
                   modal.innerHTML = `<div class="row relative"> <div class="col-12 p-</pre>
0"> <div id="header1"> <div class="col-12 p-3 d-flex justify-content-
between"> <h2>CAR <span>ZONE</span></h2> <button type="button" id="closeSeeMore"><i class="fa
s fa-times-circle"></i></button> </div></div><div id="body1"> <div class="col-12 p-
0"><button type="button" id="levo"><i class="fas fa-angle-</pre>
left"></i></i></button><button type="button" id="desno"><i class="fas fa-angle-
right"></i></button><div class="owl-carousel another-
owl"> <img src="${carContent[random[i]][0]}" class="img-</pre>
fluid" alt="car"> <img src="${noveSlike[random[i]]}" class="img-
fluid" alt="car"></div> </div><div class="col-12 p-2"> <h3 class="text-
center">${carContent[random[i]][1]}</h3> <hr class="m-0"> <div class="row m-0 p-
0"> <div class="col-6 p-0"> 
2">  <i class="fas fa-check"></i> Chilled AC  <i class="fas fa-
check"></i> Heated seats <i class="fas fa-</pre>
check"></i> Audio input <i class="fas fa-</pre>
check"></i> Bluetooth  </div><div class="col-6 p-0"> <ul class="d-flex flex-
column text-left p-2">  <i class="fas fa-check"></i> Manual  <i class="fas fa-
check"></i> Unlimited mileage <i class="fas fa-tachometer-</pre>
alt"></i> ${carContent[random[i]][3]}  </div></div></div><div class="row m-
0"> <div class="col-12 font-weight-bold euro"> <i class="fas fa-dollar-
sign"></i> ${carContent[random[i]][2]}<span>/ per day</span> </div></div></div><div id="foote
```

```
r1" class="text-
right"> <button type="button" class="request">Request now!</button> </div></div>`
                    // za promenu dropdown liste u formi na osnovu selektovanog automobila pr
                        for(let j = 0; j < request.length; j++){</pre>
                             request[j].addEventListener("click", function(){
                             for(let t = 1; t < typeNew.options.length; t++){</pre>
                                 if(typeNew.options[t].value == carTypeName[i][0]){
                                     typeNew.selectedIndex = t;
                                     typeNew.onchange();
                                     if(model2.options.length > 1){
                                         if((model2.options[model2.selectedIndex].text).includ
es(carTypeName[i][1])){
                                             model2.selectedIndex = 0;
                                         else{
                                             model2.selectedIndex = 1;
                            }})
                        }})
    }
var carTypeName = [];
function ispisCarContent(){
    generate();
    var div = document.getElementById("showCars");
        for(let i = 0; i < carContent.length - 6; i++){</pre>
            div.innerHTML += `<div class="col-lg-4 col-12 col-sm-6 mb-4 scale">
            <div class="imgHolder">
                <img src="${carContent[random[i]][0]}" class="img-</pre>
fluid" alt="${carContent[random[i]][1]}">
            </div>
            <div class="holder">
            <h5 class="mb-3">${carContent[random[i]][1]}</h5>
            <i class="fas fa-dollar-
sign"></i> ${carContent[random[i]][2]}/day &nbsp; <i class="fas fa-tachometer-</pre>
alt"></i> ${carContent[random[i]][3]}
            <button type="button" class="seeMore" value="${carContent[random[i]][1]}">See mor
e</button>
            </div>
        </div>`;
        carTypeName.push((carContent[random[i]][1]).split(" "));
        upisVrednosti()
```

```
var click1 = 0;
        document.getElementById("loadMore").addEventListener("click", function(){
            if(click1 == 1){
                document.getElementById("loadMore").style.display = "none";
            if(click1 == 0){
                //ispisivanje narednih 3 elemenata iz niza pocev od 6
                for(let i = 6; i < carContent.length - 3; i++){</pre>
                    let slide = document.createElement("div");
                    slide.classList.add("slide", "col-lg-4", "mr-auto", "col-12", "col-sm-
6", "mb-4", "scale");
                    document.getElementById("showCars").appendChild(slide);
                    slide.innerHTML +=
                    <div class="imgHolder">
                        <img src="${carContent[random[i]][0]}" class="img-</pre>
fluid" alt="${carContent[random[i]][1]}">
                    <div class="holder">
                    <h5 class="mb-3">${carContent[random[i]][1]}</h5>
                    <i class="fas fa-dollar-
sign"></i> ${carContent[random[i]][2]}/day &nbsp; <i class="fas fa-tachometer-</pre>
alt"></i> ${carContent[random[i]][3]}
                    <button type="button" class="seeMore" value="${carContent[random[i]][1]}"</pre>
>See more</button>
                    </div>`;
                    carTypeName.push((carContent[random[i]][1]).split(" "))
                upisVrednosti()
            if(click1 > 0){
                //ispisivanje ostatka
                for(let i = 9; i < carContent.length; i++){</pre>
                    document.getElementById("showCars").innerHTML += `<div class="col-lg-</pre>
4 col-12 col-sm-6 mb-4 slide scale">
                    <div class="imgHolder">
                        <img src="${carContent[random[i]][0]}" class="img-</pre>
fluid" alt="${carContent[random[i]][1]}">
                    </div>
                    <div class="holder">
                    <h5 class="mb-3">${carContent[random[i]][1]}</h5>
                    <i class="fas fa-dollar-
sign"></i> ${carContent[random[i]][2]}/day &nbsp; <i class="fas fa-tachometer-
alt"></i> ${carContent[random[i]][3]}
```

```
<button type="button" class="seeMore" value="${carContent[random[i]][1]}'</pre>
>See more</button>
                    </div></div>`;
                    carTypeName.push((carContent[random[i]][1]).split(" "))
                upisVrednosti()
            click1++;
        })
//za upisivanje u dropdown listu iz sekcije best cars
function typeClick(){
    var type1 = document.getElementById("carType");
    var model1 = document.getElementById("carModel");
    var reqBtns = document.getElementsByClassName("reqBtn");
        for(let i = 0; i < reqBtns.length; i++){</pre>
            reqBtns[i].addEventListener("click", function(){
                for(let j = 1; j < type.options.length; j++){</pre>
                    if(type1.options[j].value == value[i][0]){
                        type1.selectedIndex = j;
                        type1.onchange();
                         if(model1.options.length > 1){
                             if((model1.options[model1.selectedIndex].text).includes(value[i][
1])){
                                 model1.selectedIndex = 0;
                             else{
                                 model1.selectedIndex = 1;
                        }
            })
    //dohvatanje elemenata
    var fullName = document.getElementById("fullName");
    var mail = document.getElementById("mail");
    var payment = document.getElementsByName("payment");
    var type = document.getElementById("carType");
    var cvv = document.getElementById("cvv");
    var model = document.getElementById("carModel");
    var pick = document.getElementById("pick");
    var drop = document.getElementById("drop");
    //dohvatanje greski
```

```
var fullNameError = document.getElementById("fullNameError");
    var mailError = document.getElementById("mailError");
    var paymentError = document.getElementById("paymentError");
    var dateError = document.getElementById("dateError");
    var cvvError = document.getElementById("cvvError");
    var brandError = document.getElementById("brandError");
    //regularni izrazi
    var regExFullName = /^[A-ZŠĐČĆŽ][a-zšđčćž]{2,14}(\s[A-ZČĆŽŠĐ][a-zšđčćž]{2,19})+$/
    var regExMail = /^[a-z][a-z \cdot \cdot d- ] + @[a-z] + (\cdot \cdot [a-z] +) + $/
    var dataArray = [];
function proveraFullName(){
    if(!regExFullName.test(fullName.value)){
        fullNameError.innerHTML = 'Incorrect format <i class="fas fa-info-circle" data-
toggle="tooltip" data-placement="bottom" title="e.g. John Doe"></i>'
        fullName.classList.add("greska");
        fullName.classList.remove("correct");
        return false;
    else{
            fullNameError.textContent = "";
            fullName.classList.remove("greska");
            fullName.classList.add("correct");
            return true;
function proveraMail(){
    //mail error
    if(!regExMail.test(mail.value)){
        mailError.innerHTML = 'Please enter a valid email address. <i class="fas fa-info-
circle" data-toggle="tooltip" data-placement="bottom" title="e.g. johndoe@example.com"></i>';
        mail.classList.add("greska");
        mail.classList.remove("correct");
        return false;
    else{
        mailError.textContent = "";
        mail.classList.remove("greska");
        mail.classList.add("correct");
        return true;
function proveraCashCard(){
    //provera da li je izabran metod placanja
    let value;
```

```
let boolean;
    for(let i = 0; i < payment.length; i++){</pre>
        if(!payment[i].checked)
            paymentError.innerHTML = "Required";
            boolean = false;
            continue;
        else{
            paymentError.innerHTML = "";
            boolean = true;
            value = payment[i].value;
            break;
    return {value, boolean};
var from, to , today,
disabledDate = document.getElementById("drop");
disabledDate.disabled = true;
//postavljanje danasnjeg dana kao minimalnu vrednostu u pick up polje
let today1 = new Date(),
    day = today1.getDate(),
    month = today1.getMonth()+1,
    year = today1.getFullYear();
         if(day<10){
                day='0'+day
        if(month<10){</pre>
            month='0'+month
        today1 = year + '-' + month + '-' +day;
        pick.setAttribute("min", today1);
var ukupanBrojDana,
daniMs = 86400000; //broj milisekundi u jednom danu, potrebno za kasnije racunanje broja dana
 -- proveraPick() i proveraDrop()
var proveraPick = function(){
    //uzimanje vrednosti iz polja -- date
    from = new Date(pick.value);
    to = new Date(drop.value);
    //uzimanje vrednosti tekuceg dana
    today = new Date();
    //postavljanje broja sati trenutnog dana radi poredjenja sa drugim datumom
```

```
today.setHours(1,0,0);
   ukupanBrojDana = (to - from) / daniMs;
   //provera da li je datum uopste izabran
   if(isNaN(from) && isNaN(to)){
       pickError.innerHTML = "Please choose a pick up date!";
       pick.classList.add("greska");
       pick.classList.remove("correct");
       dropError.innerHTML = "";
       return false;
   else if(from.toString() == today.toString()){ //provera da li se pocetni dan poklapa sa t
ekucim danom
       pickError.innerHTML = "We need at least one day from today to proccess your request!"
       pick.classList.add("greska");
       pick.classList.remove("correct");
       allError.innerHTML = "";
       return false;
   else if(from.toString() == to.toString()){ //provera da li se poklapaju dani
       allError.innerHTML = "You can't rent a car for the same day!";
       pick.classList.add("greska");
       pick.classList.remove("correct");
       drop.classList.add("greska");
       drop.classList.remove("correct");
       pickError.innerHTML = "";
       dropError.innerHTML = "";
       return false;
   else if(from > to){
       allError.innerHTML = "Pick up date can't be after drop off date!";
       pick.classList.add("greska");
       pick.classList.remove("correct");
       pickError.innerHTML = "";
       dropError.innerHTML = "";
       return false;
   else if(ukupanBrojDana > 30){
       allError.innerHTML = "You can't rent a car for more than 30 days!";
       pickError.innerHTML = "";
       pick.classList.add("greska");
       pick.classList.remove("correct");
       drop.classList.add("greska");
       drop.classList.remove("correct");
       return false;
   else{ //ako je sve ispunjeno
```

```
allError.innerHTML = "";
       pickError.innerHTML = "";
       pick.classList.remove("greska");
       pick.classList.add("correct");
       disabledDate.disabled = false;
       if(ukupanBrojDana <=30 && !(from.toString() == today.toString())){ // malo dublja pro</pre>
vera za polje ranije
            dropError.innerHTML = "";
            drop.classList.add("correct");
            drop.classList.remove("greska")
       return true;
var proveraDrop = function(){
   //uzimanje vrednosti iz polja -- date
   from = new Date(pick.value);
   to = new Date(drop.value)
   //brojanje ukupnog broja dana koliko korisnik zeli da rentuje automobil
   ukupanBrojDana = (to - from) / daniMs;
   //provera da li je izabran drop off datum
   if(isNaN(to)){
       dropError.innerHTML = "Please choose a drop off date!"
       drop.classList.add("greska");
       drop.classList.remove("correct")
       return false;
   else if(to.toString() == from.toString()){ //provera da li se poklapaju dani
       allError.innerHTML = "You can't rent a car for the same day!"
       drop.classList.add("greska");
       drop.classList.remove("correct")
       pick.classList.add("greska");
       pick.classList.remove("correct")
       return false;
   else if(to < from){</pre>
       allError.innerHTML = "Drop off date can't be before pick up date!"
       drop.classList.add("greska");
       drop.classList.remove("correct")
       dropError.innerHTML = "";
       pickError.innerHTML = "";
       return false;
   else if(ukupanBrojDana > 30){
       allError.innerHTML = "You can't rent a car for more than 30 days!"
```

```
drop.classList.add("greska");
        drop.classList.remove("correct")
        pick.classList.add("greska");
        pick.classList.remove("correct")
        dropError.innerHTML = "";
        return false;
    else{ //ako je sve ispunjeno
        allError.innerHTML = "";
        dropError.innerHTML = "";
        drop.classList.remove("greska");
        drop.classList.add("correct");
        if(ukupanBrojDana <=30 && !(from.toString() == today.toString())){ // malo dublja pro</pre>
vera za polje ranije
            pickError.innerHTML = "";
            pick.classList.add("correct");
            pick.classList.remove("greska")
        return true;
pick.onchange = function(){ // za svako izlazenje iz polja da proveri vrednosti unete u odred
jeno polje
    proveraPick();
drop.onchange = function(){ // za svako izlazenje iz polja da proveri vrednosti unete u odred
jeno polje
    proveraDrop();
var cardMade = 0;
//za pravljenje nova 3 polja ako je korisnik izabrao karticu
payment[1].onclick = function (){
    if(cardMade == 0){
        var placeholder = ["MM/YY", "***"];
        var id = ["validThru", "cvv"];
        var labelMain = ["Expiration date:", "CVV:"];
        var parentDiv = document.getElementById("card");
        var formMore = document.createElement("div");
        formMore.classList.add("d-flex", "justify-content-between", "flex-wrap", "mt-2", "mb-
2", "cardHolder");
        var input1 = document.createElement("input");
        input1.classList.add("w-100");
        input1.setAttribute("type", "text");
        input1.setAttribute("placeholder", "Card number: 5XXXXXXXXXXXXXXXX");
        input1.setAttribute("id", "cardContent");
```

```
var inputGreska = document.createElement("span");
    inputGreska.classList.add("greskaTekst", "w-100");
    inputGreska.setAttribute("id", "cardNumberError");
    formMore.appendChild(input1);
    formMore.appendChild(inputGreska);
for(let i = 0; i < 2; i++){
    var wrap = document.createElement("div");
    wrap.classList.add("w-50");
    formMore.appendChild(wrap);
    var label = document.createElement("label");
    label.classList.add("w-100");
    label.setAttribute("for", id[i]);
    var labelText = document.createTextNode(labelMain[i]);
    label.appendChild(labelText);
    wrap.appendChild(label);
    var input2 = document.createElement("input");
    input2.classList.add("w-50");
    input2.setAttribute("type", "text");
    input2.setAttribute("placeholder", placeholder[i]);
    input2.setAttribute("id", id[i]);
    wrap.appendChild(input2);
//greska
var idGreska = ["expDateError", "cvvError"];
for(let i = 0; i < 2; i++){
    var greske = document.createElement("div");
    greske.classList.add("w-50");
    formMore.appendChild(greske);
    var span = document.createElement("span");
    span.setAttribute("id", idGreska[i]);
    span.classList.add("greskaTekst");
    greske.appendChild(span);
cardMade++;
parentDiv.appendChild(formMore);
// za proveru nakon izlaska iz polja za karticu
document.getElementById("validThru").onchange = function(){
    proveraExpDate();
document.getElementById("cvv").onchange = function(){
    proveraCvv();
document.getElementById("cardContent").onchange = function(){
    proveraCardNumber();
```

```
//provera da li je korisnik uneo broj kartice
function proveraCardNumber(){
                                                //pocinju sa brojem 5 i ima maks 16 brojeva
    var regExCardNumber = /^5[0-
9]{15}$/; //ovaj je jednostavan, jer jedino ovako prihvata ako korisnik zeli automatski da u
nese broj mastercard kartice koju vec ima sacuvanu u browser-u
    var cardNumber = document.getElementById("cardContent");
   var cardNumberError = document.getElementById("cardNumberError");
    if(!regExCardNumber.test(cardNumber.value)){
        cardNumberError.innerHTML = "Format: 5XXXXXXXXXXXXXX(16 digits)";
       cardNumber.classList.add("greska");
       cardNumber.classList.remove("correct");
       return false;
   else{
       cardNumberError.innerHTML = "";
       cardNumber.classList.remove("greska");
       cardNumber.classList.add("correct");
       return true;
function proveraExpDate(){
    // provera da li je kartica validna najmanje 5 godina
   var regExExpDate = /^{(0][1-9][1-2][0-2]}/(([2][0-6])[(2][0][2-3][0-2])
6]))$/ // MM/YY ili MM/YYYY
    var expDate = document.getElementById("validThru");
   var expDateError = document.getElementById("expDateError");
   if(!regExExpDate.test(expDate.value)){
       expDateError.innerHTML = 'Incorrect format <i class="fas fa-info-circle" data-</pre>
toggle="tooltip" data-placement="bottom" title="e.g. 05/21 OR 05/2021"></i>';
       expDate.classList.add("greska");
       expDate.classList.remove("correct");
       return false
   else{
       expDateError.textContent = "";
       expDate.classList.remove("greska");
       expDate.classList.add("correct");
       return true;
//provera da li je unet cvv/cvc
function proveraCvv(){
   var regExCvv = /^[0-9]{3}$/;
   var cvv = document.getElementById("cvv");
   var cvvError = document.getElementById("cvvError");
```

```
if(!regExCvv.test(cvv.value)){
        cvvError.innerHTML = 'Incorrect format <i class="fas fa-info-circle" data-</pre>
toggle="tooltip" data-placement="bottom" title="e.g. 123"></i>';
        cvv.classList.add("greska");
        cvv.classList.remove("correct");
        return false;
    else{
        cvvError.textContent = "";
        cvv.classList.remove("greska");
        cvv.classList.add("correct");
        return true;
function proveraType(){
    //provera da li je izabran brend automobila
    if(type.options[type.options.selectedIndex].value != 0){
        brandError.textContent = "";
        return true;
    else{
        brandError.textContent = "You must choose brand!";
        return false;
//za promene izlaskom iz polja
fullName.onchange = function(){
    proveraFullName();
mail.onchange = function(){
    proveraMail();
payment.forEach(
    selected => selected.onchange = function(){
        proveraCashCard();
//ako je korisnik izabrao cash
payment[0].onclick = function(){
    if(cardMade > 0){
        document.querySelector(".cardHolder").remove();
        cardMade--;
document.getElementById("form").onsubmit = function(e){
```

```
e.preventDefault();
    let fullName = proveraFullName();
    let mail = proveraMail();
    let type = proveraType();
    let cashOrCard = proveraCashCard();
    let bool = cashOrCard.boolean;
    let cardValue = cashOrCard.value;
    let pick = proveraPick();
    let drop = proveraDrop();
   // provera za karticu
    if(cardValue == payment[1].value){
        let exp = proveraExpDate();
        let cvv = proveraCvv();
        let card = proveraCardNumber();
        //provera novih polja za karticu
        if(exp && cvv && card){
            celokupnaProvera(fullName, mail, type, bool, pick, drop);
   // provera za cash
    if(cardValue == payment[0].value){
        celokupnaProvera(fullName, mail, type, bool, pick, drop);
    }
};
function celokupnaProvera(imeProvera, mailProvera, typeProvera, cashCardProvera, proveraPick,
proveraDrop){
    //provera svih unetih podataka
   if(imeProvera && mailProvera && typeProvera && cashCardProvera && proveraPick && proveraD
rop){
        if(dataArray.length == 0){
            //upisivanje podataka u niz
            dataArray.push(fullName.value);
            dataArray.push(mail.value);
            dataArray.push(type.options[type.options.selectedIndex].value);
            dataArray.push(model.options[model.options.selectedIndex].text);
            dataArray.push(ukupanBrojDana * izabranAuto);
            modal();
}}
//dinamicko kreiranje modala
function modal(){
    let firstName = dataArray[0].split(" ");
   let modal = document.getElementById("modal");
    let row = document.createElement("div");
    row.classList.add("row", "regenerate");
    let header = document.createElement("div");
   header.setAttribute("id", "header");
```

```
header.classList.add("col-12","text-left", "p-3");
    let headerNaslov = document.createElement("h2");
    headerNaslov.innerHTML += "CAR <span>ZONE</span>";
    let body = document.createElement("div");
    body.setAttribute("id", "body");
    body.classList.add("col-12", "p-2");
    let p = document.createElement("p");
    p.innerHTML = `Dear <span>${firstName[0]}</span>, you've successfully sent the request fo
r the <span>${dataArray[2]} ${dataArray[3]}</span>, all other information has been sent to yo
ur mail.</br>
    <span>${dataArray[1]}</br></span> <span class="modalTotal"> TOTAL: <i class="fas fa-</pre>
dollar-sign"></i> ${dataArray[4]}</span>`;
    let footer = document.createElement("div");
    footer.setAttribute("id", "footer");
    footer.classList.add("col-12", "text-right");
    let button = document.createElement("button");
    button.setAttribute("type", "button");
    button.setAttribute("id", "closeModal");
    button.textContent = "Close";
    modal.appendChild(row);
    row.appendChild(header);
    header.appendChild(headerNaslov);
    row.appendChild(body);
    row.appendChild(footer);
    body.appendChild(p);
    footer.appendChild(button);
    modal.style.visibility = "visible";
    button.onclick = function(){
    modal.style.visibility = "hidden";
    modal.style.opacity = "0";
    //brisanje prethodnog niza i modala
    dataArray = []
    row.remove();
//ispisivanje testimonials-a
function testimonials(){
    let testimonials = [["assets/img/test1.png", "During all the years we have rented a car f
rom you, there has never been any problems. We are satisfied with both price and quality of y
our cars!", "Michael De Santa"],
                        ["assets/img/test2.png", "Thank you all once again for your exception
al service level. The customer experience served by everyone at CarZone is 1st class!", "Trev
or Philips"],
                        ["assets/img/test3.png", "Friendly and reliable service on site. The
booking went smoothly and was handled quickly. The car was perfect and very new!", "Franklin
Clinton"]]
```

```
let parent = document.getElementById("testimonials");
    for(let i = 0; i < testimonials.length; i++){</pre>
       parent.innerHTML += ` <div class="col-12 col-md-4 mb-3 mb-md-0">
       <div class="col-12 testContent p-3">
            <i class="fas fa-quote-right"></i></i>
            <div class="d-flex justify-content-center p-2">
                <div class="testImage">
                    <img src="${testimonials[i][0]}" alt="guy">
                </div>
            </div>
            <span><i class="fas fa-star"></i><i class="fas fa-star"></i><i class="fas fa-</pre>
star"></i><i class="fas fa-star"></i><i class="fas fa-star"></i></i>
            <blockquote class="blockquote text-center">
                ${testimonials[i][1]}
                <footer class="blockquote-footer"><cite>${testimonials[i][2]}</cite></footer>
              </blockquote>
        </div>
   </div>`;
// ispisivanje sekcije about us
function about(){
   sadrzajTab = [
       ["What we're about", "We want to make renting a car as simple and personal as driving
your own. Renting a car brings you freedom, and we'll help you find the right car for you at
a great price. But there's much more to us than that. We're here to make renting a car a lot
less hassle."],
        ["How we work", "Making sure you have a great experience every time you rent a car ma
kes us happy. We use our massive buying power to bring you great deals."],
        ["Why use us", "We use all our experience - and the experiences of thousands of our c
ustomers - to bring you the car you need and the quality of service you want. Always at the b
est price."],
        ["Who we are", "Our founders had the simple idea of wanting to make renting cars much
better. And we've flourished because our customers love how we work."]
   let tab = document.getElementsByClassName("tab-content");
   for(let i = 0; i < sadrzajTab.length; i++){</pre>
       let h3 = document.createElement("h3");
       let p = document.createElement("p");
       h3.textContent = sadrzajTab[i][0];
       p.textContent = sadrzajTab[i][1];
       tab[i].appendChild(h3);
       tab[i].appendChild(p);
  Ispisivanje informacije o autoru
```

```
function autor(){
    let naziv = "Adam Nikolić";
    let brIndeksa = "101/19";
    let tekst = "Hi. I'm a web developer from Požega, Serbia. Right now I'm studying Internet
 Technologies at Information and Communication Technologies College in Belgrade and I'm pursu
ing career in Web programming."
    let parent = document.getElementById("box");
    parent.innerHTML= `<div class="col-12 col-md-5 p-0">
    <img src="assets/img/autor.jpg" class="img-fluid" alt="autor">
</div>
<div class="col-12 col-md-7 p-0 p-lg-5 pb-2 pb-md-0" id="infoAutor">
    <div class="row m-0">
        <div class="col-12 d-flex justify-content-end p-1">
            <button type="button" id="closeAutor"><i class="fas fa-times"></i></button>
        </div>
    </div>
    <div class="row m-0">
        <div class="col-12 p-1 font-weight-bold">
            <h3 class="text-center font-weight-bold">${naziv} <span>${brIndeksa}</span></h3>
            ${tekst}
            </div>
    </div>
    <div class="row m-0">
        <div class="col-12 d-flex flex-row flex-wrap linkovi justify-content-center">
            <div >
               <a href="https://github.com/adamnik101"><button type="button" class="linkBtn">
<i class="fab fa-github-alt"></i></button></a>
               <a href="https://www.linkedin.com"><button type="button" class="linkBtn"><i cl</pre>
ass="fab fa-linkedin-in"></i></button></a>
               <a href="https://www.twitter.com"><button type="button" class="linkBtn"><i cla</pre>
ss="fab fa-twitter"></i></button></a>
               <a href="https://adamnik101.github.io/adamportfolio/index.html"><button type="</pre>
button" class="linkBtn"><i class="fas fa-address-book"></i></button></a>
            </div>
        </div>
   </div>
</div>
 $(document).ready(function(){
    $(window).on("load",function() {
        $('.preloader').fadeOut('slow'); // za ucitavanje preloader-
a dok se cela stranica ne ucita
     });
    //animacija sidenav elemenata liste linkova
   $("#clickSide").click(function (){
        $(".slideIn").each(function(i){
           $(this).delay(200*i).animate({
```

```
left: "0",
                opacity : "1"
            },700)
    })
   $("#openSide").css("box-
shadow", "0 0 0 10000px rgba(0,0,0,.50)"); // box shadow za efekat van side navigacije
})
   $("#closeSide").click(function(){ // za animaciju svakog elementa liste jedan nakog drugo
       $(".slideIn").each(function(){
            $(this).animate({
                left: "-250px"
            }).finish(); // finish() da bi se zaustavilo beskonacno ponavljanje animacije uko
liko se brze otvara i zatvara side navigacija
   $("#openSide").css("box-shadow", "none");
   //tooltip inicijalizacija bootstrap
   $('body').tooltip({
       selector: '.fa-info-circle'
   });
   //canvasTekst animacija sa desno na levo
   $(".canvasTekst").animate({
       right: "0"
   }, 2000)
   //animations card block & btn top
   $(window).scroll(function(){
        if($(this).scrollTop() > 500){
            $(".sectionContent").each(function(i){
                $(this).delay(200 * i).animate({
                    opacity : "1",
                    top: "0"
            }, "slow")})}
       if($(this).scrollTop() > 900){
            $(".featured").animate({
                left : "0",
               opacity: "1"
           })
       if ($(this).scrollTop() > 300) {
            $('#btnTop').fadeIn();
        } else{
            $('#btnTop').fadeOut();
   });
   //glatka animacija nakon klika na dugme za gore i mali delay
   $('#btnTop').click(function(){
       $('html, body').animate({scrollTop : 0},0);
```

```
return false;
   });
   //animacija artikala sa automobilima koji se prikazuju sa animacijom jedan nakon drugog
   var i = 0; // moglo je i preko indeks u each ali bi se drugim klikom cekalo i na prva 3 e
lementa
   var delay = 0;
   $("#loadMore").click(function(){
       delay = 0;
       $(".slide").each(function(){
                $(".slide").eq(i).delay(450 * delay++).animate({
                    top : "0",
                    opacity : "1"
                }), i++
        })
        })
   //plugin za carousel aka owl-carousel
   $(".first-owl").owlCarousel({
       responsiveClass:true,
       animateIn:true,
       autoplay: true,
       rewind: true,
       loop: false,
       nav:false,
       dots:true,
       dotsEach:true,
       responsive:{
       0:{
            items:1,
            autoplay:false,
       },
       850:{
            items:2,
       },
       1000:{
            items:3,
   });
   //dugmad za kontrolu owl-carousel
   let $owl = $(".first-owl");
   $("#btnDesno").click(function(){
       $owl.trigger("next.owl.carousel");
   $("#btnLevo").click(function(){
       $owl.trigger("prev.owl.carousel");
   })
```

```
$("#seeMoreModal").addClass("hide"); //pocetno stanje modala
//dodavanje klasa i efekata modalu
$(document).on("click", ".seeMore", function(){
    $("#seeMoreModal").fadeIn("fast");
    $("#seeMoreModal").addClass("block");
    $("#seeMoreModal").removeClass("hide");
    // za zatvaranje modala
    $("#closeSeeMore").on("click", function(){
        $("#seeMoreModal").fadeOut("fast", function(){
            $("#seeMoreModal").addClass("hide");
            $("#seeMoreModal").removeClass("block");
        });
    // isti efekat i preko dugmeta request sa slanjem ka formi
    $(".request").on("click", function(){
        $("html,body").animate({
            scrollTop: $(".back").offset().top}, 0)
            $("#seeMoreModal").fadeOut("fast", function(){
                $("#seeMoreModal").addClass("hide");
                $("#seeMoreModal").removeClass("block");
            });
        })
    // owl carousel u see more
    $(".another-owl").owlCarousel({
        responsiveClass:true,
        loop: true,
        nav:false,
        dots:false,
        responsive:{
            items:1,
            autoplay:true,
    });
    let $owl1 = $(".another-owl");
    $("#desno").click(function(){
        $owl1.trigger("next.owl.carousel");
    })
    $("#levo").click(function(){
        $owl1.trigger("prev.owl.carousel");
    })
})
//za fadeOut efekat owl-carousel
$("#fadeOwl").owlCarousel({
   animateOut: "fadeOut",
```

```
autoplayTimeout: 10000,
    nav:false,
    loop: true,
    touchDrag: false,
    dots:false,
    autoplay: true,
    mouseDrag: false,
    responsive:{
    0:{
        items:1
});
$('#tabs-nav li:first-child').addClass('active');
$('.tab-content').hide();
$('.tab-content:first').show();
//promeni klikom
$('#tabs-nav li').click(function(){
$('#tabs-nav li').removeClass('active');
$(this).addClass('active');
$('.tab-content').hide();
var activeTab = $(this).find('a').attr('href');
$(activeTab).fadeIn("slow");
return false;
});
//animacija pri prikazivanju modala nakon uspesnog popunjavanja forme
$("#form").on("submit", function(){
        $("#modal").animate({
            opacity : "1"
        }, 1000)
        $("#modal .row").animate({
            opacity : "1",
            top : "0"
        }, 1000)
})
$("#autorBtn").click(function(){
    autor(); //kreiranje dinamicki
    $("#autor").fadeIn();
    $("#closeAutor").click(function(){
        $("#autor").fadeOut();
   })
})
})
```