


BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	1	2"	CAP 2" P150
2	20'-11"	2"	PIPE 2" P150 BEVELLED ENDS
3	3	2"x1"	TEE REDUCING 2" × 1" P150
4	1	2"	SHOE FOR 2" LINE (SHOE-2)
5	1	2"	GUIDE FOR 2" LINE (GUIDE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

NOTES:
1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	NDE	FLUID
-	-	N

COMPANY

SMARTWELD


TITLE

AIR AND GASES

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	1 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	11'-1"	2"	PIPE 2" P150 BEVELLED ENDS
2	3	2"x1"	TEE REDUCING 2" × 1" P150
3	1	2"	SHOE FOR 2" LINE (SHOE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

NOTES:

1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD
3. HYDROTEST BEFORE PAINTING
4. PAINT PER PROJECT SPECIFICATION

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	NDE	FLUID
-	-	N

COMPANY

SMARTWELD


TITLE

AIR AND GASES

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	2 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	19'-4"	2"	PIPE 2" P150 BEVELLED ENDS
2	2	2"x1"	TEE REDUCING 2" × 1" P150
3	2	2"	SHOE FOR 2" LINE (SHOE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

NOTES:

1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD
3. FLANGE BOLT HOLES STRADDLE CENTRELINES
4. PAINT PER PROJECT SPECIFICATION

TEST PRESS.	INSULATION	PAINT
-	NONE	-

PWHT	NDE	FLUID
-	-	N

COMPANY

SMARTWELD


TITLE

AIR AND GASES

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	3 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	20'-2"	2"	PIPE 2" P150 BEVELLED ENDS
2	2	2"x1"	TEE REDUCING 2" × 1" P150
3	1	2"	GUIDE FOR 2" LINE (GUIDE-2)
4	1	2"	SHOE FOR 2" LINE (SHOE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

COMPANY

SMARTWELD

TITLE

AIR AND GASES

NOTES:


1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	NDE	FLUID
-	-	N

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	4 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	38'-10"	2"	PIPE 2" P150 BEVELLED ENDS
2	1	2"x1"	TEE REDUCING 2" × 1" P150
3	1	2"	ANCHOR FOR 2" LINE (ANCHOR-2)
4	2	2"	SHOE FOR 2" LINE (SHOE-2)
5	1	2"	GUIDE FOR 2" LINE (GUIDE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

NOTES:

1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD
3. REMOVE BURRS FROM ALL CUT ENDS
4. HYDROTEST BEFORE PAINTING

TEST PRESS.	INSULATION	PAINT
-	NONE	-

PWHT	NDE	FLUID
-	-	N

COMPANY

SMARTWELD


TITLE

AIR AND GASES

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	5 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	19'-8"	2"	PIPE 2" P150 BEVELLED ENDS
2	1	2"x1"	TEE REDUCING 2" × 1" P150
3	2	2"	SHOE FOR 2" LINE (SHOE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

COMPANY

SMARTWELD

TITLE

AIR AND GASES

NOTES:


1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	NDE	FLUID
-	-	N

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	6 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	17'-1"	2"	PIPE 2" P150 BEVELLED ENDS
2	1	2"x1"	TEE REDUCING 2" × 1" P150
3	1	2"	GUIDE FOR 2" LINE (GUIDE-2)
4	1	2"	SHOE FOR 2" LINE (SHOE-2)

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

COMPANY

SMARTWELD

TITLE

AIR AND GASES

NOTES:


1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD
3. HYDROTEST BEFORE PAINTING
4. CHECK ORIENTATION BEFORE WELDING

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	NDE	FLUID
-	-	N

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	7 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	3'-5"	2"	PIPE 2" P150 BEVELLED ENDS
2	1	2"x1"	TEE REDUCING 2" × 1" P150
3	1	2"x3/4"	TEE REDUCING 2" × 3/4" P150
4	1	3/4"	FLANGE WELD-NECK 3/4" P150 RAISED FACE
5	2	3/4"	GASKET 3/4" P150 COMPRESSED SHEET
6	1	3/4"	VALVE, BALL, FLOATING 3/4" P150
7	2	3/4"	STUD SET 4 × 0.5" × 4-1/4" WITH 2 NUTS, FOR 3/4" P150
8	1	3/4"	FLANGE BLIND 3/4" P150 RAISED FACE

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

COMPANY

SMARTWELD

TITLE

AIR AND GASES

NOTES:


1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD
3. HYDROTEST BEFORE PAINTING

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	NDE	FLUID
-	-	N

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	8 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS



BILL OF MATERIALS

PT	QTY	NPS	DESCRIPTION
1	1	2"	CAP 2" P150
2	1'-10"	2"	PIPE 2" P150 BEVELLED ENDS
3	2	2"x3/4"	TEE REDUCING 2" × 3/4" P150
4	2	3/4"	FLANGE WELD-NECK 3/4" P150 RAISED FACE
5	4	3/4"	GASKET 3/4" P150 COMPRESSED SHEET
6	2	3/4"	VALVE, BALL, FLOATING 3/4" P150
7	4	3/4"	STUD SET 4 × 0.5" × 4-1/4" WITH 2 NUTS, FOR 3/4" P150
8	2	3/4"	FLANGE BLIND 3/4" P150 RAISED FACE

REV	DATE	DESCRIPTION	BY
0	2026-11-01	ISSUED FOR CONSTRUCTION	-
1	2026-11-02	REVISED TO MATCH THE MODEL (FL-1)	-

COMPANY

SMARTWELD

TITLE

AIR AND GASES

NOTES:
1. ALL DIMENSIONS IN FEET AND INCHES UNLESS NOTED
2. BEVEL ENDS FOR BUTT WELD

TEST PRESS.	INSULATION	PAINT
-	NONE	-
PWHT	**NDE**	**FLUID**
-	-	N

LINE NO.	PIPING CLASS	DESIGN PRESS.	DESIGN TEMP.
2"-P150-N-2007	G150	150 PSIG	-

DRAWING NO.	SHEET	REV
ISO-N-2007	9 OF 9	1

DATE	DRAWN	CHECKED	SCALE
2026-11-01	-	-	NTS