Marching cubes sculpt

Adam Söderström¹,

Abstract

Blyat

Source code: https://github.com/adamsdm/MSc-project

Authors

¹ Media Technology Student at Linköping University, adaso578@student.liu.se

Keywords: Marching cubes — WebGL — Procedurall terrain generation

	_	
	Contents	
1	Introduction	1
2	Background	1
3	Method	1
3.1	Implementation	. 1
4	Result	1
5	Discussion	1
6	Conclusion	1
	References	1
	4 1 1 1 11	
	1. Introduction	
	2. Background	
	3. Method	
3.1	Implementation	
	4. Result	
	5. Discussion	
	6. Conclusion	
	References	

- [1] Arthur Samuel. Some studies in machine learning using the game of checkers. *IBM Journal of Research and Development*, 3, 1959.
- NVIDIA cuda. https://www.geforce.com/hardware/technology/cuda. Accessed: 2017-10-12.
- [3] Khronos Group opencl. https://www.khronos.org/opencl/. Accessed: 2017-10-12.
- [4] Khronos Group compute shader. https: //www.khronos.org/opengl/wiki/ Compute_Shader. Accessed: 2017-10-12.

- Deepmind alphago. https://deepmind.com/research/alphago/. Accessed: 2017-10-12.
- DeepMind producing flexible behaviours in simulated environments. https://deepmind.com/blog/ producing-flexible-behaviours-simulated-environ Accessed: 2017-10-25.
- [7] Christopher Watkins. Learning from delayed rewards. (unpublished doctoral thesis) King's College, 1, 1989.
- Bergman Lars Bäck, Kristin. Agarai. http://dellacqua.se/education/courses/tnm095/archive/2016/p13.pdf, 2016.
- Christoffer Nilsson. Q-learning for platform game. http://dellacqua.se/education/ courses/tnm095/archive/2016/p4.pdf, 2016
- [10] PyGame. https://www.pygame.org/. Accessed: 2017-10-12.
- NumPy. http://www.numpy.org/. Accessed: 2017-10-12.
- Daniele Grattarola. Playing Snake with Deep Q-Learning. https://github.com/danielegrattarola/deep-q-snake. Accessed: 2017-10-25.