

HTML FOR BEGINNERS

Learn HTML from Scratch to Professional Level

Published by Adam Smith

Smith-12 Courses

First Edition – 2026

Copyright

© 2026 Adam Smith

All rights reserved.

No part of this publication may be reproduced or distributed without permission from the publisher.

Published by Smith-12 Courses.

Dedication

This book is dedicated to everyone who dreams of becoming a professional web developer.

No matter where you are today, learning starts with one step.

Keep practicing and never give up.

Preface

Welcome to HTML for Beginners.

This book is designed to help complete beginners learn HTML from scratch.

Every topic is explained with simple language, practical examples, and exercises.

By the end of this book, you will be able to build complete HTML web pages confidently.

Table of Contents

Introduction to HTML

Setting Up Your Computer

HTML Document Structure

Headings and Paragraphs

Text Formatting

HTML Links

HTML Images

HTML Lists

HTML Tables

HTML Forms

Semantic HTML

HTML5 Elements

Mini Project

Practice Exercises

Final Quiz

Final Project

Certificate of Completion

CHAPTER 1

Introduction to HTML

HTML stands for HyperText Markup Language.

It is the standard language used to create web pages and websites.

Every website on the internet is built using HTML together with CSS and JavaScript.

HTML provides the structure of a webpage, CSS controls the design, while JavaScript adds interactivity.

Why Learn HTML?

Learning HTML allows you to:

Build websites

Create landing pages

Learn web development

Become a Front-End Developer

Start freelancing

Prepare for CSS and JavaScript

Career Opportunities

After learning HTML, you can continue learning CSS and JavaScript to become:

Front-End Developer

Full Stack Developer

Web Designer

UI Developer

Freelancer

Your First HTML Program

HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>My First Website</title>
```

```
</head>
```

```
<body>
```

```
<h1>Welcome to Smith-12 Courses</h1>
```

```
<p>This is my first HTML page.</p>
```

```
</body>
```

```
</html>
```

Chapter Summary

In this chapter, you learned:

What HTML means

Why HTML is important

Career opportunities

Your first HTML page.

CHAPTER 2

Setting Up Your Computer

To start learning HTML, you need:

A computer

A web browser

A text editor (Visual Studio Code recommended)

Creating Your First HTML File

Create a folder named:

HTML Project

Inside it, create:

index.html

Every HTML file must end with:

.html

Examples:

index.html

about.html

contact.html

services.html

Example

HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>My Website</title>
```

```
</head>
```

```
<body>
```

```
<h1>Hello World</h1>
```

```
<p>Welcome to HTML.</p>
```

```
</body>
```

```
</html>
```

Chapter Summary

In this chapter, you learned:

How to install a code editor

How to create HTML files

The importance of the .html extension

CHAPTER 3

HTML Document Structure

Every HTML page follows a standard structure.

HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>My Website</title>
```

```
</head>
```

<body>

<h1>Welcome</h1>

<p>Hello Students</p>

</body>

</html>

HTML Tags Explained

<!DOCTYPE html> Tells the browser that the page uses HTML5.

<html> The root element of every HTML page.

<head> Contains information about the page.

<title> Displays the page title in the browser tab.

<body> Contains everything visible on the webpage.

Common Mistakes

Forgetting to close tags.

Placing <body> inside <head>.

Omitting <!DOCTYPE html>.

Chapter Summary

In this chapter, you learned:

HTML document structure

The purpose of each major HTML tag

Common mistakes to avoid.

CHAPTER 4

Headings and Paragraphs

Headings ana amfani da su wajen ba wa shafi take da tsara bayanai. HTML yana da headings guda shida, daga <h1> zuwa <h6>.

<h1> shi ne mafi girma.

<h6> shi ne mafi kankanta.

Example

HTML

<!DOCTYPE html>

<html>

<head>

<title>Headings</title>

</head>

<body>

<h1>Heading One</h1>

<h2>Heading Two</h2>

<h3>Heading Three</h3>

<h4>Heading Four</h4>

<h5>Heading Five</h5>

<h6>Heading Six</h6>

<p>This is my first paragraph.</p>

</body>

</html>

Paragraph

A paragraph is used to display blocks of text on a web page.

The HTML <p> tag defines a paragraph. Browsers automatically add some space before and after each paragraph, making the content easier to read.

Example:

HTML

<p>HTML is the standard language used to create web pages.</p>

Best Practices

Use only one <h1> tag per page.

Organize headings in order (<h1> to <h6>).

Use paragraphs to separate blocks of text.

Keep headings short and descriptive.

Chapter Summary

In this chapter, you learned:

HTML headings (<h1> to <h6>)

Paragraphs (<p>)

How to organize webpage content

Best practices for using headings and paragraphs.

CHAPTER 5

Text Formatting in HTML

HTML provides several tags that allow you to format text and make your web pages more attractive and readable. Text formatting helps emphasize important information and improve the appearance of your content.

Bold Text

The tag is used to make text bold.

Example:

HTML

Welcome to HTML

Strong Text

The tag indicates that the text is important.

Example:

HTML

This is important text.

Italic Text

The <i> tag displays text in italics.

Example:

HTML

<i>This text is italic.</i>

Emphasized Text

The tag emphasizes text. Browsers usually display it in italics.

Example:

HTML

Please read this carefully.

Underlined Text

The <u> tag underlines text.

Example:

HTML

```
<u>Learn HTML Today</u>
```

Highlighted Text

The <mark> tag highlights text.

Example:

HTML

```
<mark>HTML is easy to learn.</mark>
```

Small Text

The <small> tag displays smaller text.

Example:

HTML

```
<small>This is small text.</small>
```

Deleted Text

The tag shows deleted text.

Example:

HTML

```
<del>Old Price: $100</del>
```

Inserted Text

The <ins> tag displays inserted text.

Example:

HTML

```
<ins>New Price: $50</ins>
```

Superscript

The <sup> tag displays superscript text.

Example:

HTML

```
X<sup>2</sup>
```

Subscript

The <sub> tag displays subscript text.

Example:

HTML

```
H<sub>2</sub>O
```

Best Practices

Use for important text instead of when the meaning is important.

Use formatting tags only when necessary.

Keep your content clean and easy to read.

Avoid excessive formatting.

Chapter Summary

In this chapter, you learned:

Bold Text ()

Strong Text ()

Italic Text (<i>)

Emphasized Text ()

Underlined Text (<u>)

Highlighted Text (<mark>)

Small Text (<small>)

Deleted Text ()

Inserted Text (<ins>)

Superscript (<sup>)

Subscript (<sub>)

CHAPTER 6

HTML Links

Links are one of the most important features of HTML. They connect web pages, websites, documents, and other online resources.

HTML uses the <a> (anchor) tag to create hyperlinks.

Creating a Simple Link

Example:

HTML

```
<a href="https://www.google.com">Visit Google</a>
```

Opening a Link in a New Tab

The target="_blank" attribute opens the link in a new browser tab.

Example:

HTML

```
<a href="https://www.google.com" target="_blank">
```

Visit Google

```
</a>
```

Linking to Another HTML Page

If your project contains multiple HTML files, you can connect them using links.

Example:

HTML

```
<a href="about.html">About Us</a>
```

Email Link

You can create a link that opens the user's email application.

Example:

HTML

```
<a href="mailto:example@gmail.com">
```

Send Email

```
</a>
```

Phone Link

Phone links allow users to call a phone number directly on supported devices.

Example:

HTML

```
<a href="tel:+2348000000000">
```

Call Now

```
</a>
```

Download Link

The download attribute allows users to download a file instead of opening it.

Example:

HTML

```
<a href="ebook.pdf" download>
```

Download HTML Ebook

```
</a>
```

Image as a Link

You can make an image clickable by placing it inside an anchor tag.

Example:

HTML

```
<a href="https://www.google.com">  
  
</a>
```

Best Practices

Always use descriptive link text.

Use target="_blank" only when opening external websites.

Check that all links work correctly.

Avoid broken links.

Chapter Summary

In this chapter, you learned:

HTML Links

The <a> tag

The href attribute

Opening links in a new tab

Linking between web pages

Email links

Phone links

Download links

Image links

CHAPTER 7

HTML Images

Images make web pages more attractive and engaging. HTML uses the tag to display images on a webpage.

Unlike most HTML tags, the tag is self-closing, meaning it does not require a closing tag.

Basic Image Syntax

The src attribute specifies the location of the image, while the alt attribute provides alternative text if the image cannot be displayed.

Example:

HTML

```

```

Setting Image Width

You can control the width of an image using the width attribute.

Example:

HTML

```

```

Setting Image Height

The height attribute controls the height of the image.

Example:

HTML

```

```

Setting Both Width and Height

You can specify both width and height together.

Example:

HTML

```

```

Displaying an Image from Another Folder

If your image is stored inside another folder, include the folder name in the file path.

Example:

HTML

```

```

Displaying an Image from the Internet

You can also display images using a direct image URL.

Example:

HTML

```

```

Using an Image as a Link

Images can also be used as clickable links.

Example:

HTML

```
<a href="https://www.google.com">
```

```

```

```
</a>
```

Best Practices

Always include the alt attribute.

Use high-quality images.

Optimize images to improve website loading speed.

Keep image file names simple and meaningful.

Chapter Summary

In this chapter, you learned:

The tag

The src attribute

The alt attribute

Image width and height

Images from folders

Images from online sources

Clickable images

Best practices for using images

CHAPTER 8

HTML Lists

Lists are used to organize information in a clear and structured way. HTML provides three types of lists.

Ordered Lists

Unordered Lists

Description Lists

Ordered List

An ordered list displays items in numerical order.

Example:

HTML

```
<ol>
```

```
</li>HTML</li>
<li>CSS</li>
<li>JavaScript</li>
</ol>
```

Unordered List

An unordered list displays items using bullet points.

Example:

HTML

```
<ul>
<li>HTML</li>
<li>CSS</li>
<li>JavaScript</li>
</ul>
```

List Items

Each item inside a list is created using the tag.

Example:

HTML

```
<li>Learn HTML</li>
```

Nested Lists

Lists can contain other lists to create categories and subcategories.

Example:

HTML

```
<ul>
<li>Programming
<ul>
<li>HTML</li>
<li>CSS</li>
<li>JavaScript</li>
</ul>
</li>
</ul>
```

Description Lists

A description list is used to display terms and their descriptions.

The tags used are:

```
<dl> — Description List
<dt> — Description Term
<dd> — Description Details
```

Example:

HTML

```
<dl>
<dt>HTML</dt>
<dd>HyperText Markup Language</dd>
```

```
<dt>CSS</dt>
```

```
<dd>Cascading Style Sheets</dd>
</dl>
```

Best Practices

Use ordered lists when sequence matters.

Use unordered lists when order is not important.

Always place list items inside the tag.

Keep list items short and easy to understand.

Chapter Summary

In this chapter, you learned:

Ordered Lists ()

Unordered Lists ()

List Items ()

Nested Lists

Description Lists (<dl>, <dt>, and <dd>)

Best practices for creating HTML lists

CHAPTER 9

HTML Tables

Introduction

HTML tables are used to organize data into rows and columns. Tables are useful for displaying structured information such as student records, employee lists, product catalogs, and examination results.

The main HTML tags used for creating tables are:

<table> – Creates the table.

<tr> – Defines a table row.

<th> – Defines a table heading.

<td> – Defines table data.

Creating a Simple Table

HTML

```
<table border="1">
```

```
<tr>
```

```
<th>Name</th>
```

```
<th>Age</th>
```

```
<th>Country</th>
```

```
</tr>
```

```
<tr>
```

```
<td>Adam</td>
```

```
<td>22</td>
```

```
<td>Nigeria</td>
```

```
</tr>
```

```
<tr>
```

```
<td>John</td>
```

```
<td>25</td>
```

```
<td>Ghana</td>
```

```
</tr>
```

```
</table>
```

Table Borders

The border attribute adds borders around the table and its cells.

Example:

HTML

```
<table border="1">
```

Table Headings

Table headings are created using the `<th>` tag.

HTML

```
<th>Student Name</th>
```

```
<th>Course</th>
```

```
<th>Level</th>
```

Table Data

Table data is inserted using the `<td>` tag.

HTML

```
<td>Adam Smith</td>
```

```
<td>HTML</td>
```

```
<td>Beginner</td>
```

colspan

The colspan attribute allows one cell to span across multiple columns.

Example:

HTML

```
<th colspan="3">Student Information</th>
```

rowspan

The rowspan attribute allows one cell to span multiple rows.

Example:

HTML

```
<td rowspan="2">Adam</td>
```

Best Practices

Always use table headings.

Keep tables simple and readable.

Use tables only for displaying data.

Avoid using tables for webpage layout.

Chapter Summary

In this chapter, you learned:

HTML Tables

Table Rows

Table Headings

Table Data

colspan

rowspan

CHAPTER 10

HTML Forms

Introduction

HTML forms allow users to enter and submit information. Forms are commonly used for registration, login, contact pages, surveys, and online applications.

The `<form>` element is the container for all form controls.

Text Input

HTML

```
<input type="text" placeholder="Full Name">
```

Email Input

HTML

```
<input type="email" placeholder="Email Address">
```

Password Input

HTML

```
<input type="password" placeholder="Password">
```

Number Input

HTML

```
<input type="number" placeholder="Age">
```

Date Input

HTML

```
<input type="date">
```

Radio Buttons

HTML

```
<input type="radio" name="gender"> Male
```

```
<input type="radio" name="gender"> Female
```

Checkboxes

HTML

```
<input type="checkbox"> HTML
```

```
<input type="checkbox"> CSS
```

```
<input type="checkbox"> JavaScript
```

Dropdown List

HTML

```
<select>
```

```
<option>Nigeria</option>
```

```
<option>Ghana</option>
```

```
<option>Niger</option>
```

```
<option>Chad</option>
```

```
</select>
```

Textarea

HTML

```
<textarea placeholder="Write your message"></textarea>
```

Submit Button

HTML

```
<input type="submit" value="Submit">
```

Reset Button

```
<form>
```

```
<input type="text" placeholder="Full Name"><br><br>
```

```
<input type="email" placeholder="Email Address"><br><br>
```

```
<input type="password" placeholder="Password"><br><br>
```

```
<input type="number" placeholder="Age"><br><br>
```

```
<select>
```

```
<option>Select Country</option>
```

```
<option>Nigeria</option>
```

```
<option>Ghana</option>
```

```
<option>Niger</option>
```

```
</select>
```

```
<br><br>
```

```
<textarea placeholder="Tell us about yourself"></textarea>
```

```
<br><br>
```

```
<input type="submit" value="Register">
```

```
</form>
```

HTML

```
<input type="reset" value="Reset">
```

Complete Registration Form

HTML

Best Practices

Use meaningful labels and placeholders.

Choose the correct input type for each field.

Keep forms simple and user-friendly.

Validate user input before processing.

Chapter Summary

In this chapter, you learned:

HTML Forms

Form Elements

Input Types

Radio Buttons

Checkboxes

Dropdown Lists

Textareas

Submit and Reset Buttons

Complete Registration Form

CHAPTER 11

Semantic HTML

Introduction

Semantic HTML uses meaningful elements that clearly describe the purpose of different parts of a webpage. These elements improve code readability, accessibility, and Search Engine Optimization (SEO).

Instead of using generic elements like `<div>` everywhere, Semantic HTML provides descriptive tags that explain the role of each section of a webpage.

HTML Header

The `<header>` element represents the introductory section of a webpage. It usually contains the website logo, title, and navigation.

Example:

HTML

```
<header>
  <h1>Smith-12 Courses</h1>
  <p>Learn Web Development from Scratch</p>
</header>
```

HTML Navigation

The `<nav>` element contains navigation links.

Example:

HTML

```
<nav>
  <a href="index.html">Home</a>
  <a href="courses.html">Courses</a>
  <a href="contact.html">Contact</a>
</nav>
```

HTML Main

The `<main>` element contains the primary content of the webpage.

Example:

HTML

```
<main>
  <h2>Welcome to HTML</h2>
  <p>Start your web development journey today.</p>
</main>
```

HTML Section

The `<section>` element groups related content together.

Example:

HTML

```
<section>
  <h2>Our Courses</h2>
  <p>HTML, CSS, JavaScript and Full Stack Development.</p>
</section>
```

HTML Article

The `<article>` element represents independent content.

Example:

HTML

```
<article>
  <h2>Introduction to HTML</h2>
```

<p>HTML is the standard language for creating web pages.</p>

</article>

HTML Aside

The <aside> element contains additional information related to the main content.

Example:

HTML

<aside>

<h3>Recommended Course</h3>

<p>Learn CSS after completing HTML.</p>

</aside>

HTML Footer

<!DOCTYPE html>

<html>

<head>

<title>Semantic HTML</title>

</head>

<body>

<header>

<h1>Smith-12 Courses</h1>

</header>

<nav>

Home

Courses

Contact

</nav>

<main>

<section>

<h2>HTML Course</h2>

<article>

<p>Welcome to HTML for Beginners.</p>

</article>

</section>

<aside>

<p>Next Course: CSS for Beginners.</p>

</aside>

</main>

<footer>

<p>Published by Adam Smith</p>

</footer>

</body>

</html>

The <footer> element represents the bottom part of a webpage.

Example:

HTML

<footer>

<p>© 2026 Smith-12 Courses. All Rights Reserved.</p>

</footer>

Complete Semantic HTML Example

HTML

Best Practices

Use semantic elements whenever possible.

Use only one <main> element per page.

Keep your webpage structure organized.

Improve accessibility with meaningful tags.

Chapter Summary

In this chapter, you learned:

Semantic HTML

<header>

<nav>

<main>

<section>

<article>

<aside>

<footer>

CHAPTER 12

HTML5 Elements

Introduction

HTML5 introduced new elements that make web development easier, faster, and more interactive. These elements support multimedia, better forms, and modern webpage structures.

Audio Element

The <audio> element allows you to play audio files directly in a webpage.

Example:

HTML

<audio controls>

```
<source src="music.mp3" type="audio/mpeg">
```

Your browser does not support the audio element.

```
</audio>
```

Video Element

The <video> element is used to display videos.

Example:

HTML

```
<video width="500" controls>
```

```
<source src="video.mp4" type="video/mp4">
```

Your browser does not support the video tag.

```
</video>
```

Progress Element

The <progress> element displays the progress of a task.

Example:

HTML

```
<progress value="70" max="100"></progress>
```

Meter Element

The <meter> element displays a value within a known range.

Example:

HTML

```
<meter value="80" min="0" max="100"></meter>
```

Details Element

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>HTML5 Elements</title>
```

```
</head>
```

```
<body>
```

```
<h1>HTML5 Demo</h1>
```

```
<audio controls>
```

```
<source src="music.mp3" type="audio/mpeg">
```

```
</audio>
```

```
<br><br>
```

```
<video width="400" controls>

<source src="video.mp4" type="video/mp4">

</video>

<br><br>

<progress value="60" max="100"></progress>

<br><br>

<meter value="75" min="0" max="100"></meter>

<br><br>

<details>

<summary>More Information</summary>

<p>HTML5 introduces powerful new elements for modern websites.</p>

</details>

</body>

</html>
The <details> element creates expandable content.
Example:
HTML
<details>

<summary>Read More</summary>

<p>HTML5 provides many modern features for web development.</p>

</details>
Complete HTML5 Example
HTML
Best Practices
Use HTML5 elements for modern websites.
Always include controls for audio and video.
Provide fallback text for unsupported browsers.
Test multimedia content across different browsers.
Chapter Summary
In this chapter, you learned:
HTML5 Elements
```

Audio
Video
Progress
Meter
Details
Modern HTML5 Features

CHAPTER 13

Mini Project

Introduction

Congratulations! You have completed the major HTML topics. It is now time to apply what you have learned by building a simple website.

This project will help you practice HTML skills and improve your confidence.

Project Title

My Personal Portfolio Website

Project Requirements

Create a website that contains the following sections:

1. Header

Include:

Your Name

A Short Welcome Message

2. Navigation

Create navigation links for:

Home

About

Skills

Contact

Example:

HTML

```
<nav>
```

```
<a href="#">Home</a>
```

```
<a href="#">About</a>
```

```
<a href="#">Skills</a>
```

```
<a href="#">Contact</a>
```

```
</nav>
```

3. About Me

Write a short paragraph introducing yourself.

Example:

HTML

```
<section>
```

```
<h2>About Me</h2>
```

```
<p>I am learning HTML and I want to become a Full Stack Web Developer.</p>
```

```
</section>
```

4. Skills

Create an unordered list of your skills.

Example:

HTML

```
<ul>
<li>HTML</li>
<li>CSS</li>
<li>JavaScript</li>
</ul>
```

5. Contact

Add your email address and phone number.

6. Footer

Example:

HTML

```
<footer>
<p>Published by Adam Smith</p>
</footer>
```

Learning Outcome

After completing this project, you should be able to:

Create a complete HTML webpage.

Organize webpage content.

Use headings, paragraphs, links, images, lists, and semantic HTML.

Chapter Summary

In this chapter, you built your first complete HTML project.

CHAPTER 14

Practice Exercises

Complete the following exercises without looking at the examples.

Exercise 1

Create a webpage containing:

One Heading

Two Paragraphs

Exercise 2

Create a webpage that contains:

An Image

A Link to Google

Exercise 3

Create an ordered list of five programming languages.

Exercise 4

Create an unordered list of your favorite foods.

Exercise 5

Create a table containing:

Student Name

Course

Country

Include at least five students.

Exercise 6

Create a registration form containing:

Full Name

Email

Password

Country

Submit Button

Exercise 7

Create a webpage using the following semantic elements:

Header

Navigation

Main

Section

Footer

Exercise 8

Insert:

One Audio

One Video

using HTML5 elements.

Exercise 9

Build a simple personal portfolio website.

Exercise 10

Create a homepage for Smith-12 Courses using everything you have learned in this book.

Chapter Summary

By completing these exercises, you will strengthen your HTML skills and become more confident in building websites

CHAPTER 15

Final Quiz

Instructions

Answer the following questions without using your notes. This quiz is designed to test your understanding of HTML fundamentals.

Part A – Multiple Choice Questions

1. What does HTML stand for?

- A. Hyper Text Markup Language
- B. High Text Machine Language
- C. Hyper Transfer Markup Language
- D. Home Tool Markup Language

2. Which tag is used to create a paragraph?

- A. <h1>
- B. <p>
- C. <div>
- D.

3. Which HTML tag is used to create a hyperlink?

- A.
- B. <link>
- C. <a>
- D. <href>

4. Which tag is used to display an image?

- A. <image>
- B.
- C. <picture>
- D. <photo>

5. Which element is used to create a table row?

- A. <td>
- B. <th>
- C. <tr>
- D. <table>

Part B – True or False

HTML is a programming language.

The tag requires a closing tag.

HTML5 introduced new semantic elements.

The <form> element is used to collect user input.

The <video> element can display videos on a webpage.

Part C – Practical Questions

Create a webpage containing:

A Heading

Two Paragraphs

One Image

Create a table with three columns:

Name

Email

Country

Create a simple registration form.

Create an unordered list of five programming languages.

Create a webpage using:

Header

Navigation

Main

Footer

Quiz Answers

A

B

C

B

C

False

False

True

True

True

Chapter Summary

Congratulations!

You have completed the HTML assessment.

CHAPTER 16

Final Project

Project Title

Build a Complete Educational Website

Project Overview

In this final project, you will build a complete educational website using everything you learned in this book.

The project should demonstrate your understanding of HTML structure, semantic elements, forms, tables, lists, images, links, and multimedia

CHAPTER 17

Certificate of Completion

Congratulations!

You have successfully completed the HTML for Beginners course.

This achievement demonstrates that you have learned the fundamental concepts of HTML and are ready to continue your journey in web development.

You should now be able to:

Build basic web pages.

Create HTML forms and tables.

Insert images, links, audio, and videos.

Use Semantic HTML elements.

Develop simple websites using HTML5.

Certificate

SMITH-12 COURSES

CERTIFICATE OF COMPLETION

This certificate is proudly presented to

for successfully completing the

HTML FOR BEGINNERS

training course and demonstrating a solid understanding of HTML fundamentals.

Instructor: Adam Smith

Organization: Smith-12 Courses

Date: _____

Signature: _____

Words of Encouragement

Learning HTML is the first step toward becoming a professional web developer.

Keep practicing every day, build real-world projects, and continue learning CSS, JavaScript, and Full Stack Web Development.

Remember:

"Practice is the key to mastery."

CHAPTER 18

Next Steps

Congratulations once again for completing this book.

This is only the beginning of your web development journey.

Your recommended learning path is:

HTML for Beginners 

CSS for Beginners

JavaScript for Beginners

Responsive Web Design

Git & GitHub

Bootstrap

React.js

Node.js

Express.js
MongoDB
Full Stack Web Development
Final Advice
Practice coding every day.
Build personal projects.
Read official documentation.
Join developer communities.
Never stop learning.

About the Author

Adam Smith is the founder of Smith-12 Courses, an online learning platform dedicated to helping beginners learn programming and web development through practical, easy-to-follow lessons.

THE END

Thank You for Reading
HTML for Beginners
Published by Adam Smith
Smith-12 Courses
First Edition – 2026