

AI Observability report

Context

Project : O-Reilly


Application: Creation data jun

Environment: Production

Run on: 2021-04-21T14:57:43.945616

With version <https://gitlab.example.com>,2021-04-21T14:57:43.944683

Lineage



Data Sources

Data Source Name: *predict/jun-customers-data.csv*

Data Source ID:

Name	Format	Location
predict/jun-customers-data.csv	csv	file:/Users/kensu/Customers/Kensu/oreilly/data/predict/jun-customers-data.csv

Data Source Schema:

Field	Used or not
age	used
job	used
marital	used
education	used
default	used
housing	used
loan	used
id	used

Data Source Stats:

age							
count	mean	std	min	25%	50%	75%	max
5988.0	39.87	10.43	17.0	32.0	38.0	47.0	98.0
id							
count	mean	std	min	25%	50%	75%	max
5988.0	20486.95	11863.0	4.0	10158.25	20451.5	30804.0	41184.0

Data Source Name: *predict/jun-contact-data.csv*

Data Source ID:

Name	Format	Location
predict/jun-contact-data.csv	csv	file:/Users/kensu/Customers/Kensu/oreilly/data/predict/jun-contact-data.csv

Data Source Schema:

Field	Used or not
contact	used
month	used

day_of_week	used
campaign	used
pdays	used
previous	used
poutcome	used
id	used

Data Source Stats:

campaign							
count	mean	std	min	25%	50%	75%	max
5988.0	2.53	2.78	1.0	1.0	2.0	3.0	41.0
pdays							
count	mean	std	min	25%	50%	75%	max
5988.0	961.51	189.31	0.0	999.0	999.0	999.0	999.0
previous							
count	mean	std	min	25%	50%	75%	max
5988.0	0.17	0.49	0.0	0.0	0.0	0.0	5.0
id							
count	mean	std	min	25%	50%	75%	max
5988.0	20486.95	11863.0	4.0	10158.25	20451.5	30804.0	41184.0

Data Source Name: predict/jun-business-data.csv

Data Source ID:

Name	Format	Location
predict/jun-business-data.csv	csv	file:/Users/kensu/Customers/Kensu/oreilly/data/predict/jun-business-data.csv

Data Source Schema:

Field	Used or not
emp_var_rate	used
cons_price_idx	used
cons_conf_idx	used
euribor3m	used
nr_employed	used
id	unused

Data Source Stats:

emp_var_rate							
count	mean	std	min	25%	50%	75%	max
5988.0	0.08	1.58	-3.4	-1.8	1.1	1.4	1.4
cons_price_idx							
count	mean	std	min	25%	50%	75%	max
5988.0	93.57	0.58	92.2	93.08	93.44	93.99	94.77
cons_conf_idx							
count	mean	std	min	25%	50%	75%	max
5988.0	-40.51	4.68	-50.8	-42.7	-41.8	-36.4	-26.9
euribor3m							
count	mean	std	min	25%	50%	75%	max
5988.0	3.62	1.74	0.63	1.34	4.86	4.96	5.04
nr_employed							
count	mean	std	min	25%	50%	75%	max
5988.0	5167.01	72.21	4963.6	5099.1	5191.0	5228.1	5228.1
id							
count	mean	std	min	25%	50%	75%	max
5988.0	20486.95	11863.0	4.0	10158.25	20451.5	30804.0	41184.0

Data Source Name: *predict/jun-data.csv*

Data Source ID:

Name	Format	Location
predict/jun-data.csv	csv	file:/Users/kensu/Customers/Kensu/oreilly/data/predict/jun-data.csv

Data Source Schema:

Field	Used or not
age	unused
job	unused
marital	unused
education	unused
default	unused
housing	unused
loan	unused
id	unused
contact	unused

month	unused
day_of_week	unused
campaign	unused
pdays	unused
previous	unused
poutcome	unused
emp_var_rate	unused
cons_price_idx	unused
cons_conf_idx	unused
euribor3m	unused
nr_employed	unused

Data Source Stats:

age							
count	mean	std	min	25%	50%	75%	max
5988.0	39.87	10.43	17.0	32.0	38.0	47.0	98.0
id							
count	mean	std	min	25%	50%	75%	max
5988.0	20486.95	11863.0	4.0	10158.25	20451.5	30804.0	41184.0
campaign							
count	mean	std	min	25%	50%	75%	max
5988.0	2.53	2.78	1.0	1.0	2.0	3.0	41.0
pdays							
count	mean	std	min	25%	50%	75%	max
5988.0	961.51	189.31	0.0	999.0	999.0	999.0	999.0
previous							
count	mean	std	min	25%	50%	75%	max
5988.0	0.17	0.49	0.0	0.0	0.0	0.0	5.0
emp_var_rate							
count	mean	std	min	25%	50%	75%	max
5988.0	0.08	1.58	-3.4	-1.8	1.1	1.4	1.4
cons_price_idx							
count	mean	std	min	25%	50%	75%	max
5988.0	93.57	0.58	92.2	93.08	93.44	93.99	94.77
cons_conf_idx							
count	mean	std	min	25%	50%	75%	max

5988.0	-40.51	4.68	-50.8	-42.7	-41.8	-36.4	-26.9
euribor3m							
count	mean	std	min	25%	50%	75%	max
5988.0	3.62	1.74	0.63	1.34	4.86	4.96	5.04
nr_employed							
count	mean	std	min	25%	50%	75%	max
5988.0	5167.01	72.21	4963.6	5099.1	5191.0	5228.1	5228.1