Liquid Diets

Diet Type	Definition	Examples	Indications	Foods not Allowed
Clear Liquid	Clear liquids at room temperature	Broth, coffee, tea, carbonated drinks, clear fruit juices (apple), gelatin, fruit ices, popsicles	First advancement of diet after abdominal surgery or acute GI issues	Anything not clear liquid at room temperature
Full Liquid	Clear liquids + smooth dairy and some pureed foods	Ice cream, blended cream soups, custard, cooked cereals (oatmeal), vegetable juice, pureed veggies, all fruit juices, sherbets, puddings, frozen yogurt	Problems with chewing, swallowing, digesting solid food. Next step in diet advancement after clear liquids.	Solid foods

Texture Modification Diets

Diet Type	Definition	Examples	Indications	Foods not Allowed
Pureed Diet	Full + more pureed options with consistency like mashed potatoes	Scrambled eggs; pureed meats, vegetables, fruits; mashed potatoes and gravy	Dysphagia	Anything not pureed
Mechanical Soft	Pureed + diced and soft to chew foods	All cream soups, ground/diced meats, flaked fish, cottage cheese, rice, potatoes,	Dysphagia and difficulty chewing foods with large	Hard to chew foods

		pancakes, light breads, cooked veggies, cooked/can fruits, banana, peanut butter, eggs (not fried)	amount of connective tissue, or raw fruits/ veggies	

Nutrient Modification Diets

Diet Type	Definition	Examples	Indications	Foods not Allowed
Soft/Low Residue	Mechanical soft + addition of low-fiber and easily digested foods	Pasta, casseroles, moist tender meats, cakes and cookies without nuts or coconut	Patients transitioning from liquids to solid food. Patients with extreme weakness, difficulty chewing, sore mouth, diarrhea; active diverticulitis	High fiber foods
High Fiber	All above options + high fiber foods	Fresh fruits, steamed veggies, bran, oatmeal, dried fruits	Constipation, hemorrhoids, diverticulosis	Low fiber foods
Low Sodium	Usually 2g sodium per day allowed 3	Foods without added salt; low-salt herbal blends to use for seasoning	HTN, CHF, CKD	No bacon or sausage
Low Fat/ Low Cholesterol	50g fat per day allowed	Skim milk, nonfat yogurt, egg substitutes, and low fat meats	Gallstones, cholecystitis, IBD (Crohns or ulcerative colitis)	No fried foods, fatty meats, whole milk products, cheese, rich desserts, sweetened breads, pastries
Diabetic	Low fat and limited carb diet with varied calorie intake to accommodate patient's metabolic	Sugar substitutes used, non-starchy veggies, lean meat, plant based protein, less processed foods, high fiber, low	Diabetes	No concentrated sweets (sugar, honey, syrup, jam, jelly, molasses, candy, regular sweetened drinks, cake, pie,

	demands	fat and cholesterol		cookies) with pure sugar
Cardiac	Low fat and low sodium with <30% of calories from fat	Egg substitutes and low fat meats (chicken), fruits, veggies, fish, whole grains, fat free dairy, limit fat and sodium	CHF, HTN, MI, CVA	No caffeine, no fried foods, high sodium foods
Renal	Limited K, Na, P, protein (60g/day) and sometimes limited fluid	Herbs to season, lean proteins	CKD, ESRD	Foods with high K: salt substitutes, liquid from canned fruits, bananas, dairy, avocados, oranges, nuts Foods with high Na: bacon, sausage Foods with high P: deli meats, processed foods, flavored drinks, meat and poultry
Gluten Free	No gluten	Corn, flax, rice, and other gluten free grains	Gluten allergy	Things with gluten - No wheat, oats, rye, barley
Regular	Anything you want ☺	Sugar, spice, and everything nice!	No serious health conditions	None