Exam 3 Practice Quiz

Adam Weber — 2nd Attempt

Due Date	Time Limit	Number of Questions
No due date	**No time limit**	**23**

This quiz does not count toward the final grade

08:32

Time for this attempt

This survey has unlimited submissions. Take Now

Attempt History

Results
Attempt 1
Attempt 2

Your Answers:

1 Multiple Answer

Which of the factors below would increase a patient's risk for developing cystitis? Select all that apply.

- [x] Urinary retention
- [x] Urinary incontinence

- [x] Indwelling catheter
- [x] Female

Feedback

General Feedback

Answers: all :)

2 Multiple Choice

A 78-year-old female with history of breast cancer who is receiving chemotherapy weekly presents to the Emergency Department with shortness of breath. She is pale and you notice she has petechiae on her legs. What type of anemia does she most likely have?

- ○ Sickle cell anemia
- ◉ Aplastic anemia
- ○ Iron deficiency anemia
- ○ Pernicious anemia

Feedback

General Feedback

Answer: aplastic anemia

3 Multiple Choice

Why would a patient with sickle cell anemia display pallor but also icteric (jaundiced) sclera?

- ○ The patient's hemoglobin is high and there is evidence of underlying liver disease
- ◉ The patient's hemoglobin is low and there is evidence of hemolysis
- ○ The patient's hemoglobin is high and there is evidence of hemolysis
- ○ The patient's hemoglobin is low and there is evidence of underlying liver disease

Feedback

General Feedback

Answer: Hgb low and hemolysis present

4 Multiple Choice

Which of the following statements is true about the assessment findings in a pleural disorder?

- ○ Breath sounds in a patient with a pleural effusion will be absent
- ○ Breath sounds in a patient with an empyema will be absent
- ● Breath sounds in a patient with a profound pneumothorax will be absent
- ○ Breath sounds in a patient with a transudative pleural effusion will be absent

Feedback

General Feedback

Answer: breath sounds for profound pneumo will be absent

5 Multiple Choice

How is the pathophysiology of asthma different from that of COPD?

- ○ Asthma patients develop metabolic acidosis, while COPD have respiratory acidosis
- ○ Asthma develops from an alpha-one antitrypsin gene mutation, while COPD develops from intrinsic or extrinsic triggers
- ○ Asthma involves increased airway mucous production, while COPD does not
- ● Asthma involves bronchoconstriction, while COPD does not

Feedback

General Feedback

Answer: asthma involves bronchoconstriction while COPD does not

6 Multiple Choice

Which enzyme is most responsible for fibrinolysis?

- ○ Plasminogen activator
- ○ Fibrinogen
- ◉ Plasmin
- ○ Fibrin

Feedback

General Feedback

Answer: plasmin

7 Multiple Choice

What complication is common in acute leukemia?

- ○ Hypotension
- ◉ Leukostasis
- ○ Leukopenia
- ○ Polycythemia

Feedback

General Feedback

Answer: leukostasis

8 Multiple Choice

Which patient is at highest risk for developing a pneumothorax?

- ○ A 72-year-old male with hypertension and diabetes
- ○ A 50-year-old female that received a skin biopsy on her chest
- ● A 17-year-old tall and thin male
- ○ A 45-year-old female with pneumonia

Feedback

General Feedback

Answer: 17yo that's tall and skinny (spontaneous pneumo!)

9 Multiple Choice

A 34-year-old female presents to the Emergency Department in the winter with severe chest pain and dyspnea. She has a history of sickle cell anemia. Which best describes the pathophysiology of what is occurring with the patient?

- ○ The patient is experiencing an acute respiratory illness
- ○ The patient has an undiagnosed chronic pulmonary condition
- ○ The patient is experiencing acute hemolytic anemia
- ● The patient is experiencing a vaso-occlusive crisis due to a hypoxia trigger

Feedback

General Feedback

Answer: vaso-occlusive crisis

10 Multiple Choice

Which of the following is a potential complication of COPD?

- ○ Chronic dry cough

- ◯ PaO2 98
- ◯ Left sided heart failure
- ◉ Polycythemia

Feedback

General Feedback

Answer: polycythemia

11 Multiple Choice

A 60-year-old male presents with chest pain and shortness of breath. An EKG is performed and it shows a STEMI. Labs return on the patient and show: Creatinine 2.6; BUN 40; Na 140; K 4.8. What type of AKI does this patient most likely have?

- ◯ Post-renal
- ◯ Intra-renal
- ◉ Pre-renal

Feedback

General Feedback

Answer: pre-renal

12 Multiple Answer

A patient with iron deficiency anemia would have which RBC changes? Select all that apply.

- ☐ High MCHC
- ☑ Low MCHC
- ☐ High MCV
- ☑ Low MCV
- ☐ Normal MCHC

Feedback

General Feedback

Answer: low MCV ad low MCHC (small and pale)

13 Multiple Choice

Which of the following is a finding in non-Hodgkin lymphoma?

- ○ Reed Sternberg cell presence
- ○ Neoplasia beginning in the bone marrow
- ● Ineffective lymphocytes
- ○ Neoplasia beginning inside the lymph node

Feedback

General Feedback

Answer: ineffective lymphocytes

14 Multiple Answer

A 54-year-old female with history of diabetes and CKD presents with confusion, lethargy, and vomiting. EKG shows peaked T waves and widening of the QRS. She has missed the last two hemodialysis sessions. What labs would you expect to find for this patient? Select all that apply.

- ☑ K 7.5
- ☑ BUN 80
- ☐ Cr 0.8
- ☐ GFR >90

Feedback

General Feedback

Answers: K, BUN

15 Multiple Choice

Which of the following best describes the pathophysiology of pneumonia?

- ○ Increased hydrostatic pressure in the pulmonary capillaries causes fluid to accumulate in the alveoli without infection.
- ● Infectious organisms invade the alveoli, triggering an inflammatory response that fills the alveoli with fluid and cellular debris, impairing gas exchange.
- ○ Destruction of alveolar walls leads to permanent enlargement of air spaces and reduced elastic recoil.
- ○ Airway smooth muscle constriction causes reversible airflow obstruction without inflammation.

Feedback

General Feedback

Answer: infectious organisms invade the alveoli...

16 Multiple Choice

What is an expected sign in a patient with thrombocytopenia that you wouldn't expect to see in a patient with Hemophilia A?

- ● Petechiae
- ○ Hemarthrosis
- ○ Hematuria
- ○ Hemoptysis

Feedback

General Feedback

Answer: petechiae

17 Multiple Answer

Which of the following complications occur in a patient with DIC? Select all that apply.

- [ ] Anemia
- [x] Clotting
- [ ] Pneumonia
- [x] Bleeding

Feedback

General Feedback

Answers: bleeding, clotting

18 Multiple Choice

A 40-year-old female patient presents to the Emergency Department with chest pain, dyspnea, and is restless. She states she has been on oral contraceptives for the last 20 years and is a telemetry nurse. Which diagnosis does this patient most likely have?

- ○ Tuberculosis
- ◉ Pulmonary Embolus
- ○ Pneumonia
- ○ Asthma

Feedback

General Feedback

Answer: PE

19 Multiple Choice

Which of the following statements is true of clotting disorders?

- ○ Thrombocytosis describes a patient with low platelets and increased bleeding risk

- ○ Vitamin K excess results in hypocoagulation
- ○ Hemophilia A is an X-linked dominant disorder
- ◉ Von Willebrand Deficiency is caused by a deficiency in von Willebrand factor

Feedback

General Feedback

Answer: von Willebrand

20 Multiple Answer

A 45-year-old homeless female presents to the Emergency Department with productive cough with blood-tinged sputum, fevers, chills, and weight loss. Which of the following orders would you expect for the patient? Select all that apply.

- ☐ Droplet isolation precautions
- ☑ Chest X-ray
- ☑ Acid-fast bacillus sputum culture
- ☑ Complete blood count (CBC)

Feedback

General Feedback

Answers: acid-fast bacillus sputum culture, Chest XR, and CBC

21 Multiple Choice

Which of the following patients are at greatest risk for developing iron deficiency anemia?

- ○ A 50-year-old post-menopausal woman with weekly intake of red meat
- ○ A 20-year-old vegetarian male
- ○ A 43-year-old female with recent gastric bypass surgery
- ◉ A 67-year-old male with black tarry stools x2 months from a duodenal ulcer

Feedback

General Feedback

Answer: male with tarry stool (chronic GI bleed!)

22 Multiple Choice

Which of the following patients is most likely to have a fever?

- ○ A 56-year-old male with a pneumothorax
- ◉ An 80-year-old female with pyelonephritis
- ○ A 45-year-old male with nephrolithiasis (kidney stone)
- ○ A 23-year-old female with cystitis

Feedback

General Feedback

Answer: pyelonephritis girl

23 Multiple Answer

Which of the following are risk factors for the development of a DVT? Select all that apply.

- ☑ Noncompliance with prescribed anticoagulants
- ☑ Immobility
- ☑ Pregnancy
- ☑ Oral contraceptives
- ☑ Hypertension

Feedback

General Feedback

Answers: all