
Week 5 Questions



Oxygen Principles & Devices, COPD

Oxygenation Principles & Devices



Place the oxygen devices in order from least oxygen flow rate to greatest oxygen flow rate.

A. Simple mask

B. Nasal cannula

C. Non-rebreather

D. Venturi mask

B, A, D, C

You're the nurse caring for a client with pneumonia. At baseline, the patient is alert and oriented x4 with no oxygen requirements. The client is now 85% on RA and is confused. You place the client on 4L NC and oxygen saturation improves to 93%. The respiratory therapist comes to the room and suggests a Venturi mask for the client. Why?

A. A Venturi mask is able to deliver more liter flow than a nasal cannula

B. The client requires more oxygen that can't be supplied by any other device

C. A Venturi mask can deliver specific and constant FiO2 for the client even if additional liter flow isn't required

D. A Venturi mask is not appropriate at this time

C

Complete the matrix chart below to indicate whether the following statements describe CPAP or BiPAP.

	CPAP	BiPAP
The same pressure is used in both inhalation and exhalation		
Commonly used at night for clients with sleep apnea		
Assists the client's breathing when in distress		
Greater pressure is used during inhalation than exhalation		
Can help push fluid out of alveoli		

C

You are precepting a new graduate nurse and caring for a patient being discharged with home oxygen. Which of the following statements by the new graduate nurse would indicate a need for further instruction?

A. “Keep your oxygen tank and concentrator away from heat elements.”

B. “Do not smoke in the home.”

C. “Ensure you have a fire extinguisher at home.”

D. “It is ok to lay your oxygen tanks down in your closet if needed for storage.”

D

COPD



You are the nurse caring for a client with a 15 year history of COPD. He wears 3L oxygen via NC at baseline but has recently had to increase oxygen requirements to maintain oxygen saturation above 85%. His chronic cough has also become more productive over the last three days with sputum thicker than normal. He is admitted for a COPD exacerbation. You enter his room shortly after the client arrives on your unit from the ED and the client is in the tripod position and using accessory muscles to breathe. Which of the following nursing actions are appropriate? Select all that apply.

A. Obtain an oxygen saturation
B. Call respiratory therapy
C. Encourage the patient to purse lip breathe
D. Notify the physician
E. Place the patient on a non-rebreather

A, B, C, D

Which of the following factors can increase risk of developing a COPD exacerbation? Select all that apply.

A. Irritated airways during the winter

B. Smoking

C. Current respiratory infection

D. Noncompliance with daily inhalers

All