Website Status Check

Three GET requests to saucedemo.com with Mini Postman

Prepared by	Aqsa Shoukat
Test date	September 2026
Tool	Mini Postman app on an Android phone
Website	saucedemo.com
Scope	3 GET requests
Result	3 of 3 gave the status code I expected
Evidence	One screenshot for each request

This was my first practice with an API tool. I sent three GET requests and looked at the status code. saucedemo.com is a website and not an API, so this is a basic status check of web addresses and not full API testing. My Swagger Petstore report is the real API testing.

1. What I checked

A status code of 200 means the server answered and the address exists. A status code of 404 means the server could not find that address. I sent one request to a real address and two to addresses that I expected to give 404.

What I did not cover

- POST, PUT and DELETE requests
- Headers, request bodies and login tokens
- The page address that opens after login
- Response data (this site returns a web page, not data)


2. Results at a glance

ID	Request	Expected	Actual	Result
TC-HTTP-01	GET /	200	200 in 1120 ms	**Pass**
TC-HTTP-02	GET /fakepage	404	404	**Pass**
TC-HTTP-03	GET /inventory	See note	404	**Observation**

3. Test cases with evidence

TC-HTTP-01 GET request to a valid address (home page) — PASS


Request	GET https://www.saucedemo.com
Expected	Status 200. The website answers.
Actual	Status 200 in 1120 ms. The HTML of the home page came back.
Note	The response time is from one request on my phone. I did not repeat it.



Mini Postman screen

TC-HTTP-02 GET request to an address that does not exist — PASS


Request	GET https://www.saucedemo.com/fakepage
Expected	Status 404 because the page does not exist.
Actual	The app showed clientError (404) and the text HTTP error 404.



Mini Postman screen

TC-HTTP-03 GET request to /inventory without logging in	OBSERVATION

Request	GET https://www.saucedemo.com/inventory
Expected	I first guessed that the request would be blocked because I was not logged in.
Actual	The app showed clientError (404) and the text HTTP error 404.
Note	A 404 only tells me that this address does not exist on the server. It does not show that protected pages are blocked, so I cannot say anything about login protection from this test. Next time I would test the real page address that opens after login (I believe it is /inventory.html) with and without a login.



Mini Postman screen

4. Status codes I used

Code	Meaning	When it appears
200	OK	The address exists and the server answered
404	Not Found	The address does not exist on the server
401	Unauthorized	Login is needed (I did not see this one in my tests)
500	Internal Server Error	Something went wrong on the server (I did not see this one)

5. What I would do next

- Test the page address that opens after login, with and without a login
- Use Postman or Swagger on a real API and test POST, PUT and DELETE
- Keep the result time of each request in a table

This was a practice exercise on a public demo website. September 2026.