

CodeJourney Report

REPOSITORY ANALYTICS

Repository Overview

Total commits: 35801
Branches: 1255
Tags: 268
First commit: 2020-07-30 23:03
Last commit: 2026-04-08 15:45
Active span: 2077 days

Commit Velocity

Total commits (last year): 7162
Average per day: 19.6
Average per week: 137.4

Top Contributors (by commits, no merges)

debarshibasak	14501
Chethan Bhat	3448
DumbMachine	2748
Neeraj S. Nabar	1684
Neeraj Nabar	1656
Debarshi Basak	1010
Dhaivat Shah	653
himanshugarg	440
root	281
Ratin	200
Himanshu Garg	198
k-lombard	156
samman-adaptive	140
Ratin Kumar	140
joey-adaptive	114
Kacy Lombard	72
Shreekrishna Ravishankara Bhat	64
dependabot[bot]	53
Poobesh Gowtham	46
sanchet-nagarnaik	46

Commit Frequency by Month

202	202	202	202	202	202	202	202	202	202	202	202	202
2024-05	138											
2024-06	688											
2024-07	518											
2024-08	326											
2024-09	598											
2024-10	736											
2024-11	576											
2024-12	552											
2025-01	350											
2025-02	920											
2025-03	744											
2025-04	764											
2025-05	674											
2025-06	1386											
2025-07	612											
2025-08	280											
2025-09	488											
2025-10	464											
2025-11	486											
2025-12	450											
2026-01	634											
2026-02	755											
2026-03	330											
2026-04	31											

Commit Activity by Day of Week

Mon 6471
Tue 6389
Wed 6917
Thu 6640
Fri 5315
Sat 2041
Sun 2028

Commit Activity by Hour of Day

00:00 1348
01:00 1247
02:00 1727
03:00 802
04:00 737
05:00 391
06:00 249
07:00 255
08:00 447
09:00 716
10:00 1468
11:00 2220
12:00 2753
13:00 2693
14:00 2726
15:00 2563
16:00 2947
17:00 2515
18:00 2083
19:00 1320
20:00 1079
21:00 984
22:00 1230
23:00 1301

Reverts / Hotfixes / Emergency Commits (1 year)

Found 32 emergency-type commits:
Hash Message

730d85e Merge pull request #3775 from adaptive-scale/hotf...
df2c46b Merge pull request #3775 from adaptive-scale/hotf...
d639bdf parsing reverted
640c52f parsing reverted
5ce7bdf Merge pull request #3601 from adaptive-scale/hotf...
f5d2a27 Merge pull request #3601 from adaptive-scale/hotf...
3fc0160 Merge pull request #3595 from adaptive-scale/reve...
96aa1ea Merge pull request #3595 from adaptive-scale/reve...
dfb68fe Revert "Use a proper csv reader and do not use ra...
6a614f9 Revert "Use a proper csv reader and do not use ra...
132dd5e Revert "Fix Access Matrix end date off-by-1"

Thi...
e4e9cc9 Revert "Fix Access Matrix end date off-by-1"

Thi...
5882304 Revert "Remove "master." prefix from queries"

Th...
a214c55 Revert "Remove "master." prefix from queries"

Th...
08e4b65 Increase terminal scrollbar to 10000 from the de...
85f1801 Increase terminal scrollbar to 10000 from the de...
ba64426 Revert "Add perf optimization for access review u...
1608dcb Revert "Add perf optimization for access review u...
6f3b7f9 Merge pull request #3318 from adaptive-scale/reve...
46f2451 Merge pull request #3318 from adaptive-scale/reve...
af6cdd1 Revert terminal custom key handler to allow Ctrl+...
22ae9b6 Revert terminal custom key handler to allow Ctrl+...
00bad3d revert mousedown
9b8a072 revert mousedown
88c621b reverted parallel exec of revoke/delete to sequen...
fd9886a reverted parallel exec of revoke/delete to sequen...
5e66591 Merge pull request #3101 from adaptive-scale/data...
9237938 Merge pull request #3101 from adaptive-scale/data...
a3f5bf1 Ascii recording fixes and screen scrollbar

130fd17 Ascii recording fixes and screen scrollback
ae1e332 revert temp change
800fc66 revert temp change

Merge Frequency by Month (1 year)

2025-04 148
2025-05 192
2025-06 134
2025-07 160
2025-08 90
2025-09 106
2025-10 108
2025-11 134
2025-12 64
2026-01 128
2026-02 236
2026-03 95
2026-04 9

Largest Tracked Files

File	Size
inventorize-app/web/bindata.go	63.2 MB
terraform-examples/.terraform/providers/registry...	16.6 MB
terraform-examples/randomized/modules/kubernetes/...	16.6 MB
terraform-examples/randomized/modules/postgres/.t...	16.6 MB
terraform-examples/randomized/modules/ssh/.terra...	16.6 MB
terraform-examples/structured/.terraform/provider...	16.6 MB
inventorize-app/model.test	11.6 MB
inventorize-app/session	10.8 MB
inventorize-app/pkg/publicfacingproxy/public-faci...	8.7 MB
inventorize-app/vendor/github.com/mattn/go-sqlite...	7.7 MB
inventorize-app/vendor/github.com/aws/aws-sdk-go/...	7.0 MB
inventorize-app/vendor/github.com/swaggo/files/b0...	5.9 MB
inventorize-app/vendor/github.com/swaggo/files/b0...	5.9 MB
inventorize-app/vendor/github.com/pingcap/tidb/pa...	5.3 MB
inventorize-app/vendor/github.com/swaggo/files/b0...	4.9 MB
inventorize-app/vendor/github.com/swaggo/files/b0...	4.2 MB
inventorize-app/vendor/github.com/swaggo/files/b0...	4.2 MB
inventorize-app/contrib/example/example.so	3.8 MB
inventorize-ui/public/screenshots/onboarding_reso...	3.4 MB
inventorize-app/vendor/sigs.k8s.io/kustomize/kyam...	3.3 MB

SECURITY AUDIT

Secrets & Credential Detection

Found 45197 potential secret references:

File	Line	Pattern
.adaptive/cli/cli-deploy-dospaces.py	L13	API keys/tokens
.adaptive/cli/cli-deploy-dospaces.py	L14	API keys/tokens
.adaptive/cli/cli-deploy-github.py	L11	API keys/tokens
.adaptive/docker-compose.release.yaml	L13	API keys/tokens
.adaptive/docker-compose.release.yaml	L23	Base64 blobs (potential embedded secrets)
.adaptive/docker-compose.release.yaml	L34	API keys/tokens
.adaptive/docker-compose.release.yaml	L43	Base64 blobs (potential embedded secrets)
.adaptive/docker-compose.release.yaml	L53	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L29	Base64 blobs (potential embedded secrets)
.adaptive/k8s-rdp-recordings-templates/ad-config...	L30	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L58	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L59	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L116	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L125	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L126	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L169	Base64 blobs (potential embedded secrets)
.adaptive/k8s-rdp-recordings-templates/ad-config...	L174	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L181	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/ad-config...	L182	API keys/tokens
.adaptive/k8s-rdp-recordings-templates/hostpath.y...	L52	Base64 blobs (potential embedded secrets)
.adaptive/k8s-rdp-recordings-templates/serviceacc...	L21	API keys/tokens
.adaptive/test.design.py	L85	API keys/tokens
a.yaml	L106	Base64 blobs (potential embedded secrets)

a.yaml	L121	API keys/tokens
classification.yaml	L57	API keys/tokens
classification.yaml	L93	API keys/tokens
dev/clickhouse-docker-compose.yaml	L13	API keys/tokens
dev/docker-compose.yaml	L8	API keys/tokens
dev/test_infra/postgres-k8s.yaml	L13	API keys/tokens
docker/docker-compose.yaml	L14	API keys/tokens

Dangerous Code Patterns

694 dangerous patterns found:

File	Line	Issue
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L78	Disabled TLS verification
inventorize-app/cli/adaptiveterminal/config.go	L67	Command injection
inventorize-app/cli/adaptiveterminal/config.go	L69	Command injection
inventorize-app/cli/adaptiveterminal/config.go	L74	Command injection
inventorize-app/cli/adaptiveterminal/config.go	L76	Command injection
inventorize-app/cli/adaptiveterminal/forward_prox...	L384	Command injection
inventorize-app/cli/adaptiveterminal/forward_prox...	L394	Command injection
inventorize-app/cli/adaptiveterminal/forward_prox...	L400	Command injection
inventorize-app/cli/adaptiveterminal/forward_prox...	L631	Disabled TLS verification
inventorize-app/cli/adaptiveterminal/forward_prox...	L674	Disabled TLS verification
inventorize-app/cli/adaptiveterminal/message.go	L32	Debug/dev flags in production code
inventorize-app/cli/client/client.go	L15	Disabled TLS verification
inventorize-app/cli/cmd/cli/cluster/apply.go	L26	Command injection
inventorize-app/cli/cmd/main.go	L244	Command injection
inventorize-app/cli/cmd/main.go	L470	Command injection
inventorize-app/cli/cmd/main.go	L478	Command injection
inventorize-app/cli/logging/log.go	L34	Debug/dev flags in production code
inventorize-app/contrib/generator/main.go	L65	Command injection
inventorize-app/contrib/generator/main.go	L70	Command injection
inventorize-app/contrib/generator/main.go	L75	Command injection
inventorize-app/contrib/generator/main.go	L80	Command injection
inventorize-app/contrib/generator/main.go	L85	Command injection
inventorize-app/contrib/generator/main.go	L90	Command injection
inventorize-app/contrib/plugins/avast/main.go	L42	Command injection
inventorize-app/contrib/plugins/avast/main.go	L68	Command injection
inventorize-app/contrib/plugins/breakglass/intern...	L17	Command injection
inventorize-app/contrib/plugins/breakglass/intern...	L24	Command injection
inventorize-app/contrib/plugins/breakglass/intern...	L48	Command injection
inventorize-app/contrib/plugins/breakglass/intern...	L61	Command injection
inventorize-app/contrib/plugins/breakglass/intern...	L76	Command injection

Sensitive Files in Repository

391 potentially sensitive files tracked:

- .adaptive/ca.key
- .adaptive/codesign.key
- .adaptive/codesign.pfx
- .adaptive/host.key
- .adaptive/mongodb.pem
- dev/test_infra/.env
- helm/adaptive/templates/app-secret.yaml
- helm/adaptive/templates/secret.yaml
- helm/templates/app-secret.yaml
- helm/templates/secret.yaml
- inventorize-app/certs/ca.key
- inventorize-app/certs/server.key
- inventorize-app/internal/service/chat/msteams/client/credential_provider.go
- inventorize-app/internal/service/chat/msteams/client/jwt_token_validation.go
- inventorize-app/internal/service/chat/msteams/schema/docs/TokenRequest.md
- inventorize-app/internal/service/chat/msteams/schema/docs/TokenResponse.md
- inventorize-app/internal/service/chat/msteams/schema/model_token_request.go
- inventorize-app/internal/service/chat/msteams/schema/model_token_response.go
- inventorize-app/internal/service/integrations/awssecretmanager/cli.go
- inventorize-app/internal/service/integrations/awssecretmanager/config.go
- inventorize-app/internal/service/integrations/awssecretmanager/impl.go
- inventorize-app/internal/service/integrations/awssecretmanager/validation.go
- inventorize-app/internal/service/integrations/cockroachdb_aws_secrets_manager/authorization.go
- inventorize-app/internal/service/integrations/cockroachdb_aws_secrets_manager/cli.go
- inventorize-app/internal/service/integrations/cockroachdb_aws_secrets_manager/client.go
- inventorize-app/internal/service/integrations/cockroachdb_aws_secrets_manager/config.go
- inventorize-app/internal/service/integrations/cockroachdb_aws_secrets_manager/impl.go
- inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/.gitkeep
- inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/authorization.go
- inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/authorization_test.go

- [inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/cli.go](#)
- [inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/client.go](#)
- [inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/config.go](#)
- [inventorize-app/internal/service/integrations/documentdb_aws_secrets_manager/impl.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/activity.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/authorization.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/config.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/drop_user.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/dspm.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/impl.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/prevention.go](#)
- [inventorize-app/internal/service/integrations/mongodb_aws_secrets_manager/task_list.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/activity.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/activity_test.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/classify.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/config.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/drop_user.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/dspm.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/impl.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/task_list.go](#)
- [inventorize-app/internal/service/integrations/mysql_aws_secrets_manager/tasks.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/activity.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/config.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/config_test.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/drop_user.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/dspm.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/impl.go](#)
- [inventorize-app/internal/service/integrations/postgres_aws_secrets_manager/task_list.go](#)
- [inventorize-app/internal/service/integrations/snowflake_aws_secrets_manager/config.go](#)
- [inventorize-app/internal/service/integrations/snowflake_aws_secrets_manager/impl.go](#)
- [inventorize-app/internal/service/integrations/sqlserver_aws_secrets_manager/activity.go](#)
- [inventorize-app/internal/service/integrations/sqlserver_aws_secrets_manager/authorization.go](#)
- [inventorize-app/internal/service/integrations/sqlserver_aws_secrets_manager/config.go](#)
- [inventorize-app/internal/service/integrations/sqlserver_aws_secrets_manager/drop_users.go](#)
- [inventorize-app/internal/service/integrations/sqlserver_aws_secrets_manager/fetch_samples.go](#)
- [inventorize-app/internal/service/integrations/sqlserver_aws_secrets_manager/impl.go](#)
- [inventorize-app/pkg/classregex/application_secrets.go](#)
- [inventorize-app/pkg/crypto/signin.key](#)
- [inventorize-app/pkg/msteamsproxy/sectigo_adaptive.pem](#)
- [inventorize-app/pkg/publicfacingproxy/sectigo_adaptive.pem](#)
- [inventorize-app/pkg/validations/credentials.go](#)
- [inventorize-app/vendor/github.com/Azure/azure-sdk-for-go/sdk/azcore/runtime/policy_bearer_token.go](#)
- [inventorize-app/vendor/github.com/Azure/azure-sdk-for-go/sdk/azcore/runtime/policy_key_credential.go](#)
- [inventorize-app/vendor/github.com/Azure/azure-sdk-for-go/sdk/azcore/runtime/policy_sas_credential.go](#)
- [inventorize-app/vendor/github.com/Azure/azure-sdk-for-go/sdk/storage/azblob/internal/exported/shared_key_credential.go](#)
- [inventorize-app/vendor/github.com/Azure/azure-sdk-for-go/sdk/storage/azblob/internal/exported/user_delegation_credential.go](#)
- [inventorize-app/vendor/github.com/adaptive-scale/asana-go/accesstoken.go](#)
- [inventorize-app/vendor/github.com/apparentlymart/go-textseg/v13/textseg/all_tokens.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/auth/bearer/token.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/chain_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/context_background_go1.5.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/context_background_go1.7.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/context_go1.5.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/context_go1.9.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/credentials.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ec2rolecreds/ec2_role_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/endpointcreds/provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/env_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/example.ini](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/processcreds/provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/shared_credentials_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ssocreds/doc.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ssocreds/os.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ssocreds/os_windows.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ssocreds/provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ssocreds/sso_cached_token.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/ssocreds/token_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/static_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/stscreds/assume_role_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/credentials/stscreds/web_identity_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/ec2metadata/token_provider.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/aws/session/credentials.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/comma_token.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/comment_token.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/empty_token.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/literal_tokens.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/newline_token.go](#)

- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/op_tokens.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/sep_tokens.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/internal/ini/ws_token.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/service/secretsmanager/api.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/service/secretsmanager/doc.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/service/secretsmanager/errors.go](#)
- [inventorize-app/vendor/github.com/aws/aws-sdk-go/service/secretsmanager/service.go](#)
- [inventorize-app/vendor/github.com/blastrain/vitess-sqlparser/sqlparser/token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.connector.secret_delete.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.connector.secret_get.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.connector.secret_post.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.connector.secret_put.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.fleet.delete_secret.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.fleet.get_secret.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.fleet.post_secret.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.xpack.security.clear_cached_service_tokens.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.xpack.security.create_service_token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.xpack.security.delete_service_token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.xpack.security.get_service_credentials.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.xpack.security.get_token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/esapi/api.xpack.security.invalidate_token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/connector/secretpost/secret_post.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/fleet/postsecret/post_secret.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/clearcachedservicetokens/clear_cached_](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/clearcachedservicetokens/response.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/createservicetoken/create_service_toke](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/createservicetoken/response.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/deleteservicetoken/delete_service_toke](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/deleteservicetoken/response.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/getservicecredentials/get_service_cred](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/getservicecredentials/response.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/gettoken/get_token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/gettoken/request.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/gettoken/response.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/invalidatetoken/invalidate_token.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/invalidatetoken/request.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/security/invalidatetoken/response.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/analyzetoken.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/apostrophetokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/arabicnormalizationtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/arabicstemtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/asciifoldingtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/authenticatetoken.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/bengalinormalizationtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/brazilianstemtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/chargrouptokenizer.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/cjkbigrantokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/cjkwidthtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/classictokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/classictokenizer.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/commongramstokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/conditiontokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/czechstemtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/decimaldigittokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/delimitedpayloadtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/dictionarydecompoundertokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/dutchstemtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/edgengramtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/edgengramtokenizer.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/elisontokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/enums/accesstokengranttype/accesstokengra](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/enums/kuromojitokenizationmode/kuromojito](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/enums/lowercasetokenfilterlanguages/lower](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/enum/tokenchar/tokenchar.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/enum/tokenizationtruncate/tokenizationtr](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/explainanalyzetoken.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/fingerprinttokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/flattengraphtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/frenchstemtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/germannormalizationtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/germanstemtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/hindinormalizationtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/hunspelltokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/hyphenationdecompoundertokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/icucollationtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/icufoldingtokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/icunormalizationtokenfilter.go](#)

[illegible]

- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/worddelimitertokenfilter.go](#)
- [inventorize-app/vendor/github.com/elastic/go-elasticsearch/v8/typedapi/types/xlmrobertatokenizationconfig.go](#)
- [inventorize-app/vendor/github.com/go-oauth2/oauth2/v4/models/token.go](#)
- [inventorize-app/vendor/github.com/go-oauth2/oauth2/v4/store/token.go](#)
- [inventorize-app/vendor/github.com/golang-jwt/jwt/token.go](#)
- [inventorize-app/vendor/github.com/golang-jwt/jwt/v4/token.go](#)
- [inventorize-app/vendor/github.com/google/go-github/v45/github/actions_secrets.go](#)
- [inventorize-app/vendor/github.com/google/go-github/v45/github/dependabot_secrets.go](#)
- [inventorize-app/vendor/github.com/google/go-github/v45/github/secret_scanning.go](#)
- [inventorize-app/vendor/github.com/google/s2a-go/internal/tokenmanager/tokenmanager.go](#)
- [inventorize-app/vendor/github.com/gruntwork-io/terratest/modules/aws/secretsmanager.go](#)
- [inventorize-app/vendor/github.com/gruntwork-io/terratest/modules/k8s/secret.go](#)
- [inventorize-app/vendor/github.com/hashicorp/hcl/v2/hclsyntax/scan_tokens.go](#)
- [inventorize-app/vendor/github.com/hashicorp/hcl/v2/hclsyntax/scan_tokens.rl](#)
- [inventorize-app/vendor/github.com/hashicorp/hcl/v2/hclsyntax/token.go](#)
- [inventorize-app/vendor/github.com/hashicorp/hcl/v2/hclsyntax/token_type_string.go](#)
- [inventorize-app/vendor/github.com/hashicorp/hcl/v2/json/tokentype_string.go](#)
- [inventorize-app/vendor/github.com/klauspost/compress/flate/token.go](#)
- [inventorize-app/vendor/github.com/mailgun/mailgun-go/v4/credentials.go](#)
- [inventorize-app/vendor/github.com/microsoft/go-mssqldb/accesstokenconnector.go](#)
- [inventorize-app/vendor/github.com/microsoft/go-mssqldb/token.go](#)
- [inventorize-app/vendor/github.com/microsoft/go-mssqldb/token_string.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/appUserCredentials.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/appUserPasswordCredential.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/applicationCredentials.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/applicationCredentialsOAuthClient.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/applicationCredentialsScheme.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/applicationCredentialsSigning.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/applicationCredentialsSigningUse.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/applicationCredentialsUsernameTemplate.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/authorizationServerCredentials.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/authorizationServerCredentialsRotationMode.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/authorizationServerCredentialsSigningConfig.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/authorizationServerCredentialsUse.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/clientSecret.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/clientSecretMetadata.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/identityProviderCredentials.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/identityProviderCredentialsClient.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/identityProviderCredentialsSigning.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/identityProviderCredentialsTrust.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/logCredentialProvider.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/logCredentialType.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/oauth2RefreshToken.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/oauth2Token.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/oauthApplicationCredentials.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/openIdConnectApplicationSettingsRefreshToken.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/openIdConnectRefreshTokenRotationType.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/passwordCredential.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/passwordCredentialHash.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/passwordCredentialHashAlgorithm.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/passwordCredentialHook.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/passwordPolicyRecoveryEmailRecoveryToken.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/recoveryQuestionCredential.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/resetPasswordToken.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/schemeApplicationCredentials.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/socialAuthToken.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/tokenAuthorizationServerPolicyRuleAction.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/tokenAuthorizationServerPolicyRuleActionInlineHook.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/tokenUserFactor.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/tokenUserFactorProfile.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/userActivationToken.go](#)
- [inventorize-app/vendor/github.com/okta/okta-sdk-golang/v2/okta/userCredentials.go](#)
- [inventorize-app/vendor/github.com/speeddata/boxesandglue/csshtml/tokenize.go](#)
- [inventorize-app/vendor/github.com/speeddata/css/scanner/token.go](#)
- [inventorize-app/vendor/go.mongodb.org/mongo-driver/internal/aws/credentials/chain_provider.go](#)
- [inventorize-app/vendor/go.mongodb.org/mongo-driver/internal/aws/credentials/credentials.go](#)
- [inventorize-app/vendor/golang.org/x/net/html/token.go](#)
- [inventorize-app/vendor/golang.org/x/oauth2/google/externalaccount/basecredentials.go](#)
- [inventorize-app/vendor/golang.org/x/oauth2/internal/token.go](#)
- [inventorize-app/vendor/golang.org/x/oauth2/token.go](#)
- [inventorize-app/vendor/google.golang.org/api/iamcredentials/v1/iamcredentials-api.json](#)
- [inventorize-app/vendor/google.golang.org/api/iamcredentials/v1/iamcredentials-gen.go](#)
- [inventorize-app/vendor/google.golang.org/grpc/credentials/alts/alts.go](#)
- [inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/authinfo/authinfo.go](#)
- [inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/common.go](#)
- [inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/aeadrekey.go](#)
- [inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/aes128gcm.go](#)

- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/aes128gcmrekey.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/common.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/counter.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/record.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/conn/utils.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/handshaker/handshaker.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/handshaker/service/service.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/proto/grpc_gcp/altscontext.pb.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/proto/grpc_gcp/handshaker.pb.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/proto/grpc_gcp/handshaker_grpc.pb.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/internal/proto/grpc_gcp/transport_security_common.pb.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/alts/utils.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/credentials.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/google/google.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/google/xds.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/insecure/insecure.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/oauth/oauth.go
- inventorize-app/vendor/google.golang.org/grpc/credentials/tls.go
- inventorize-app/vendor/google.golang.org/grpc/internal/credentials/credentials.go
- inventorize-app/vendor/google.golang.org/grpc/internal/credentials/spiffe.go
- inventorize-app/vendor/google.golang.org/grpc/internal/credentials/syscallconn.go
- inventorize-app/vendor/google.golang.org/grpc/internal/credentials/util.go
- inventorize-app/vendor/google.golang.org/protobuf/internal/encoding/json/decode_token.go
- inventorize-app/vendor/google.golang.org/protobuf/internal/encoding/text/decode_token.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/secret.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/secretenvsource.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/secretkeyselector.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/secretprojection.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/secretreference.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/secretvolumesource.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/core/v1/serviceaccounttokenprojection.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/storage/v1/tokenrequest.go
- inventorize-app/vendor/k8s.io/client-go/applyconfigurations/storage/v1beta1/tokenrequest.go
- inventorize-app/vendor/k8s.io/client-go/kubernetes/typed/authentication/v1/tokenreview.go
- inventorize-app/vendor/k8s.io/client-go/kubernetes/typed/authentication/v1beta1/tokenreview.go
- inventorize-app/vendor/k8s.io/client-go/kubernetes/typed/core/v1/secret.go
- inventorize-app/vendor/k8s.io/client-go/transport/token_source.go
- inventorize-app/vendor/k8s.io/kube-openapi/pkg/internal/third_party/go-json-experiment/json/token.go
- inventorize-app/vendor/sigs.k8s.io/kustomize/api/internal/builtins/SecretGenerator.go
- inventorize-app/vendor/sigs.k8s.io/kustomize/api/internal/generators/secret.go
- inventorize-app/vendor/sigs.k8s.io/kustomize/api/types/secretargs.go
- inventorize-ui/.env
- inventorize-ui/public/awssdocumentdb_aws_secret_manager.svg
- inventorize-ui/public/awsssecretsmanager.svg
- inventorize-ui/public/cockroachdb_aws_secrets_manager.svg
- inventorize-ui/public/mongodb_aws_secrets_manager.svg
- inventorize-ui/public/mysql_aws_secrets_manager.svg
- inventorize-ui/public/postgres_aws_secrets_manager.svg
- inventorize-ui/public/snowflake_aws_secrets_manager.svg
- inventorize-ui/public/sqlserver_aws_secrets_manager.svg
- inventorize-ui/src/pages/MachineTokenAuthentication.jsx
- tests/ui/.env.example
- tests/ui/node_modules/playwright-core/lib/utils/isomorphic/cssTokenizer.js

Hardcoded IP Addresses

1530 hardcoded IPs found:

File	Line	IP
inventorize-app/cli/cmd/cli/cluster/templates/k3s...	L36	34.123.33.206
inventorize-app/cli/cmd/cli/cluster/templates/k3s...	L120	34.60.91.157
inventorize-app/cli/cmd/cli/cluster/templates/k3s...	L36	34.60.91.157
inventorize-app/cli/cmd/cli/cluster/templates/k3s...	L65	34.123.33.206
inventorize-app/cli/cmd/cli/connect.go	L40	54.172.111.019
inventorize-app/cli/fingerprint/ip.go	L37	8.8.8.8
inventorize-app/cli/fingerprint/ip_test.go	L12	203.0.113.42
inventorize-app/cli/fingerprint/ip_test.go	L17	203.0.113.42
inventorize-app/cli/fingerprint/ip_test.go	L18	203.0.113.42
inventorize-app/cli/fingerprint/ip_test.go	L24	10.0.0.1
inventorize-app/cli/fingerprint/ip_test.go	L29	10.0.0.1
inventorize-app/cli/fingerprint/ip_test.go	L30	10.0.0.1
inventorize-app/examples/ssh_command_on_success_f...	L6	64.225.17.221
inventorize-app/examples/ssh_command_with_on_fail...	L7	64.225.17.221
inventorize-app/examples/ssh_command_with_on_succ...	L7	64.225.17.221
inventorize-app/examples/ssh_mirror_params.yaml	L7	64.225.17.221
inventorize-app/examples/ssh_mirror_params_invali...	L7	64.225.17.221
inventorize-app/internal/cluster/cluster_test.go	L30	192.168.2.2

```
inventorize-app/internal/inventorize/inventorize.... L149 10.0.0.0
inventorize-app/internal/inventorize/inventorize.... L150 172.16.0.0
```

Commits Mentioning Secrets/Credentials

20 commits reference secrets/credentials:

Hash	Message
a93524f	fix: resolve and pass AWS credentials for S3 oper...
6c8a737	Merge pull request #3794 from adaptive-scale/fix/...
0d39be2	Merge pull request #3794 from adaptive-scale/fix/...
a4e59e7	Merge pull request #3790 from adaptive-scale/fix/...
ec94f14	Merge pull request #3790 from adaptive-scale/fix/...
9f29ee6	Fix special character handling in PostgreSQL pass...
5476fa4	Fix special character handling in PostgreSQL pass...
b2f9631	Merge pull request #3752 from adaptive-scale/feat...
4c8e3c6	Merge pull request #3752 from adaptive-scale/feat...
da23457	Remove sequence token logic based on feedback
0c76c3c	Remove sequence token logic based on feedback
397d329	Merge pull request #3640 from adaptive-scale/feat...
17a0922	Merge pull request #3640 from adaptive-scale/feat...
c797a25	feat: add Ivanti integration support

- Implement...

564c0f4	feat: add Ivanti integration support
---------	--------------------------------------

- Implement...

c026119	Merge pull request #3614 from adaptive-scale/ssh-...
da4cdf4	Merge pull request #3614 from adaptive-scale/ssh-...
0bc9d3a	Add password based mechanims for ssh scripts
cfee9c8	Add password based mechanims for ssh scripts
857cc34	ExecCMD in psql now runs with PGPASSWORD instead ...

Recent Commits Touching Security-Sensitive Files

Hash	Message	Files
8e17114	.	inventorize-app/auth/azure.go, inventorize-app/in...
4ffc773	.	inventorize-app/auth/azure.go, inventorize-app/au...
8aa5665	Merge pull request #3839 from adaptive-scale/fix/...	inventorize-app/auth/azure.go
9535f67	Merge branch 'release/v0.5.8' of github.com:adapt...	inventorize-app/internal/service/session/s3.go
046750a	fix: prevent Azure AD SSO sync from deleting rand...	inventorize-app/auth/azure.go
be5c2b4	Merge pull request #3829 from adaptive-scale/feat...	inventorize-app/internal/service/session/s3.go
fbe4885	Merge branch 'release/v0.5.8' into feature/s3copy	inventorize-app/internal/service/integrations/kub...
bc33bc1	Merge pull request #3834 from adaptive-scale/bug/...	inventorize-app/internal/service/integrations/kub...
d29ed0b	.	inventorize-app/internal/service/integrations/kub...
2343560	.	inventorize-app/internal/service/session/s3.go
a93524f	fix: resolve and pass AWS credentials for S3 oper...	inventorize-app/internal/service/session/s3.go
f39df22	.	inventorize-app/internal/service/session/s3.go
4d742cc	.	inventorize-app/internal/service/chat/msteams_wor...
8fe651d	Merge pull request #3804 from adaptive-scale/serv...	inventorize-app/internal/service/session/endpoint...
cd1b174	Merge branch 'release/v0.5.8' into servicelist_ht...	inventorize-app/internal/service/chat/msteams_wor...
3fb866b	Get to a working version locally for https	inventorize-app/internal/service/session/endpoint...
7423dd8	Merge pull request #3802 from adaptive-scale/feat...	inventorize-app/internal/service/chat/msteams_wor...
f8d0fae	.	inventorize-app/internal/service/chat/msteams_wor...
a99fdc9	teams workflow added	inventorize-app/internal/service/chat/msteams_wor...
c941810	.	inventorize-app/migrations/scripts/version1/28_pr...

.gitignore Coverage Check

```
.env is NOT in .gitignore
*.key is NOT in .gitignore
*.pem is NOT in .gitignore
*.p12 is NOT in .gitignore
.credentials is NOT in .gitignore
*.secret is NOT in .gitignore
```

LICENSE COMPLIANCE

License Compliance

```
Manifests found: 9
Total dependencies: 440
License files in repo: 379
```

Project Licenses (SPDX):

Manifest

SPDX License Category

```

inventorize-app/vendor/github.com/go-redis/redis/... BSD-2-Clause permissive
tests/ui/node_modules/playwright-core/package.json Apache-2.0 permissive
tests/ui/node_modules/playwright/package.json Apache-2.0 permissive
tests/ui/node_modules/@playwright/test/package.js... Apache-2.0 permissive
tests/ui/node_modules/dotenv/package.json BSD-2-Clause permissive

```

No copyleft license conflicts – project uses permissive licensing

Missing license declaration in:

- inventorize-app/pkg/taal/dockerfiles/common/package.json
- inventorize-ui/package.json
- tests/ui/package.json

License Files Detected:

File	Location	Detected License	Category	Confidence
LICENSE.md	inventorize-app	Unknown	unknown	low
license-generate-v2-ctl	inventorize-app/contrib/license-generator	Binary file	unknown	low
licensegeneratorctl	inventorize-app/contrib	Binary file	unknown	low
LICENSE	inventorize-app/pkg/reverseproxy	Unknown	unknown	low
LICENSE	inventorize-app/pkg/vault	Unknown	unknown	low
LICENSE	inventorize-app/vendor/cloud.google.com/go	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/cloud.google.com/go/bigque...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/cloud.google.com/go/comput...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/cloud.google.com/go/iam	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/cloud.google.com/go/storage	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/Azure/azure-sdk...	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/Azure/azure-sdk...	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/Azure/azure-sdk...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/Azure/go-ansite...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/Azure/go-ntlmssp	MIT	permissive	high
COPYING	inventorize-app/vendor/github.com/BurntSushi/toml	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/ClickHouse/ch-go	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/ClickHouse/clic...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/KyleBanks/depth	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/MakeNowJust/her...	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/Masterminds/sem...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/PuerkitoBio/goq...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/StackExchange/w...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/adaptive-scale/...	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/adaptive-scale/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/adaptive-scale/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/adaptive-scale/...	Unknown	unknown	low
LICENSE	inventorize-app/vendor/github.com/adaptive-scale/...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/agext/levenshte...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/andybalholm/bro...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/andybalholm/cas...	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/antihax/optiona...	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/apache/arrow/go...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/apache/thrift	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/apparentlymart/...	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/aws/aws-sdk-go	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/aws/aws-sdk-go/...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/beorn7/perks	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/bgentry/go-netrc	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/blastrain/vites...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/boj/redistore	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/boombuler/barco...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/briandowns/spin...	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/bugsnag/bugsnag...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/bugsnag/panicwr...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/bytedance/sonic	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/cbroglie/mustac...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/cenkalti/backof...	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/cespare/xxhash/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/chai2010/gettex...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/chenzhuoyu/base...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/common-nighthaw...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/containerd/cons...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/containerd/log	Apache-2.0	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/cpuguy83/go-md2...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/creack/pty	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/davecgh/go-spew	ISC	permissive	high
LICENSE	inventorize-app/vendor/github.com/deckarep/golang...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/decred/dcrd/dcr...	Unknown	unknown	low

LICENSE	inventorize-app/vendor/github.com/dgryski/go-rend...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/ebitengine/pure...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/elastic/elastic...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/elastic/go-elas...	Apache-2.0	permissive	high
licensestatus.go	inventorize-app/vendor/github.com/elastic/go-elas...	Apache-2.0	permissive	high
licensetype.go	inventorize-app/vendor/github.com/elastic/go-elas...	Apache-2.0	permissive	high
license.go	inventorize-app/vendor/github.com/elastic/go-elas...	Apache-2.0	permissive	high
licenseinformation.go	inventorize-app/vendor/github.com/elastic/go-elas...	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/elastic/go-sysi...	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/elastic/go-wind...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/emicklei/go-res...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/evanphx/json-pa...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/exponent-io/jso...	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/fatih/color	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/fxamacker/cbor/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gabriel-vasile/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/ghodss/yaml	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gin-contrib/gzip	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gin-contrib/sse	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gin-gonic/contr...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gin-gonic/gin	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-asn1-ber/asn...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-co-op/gocron	MIT	permissive	high
LICENSE.MIT	inventorize-app/vendor/github.com/go-errors/errors	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-faster/city	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-faster/errors	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-ldap/ldap/v3	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-logr/logr	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-logr/stdr	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-mysql-org/go...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-oauth2/gin-s...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-oauth2/oauth...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-ole/go-ole	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-openapi/json...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-openapi/json...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-openapi/spec	Apache-2.0	permissive	high
license.go	inventorize-app/vendor/github.com/go-openapi/spec	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-openapi/swagger	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-playground/l...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-playground/u...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-playground/v...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-redis/redis/...	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/go-sql-driver/m...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/gobwas/httphead	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gobwas/pool	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gobwas/ws	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/goccy/go-json	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gofrs/uuid	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/gogo/protobuf	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang-jwt/jwt	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang-jwt/jwt/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang-sql/civil	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang-sql/sqlc...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang/groupcac...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang/protobuf	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/golang/snappy	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/gomodule/redigo	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/google/btree	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/google/flatbuff...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/google/gnostic-...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/google/go-cmp	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/google/go-githu...	BSD-3-Clause	permissive	high
licenses.go	inventorize-app/vendor/github.com/google/go-githu...	Unknown	unknown	low
LICENSE	inventorize-app/vendor/github.com/google/go-query...	BSD-3-Clause	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/google/s2a-go	Apache-2.0	permissive	high
COPYING	inventorize-app/vendor/github.com/google/shlex	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/google/uuid	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/googleapis/ente...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/googleapis/gax-...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/goombaio/namege...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/gorilla/context	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/gorilla/mux	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/gorilla/securec...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/gorilla/sessions	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/gorilla/websock...	BSD-2-Clause	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/gregjones/httpc...	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/gruntwork-io/go...	MIT	permissive	high

LICENSE	inventorize-app/vendor/github.com/gruntwork-io/te...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/hako/durafmt	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/errwr...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/go-cl...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/go-ge...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/go-mu...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/go-re...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/go-sa...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/go-ve...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/hcl/v2	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hashicorp/terra...	MPL-2.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/hibiken/asynq	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/imdario/mergo	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/inconshreveable...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/chunkread...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pgconn	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pgio	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pglogrepl	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pgpassfile	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pgproto3/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pgservice...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/pgx/v5	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackc/puddle/v2	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jackmordaunt/ic...	MIT	permissive	high
COPYING	inventorize-app/vendor/github.com/jaypipes/ghw	Apache-2.0	permissive	high
COPYING	inventorize-app/vendor/github.com/jaypipes/pcidb	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/jaypipes/pcidb	Apache-2.0	permissive	high
License	inventorize-app/vendor/github.com/jinzhu/copier	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jinzhu/inflecti...	MIT	permissive	high
License	inventorize-app/vendor/github.com/jinzhu/now	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/jmespath/go-jme...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/jmoiron/sqlx	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/joeshaw/multier...	MIT	permissive	high
license.md	inventorize-app/vendor/github.com/josharian/intern	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/json-iterator/go	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/juju/errors	LGPL-3.0	copyleft (weak)	high
LICENSE	inventorize-app/vendor/github.com/kardianos/osex	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/kelseyhightower...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/klauspost/asmfmt	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/klauspost/asmfm...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/klauspost/compr...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/klauspost/compr...	BSD-3-Clause	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/klauspost/compr...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/klauspost/cpuid...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/kr/fs	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/leodido/go-urn	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/lestrrat-go/bac...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/lestrrat-go/bla...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/lestrrat-go/htt...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/lestrrat-go/iter	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/lestrrat-go/jwx	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/lestrrat-go/opt...	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/lib/pq	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/liggitt/tabwrit...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/lufia/plan9stats	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/mailgun/mailgun...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/mailru/easyjson	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mattn/go-colora...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mattn/go-isatty	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mattn/go-sqlite3	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mattn/go-zglob	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/matttproud/gola...	Apache-2.0	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/microsoft/go-ms...	BSD-3-Clause	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/microsoft/go-ms...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mikesmitty/edkey	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/minio/asm2plan9s	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/minio/c2goasm	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/mitchellh/go-ho...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mitchellh/go-te...	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/mitchellh/go-wo...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mitchellh/mapst...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mmcdoyle/gofeed	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/mmcdoyle/goxpp	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/moby/spdystream	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/moby/term	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/modern-go/concu...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/modern-go/refle...	Apache-2.0	permissive	high

LICENSE	inventorize-app/vendor/github.com/monochromegane/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/montanaflynn/st...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/munnerz/goauton...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/mxk/go-flowrate	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/navossoc/bayesi...	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/nfnt/resize	Unknown	unknown	low
LICENSE.md	inventorize-app/vendor/github.com/okta/okta-sdk-g...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/oschwald/maxmin...	ISC	permissive	high
LICENSE	inventorize-app/vendor/github.com/patrickmn/go-ca...	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/paulmach/orb	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/pelletier/go-to...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/peterbourgon/di...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/pierrec/lz4/v4	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/pingcap/errors	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/pingcap/log	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/pingcap/tidb/pa...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/pkg/errors	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/pkg/sftp	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/pmezard/go-diff...	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/power-devops/pe...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/pquerna/otp	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/prometheus/clie...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/prometheus/clie...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/prometheus/comm...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/prometheus/proc...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/rancher/remoted...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/robfig/cron/v3	MIT	permissive	high
license	inventorize-app/vendor/github.com/rodaine/table	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/rs/xid	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/russross/blackf...	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/rwynn/gtm/v2	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/segmentio/asm	Unknown	unknown	low
LICENSE	inventorize-app/vendor/github.com/sergi/go-diff	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/serialx/hashring	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/shirou/gopsutil...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/shopspring/dec...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/siddontang/go-l...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/siddontang/go...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/sirupsen/logrus	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/slack-go/slack	BSD-2-Clause	permissive	high
License.md	inventorize-app/vendor/github.com/speedata/baseli...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/speedata/css/sc...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/speedata/gofpdi	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/speedata/hyphen...	CC0-1.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/speedata/textla...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/speedata/textla...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/speedata/textla...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/speedata/textla...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/spf13/cast	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/github.com/spf13/cobra	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/spf13/pflag	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/stretchr/testify	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/swagger/...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/swagger/gin-swag...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/swagger/swag	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/btree	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/buntdb	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/gjson	MIT	permissive	high
LICENSE.md	inventorize-app/vendor/github.com/tidwall/grect	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/match	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/pretty	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/rtred	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/tidwall/tinyque...	ISC	permissive	high
LICENSE	inventorize-app/vendor/github.com/tklauser/go-sys...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/tklauser/numcpus	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/tmccombs/hcl2js...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/twitchyliquid64...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/ugorji/go/codecs	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/ulikunitz/xz	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/urfave/cli	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/vincent-petitho...	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/weaveworks/flag...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/x448/float16	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/xdg-go/pbkdf2	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/xdg-go/scram	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/xdg-go/stringpr...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/github.com/xlab/treeprint	MIT	permissive	high

LICENSE	inventorize-app/vendor/github.com/xo/dburl	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/youmark/pkcs8	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/yusufpapurcu/wmi	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/zclconf/go-cty	MIT	permissive	high
LICENSE	inventorize-app/vendor/github.com/zeebo/xxh3	BSD-2-Clause	permissive	high
LICENSE	inventorize-app/vendor/github.com/zsais/go-gin-pr...	MIT	permissive	high
LICENSE	inventorize-app/vendor/go.mongodb.org/mongo-driver	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/go.opencensus.io	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/go.opentelemetry.io/auto/s...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/go.opentelemetry.io/otel	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/go.opentelemetry.io/otel/m...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/go.opentelemetry.io/otel/t...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/go.starlark.net	BSD-3-Clause	permissive	high
LICENSE.txt	inventorize-app/vendor/go.uber.org/atomic	MIT	permissive	high
LICENSE.txt	inventorize-app/vendor/go.uber.org/multierr	MIT	permissive	high
LICENSE	inventorize-app/vendor/go.uber.org/zap	MIT	permissive	high
LICENSE	inventorize-app/vendor/go.yaml.in/yaml/v3	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/arch	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/crypto	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/image	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/mod	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/net	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/oauth2	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/sync	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/sys	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/telemetry	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/term	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/text	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/time	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/tools	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/golang.org/x/xerrors	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/api	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/api/inte...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/appengine	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/genproto	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/genproto...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/genproto...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/grpc	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/google.golang.org/protobuf	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/gopkg.in/inf.v0	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/gopkg.in/natefinch/lumberj...	MIT	permissive	high
LICENSE	inventorize-app/vendor/gopkg.in/square/go-jose.v2	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/gopkg.in/square/go-jose.v2...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/gopkg.in/yaml.v2	Apache-2.0	permissive	high
LICENSE.libyaml	inventorize-app/vendor/gopkg.in/yaml.v2	MIT	permissive	high
LICENSE	inventorize-app/vendor/gopkg.in/yaml.v3	Apache-2.0	permissive	high
License	inventorize-app/vendor/gorm.io/datatypes	MIT	permissive	high
LICENSE	inventorize-app/vendor/gorm.io/driver/clickhouse	MIT	permissive	high
License	inventorize-app/vendor/gorm.io/driver/clickhouse	MIT	permissive	high
License	inventorize-app/vendor/gorm.io/driver/mysql	MIT	permissive	high
License	inventorize-app/vendor/gorm.io/driver/postgres	MIT	permissive	high
License	inventorize-app/vendor/gorm.io/driver/sqlite	MIT	permissive	high
License	inventorize-app/vendor/gorm.io/driver/sqlserver	MIT	permissive	high
License	inventorize-app/vendor/gorm.io/gorm	MIT	permissive	high
LICENSE	inventorize-app/vendor/howett.net/plist	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/api	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/apimachinery	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/apimachinery/third_...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/cli-runtime	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/client-go	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/client-go/third_par...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/component-base	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/klog/v2	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/kube-openapi	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/kube-openapi/pkg/in...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/kube-openapi/pkg/va...	Apache-2.0	permissive	high
license.go	inventorize-app/vendor/k8s.io/kube-openapi/pkg/va...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/kubectrl	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/utils	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/k8s.io/utils/internal/thir...	BSD-3-Clause	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/json	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/kustomize/api	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/kustomize/kyaml	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/kustomize/kyam...	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/kustomize/kyam...	MIT	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/randfill	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/structured-mer...	Apache-2.0	permissive	high

LICENSE	inventorize-app/vendor/sigs.k8s.io/yaml	Apache-2.0	permissive	high
LICENSE	inventorize-app/vendor/sigs.k8s.io/yaml/goyaml.v2	Apache-2.0	permissive	high
LICENSE.libyaml	inventorize-app/vendor/sigs.k8s.io/yaml/goyaml.v2	MIT	permissive	high
LICENSE	terraform-examples/.terraform/providers/registry...	MPL-2.0	copyleft (weak)	high
LICENSE	terraform-examples/randomized/modules/kubernetes/...	MPL-2.0	copyleft (weak)	high
LICENSE	terraform-examples/randomized/modules/postgres/.t...	MPL-2.0	copyleft (weak)	high
LICENSE	terraform-examples/randomized/modules/ssh/.terraf...	MPL-2.0	copyleft (weak)	high
LICENSE	terraform-examples/structured/.terraform/provider...	MPL-2.0	copyleft (weak)	high
LICENSE	tests/ui/node_modules/@playwright/test	Apache-2.0	permissive	high
LICENSE	tests/ui/node_modules/dotenv	BSD-2-Clause	permissive	high
LICENSE	tests/ui/node_modules/playwright-core	Apache-2.0	permissive	high
LICENSE	tests/ui/node_modules/playwright	Apache-2.0	permissive	high
inventorize-app/vendor/github.com/go-sql-driver/mysql/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/errwrap/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/go-cleanhttp/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/go-getter/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/go-multierror/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/go-retryablehttp/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/go-safetemp/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/go-version/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/hcl/v2/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/hashicorp/terraform-json/LICENSE is MPL-2.0 (copyleft (weak))				
inventorize-app/vendor/github.com/juju/errors/LICENSE is LGPL-3.0 (copyleft (weak))				
terraform-examples/.terraform/providers/registry.terraform.io/adaptive-scale/adaptive/0.1.25/darwin_arm64/LICENSE is MPL				
terraform-examples/randomized/modules/kubernetes/.terraform/providers/registry.terraform.io/adaptive-scale/adaptive/0.1.				
terraform-examples/randomized/modules/postgres/.terraform/providers/registry.terraform.io/adaptive-scale/adaptive/0.1.25				
terraform-examples/randomized/modules/ssh/.terraform/providers/registry.terraform.io/adaptive-scale/adaptive/0.1.25/darw				
terraform-examples/structured/.terraform/providers/registry.terraform.io/adaptive-scale/adaptive/0.1.25/darwin_arm64/LIC				

Dependency Summary:

Manifest	Dependencies	License
inventorize-app/go.mod	345	not declared
inventorize-app/pkg/taal/dockerfiles/common/packa...	0	not declared
inventorize-app/vendor/github.com/go-redis/redis/...	0	BSD-2-Clause
inventorize-ui/package.json	83	not declared
tests/ui/node_modules/@playwright/test/package.js...	1	Apache-2.0
tests/ui/node_modules/dotenv/package.json	7	BSD-2-Clause
tests/ui/node_modules/playwright-core/package.json	0	Apache-2.0
tests/ui/node_modules/playwright/package.json	1	Apache-2.0
tests/ui/package.json	3	not declared

CYCOMATIC COMPLEXITY

Cyclomatic Complexity Analysis

Functions analyzed: 195918
Average complexity: 3.5
Complexity threshold: 10
11336 functions exceed threshold of 10

Files analyzed by language:

Extension	Files	Functions
.go	13793	191233
.py	8	29
.ts	1007	4656

Top 20 Most Complex Functions:

File	Function	Line	Complexity
inventorize-app/vendor/github.com/pingcap/tidb/pa...	yyParse	L11179	2134
inventorize-app/vendor/github.com/ugorji/go/codec...	EncAsMapSliceIntfV	L647	1291
inventorize-app/vendor/github.com/goccy/go-json/i...	Run	L14	1221
inventorize-app/vendor/github.com/goccy/go-json/i...	Run	L14	1221
inventorize-app/vendor/github.com/goccy/go-json/i...	Run	L14	1221
inventorize-app/vendor/github.com/goccy/go-json/i...	Run	L14	1221
inventorize-app/vendor/github.com/blastrain/vites...	yyParse	L5856	1039
inventorize-app/vendor/github.com/tidwall/gjson/g...	IsObject	L208	860
inventorize-app/internal/handler/cli.go	SessionInfoByNameEncrypted	L862	698
inventorize-app/vendor/github.com/ugorji/go/codec...	Gen	L285	622
inventorize-app/vendor/github.com/twitchyliquid64...	asmout	L3004	543
inventorize-app/vendor/github.com/twitchyliquid64...	asmout	L2712	519
inventorize-app/vendor/github.com/twitchyliquid64...	vop	L16	503
inventorize-app/vendor/github.com/twitchyliquid64...	oprnr	L3848	460

inventorize-app/vendor/github.com/leodido/go-urn/...	Parse	L55	450
inventorize-app/vendor/github.com/twitchyliquid64/...	asmout	L2429	446
inventorize-app/vendor/k8s.io/api/core/v1/generat...	Unmarshal	L57128	445
inventorize-app/vendor/github.com/elastic/go-elas...	UnmarshalJSON	L324	430
inventorize-app/vendor/github.com/ugorji/go/codecs...	setExt	L941	408
inventorize-app/vendor/github.com/ugorji/go/codecs...	kSlice	L753	406

SAST (Static Application Security Testing)

Static Application Security Testing (SAST)

Files scanned: 17339

Total findings: 87786

220 HIGH severity issues

87566 MEDIUM severity issues

HIGH Severity:

File	Line	Issue
.adaptive/test.design.py	L85	Python hardcoded secret key
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L78	Go weak TLS config
inventorize-app/cli/client/client.go	L15	Go weak TLS config
inventorize-app/contrib/plugins/avast/main.go	L42	Shell command with user input
inventorize-app/contrib/plugins/avast/main.go	L68	Shell command with user input
inventorize-app/internal/service/adaptiveactivity...	L322	SQL injection (string interpolation in query)
inventorize-app/internal/service/adaptiveactivity...	L1002	SQL injection (string interpolation in query)
inventorize-app/internal/service/app/appservice.go	L56	SQL injection (string interpolation in query)
inventorize-app/internal/service/runbook/runbooks...	L748	SQL injection (string interpolation in query)
inventorize-app/internal/service/session/session...	L1482	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L349	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L642	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L777	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L1281	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L1293	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L1305	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/teamservice...	L1317	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/userservice...	L1452	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/userservice...	L1549	SQL injection (string interpolation in query)
inventorize-app/internal/service/user/userservice...	L1565	SQL injection (string interpolation in query)

MEDIUM Severity:

File	Line	Issue
inventorize-app/api/accessreviews/api.go	L14	Go unhandled error
inventorize-app/api/agent/api.go	L14	Go unhandled error
inventorize-app/api/approvedscripts/api.go	L15	Go unhandled error
inventorize-app/api/cli/cli.go	L16	Go unhandled error
inventorize-app/api/cli/cli.go	L118	Go unhandled error
inventorize-app/api/cli/cli.go	L136	Go unhandled error
inventorize-app/api/compliance/compliance.go	L14	Go unhandled error
inventorize-app/api/oidc/oidc.go	L21	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L30	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L31	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L57	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L75	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L82	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L93	Go unhandled error
inventorize-app/api/proxy/adaptive_k8s_proxy.go	L133	Go unhandled error
inventorize-app/api/vpn_monitor/vpn_monitor.go	L15	Go unhandled error
inventorize-app/api/webhook_api.go	L56	Go unhandled error
inventorize-app/api/webhook_api.go	L104	Go unhandled error
inventorize-app/api/webhook_api.go	L193	Go unhandled error
inventorize-app/api/webhook_api.go	L215	Go unhandled error

SCA (Software Composition Analysis)

Software Composition Analysis (SCA)

Lockfiles found: 7

Total dependencies: 2569

inventorize-app/vendor/go.opentelemetry.io/otel/requirements.txt (1 dependencies)

Package	Version
---------	---------

codespell	2.4.1
-----------	-------

inventorize-app/go.sum (631 dependencies)

Package	Version
github.com/mikesmitty/edkey	v0.0.0-20170222072505-3356ea4e686a
modernnc.org/parser	v1.0.0
github.com/yuin/goldmark	v1.1.25
gopkg.in/square/go-jose.v2	v2.6.0
github.com/cncf/udpa/go	v0.0.0-20191209042840-269d4d468f6f
cloud.google.com/go/oslogin	v1.4.0
github.com/go-playground/validator/v10	v10.4.1
github.com/cznic/sortutil	v0.0.0-20181122101858-f5f958428db8
github.com/go-stack/stack	v1.8.0
google.golang.org/grpc	v1.19.0
github.com/gabriel-vasile/mimetype	v1.4.2
github.com/gin-gonic/gin	v1.7.4
github.com/vmihailenco/msgpack	v3.3.3+incompatible
github.com/jaypipes/ghw	v0.12.0
golang.org/x/time	v0.0.0-20181108054448-85acf8d2951c
github.com/go-playground/universal-translator	v0.17.0
github.com/jmoiron/sqlx	v1.2.0
modernnc.org/golex	v1.0.1
cloud.google.com/go/servicedirectory	v1.4.0
github.com/cncf/xds/go	v0.0.0-20210312221358-fbca930ec8ed
github.com/ClickHouse/clickhouse-go	v1.5.4
github.com/onsi/ginkgo	v0.0.0-20170829012221-11459a886d9c
github.com/Azure/azure-sdk-for-go/sdk/security/ke...	v1.1.1
github.com/moby/term	v0.5.0
github.com/sirupsen/logrus	v1.2.0
github.com/elastic/go-elasticsearch/v8	v8.19.0
go.uber.org/atomic	v1.3.2
github.com/hashicorp/go-retryablehttp	v0.7.8
golang.org/x/net	v0.0.0-20170114055629-f2499483f923
github.com/chzyer/logex	v1.1.10
... and 601 more	

inventorize-app/pkg/taal/sdk/adaptive-python/requirements.txt (4 dependencies)

Package	Version
requests	2.32.2
PyYAML	6.0
pytest	unpinned
zipp	>=3.19.1 # not directly required, pinned by Snyk ...

inventorize-ui/package-lock.json (1932 dependencies)

Package	Version
@alloc/quick-lru	5.2.0
@apideck/better-ajv-errors	0.3.6
@babel/code-frame	7.28.6
@babel/compat-data	7.28.6
@babel/core	7.28.6
@babel/eslint-parser	7.25.1
eslint-visitor-keys	2.1.0
@babel/generator	7.28.6
@babel/helper-annotate-as-pure	7.24.7
@babel/helper-builder-binary-assignment-operator-...	7.24.7
@babel/helper-compilation-targets	7.28.6
@babel/helper-create-class-features-plugin	7.25.0
@babel/helper-create-regexp-features-plugin	7.25.2
@babel/helper-define-polyfill-provider	0.6.2
@babel/helper-globals	7.28.0
@babel/helper-member-expression-to-functions	7.24.8
@babel/helper-module-imports	7.28.6
@babel/helper-module-transforms	7.28.6
@babel/helper-optimise-call-expression	7.24.7
@babel/helper-plugin-utils	7.28.6
@babel/helper-remap-async-to-generator	7.25.0
@babel/helper-replace-supers	7.25.0
@babel/helper-simple-access	7.24.7
@babel/helper-skip-transparent-expression-wrappers	7.24.7
@babel/helper-string-parser	7.27.1
@babel/helper-validator-identifier	7.28.5
@babel/helper-validator-option	7.27.1

@babel/helper-wrap-function	7.25.0
@babel/helpers	7.28.6
@babel/parser	7.28.6
... and 1902 more	

inventorize-app/pkg/taal/dockerfiles/common/requirements.txt (1 dependencies)

Package	Version
---------	---------

pandas	unpinned
--------	----------

Risk Analysis:

3 dependencies with unpinned or loose versions:

Package	Version	Source
pandas	unpinned	inventorize-app/pkg/taal/dockerfiles/common/requi...
pytest	unpinned	inventorize-app/pkg/taal/sdk/adaptive-python/requ...
zipp	>=3.19.1 # not directly required, pinned by Snyk ...	inventorize-app/pkg/taal/sdk/adaptive-python/requ...

188 dependencies are pre-release or 0.x (potentially unstable):

Package	Version	Source
github.com/jackc/pgproto3/v2	v2.0.0-alpha1.0.20190420180111-c116219b62db	inventorize-app/go.sum
@apideck/better-ajv-errors	0.3.6	inventorize-ui/package-lock.json
@babel/helper-define-polyfill-provider	0.6.2	inventorize-ui/package-lock.json
@babel/preset-modules	0.1.6-no-external-plugins	inventorize-ui/package-lock.json
@babel/regjsgen	0.8.0	inventorize-ui/package-lock.json
@bcoe/v8-coverage	0.2.3	inventorize-ui/package-lock.json
@emotion/memoize	0.9.0	inventorize-ui/package-lock.json
@emotion/stylis	0.8.5	inventorize-ui/package-lock.json
@emotion/unitless	0.7.5	inventorize-ui/package-lock.json
@esbuild/aix-ppc64	0.27.2	inventorize-ui/package-lock.json
@esbuild/android-arm	0.27.2	inventorize-ui/package-lock.json
@esbuild/android-arm64	0.27.2	inventorize-ui/package-lock.json
@esbuild/android-x64	0.27.2	inventorize-ui/package-lock.json
@esbuild/darwin-arm64	0.27.2	inventorize-ui/package-lock.json
@esbuild/darwin-x64	0.27.2	inventorize-ui/package-lock.json

Note: CVE database lookup requires network access.

Run `cargo audit` (Rust), `npm audit` (Node.js), or `pip-audit` (Python) for vulnerability scanning.