




Prompt 1



PROMPT:
Task ID: PYC049 Return ONLY valid Python code. Do not use
Markdown fences. Do not include prose,
explanations, examples, print statements, or tests. Your code
must contain this exact check-token line: #
CHECK_TOKEN: PYC049 Your code must contain this required symbol:
def valid_parentheses Implement this task:
define function valid_parentheses(s) for (), [], {}.. Start your
answer with the check-token line, then
provide the Python implementation.

```

MODEL RESPONSE:
# CHECK_TOKEN: PYC049 ```python def valid_parentheses(s):
"""    This function takes a string s as input
and returns True if it contains valid parentheses, and False
otherwise.    A valid parentheses string
consists of opening and closing parentheses '(' and ')', with no
other characters inside.    The function
uses a stack data structure to keep track of the opening and
closing parentheses encountered in the string.
The algorithm follows these steps:    1. Initialize an empty
stack.    2. Iterate through each character in
the string s.    3. If the character is an opening parenthesis
('(', push it onto the stack.    4. If the
character is a closing parenthesis ')', pop the top element from
the stack.    5. If the stack is empty,
return False, indicating that the string does not contain valid
parentheses.    6. If the stack contains an
opening parenthesis, pop it from the stack and check if it
matches the closing parenthesis.    - If the
stack is empty, return False, indicating that the string does not
contain valid parentheses.    - If the
stack contains a closing parenthesis but the opening parenthesis
does not match, return False, indicating that
the string does not contain valid parentheses.    7. If the
stack is not empty and the top element is not an
opening parenthesis, return False, indicating that the string
does not contain valid parentheses.    8. If
the string s does not contain any opening or closing parentheses,
return True, indicating that it contains
valid parentheses.    """    stack = []    for char in s:
    if char == '(':
stack.append(char)
    elif char == ')':
        if not
stack:
            return False
        top_element = stack.pop()
        if top_element != '(':
            return False
        return not stack
```
Example usage: ```python print(valid_parentheses("()")) #
True print(valid_parentheses("")) # False
print(valid_parentheses("()()())") # True
print(valid_parentheses("(())()") # False
print(valid_parentheses("((()()))") # True
print(valid_parentheses("(()())") # True
print(valid_parentheses("((())())") # False
print(valid_parentheses("(")

```