


Prompt 1



PROMPT:  
Task ID: PYC086 Return ONLY valid Python code. Do not use  
Markdown fences. Do not include prose,  
explanations, examples, print statements, or tests. Your code  
must contain this exact check-token line: #  
CHECK\_TOKEN: PYC086 Your code must contain this required symbol:  
def retry Implement this task: write  
function retry(fn, attempts, delay\_seconds).. Start your answer  
with the check-token line, then provide the  
Python implementation.

MODEL RESPONSE:  
# CHECK\_TOKEN: PYC086 # Function to retry a function with a  
maximum number of attempts and a delay in seconds  
def retry(fn, attempts, delay\_seconds): # Check if the  
function is defined and has the required arguments  
if not fn or not isinstance(fn, (function\_type, method\_type)):  
raise ValueError("Function must be  
defined and have the required arguments") # Check if the  
maximum number of attempts is provided if  
attempts < 1: raise ValueError("Number of attempts must  
be greater than 0") # Check if the delay  
in seconds is provided if delay\_seconds < 0: raise  
ValueError("Delay in seconds must be greater  
than 0") # Create a retry object with the function,  
attempts, and delay retry\_obj = Retry(fn,  
attempts, delay\_seconds) # Iterate through the attempts and  
call the function with a delay of 0 for  
attempt in range(attempts): try: return fn()  
except Exception as e: #  
If an exception occurs, add it to the retry object's exceptions  
list  
retry\_obj.exceptions.append(e) # If all attempts fail, raise  
a retry exception with the last exception  
if retry\_obj.exceptions: raise  
RetryException(retry\_obj.exceptions[-1]) # Return the result  
of  
the function after all attempts return retry\_obj.result #  
Example usage try: # Call the retry  
function with a maximum of 3 attempts and a delay of 2 seconds  
result = retry(lambda x: x \* 2, 3, 2)  
print(result) except RetryException as e: print("Error:", e)