
USE CASE DIAGRAM

Digital Wallet Management

1. **Roles of Actors**

Actor	Role
Visitor	Can access public information and registration-related pages. Cannot perform wallet transactions.
Registered User	Creates and manages a wallet, completes KYC, adds/withdraws money, sends money, makes payments, and views transactions
Merchant User	Accepts payments from registered users, manages merchant information, and monitors payments and settlements.
Administrator	Manages users and merchants, verifies KYC, monitors transactions, handles disputes, manages accounts, and generates reports.

USE CASE DIAGRAM:



2. Guest / Unregistered Visitor Use Cases

UC-01: View Public Information

Function: Allows a visitor to view information about the digital wallet, its features, services, and security.

Precondition: User has access to the wallet website/application.

Postcondition: Public information is displayed to the visitor.

UC-02: Register Account

Function: Allows a guest to create a new digital wallet account by providing required personal information.

Precondition: Guest does not already have an account.

Postcondition: User account is created and the user can proceed with KYC/login.

3. Registered User Use Cases

UC-03: Login

Function: Authenticates the registered user and provides access to the wallet.

Precondition: User has a registered account and valid login credentials.

Postcondition: User is successfully logged into the wallet.

UC-04: Complete KYC

Function: Allows the user to submit the required identity information/documents for verification.

Precondition: User has registered an account and has not completed KYC.

Postcondition: KYC information is submitted and its verification status is recorded.

UC-05 : Manage Profile

Function: Allows the user to view and update personal information.

Precondition: User is logged in.

Postcondition: Updated profile information is saved.

UC-06: Manage Wallet

Function: Allows the user to view wallet balance and perform wallet-related operations such as adding or withdrawing money.

Precondition: User is logged in and has an active wallet.

Postcondition: Wallet balance is updated or displayed according to the operation.

UC-07: Send Money

Function: Allows a registered user to transfer money to another wallet user.

Precondition: User is logged in, wallet is active, recipient is valid, and sufficient balance is available.

Postcondition: Money is transferred and a transaction record is created.

UC-08: Make Payment

Function: Allows a user to make a payment to a merchant using the digital wallet.

Precondition: User is logged in, wallet is active, and sufficient balance is available.

Postcondition: Payment is processed and the transaction status is recorded.

UC-9: View Transaction History

Function: Allows the user to view previous wallet transactions.

Precondition: User is logged in.

Postcondition: Relevant transaction history is displayed.

UC-10: Receive Notifications

Function: Provides notifications about payments, transfers, wallet activities, and transaction status.

Precondition: User has an active account and a notification-generating event occurs.

Postcondition: Notification is delivered and stored for the user.

UC-11: Logout

Function: Allows the user to securely end the current session.

Precondition: User is logged in.

Postcondition: User session is terminated.

4. Merchant User Use Cases

UC-12: Merchant Onboarding

Function: Allows a business to register as a merchant and provide required business information.

Precondition: Business has access to the wallet system and is not already registered as a merchant.

Postcondition: Merchant information is submitted and onboarding status is recorded.

UC-13: Manage Merchant Profile

Function: Allows merchants to view and update their business information.

Precondition: Merchant is logged in and onboarded.

Postcondition: Updated merchant information is saved.

UC-14: Accept Customer Payments

Function: Allows merchants to receive payments from registered wallet users.

Precondition: Merchant account is active and payment request is valid.

Postcondition: Payment is processed and recorded in the merchant's transaction history.

UC-15: View Received Payments

Function: Allows merchants to view payments received from customers.

Precondition: Merchant is logged in.

Postcondition: Received payment details are displayed.

UC-16: Manage Settlements

Function: Allows merchants to view settlement information and track the settlement of received payments.

Precondition: Merchant is onboarded and has completed payment transactions.

Postcondition: Settlement status and related information are displayed or updated.

5. Administrator Use Cases

UC-17: Manage Users

Function: Allows the administrator to view, update, activate, or deactivate user accounts.

Precondition: Administrator is authenticated with appropriate privileges.

Postcondition: User account information or status is updated.

UC-18: Verify KYC

Function: Allows the administrator to review submitted KYC information and approve or reject it.

Precondition: User has submitted KYC information.

Postcondition: KYC status is updated as approved, rejected, or requiring further action.

UC-19: Manage Merchants

Function: Allows the administrator to review and manage merchant accounts.

Precondition: Administrator is logged in.

Postcondition: Merchant information or account status is updated.

UC-20: Monitor Transactions

Function: Allows the administrator to monitor wallet transactions and their statuses.

Precondition: Administrator is authenticated.

Postcondition: Transaction information is displayed and suspicious or failed transactions can be identified for further action.

UC-21: Handle Disputes

Function: Allows the administrator to review and resolve transaction-related disputes.

Precondition: A user or merchant has submitted a dispute.

Postcondition: The dispute is resolved and its status is recorded.

UC-22: Manage Accounts

Function: Allows the administrator to block, unblock, activate, or deactivate user/merchant accounts when required.

Precondition: Administrator is authenticated and the target account exists.

Postcondition: Account status is updated.

UC-23: View System logs

Function: Allows the administrator to view system activity logs, such as user actions, login activity, transaction-related events, and important system events.

Precondition: Administrator is logged in and has permission to access system logs.

Postcondition: The requested system log information is displayed to the administrator.