

Testing & Integration Report:

N8N+Googlesheet+ Telegram for automation worksheet


Tester: Areeb

Date: March 20, 2026


Environment: Local Machine (Windows 11)

Phase 1: Bot Setup & Registry (The Foundation)

Open Telegram and search for **@BotFather**.




Send **/newbot**, name it, and copy the **HTTP API Token** it gives you.



Phase 1: The Updated Database Setup

Open the existing Google Sheet and new sheet to it. Set up these exact column headers in Row 1 (make them bold):


- **A: Task ID**
- **B: Assigned To**
- **C: Task Description**
- **D: Status**
- **E: Message Sent Time**
- **F: Response Time**



	A	B	C	D	E	F
1	Task ID	Assigned To	Task Description	Status	Message Sent Time	<i>Response Time</i>
2						
3						
4						
5						

Open n8n and sign in using email id and click on add workflow

1. Log into n8n and click **Add Workflow**.



After sign up click on add workflow and then select add first step manually

Step 1: Search for Google Sheets

1. See that search bar at the very top that says **Search nodes...**? Click inside that box.
2. Type in exactly: **Google Sheets**.
3. The Google Sheets icon will pop up below it. Click on it!

Step 2: Set the Trigger

1. After clicking it, it will ask you what specific event you want to listen for.
2. Look for the option that says **On row added** (or "Row Added") and click it.

Step 3: Connect Your Account

1. Now the node settings will open up. Under **Credential to connect with**, click the dropdown and select **Create New Credential**.

2. Click **Sign in with Google** and allow it access to the Google account where you made the tracker sheet.
3. Once connected, look at the **Document** dropdown and select url and paste the url of the sheet in both options

Mode: Leave it as **Every Minute**. This acts as your "polling rate," meaning n8n will automatically check your Google Sheet every 60 seconds to see if Sir has typed a new task.

Trigger On: Leave it as **Row Added**. This ensures the bot only fires off a Telegram message when a brand new task is created, not if someone just edits an old one.

The screenshot shows the configuration interface for the 'Google Sheets Trigger' node in n8n. The 'Parameters' tab is selected, and the 'Fetch Test Event' button is visible in the top right corner. The configuration includes a Credential dropdown set to 'Google Sheets Trigger OAuth2 API', a Poll Times section with a Mode dropdown set to 'Every Minute', and an 'Add Poll Time' button. Below this, the Document and Sheet sections both have a 'By URL' dropdown and a text input field containing 'https://docs.google.com/spreadsheets/d/1'. The Trigger On dropdown is set to 'Row Added'. The Options section shows 'No properties' and an 'Add option' button.

The Next Step: Fetching the Data

Now we need to pull a piece of test data in so we can format the Telegram message.

1. **Check your Sheet:** Make sure you have actually typed one "fake" task into your Google Sheet (e.g., Row 2 -> Task ID: **1**, Assigned To: **Areeb**, Task Description: **Test task**).
2. **Fetch the Data:** In n8n, go to the top right of that settings box and click the orange **Fetch Test Event** button.
3. **Wait a second:** It might take a moment, but it should pull in the data from that test row you typed!

Step 1: Add the Telegram Node

1. Close the Google Sheets settings box by clicking the "Back to canvas" button (or just clicking outside the box).
2. Hover your mouse over the right side of your Google Sheets node. You will see a little + icon appear.
3. Click that +, search for **Telegram**, and click on it.
4. It will ask what you want to do. Select **Send a text message** (or "Send Message").


Step 2: Connect Your Bot (The Credentials)

1. Inside the Telegram node settings, look for the **Credential for Telegram API** dropdown.
2. Click it and select **Create New Credential**.
3. A box will pop up asking for an **Access Token**.
4. Paste that long **HTTP API Token** you got from BotFather earlier and click **Save**.

Step 3: Find Your Personal Chat ID

Important rule for Telegram: Bots cannot message you unless you start a conversation with them first, and n8n needs your specific "Chat ID" to know exactly where to send the message.

1. Open the Telegram app on your phone.
2. Search for the bot named **@userinfobot** and click **Start**. It will instantly reply with a number (e.g., **Id: 123456789**). Copy this number.
3. Now, search for **your new dispatch bot** (the one you made with BotFather) and click **Start** so it has permission to talk to you.
4. Go back to n8n, and in the Telegram node settings, paste that number into the **Chat ID** box.



Step 4: Write the Message

1. In the n8n Telegram node, look for the **Text** box. This is what the bot will actually say.
2. Let's make it look professional. Type this structure into the box: 🚀 **New Task Assigned! Task ID: Description:**
3. Now, look at the left side of your screen (the "Input" panel). You will see the data from your Google Sheet there.
4. Drag and drop the **Task ID** variable from the left side right next to "Task ID:" in your text box.
5. Drag and drop the **Task Description** variable right next to "Description:".

Step 5: Fire the Test!

1. Click the **Test step** button at the top right of the Telegram node window.

Parameters

Settings

Execute step

Credential

Telegram account 3

Resource

Message

Operation

Send Message

Chat ID

6223730339

Text ?

Fixed

Expression

fx

New Task Assigned ! Task ID: `{{ $json['Task ID'] }}` Description : `{{ $json['Task Description'] }}`

Result



Item 0 < >

New Task Assigned ! Task ID: `1` Description : `testing one`

Tip: Type . for data transformation options. [Learn more](#)

No properties

Add Field



Since the dispatch happens when Sir first assigns the task, we need to add one final step to your **first workflow** (1. Dispatch: Sheets to Telegram).


Here is how we close the loop so the **Message Sent Time** column gets filled automatically the second the Telegram message goes out:

Step 1: Open the Dispatch Workflow

1. Go back to your main n8n dashboard (click the n8n logo in the top left).
2. Open your first workflow: **1. Dispatch: Sheets to Telegram**.
3. If it is currently set to "Active" or "Published", click that button at the top right to temporarily pause/unpublish it so we can edit it.

Step 2: Add the Update Node

1. Hover over the right side of your **Telegram** node and click the **+** icon to add a new step at the very end.
2. Search for **Google Sheets** and click it.
3. Select the **Update** (or "Update row") action.
4. Connect your Google credential and select your Tracker Sheet and **Sheet1** just like before.



Step 3: Tell it WHICH row to update

We need to tell n8n to update the exact row it just sent a message about.

1. Change "Data Mode" to **Map Each Column Manually**.
2. **Column to match on:** Select **Task ID**.
3. **Value to Match:** Look at the left panel (the "Input" panel). You should see the data from your original Google Sheets trigger. Drag and drop the **Task ID** variable from the left side directly into this box.

Step 4: Add the Sent Time!

1. Scroll down to **Values to Update**.
2. Make sure you delete the extra column boxes (like **Task Description**, **Status**, etc.) by clicking the little trash cans next to them, so you don't accidentally overwrite Sir's text.
3. The only box you should keep is **Message Sent Time**.
4. Click the gear icon next to **Message Sent Time**, select **Add Expression**, and paste our beautifully formatted Indian Standard Time code:

```
{{ $now.setZone('Asia/Kolkata').toFormat('dd/MM/yyyy hh:mm a') }}
```

Parameters

Settings

Execute step

Column to match on

Task ID

The column to use when matching rows in Google Sheets to the input items of this node. Usually an ID.

Values to Update

Task ID (using to match)

fx

```
{{ $('Google Sheets Trigger').item.json['Task ID'] }}
```

Message Sent Time

fx

```
{{ $now.setZone('Asia/Kolkata').toFormat('dd/MM/yyyy hh:mm a') }}
```

20/03/2026 05:51 PM

+ Add column to send


Options

No properties

Add option

I wish this node would...

Final workflow of part 1:



Part 2: The Response Workflow (Telegram → Google Sheets)


Step 1: Create a New Workflow

1. Go back or click the n8n icon in top left
2. Click the + **Add Workflow** button (top right).
3. Click the name at the top left (e.g., "My workflow 2") and rename it to: **2. Response: Telegram to Sheet2**.

Step 2: Setup the Telegram Listener (The Trigger)

The trigger is the starting point that "fires" whenever a message is sent to the bot.

1. Click + **Add first step...** and search for **Telegram Trigger**.
2. Select the option: **On message**.
3. **Credentials:** Select the existing Telegram Bot API credential created in Part 1.
4. **Updates:** Ensure the **Message** checkbox is ticked.



5. Listen for Data:

- Click the orange **Listen for Event** button at the top right of the node.
- Immediately open Telegram on your phone and send the message: **Done 1** to the bot.
- n8n should show a green "Success" and display your message text.

Step 3: Setup the Google Sheets Update Node

This node tells the system exactly which cell to change in the database.

1. Hover over the right side of the Telegram Trigger node and click the + icon.
2. Search for **Google Sheets** and select it.
3. **Action:** Select **Update** (or "Update row").
4. **Credential:** Select the Google Sheets credential used in Part 1.
5. **Resource Selection:**
 - **Document:** Select the **Main Worksheet** provided.
 - **Sheet:** Select **Sheet2**.
6. **Mapping Mode:** Change the "Data Mode" or "Mapping Mode" to **Map Each Column Manually** (or "Define Below").

The screenshot shows the configuration panel for a Google Sheets node in n8n. The 'Parameters' tab is selected. The settings are as follows:

- Credential:** Google Sheets account 3
- Resource:** Sheet Within Document
- Operation:** Update Row
- Document:** By URL, <https://docs.google.com/spreadsheets/d/1>
- Sheet:** From list, Sheet2
- Mapping Column Mode:** Map Each Column Manually
- Column to match on:** Task ID
- Values to Update:** Task ID (using to match)

Step 4: Configure Data Mapping (The "Logic")

We need to tell n8n how to find the right row and what to write in it.

A. Find the Right Task (Matching)

- Look for the **Task ID (using to match)** box.
- Click the **Expression** tab inside the text box.
- Paste this code to extract only the number from your message:

```
{{ $json.message.text.replace(/^[^0-9]/g, " ") }}
```

B. Update the Status

- In the **Status** column box, type the word: **Completed**.
- (Note: Delete any other columns like "Assigned To" or "Description" using the trash can icon so they aren't overwritten).

C. Set the Response Time (IST Format)

- Find the **Response Time** column box.
- Click the **Gear Icon** (⚙️) and select **Add Expression**.
- Paste this code to generate a clean, Indian Standard Time timestamp:

```
{{ $now.setZone('Asia/Kolkata').toFormat('dd/MM/yyyy hh:mm a') }}
```

Values to Update

Task ID (using to match)

fx

{{ \$json.message.text.replace(/^[^0-9]/g, '') }}

Status

Completed

Response Time

:

Fixed

Expression

fx

{{ \$now.setZone('Asia/Kolkata').toFormat('dd/MM/yyyy hh:mm a') }}

20/03/2026 05:47 PM

row_number

0

+ Add column to send

Options

No properties

Step 5: Final Testing & Activation

- 1. Click the orange **Execute Step** button in the Google Sheets node.
- 2. Open **Sheet2** in the Google Sheet. You should see "Completed" and the current time appear next to Task ID 1.
- 3. **Crucial:** Once it works, click the **Publish** button in the top right corner of n8n.



Areeb Patel

File Edit View Insert Format Data Tools Gemini Extensions Help

100% 123 Arial 10 B I A

A1	Task ID						
	A	B	C	D	E	F	G
1	Task ID	Assigned To	Task Description	Status	Message Sent Time	Response Time	
2	1	Areeb	Testing one	Completed	20/03/2026 17:2	20/03/2026 17:2	
3							
4							

Warning : The system is only "Live" when the **Publish** button is active. If you leave it in "Draft" mode, the bot will not respond to messages.

