Interactive Designer – Feature Operation & Navigation

Purpose:
This document provides a clear overview of features to be Navigated and instructions for navigating each one in the editor.

Task 1: Parameter

Location: NavBar + icon - Extra Tab → DataSource Table
Working: Allows loading selective JSON/XML data into a table using datasource selection, JSON path suggestions, and filter conditions.

Steps to Navigate:

1. Drag and drop a **DataSource Table** onto the editor.
2. Open the table **Settings** panel.
3. Select a **Datasource file**.
4. Click the **Suggestion** button and choose a valid **dataSource Path**.
5. Select a Preview column and enter the preview value.



Task 2: Read Only View

Location: Navbar → 👁 *Eye Icon*.
Working: Enables *Read Only* mode in the editor to verify interactivity of form elements before export.
Steps to Navigate:

1. Click the **Eye Icon** in the navbar.
2. The editor switches to **Read Only Mode**.
3. **Radio buttons**, **checkboxes**, and **selection choices** work correctly and will show Editor in full view.



Task 3: Password Protection in tool for PDF

Location: Navbar → Bulk PDF Icon
Working: Enables password protection for generated PDFs using multiple password strategies.

Steps to Navigate:

1. Click the **Bulk PDF** icon in the navbar.
2. In the password section, choose one of the following options:
   - Common password
   - JSON key–based password
   - No password (default)
3. Enter or configure the selected password option.
4. Generate the PDF.





Task 4: Export to PDF is not accurate

Location: Navbar →*PDF Icon*
Working: Exports the current project as a PDF with selectable text.
Steps to Navigate:

1. Click the **PDF Icon** in the navbar.
2. Wait for the export process to complete.
3. **Text in the generated PDF is selectable**.





Task 5: Textbox not available

Location: Basic Tab → *Text Element*
Working: Ensures text element styling options appear on selection.
Steps to Navigate:

1. Drag a **Text** element from the Basic tab.
2. Select it in the editor.
3. In the right panel, open the **Decoration** tab.
4. **Border** and **Border Radius** options are visible.

Task 6: Font Size

Location: Basic Tab → Text Element → Typography Tab
Working: Checks that font size is displayed in points (pt).
Steps to Navigate:

1. Select a **Text** element.
2. Go to the **Typography** tab.
3. **Font Size** uses "pt" units if added.



Task 7: Separator to add

Location: Basic Tab → *Separator*
Steps to Navigate:
Drag and drop the **Separator** element into the page.



Task 8: Page Options

Location: Navbar → ⚙ *Settings Icon* (Right Side)
Working: Manage page-level settings and add new pages.
Steps to Navigate:

1. Click **Page Settings** icon for existing pages.
2. Adjust page format, margins, or background as needed.
3. Click ➕ **Add New Page** icon to insert a new page.





Task 9: Page Break

Location: Navbar → ➕ Icon → Basic Tab → Page Break
Working: Forces content to move to the next page from a defined position.

Steps to Navigate:

1. Create multiple pages (refer **Task 11 – Page Setup**).
2. Click the ✚ icon in the navbar.
3. Open the **Basic** menu.
4. Drag and drop the **Page Break** element onto the page.
5. Place it at any desired position.
6. All content below the page break moves to the next page.
7. New page is auto-created if no next page exists.



Task 10: Page Number

Location: Page Settings → Enable Page Numbers
Steps to Navigate:

1. Enable **Page Numbers** checkbox.
2. Choose desired **position**.
3. Page numbers appear correctly on pages.



Task 11: Page setup

Location: Navbar → *Page Icon*
Steps to Navigate:

1. Click **Page Setup** icon.
2. In the setup manager, specify number of pages.
3. Pages are created correctly in the editor.





Task 12: Hide on Print

Working: Allows components to be hidden when printing/exporting.
Steps to Navigate:

1. Select any component.
2. In **Settings**, enable **Hide on Print**.
3. In PDF preview — the component is hidden in PDF



Task 13: Header and Footer placement as per A4 or custom page

Working: Manage header and footer inclusion and customization per page.
Steps to Navigate:

1. During initial setup, choose whether to include header/footer.
2. In Page Settings, enable/disable header/footer for specific pages.



Task 14: Formatting

Location: Navbar → ✚ Icon → Basic Tab → Textbox
Working: Applies predefined formatting patterns to text components.

Steps to Navigate:

1. Click the ✚ icon in the navbar.
2. Open the **Basic** menu and drag a **Textbox** onto the editor.
3. Select the textbox.
4. In the **Settings** panel, open the **Formatting** option.
5. Choose a formatting type.

6. The corresponding format patterns appear.



Task 15: Dynamic page header, footer and content

Location: Navbar → Page Settings (Top Right)
Working: Displays header and footer dynamically based on page position.

Steps to Navigate:

1. Create multiple pages (refer **Task 11 – Page Setup**).
2. Open **Page Settings** from the navbar.
3. Navigate to the **Header & Footer** section.
4. Select a dynamic option:
   - First page
   - Last page
   - Odd pages
   - Even pages
   - Custom
5. Click **Apply**.
6. Header/footer content appears only on selected pages.



Task 16: Formula

Location: Navbar → *Calculator Icon*
Working: Lists available formulas and enables formula usage in tables.
Steps to Navigate:

1. Click **Calculator Icon** to view formula suggestions.
2. In a table cell, insert a formula starting with "=".
3. Add numbers or cell references in proper format.





Task 17: Need to update Chart properties

Location: Charts Tab → Chart Component
Steps to Navigate:

1. Drag & drop a **Chart**.
2. In the right panel, open **Settings** → *Chart Type Dropdown*.



Task 18: Complexity seen in simple static template development

Steps to Navigate:

1. Select any element.
2. Resize using draggable corner circles.



Task 19: Hyperlink

Location: Basic Tab → *Link / Link Area*
Steps to Navigate:

1. Drag a **Link Element**.
2. Add target URL.
3. Internal (same-page) links are disabled after export.



Task 20: Table of Contents

Steps to Navigate:

1. Drag a **TOC** element on a desired page.
2. Add **Header Elements** to other pages.
3. TOC auto-updates with header text and page numbers.



Task 21: Marquee to add

Location: Tags Tab → *Marquee Component*
Steps to Navigate:

1. Drag the component.
2. Scrolling text animation appears.





Task 22: Show/Hide

Working: Conditionally show/hide based on simple expressions.
Steps to Navigate:

1. Select a **Textbox**.
2. In Settings, add show/hide condition using operators (=, >, <, etc.).



Task 23: Dynamic

Working: Show/hide elements dynamically using JSON data.
Example Scripts:

- *Static Content Example*

```
<script>
const checkDivs = document.querySelectorAll("[id^='inof']");
checkDivs.forEach(div => {
  const text = div.innerText.trim().toLowerCase();
  if (text.includes("insert")) {
    const img = document.getElementById("ihzt");
    if (img) img.style.display = "none";
  }
});
</script>
```

- *Dynamic JSON Example*

```
<script>
const searchText = "english.SA[0].name";
const escapedText = searchText.replace(/[.*+?^${}()|[\]\\]/g, "\\$&");
const exactMatch = new RegExp("\\b" + escapedText + "\\b");
document.querySelectorAll("style").forEach(el => {
  if (exactMatch.Navigate(el.innerText)) {
    const target = document.getElementById("ivlm");
    if (target) target.style.display = "none";
  }
});
</script>
```

Task 24: Download final output with additional option for PDF

Location: Navbar → Export Options
Working: Generates a PDF by combining all editor content into a single page.

Steps to Navigate:

1. Click the **Export** option in the navbar.
2. Select **Single Page PDF**.
3. Wait for the PDF generation using backend.





Task 25: Drawing Control

Location: Drawing Tools Tab → *Canvas Component*
Steps to Navigate:

1. Drag drawing canvas.
2. Navigate tools: Brush, Shapes, Eraser, Undo/Redo, Resize.





Task 26: Background Image (Static/Dynamic)

Location: Page Settings → *Watermark Option*
Steps to Navigate:

1. Add static or dynamic background image.
2. Navigate *Tile Watermark* checkbox.



Task 27: Music in the Background

Location: Basic Tab → *Music Component*
Steps to Navigate:

1. Select and upload audio.
2. Enable **Loop** option if needed.
3. After export, click the **Music Icon** to play.



Task 28: Read Out Loud

Location: Navbar → *Code Icon* → Export ZIP
Steps to Navigate:

1. Click **Export ZIP**.
2. When prompted, enable **Read Out Loud**.
3. In exported HTML, use top-left **Speaker Icon** to:
    - Read all content
    - Read on click



Task 29: Sections

Location: Navbar → ✚ Icon → Basic Tab → Sections
Working: Adds structured sections with header, content, and footer areas.

Steps to Navigate:

1. Click the ✚ icon in the navbar.
2. Drag and drop a **Section** into the editor.
3. Verify that the section contains:
    - Section Header
    - Section Content
    - Section Footer
4. Customize section settings if required.
5. Add sections across multiple pages.
6. Visibility control of section header/footer based on page settings.



Task 30: Barcode

Location: Basic Tab → *Barcode Component*
Steps to Navigate:

1. Drag component.
2. Enter text/number.
3. Barcode generation for all supported types.





Task 31: QR Code

Location: Basic Tab → *QR Code Component*
Steps to Navigate:

1. Drag component.
2. Enter text/number.
3. QR code generation.



Task 32: Highlight

Steps to Navigate:

1. Select **Text** or **Table** component.
2. Open **Highlight Condition** popup.
3. Navigate conditions for foreground, background color, font style, etc.



Task 33: Scripting is required

Steps to Navigate:

1. Click **Code (</>)** in top right of editor.
2. Add a script like below:

```
<button id="toggleButton">Show</button>
<div id="myDiv" style="display:none;">Content to toggle</div>
<script>
toggleButton.onclick = () => {
  myDiv.style.display = myDiv.style.display === 'none' ? 'block' : 'none';
};
</script>
```

3. Navigate script functionality.

Task 34: Placement issues

Steps to Navigate:

1. Drag **Section** component.
2. Double-click an element and drag to reposition within its section.

Task 35: API UI for generating PDF Static PDF Bulk and Realtime

Location: Navbar → Bulk PDF Icon
Working: Generates multiple PDFs dynamically using JSON data.

Steps to Navigate:

1. Click the **Bulk PDF Generation** icon.
2. Already-added JSON files appear automatically.
3. Upload additional JSON files if required.
4. Select **PDF** as the output format.
5. Configure the PDF file name using:
   - JSON key combinations, or
   - Random naming
6. Set password options:
   - Common password
   - JSON key–based password
   - No password
7. Generate PDFs and verify correct output for each JSON record.





Task 36: Page Format

Steps to Navigate:

1. During Page Setup, choose **Landscape** or **Portrait**.
2. Page orientation updates.



Task 37: Chart

Steps to Navigate:

1. Select chart.
2. Set **Legend Color**.
3. Changes reflect as per JSON configuration.

Task 38: Running Total

Steps to Navigate:

1. Add a table (refer **Task 1** or **Task 40**).
2. Open **Table Settings**.
3. In **Table Settings**, open **Running Total**.
4. Only numeric columns will appear, Select any numeric columns.
5. Running total updates dynamically.



Task 39: Grouping & Summary

Location: Table Settings → Grouping & Summary
Working: Groups table data and applies summary calculations.

Steps to Navigate:

1. Add a table (refer **Task 1** or **Task 40**).
2. Open **Table Settings**.
3. Navigate to **Grouping & Summary**.
4. Select column headers for grouping.
5. Choose summary fields and calculation type from dropdown.
6. Configure additional options:
   - Merge group headers
   - Summarize group
   - Display Top-N groups
   - Sort order (Ascending / Descending / None)
7. In the **Options** tab, configure:
   - Grand total
   - Show all data or summary-only view



Task 40: Table

Location: Extra Tab → Table / JSON Table
Working: Supports manual tables and Data-driven tables with advanced configurations.

Part A: Manual Table

Steps to Navigate:

1. Drag and drop **Table** from the Extra tab.
2. Configure:
   - Column headers
   - Row headers
   - Number of rows and columns
3. Click **Add** to insert the table.
4. Open **Settings** and verify options:
   - Table settings
   - Highlighting
   - Table styles

Part B: DataSource Table

Steps to Navigate:

1. Drag and drop DataSource **Table** from the Extra tab.
2. Select a datasource and add the table.
3. Enable **Hide Data** option.
4. Data is hidden while styles/settings remain editable.
5. Disable **Hide Data** and confirm data reappears.
6. Verify availability of:
    - Column reorder
    - Grouping & summary
    - Running total
    - Highlighting
    - Table styles
7. DataSource table data remains editable after insertion.



Task 41: Subreport

Location: Navbar → ✚ Icon → Reports Tab → Subreport
Working: Allows embedding a saved report template as a subreport and passing parameters from the main report.

Steps to Navigate:

1. Click the ✚ icon in the navbar.
2. Open the **Reports** tab and drag & drop **Subreport** onto the desired location.
3. Double-click the subreport area in the editor.
4. In the popup, select a previously saved template (refer **Task 48 – Template Save**).
5. Apply the selection and confirm subreport content appears.
6. Click **Export PDF** and open the PDF preview.
7. Subreport data renders correctly in the generated PDF.
8. If the subreport contains a datasource table, pass parameters from the main report to the subreport (refer **Task 1 – JSON Table**).



Task 42: Sheet Break

Location: Navbar → ✚ Icon → Layout Tab → Flow Layout
Working: Splits content into ordered areas on the same page where elements flow sequentially.

Steps to Navigate:

1. Click the ✚ icon in the navbar.
2. Open the **Layout** tab.
3. Drag & drop the **Flow Layout** component onto the editor.
4. Set the number of areas and area height.
5. Add content into each area.
6. Content flows automatically from one area to the next on the same page.

Task 43: Multilingual

Working: Supports any language text inside textbox.
Steps to Navigate:
Add content in different languages (e.g., English, Hindi, Arabic).



Task 44: Conditional Page Break

Location: Navbar → Page Settings
Working: Automatically breaks content based on page-wise or section-wise conditions.

Steps to Navigate:

1. Create multiple pages (refer **Task 11 – Page Setup**).
2. Open **Page Settings** from the navbar.
3. Scroll to the bottom of the settings panel.
4. Configure **Page-wise Conditional Page Break**:
   - Set condition to break content from the bottom of individual pages.
5. Configure **Section-wise Conditional Break**:
   - Set condition to break content based on sections.

6. Content moves to the next page based on defined conditions.



Task 45: Form-Select

Location: Navbar → ✚ Icon → Forms Tab / Code Editor
Working: Dynamically updates datasource table data based on dropdown selection.

Steps to Navigate:

1. Add a **Datasource Table** (refer **Task 40B**).
2. Ensure the datasource contains more than one customer.
3. Add a **Dropdown** component from the **Forms** tab.
4. Select the outermost container holding both dropdown and table.
5. Open **Code Editor** from the navbar (rightmost icon).
6. Add the required script with:
   - Correct dropdown ID
   - Correct datasource table ID
   - Correct datasource file name (`common_json_<filename>`)
7. Click **Apply** and wait for script execution.
8. Switch to **Read Only View** (refer **Task 2**).

```
<script>

(function () {

  function log() {

    console.log.apply(console, arguments);

    if (window.top && window.top !== window) {

      window.top.console.log.apply(window.top.console, arguments);

    }
```

```
}
log('[TABLE] script started');
let project_type = 'developmentJsonType';
if (typeof project_type2 !== 'undefined' && project_type2 === 'downloadedJsonType') {
  project_type = 'downloadedJsonType';
}
function getCommonJson() {
  log('[TABLE] resolving json source');
  if (project_type === 'developmentJsonType') {
    const raw = localStorage.getItem('common_json_sample json.json');
    log('[TABLE] localStorage raw =', raw);
    if (raw) return JSON.parse(raw);
  }
  if (project_type === 'downloadedJsonType') {
    const raw = localStorage.getItem('common_json_sample json.json');
    log('[TABLE] localStorage raw =', raw);
    if (raw) return JSON.parse(raw);
  }
  log('[TABLE] json not found');
  return null;
}
function resolveCustomerKey(val) {
  if (val === 'opt1') return 'CUSTOMER1';
  if (val === 'opt2') return 'CUSTOMER2';
  return null;
}
function updateTable(dataArr) {
  log('[TABLE] updateTable called');
  const container = document.getElementById('i1in4c1');
  if (!container) {
    log('[TABLE] container i1in4c1 not found');
    return;
  }
  const rows = container.querySelectorAll('tbody tr');
  log('[TABLE] rows found =', rows.length);
  for (let i = 0; i < rows.length && i < dataArr.length; i++) {
```

```
    const fieldCell = rows[i].querySelector('[data-column-key="FIELD"]');
    const valueCell = rows[i].querySelector('[data-column-key="VALUE"]');
    log('[TABLE] row', i, dataArr[i]);
    if (fieldCell) fieldCell.textContent = dataArr[i].FIELD ?? '';
    if (valueCell) valueCell.textContent = dataArr[i].VALUE ?? '';
  }
  log('[TABLE] table update completed');
}
function applyChange() {
  const select = document.getElementById('ic1ywc');
  if (!select) {
    log('[TABLE] dropdown ic1ywc not found');
    return;
  }
  const customerKey = resolveCustomerKey(select.value);
  log('[TABLE] selected customerKey =', customerKey);
  if (!customerKey) return;
  const commonJson = getCommonJson();
  log('[TABLE] commonJson =', commonJson);
  if (!commonJson) return;
  const tableBlock = commonJson?.[customerKey]?.HTML_TAB5_loanDetailsTable;
  log('[TABLE] tableBlock =', tableBlock);
  const tableData = tableBlock?.data;
  log('[TABLE] tableData =', tableData);
  if (Array.isArray(tableData)) {
    updateTable(tableData);
  } else {
    log('[TABLE] tableData invalid or missing');
  }
}
function waitForDom() {
  const select = document.getElementById('ic1ywc');
  const table = document.getElementById('i1in4c1');
  if (!select || !table) {
    setTimeout(waitForDom, 200);
    return;
```

```
  }
  log('[TABLE] DOM ready, attaching listener');
  select.addEventListener('change', applyChange);
  applyChange();
 }
 waitForDom();
})();
</script>
```

Task 46: Text–JSON Connection

Steps to Navigate:

1. Write placeholders in `{}` inside textbox (e.g., `{Name}`).
2. From JSON tab, map and add keys.
3. Matching placeholders update dynamically.



Task 47: Carousel

Location: Extra Tab → *Carousel Component*
Steps to Navigate:

1. Drag carousel.
2. Add Slides and Interval (ms) and click on create.





Task 48: FrontEnd for Api is Required

Part A: Template Management

Location: Navbar → Save / Fetch Template Options
Working: Saves, fetches, edits, and deletes templates stored on the server.

Steps to Navigate:

1. Design a template in the editor.
2. Click **Save Template to Server**.
3. Enter a file name and click **Save**.
4. Click **Fetch All Templates** to view saved templates.
5. Click the **Edit (Pencil)** icon to modify a template.
6. Click the **Delete** icon to remove a template.



Part B: Bulk HTML Generation

Location: Navbar → Bulk HTML Generation Icon
Working: Generates HTML files using one template with single or multiple datasources.

Steps to Navigate:

1. Click the **Bulk HTML Generation** icon.
2. Verify previously added JSON files appear automatically.
3. Upload additional JSON files if required.
4. Select **HTML** as the output format.
5. Configure HTML file naming:
    - JSON key combination, or
    - Random name
6. Set password option:
    - Common password
    - JSON key–based password
    - No password
7. Generate HTML files and verify output.



Task 49: Error and logs for API not received

Location: Navbar → Fetch All Logs
Working: Displays API and backend-related logs for debugging and auditing.

Steps to Navigate:

1. Click **Fetch All Logs** from the navbar.
2. Verify the log screen opens.
3. Filter logs by date.
4. Export logs to Excel.
5. Log data matches backend activity.



API Logs Details

Back to Home | Download Excel

Start Date: 22-12-2025 | To Date: 22-12-2025 | Result: All | Reset | Submit

Serial Number	Message	Send Request Time	Output Response Time	Result	Template ID
1	Fetched all templates succesfully	22-12-2025 04:13 PM	22-12-2025 04:13 PM	SUCCESS	
2	Template with id 9 fetched successfully for editing	22-12-2025 04:01 PM	22-12-2025 04:01 PM	SUCCESS	
3	Template with id 9 fetched successfully for editing	22-12-2025 04:01 PM	22-12-2025 04:01 PM	SUCCESS	
4	Fetched all templates succesfully	22-12-2025 04:01 PM	22-12-2025 04:01 PM	SUCCESS	
5	Template with id 9 fetched successfully for editing	22-12-2025 04:00 PM	22-12-2025 04:00 PM	SUCCESS	
6	Fetched all templates succesfully	22-12-2025 04:00 PM	22-12-2025 04:00 PM	SUCCESS	
7	Template with id 1 fetched successfully for editing	22-12-2025 04:00 PM	22-12-2025 04:00 PM	SUCCESS	

Task 50: Report Explorer

Location: Editor Side Panel → Report Explorer
Working: Displays all components in a hierarchical tree view for easy navigation.

Steps to Navigate:

1. Open the **Report Explorer** panel.
2. Verify all components appear in a tree structure with **Component's ID**.
3. Click any item in the tree.
4. The corresponding component is selected in the editor.





Task 51: After saving the template/design

Design view and o/p View is not matching

Working: Ensures downloaded output matches editor Read-Only view.

Steps to Navigate:

1. Design a template in the editor.
2. Switch to **Read Only View** (refer **Task 2**).
3. Download/export the output.
4. Downloaded content looks identical to Read-Only view.

Task 52: Crosstabs

Location: Extra Tab → Table / Datasource Table
Working: Creates manual or datasource-driven crosstab tables.

Manual Crosstab Table

Steps to Navigate:

1. Add a **Table** (refer **Task 40A**).
2. Open **Settings**.
3. Enable **Stop (Cross-tab Mode)**.
4. Merge consecutive header or body cells.



Header	Header	Header	Header	Header
Header	Header		Header	Header
Header		Text	Text	Text
			Text	Text
Header	Header	Text	Text	Text
Header	Header	Text	Text	Text

Datasource Crosstab Table

Steps to Navigate:

1. Add a **Datasource Table** (refer **Task 40B**).
2. Enable **Crosstab Mode** from settings.
3. Select datasource file and bind data.

Task 53: Required outputs txt,csv, docs,rtf & xls, Postscript(PS)

Location: Navbar → Export Options
Working: Exports editor content into multiple file formats.

Steps to Navigate:

1. Click **Export** from the navbar.
2. Select one of the formats:
   - TXT
   - CSV
   - DOC / RTF

- XLS / XLSX
- PostScript (PS)

3. Download the file.





Task 54: ListBox, mutiselect

Working: Allows repositioning elements within the editor.

Steps to Navigate:

1. Select any element in the editor.
2. Locate the **arrow icon** at the top-right of the element.
3. Drag the arrow to reposition the element.



Task 55: Text Rotation

Steps to Navigate:

1. Select **Textbox**.
2. In right panel → *Extra Section* → *Transform* → *Rotation Degree*.
3. Apply rotation.



Task 56: Separate Datasource option for PDF view

Location: Navbar → Add Datasource
Working: Supports XML files as datasource similar to JSON.

Steps to Navigate:

1. Upload an **XML file** as a datasource.
2. Select XML as datasource for:
   - Text
   - Table
   - Chart
3. Bind XML data.
4. Correct data rendering (refer **Task 65**).



Task 57: Password Protection in tool for HTML

Location: Navbar → Bulk HTML Generation
Working: Enables password protection for generated HTML files.

Steps to Navigate:

1. Click **Bulk HTML** option.
2. Choose password type:
   - Common password
   - JSON key–based password
   - No password
3. Generate HTML output.





Task 58: Flow layout and other layouts are not available

Location: Navbar → ✚ Icon → Layout Tab → Flow Layout
Working: Arranges content in multiple columns like a newspaper.

Steps to Navigate:

1. Add **Flow Layout** from the Layout tab.
2. Set number of columns and column height.
3. Add content into columns.
4. Content flows from one column to the next.

Task 60: Page selection

Location: Navbar → Export PDF → Preview
Working: Allows exporting selected pages only.

Steps to Navigate:

1. Create multiple pages (refer **Task 11**).
2. Click **Export to PDF**.
3. In PDF preview, select page options:
   - Even
   - Odd
   - Custom
4. Generate PDF.



Task 61: Transaction Table

Location: Datasource Table
Working: Automatically paginates large transaction tables.

Steps to Navigate:

1. Create multiple pages (refer **Task 11**).
2. Add a **Datasource Table** and bind data.
3. Fill page completely with table data.
4. Content moves to next page automatically.



Task 62: Tabs

Location: Navbar → ✚ Icon → Extra Tab → Tabs
Working: Creates tabbed layouts including nested tabs.

Steps to Navigate:

1. Add **Tabs** component from Extra tab.
2. Create multiple tabs.

3. Add nested tabs if required.
4. First tab opens by default when none is selected.



Task 63: Designer Console Screen

Location: Designer Console Screen
Working: Displays system information, errors, and logs.

Steps to Navigate:

1. Open the **Designer Console**.
2. Verify information, error, and log entries.
3. Filter logs by:
   - Date
   - Log level
4. Export logs to Excel.

Task 65: Multi-JSON Feature need to implement

Steps to Navigate:

1. In Navbar → **Add JSON**.
2. Add multiple JSON files.
3. Link components to desired JSON datasets.


Upload DataSource file

Import Json/XML File
Already Added Files
SampleJson_AllAccounts.json
actual_json_formate.json
Choose Files
No file chosen
Add