



Monthly Sustainability Report

Report Period: 2026-06

Generated: 2026-06-26 08:48 UTC

Classification: Internal — Sustainability Team

Executive Summary

Metric	Value	Target	Status
Total Shipments	4,523	—	■■
Material Saved (kg)	312.5	≥ 25% reduction	■
CO ₂ e Saved (kg)	87.30	≥ 20% reduction	■
Avg Void Volume %	52.4%	< 60%	■
Damage Rate	0.31%	< 0.5%	■

Weekly Material Usage Trend




Figure 1: Weekly packaging material consumption (kg) over the reporting period. Downward trend indicates optimization impact.

Fragility Safety Scores

Fragility Tier	Safety Score %	Target	Status
None (Tier 0)	99.8%	≥ 99.0%	■
Low (Tier 1)	99.5%	≥ 99.0%	■
Medium (Tier 2)	98.7%	≥ 99.0%	■■
Critical (Tier 3)	97.2%	≥ 99.5%	■■■

Methodology Notes

- Material weight estimated from box surface area × cardboard density (0.055 g/cm², single-wall C-flute corrugated).
- CO₂e calculated using IPCC/DEFRA 2024 emission factors: 1.32 kg CO₂e/kg for cardboard production, 0.0625 kg CO₂e/tonne-km for road freight.
- Baseline comparison assumes 30 percentage-point higher void volume under manual packing operations.
- Report generated by EcoPackAI v1.0 on 2026-06-26 08:48 UTC.