

What gridmicrotexdraws

Each row is a LaTeX input and what the package makes of it. The examples are those of KaTeX's list of supported functions that the package draws, then what KaTeX does not have; the last page lists what is not supported. A row here is a test: it must be drawn with no warning.

Accents

<code>a'</code>	a'	<code>\tilde{a}</code>	$\tilde{a}$
<code>\mathring{g}</code>	$\mathring{g}$	<code>a''</code>	a''
<code>\widetilde{ac}</code>	$\widetilde{ac}$	<code>a^{\prime}</code>	a'
<code>\utilde{AB}</code>	$\sim AB$	<code>\acute{a}</code>	$\acute{a}$
<code>\vec{F}</code>	$\vec{F}$	<code>\bar{y}</code>	$\bar{y}$
<code>\overleftarrow{AB}</code>	$\overleftarrow{AB}$	<code>\overrightarrow{AB}</code>	$\overrightarrow{AB}$
<code>\breve{a}</code>	$\breve{a}$	<code>\underleftarrow{AB}</code>	$\underleftarrow{AB}$
<code>\underrightarrow{AB}</code>	$\underrightarrow{AB}$	<code>\check{a}</code>	$\check{a}$
<code>\dot{a}</code>	$\dot{a}$	<code>\overleftrightarrow{AB}</code>	$\overleftrightarrow{AB}$
<code>\overbrace{AB}</code>	$\overbrace{AB}$	<code>\ddot{a}</code>	$\ddot{a}$
<code>\underleftrightharrow{AB}</code>	$\underleftrightharrow{AB}$	<code>\underbrace{AB}</code>	$\underbrace{AB}$
<code>\ddddot{a}</code>	$\ddddot{a}$	<code>\overline{AB}</code>	$\overline{AB}$
<code>\overbracket{AB}</code>	$\overbracket{AB}$	<code>\ddddot{a}</code>	$\ddot{\ddot{a}}$
<code>\underleftrightharrow{AB}</code>	$\underleftrightharrow{AB}$	<code>\underbracket{AB}</code>	$\underbracket{AB}$
<code>\grave{a}</code>	$\grave{a}$	<code>\underline{AB}</code>	$\underline{AB}$
<code>\hat{\theta}</code>	$\hat{\theta}$	<code>\underbar{X}</code>	$\underline{X}$
<code>\text{'{a}}</code>	$\acute{a}$	<code>\widehat{ac}</code>	$\widehat{ac}$
<code>\text{\.{a}}</code>	$\dot{a}$	<code>\text{\~{a}}</code>	$\tilde{a}$
<code>\text{\={a}}</code>	$\ddot{a}$	<code>\text{\`{a}}</code>	$\grave{a}$
<code>\text{\v{a}}</code>	$\breve{a}$	<code>\text{\^{a}}</code>	$\hat{a}$
<code>\text{\u{a}}</code>	$\breve{a}$	<code>\text{\r{a}}</code>	$\text{\r{a}}$

Delimiters

<code>(~)</code>	<code>()</code>	<code>\lparen~\rparen</code>	<code>()</code>
<code>~~~~</code>		<code>\lceil~\rceil</code>	<code>[]</code>
<code>~~~~~</code>		<code>\uparrow</code>	$\uparrow$
<code>[~]</code>	<code>[]</code>	<code>\lbrack~\rbrack</code>	<code>[]</code>
<code>\lfloor~\rfloor</code>	<code>[]</code>	<code>\downarrow</code>	$\downarrow$
<code>\{ \}</code>	<code>{ }</code>	<code>\lbrace \rbrace</code>	<code>{ }</code>
<code>\lmoustache \rmoustache</code>	<code>\{ \}</code>	<code>\updownarrow</code>	$\updownarrow$
<code>\langle~\rangle</code>	<code>\langle \rangle</code>	<code>\lgroup~\rgroup</code>	<code>()</code>
<code>\Uparrow</code>	$\Uparrow$	<code>\vert</code>	$ $
<code>\ulcorner \urcorner</code>	$\ulcorner \urcorner$	<code>\Downarrow</code>	$\Downarrow$
<code>\Vert</code>	$\parallel$	<code>\llcorner \lrcorner</code>	$\llcorner \lrcorner$
<code>\Updownarrow</code>	$\Updownarrow$	<code>\lvert~\rvert</code>	$ $

Delimiters (continued)

<code>\lVert~\rVert</code>	$\ \ $	<code>\backslash</code>	$\backslash$
<code>\lang~\rang</code>	$\langle \rangle$	<code>\left\lt~\right\gt</code>	$< >$
<code>\llbracket~\rrbracket</code>	$\llbracket \rrbracket$	<code>/</code>	$/$
<code>\lBrace~\rBrace</code>	$\cdot \cdot$	<code>\left(\LARGE{AB}\right)</code>	(AB)
<code>(\big(\Big(\bigg(\Bigg(</code>	$((((($		

Environments

`\begin{matrix} a & b \\ c & d \end{matrix}`

$a \quad b$

$c \quad d$

`\begin{array}{cc} a & b \\ c & d \end{array}`

$a \quad b$

$c \quad d$

`\begin{pmatrix} a & b \\ c & d \end{pmatrix}`

$\begin{pmatrix} a & b \\ c & d \end{pmatrix}$

`\begin{bmatrix} a & b \\ c & d \end{bmatrix}`

$\begin{bmatrix} a & b \\ c & d \end{bmatrix}$

`\begin{vmatrix} a & b \\ c & d \end{vmatrix}`

$\begin{vmatrix} a & b \\ c & d \end{vmatrix}$

`\begin{Vmatrix} a & b \\ c & d \end{Vmatrix}`

$\begin{Vmatrix} a & b \\ c & d \end{Vmatrix}$

`\begin{Bmatrix} a & b \\ c & d \end{Bmatrix}`

$\begin{Bmatrix} a & b \\ c & d \end{Bmatrix}$

`\def\arraystretch{1.5}\begin{array}{c:c:c} a & b & c \\ \hline d & e & f \\ \hdashline g & h & i \end{array}`

$$\begin{array}{c|c|c} a & b & c \\ \hline d & e & f \\ \hline g & h & i \end{array}$$

`x = \begin{cases} a & \text{if } b \\ c & \text{if } d \end{cases}`

$x = \begin{cases} a & \text{if } b \\ c & \text{if } d \end{cases}$

`\begin{smallmatrix} a & b \\ c & d \end{smallmatrix}`

$a \quad b$

$c \quad d$

`\sum_{\begin{subarray}{l} i \in \Lambda \\ 0 < j < n \end{subarray}}`

$\sum_{\substack{i \in \Lambda \\ 0 < j < n}}$

Environments (continued)

```
\begin{equation}\begin{split}a
&=b+c\\&=e+f\end{split}\end{equation}
```

$$\begin{aligned}a &= b + c \\ &= e + f\end{aligned}\tag{1}$$

```
\begin{align} a&=b+c \\\ d+e&=f \end{align}
```

$$\begin{aligned}a &= b + c \\ d + e &= f\end{aligned}\tag{2}$$

```
\begin{gather} a=b \\\ e=b+c \end{gather}
```

$$\begin{aligned}a &= b \\ e &= b + c\end{aligned}\tag{4}$$

```
\begin{alignat}{2}10&x+&3&y=2\\3&x+&13&y=4\end{alignat}
```

$$10x + 3y = 2\tag{6}$$

$$3x + 13y = 4\tag{7}$$

```
\begin{CD}A @>a>> B \\ @VbVV @AAcA\\C @= D\end{CD}
```

$$\begin{array}{ccc}A & \xrightarrow{a} & B \\ b \downarrow & & \uparrow c \\ C & \xlongequal{\quad} & D\end{array}$$

HTML

<code>\url{https://katex.org/}</code>	https://katex.org/	<code>\htmlId{bar}{x}</code>	X
<code>\htmlClass{foo}{x}</code>	X	<code>\htmlStyle{color: red;}{x}</code>	X
<code>\htmlData{foo=a, bar=b}{x}</code>	X		
<code>\href{https://katex.org/}{KaTeX}</code>	KaTeX		

Letters and Unicode

<code>\Alpha</code>	A	<code>\Beta</code>	B
<code>\Gamma</code>	Γ	<code>\Delta</code>	Δ
<code>\Epsilon</code>	E	<code>\Zeta</code>	Z
<code>\Eta</code>	H	<code>\Theta</code>	Θ
<code>\Iota</code>	I	<code>\Kappa</code>	K
<code>\Lambda</code>	Λ	<code>\Mu</code>	M
<code>\Nu</code>	N	<code>\Xi</code>	Ξ
<code>\Omicron</code>	O	<code>\Pi</code>	Π
<code>\Rho</code>	P	<code>\Sigma</code>	Σ
<code>\Tau</code>	T	<code>\Upsilon</code>	Υ
<code>\Phi</code>	Φ	<code>\Chi</code>	Χ
<code>\Psi</code>	Ψ	<code>\Omega</code>	Ω
<code>\varGamma</code>	Γ	<code>\varDelta</code>	Δ
<code>\varTheta</code>	Θ	<code>\varLambda</code>	Λ
<code>\varXi</code>	Ξ	<code>\varPi</code>	Π

Letters and Unicode (continued)

<code>\varSigma</code>	Σ	<code>\varUpsilon</code>	Υ
<code>\varPhi</code>	Φ	<code>\varPsi</code>	Ψ
<code>\varOmega</code>	Ω	<code>\alpha</code>	α
<code>\beta</code>	β	<code>\gamma</code>	γ
<code>\delta</code>	δ	<code>\epsilon</code>	ϵ
<code>\zeta</code>	ζ	<code>\eta</code>	η
<code>\theta</code>	θ	<code>\iota</code>	ι
<code>\kappa</code>	κ	<code>\lambda</code>	λ
<code>\mu</code>	μ	<code>\nu</code>	ν
<code>\xi</code>	ξ	<code>\omicron</code>	$\omicron$
<code>\pi</code>	π	<code>\rho</code>	ρ
<code>\sigma</code>	σ	<code>\tau</code>	τ
<code>\upsilon</code>	υ	<code>\phi</code>	ϕ
<code>\chi</code>	χ	<code>\psi</code>	ψ
<code>\omega</code>	ω	<code>\varepsilon</code>	ε
<code>\varkappa</code>	$\varkappa$	<code>\vartheta</code>	ϑ
<code>\thetasym</code>	ϑ	<code>\varpi</code>	ϖ
<code>\varrho</code>	ϱ	<code>\varsigma</code>	ς
<code>\varphi</code>	φ	<code>\digamma</code>	$\digamma$
<code>\imath</code>	$\imath$	<code>\nabla</code>	∇
<code>\Im</code>	$\Im$	<code>\Reals</code>	$\mathbb{R}$
<code>\text{\OE}</code>	$\mathfrak{E}$	<code>\jmath</code>	$\jmath$
<code>\partial</code>	∂	<code>\image</code>	$\mathfrak{I}$
<code>\wp</code>	$\wp$	<code>\text{\o}</code>	$\oslash$
<code>\aleph</code>	$\aleph$	<code>\Game</code>	$\mathfrak{G}$
<code>\Bbbk</code>	$\mathbb{k}$	<code>\weierp</code>	$\wp$
<code>\text{\O}</code>	$\mathfrak{O}$	<code>\alef</code>	$\aleph$
<code>\Finv</code>	$\mathfrak{F}$	<code>\N</code>	$\mathbb{N}$
<code>\Z</code>	$\mathbb{Z}$	<code>\text{\ss}</code>	$\mathfrak{B}$
<code>\alefsym</code>	$\aleph$	<code>\cnums</code>	$\mathbb{C}$
<code>\natnums</code>	$\mathbb{N}$	<code>\text{\aa}</code>	$\mathfrak{a}$
<code>\text{\i}</code>	$\mathfrak{i}$	<code>\beth</code>	$\beth$
<code>\Complex</code>	$\mathbb{C}$	<code>\R</code>	$\mathbb{R}$
<code>\text{\AA}</code>	$\mathfrak{A}$	<code>\text{\j}</code>	$\mathfrak{j}$
<code>\gimel</code>	$\mathfrak{g}$	<code>\ell</code>	ℓ
<code>\Re</code>	$\mathfrak{R}$	<code>\text{\ae}</code>	$\mathfrak{ae}$
<code>\daleth</code>	$\mathfrak{T}$	<code>\hbar</code>	$\hbar$
<code>\real</code>	$\mathfrak{R}$	<code>\text{\AE}</code>	$\mathfrak{AE}$

Letters and Unicode (continued)

<code>\eth</code>	ð	<code>\hslash</code>	ħ
<code>\reals</code>	ℝ	<code>\text{\oe}</code>	œ
<code>\char"263a</code>	.		

Layout

Annotation

<code>\cancel{5}</code>	5	<code>\bcancel{5}</code>	5
<code>\xcancel{ABC}</code>	ABC	<code>\not =</code>	≠
<code>\text{\sout{abc}}</code>	abc	<code>\boxed{\pi=\frac{c}{d}}</code>	$\pi = \frac{c}{d}$
<code>\tag{hi} x+y^{2x}</code>	$x + y^{2x}$	<code>\tag*{hi} x+y^{2x}</code>	$x + y^{2x}$
<code>\overbrace{a+b+c}^{\text{note}}</code>	$\overbrace{a+b+c}^{\text{note}}$		
<code>\underbrace{a+b+c}_{\text{note}}</code>	$\underbrace{a+b+c}_{\text{note}}$		
<code>\overbracket{a+b+c}^{\text{note}}</code>	$\overbracket{a+b+c}^{\text{note}}$		
<code>\underbracket{a+b+c}_{\text{note}}</code>	$\underbracket{a+b+c}_{\text{note}}$		

Vertical Layout

<code>x_n</code>	x_n	<code>\stackrel{!}{=}</code>	$\stackrel{!}{=}$
<code>a \atop b</code>	$a \atop b$	<code>e^x</code>	e^x
<code>\overset{!}{=}</code>	$\overset{!}{=}$	<code>a\raisebox{0.25em}{\$b\$}c</code>	$a^b c$
<code>\reflectbox{KaTeX}</code>	KaTeX	<code>\mathreflectbox{x^2}</code>	$\mathreflectbox{x^2}$
<code>_u^o</code>	${}_u^o$	<code>\underset{!}{=}</code>	$\underset{!}{=}$
<code>\sum_{\substack{0<i<m\\0<j<n}}</code>	$\sum_{\substack{0<i<m\\0<j<n}}$		

Overlap and Spacing

<code>\mathllap{/},</code>	≠	<code>\left(x^{\smash{2}}\right)</code>	(x^2)
<code>\mathrlap{,/}{=}</code>	≠	<code>\sqrt{\smash[b]{y}}</code>	$\sqrt{y}$
<code>\displaystyle\sum_{\mathclap{1\leq i\leq j\leq n}} x_{ij}</code>			

Layout / Overlap and Spacing (continued)

Logic and Set Theory

<code>\gdef\VERT{ }</code>		<code>\forall</code>	$\forall$
<code>\complement</code>	$\complement$	<code>\therefore</code>	$\therefore$
<code>\emptyset</code>	$\emptyset$	<code>\exists</code>	$\exists$
<code>\subset</code>	$\subset$	<code>\because</code>	$\because$
<code>\empty</code>	$\empty$	<code>\exist</code>	$\exists$
<code>\supset</code>	$\supset$	<code>\mapsto</code>	$\mapsto$
<code>\varnothing</code>	$\varnothing$	<code>\nexists</code>	$\nexists$
<code>\mid</code>	$\mid$	<code>\to</code>	$\rightarrow$
<code>\implies</code>	$\implies$	<code>\in</code>	$\in$
<code>\land</code>	$\wedge$	<code>\gets</code>	$\leftarrow$
<code>\impliedby</code>	$\impliedby$	<code>\isin</code>	$\in$
<code>\lor</code>	$\vee$	<code>\leftrightharpoonup</code>	$\leftrightarrow$
<code>\iff</code>	$\iff$	<code>\notin</code>	$\notin$
<code>\ni</code>	$\ni$	<code>\notni</code>	$\notni$
<code>\neg</code>	$\neg$	<code>\Set{ x \VERT x < \frac 1 2 }</code>	$\left\{ x \mid x < \frac{1}{2} \right\}$
<code>\set{x\VERT x < 5}</code>	$\{x \mid x < 5\}$		

Macros

```
\def\foo{x^2} \foo + \foo      x2 + x2
\gdef\foo#1{#1^2} \foo{y} + \foo{y}
y2 + y2
```

Operators

Big Operators

<code>\sum</code>	$\sum$	<code>\prod</code>	$\prod$
<code>\bigotimes</code>	$\bigotimes$	<code>\bigvee</code>	$\bigvee$
<code>\int</code>	$\int$	<code>\coprod</code>	$\coprod$
<code>\bigoplus</code>	$\bigoplus$	<code>\bigwedge</code>	$\bigwedge$
<code>\iint</code>	$\iint$	<code>\intop</code>	$\intop$
<code>\bigodot</code>	$\bigodot$	<code>\bigcap</code>	$\bigcap$
<code>\iiint</code>	$\iiint$	<code>\smallint</code>	$\smallint$
<code>\biguplus</code>	$\biguplus$	<code>\bigcup</code>	$\bigcup$
<code>\oint</code>	$\oint$	<code>\oiint</code>	$\oiint$
<code>\oiint</code>	$\oiint$	<code>\bigsqcup</code>	$\bigsqcup$

Operators / Big Operators (continued)

Binary Operators

<code>+</code>	$+$	<code>\cdot</code>	$\cdot$
<code>\gtrdot</code>	$\gtrdot$	<code>x \pmod a</code>	$x \pmod{a}$
<code>-</code>	$-$	<code>\cdot</code>	$\cdot$
<code>\intercal</code>	$\intercal$	<code>x \pod a</code>	$x \pod{a}$
<code>/</code>	$/$	<code>\centerdot</code>	$\cdot$
<code>\land</code>	$\wedge$	<code>\rhd</code>	$\rhd$
<code>*</code>	$*$	<code>\circ</code>	$\circ$
<code>\leftthreetimes</code>	$\leftthreetimes$	<code>\rightthreetimes</code>	$\rightthreetimes$
<code>\amalg</code>	$\amalg$	<code>\circledast</code>	$\circledast$
<code>\ldotp</code>	$\cdot$	<code>\rtimes</code>	$\rtimes$
<code>\And</code>	$\&$	<code>\circledcirc</code>	$\circledcirc$
<code>\lor</code>	$\vee$	<code>\setminus</code>	$\setminus$
<code>\ast</code>	$*$	<code>\circleddash</code>	$\circleddash$
<code>\lessdot</code>	$\lessdot$	<code>\smallsetminus</code>	$\smallsetminus$
<code>\barwedge</code>	$\barwedge$	<code>\Cup</code>	$\cup$
<code>\lhd</code>	$\lhd$	<code>\sqcap</code>	$\sqcap$
<code>\bigcirc</code>	$\bigcirc$	<code>\cup</code>	$\cup$
<code>\ltimes</code>	$\ltimes$	<code>\sqcup</code>	$\sqcup$
<code>\bmod</code>	$\bmod$	<code>\curlyvee</code>	$\curlyvee$
<code>x \mod a</code>	$x \bmod a$	<code>\times</code>	$\times$
<code>\boxdot</code>	$\boxdot$	<code>\curlywedge</code>	$\curlywedge$
<code>\mp</code>	$\mp$	<code>\unlhd</code>	$\unlhd$
<code>\boxminus</code>	$\boxminus$	<code>\div</code>	$\div$
<code>\odot</code>	$\odot$	<code>\unrhd</code>	$\unrhd$
<code>\boxplus</code>	$\boxplus$	<code>\divideontimes</code>	$\divideontimes$
<code>\ominus</code>	$\ominus$	<code>\uplus</code>	$\uplus$
<code>\boxtimes</code>	$\boxtimes$	<code>\dotplus</code>	$\dotplus$
<code>\oplus</code>	$\oplus$	<code>\vee</code>	$\vee$
<code>\bullet</code>	$\bullet$	<code>\doublebarwedge</code>	$\doublebarwedge$
<code>\otimes</code>	$\otimes$	<code>\veebar</code>	$\veebar$
<code>\Cap</code>	$\cap$	<code>\doublecap</code>	$\doublecap$
<code>\oslash</code>	$\oslash$	<code>\wedge</code>	$\wedge$
<code>\cap</code>	$\cap$	<code>\doublecup</code>	$\doublecup$
<code>\pm</code>	$\pm$	<code>\wr</code>	$\wr$

Operators / Binary Operators (continued)

Fractions and Binomials

<code>\frac{a}{b}</code>	$\frac{a}{b}$	<code>\tfrac{a}{b}</code>	$\frac{a}{b}$
<code>\genfrac () {2pt}{1}a{a+1}</code>	$\left(\frac{a}{a+1}\right)$	<code>{a \over b}</code>	$\frac{a}{b}$
<code>\dfrac{a}{b}</code>	$\frac{a}{b}$	<code>{a \above{2pt} b+1}</code>	$\frac{a}{b+1}$
<code>a/b</code>	a / b	<code>\cfrac{a}{1 + \cfrac{1}{b}}</code>	$\frac{a}{1 + \frac{1}{b}}$
<code>\binom{n}{k}</code>	$\binom{n}{k}$	<code>\dbinom{n}{k}</code>	$\binom{n}{k}$
<code>{n\brace k}</code>	$\{n\brace k\}$	<code>{n \choose k}</code>	$\binom{n}{k}$
<code>\tbinom{n}{k}</code>	$\binom{n}{k}$	<code>{n\brack k}</code>	$\left[n\atop k\right]$

Math Operators

<code>\arcsin</code>	<code>arcsin</code>	<code>\cosec</code>	<code>cosec</code>
<code>\deg</code>	<code>deg</code>	<code>\sec</code>	<code>sec</code>
<code>\arccos</code>	<code>arccos</code>	<code>\cosh</code>	<code>cosh</code>
<code>\dim</code>	<code>dim</code>	<code>\sin</code>	<code>sin</code>
<code>\arctan</code>	<code>arctan</code>	<code>\cot</code>	<code>cot</code>
<code>\exp</code>	<code>exp</code>	<code>\sinh</code>	<code>sinh</code>
<code>\arctg</code>	<code>arctg</code>	<code>\cotg</code>	<code>cotg</code>
<code>\hom</code>	<code>hom</code>	<code>\sh</code>	<code>sh</code>
<code>\arcctg</code>	<code>arcctg</code>	<code>\coth</code>	<code>coth</code>
<code>\ker</code>	<code>ker</code>	<code>\tan</code>	<code>tan</code>
<code>\arg</code>	<code>arg</code>	<code>\csc</code>	<code>csc</code>
<code>\lg</code>	<code>lg</code>	<code>\tanh</code>	<code>tanh</code>
<code>\ch</code>	<code>ch</code>	<code>\ctg</code>	<code>ctg</code>
<code>\ln</code>	<code>ln</code>	<code>\tg</code>	<code>tg</code>
<code>\cos</code>	<code>cos</code>	<code>\cth</code>	<code>cth</code>
<code>\log</code>	<code>log</code>	<code>\th</code>	<code>th</code>
<code>\operatorname{f}</code>	<code>f</code>	<code>\argmax</code>	<code>arg max</code>
<code>\injlim</code>	<code>inj lim</code>	<code>\min</code>	<code>min</code>
<code>\varinjlim</code>	$\varinjlim$	<code>\argmin</code>	<code>arg min</code>
<code>\lim</code>	<code>lim</code>	<code>\plim</code>	<code>plim</code>
<code>\varliminf</code>	$\varliminf$	<code>\det</code>	<code>det</code>
<code>\liminf</code>	<code>lim inf</code>	<code>\Pr</code>	<code>Pr</code>
<code>\varlimsup</code>	$\varlimsup$	<code>\gcd</code>	<code>gcd</code>
<code>\limsup</code>	<code>lim sup</code>	<code>\projlim</code>	<code>proj lim</code>
<code>\varprojlim</code>	$\varprojlim$	<code>\inf</code>	<code>inf</code>
<code>\max</code>	<code>max</code>	<code>\sup</code>	<code>sup</code>
<code>\operatorname{*f}</code>	<code>f</code>	<code>\operatornamewithlimits{f}</code>	<code>f</code>

Operators / Math Operators (continued)

Square roots

`\sqrt{x}` $\sqrt{x}$ `\sqrt[3]{x}` $\sqrt[3]{x}$

Relations

<code>\stackrel{!}{=}</code>	$\stackrel{!}{=}$	<code>=</code>	$=$
<code>\doteqdot</code>	$\doteqdot$	<code>\lessapprox</code>	$\lessapprox$
<code>\smile</code>	$\smile$	<code><</code>	$<$
<code>\eqcirc</code>	$\eqcirc$	<code>\lesseqgtr</code>	$\lesseqgtr$
<code>\sqsubset</code>	$\sqsubset$	<code>></code>	$>$
<code>\eqcolon</code>	$\eqcolon$	<code>\lesseqqgtr</code>	$\lesseqqgtr$
<code>\sqsubseteq</code>	$\sqsubseteq$	<code>:</code>	$:$
<code>\Eqcolon</code>	$\Eqcolon$	<code>\lessgtr</code>	$\lessgtr$
<code>\sqsupset</code>	$\sqsupset$	<code>\approx</code>	$\approx$
<code>\eqqcolon</code>	$\eqqcolon$	<code>\lesssim</code>	$\lesssim$
<code>\sqsupseteq</code>	$\sqsupseteq$	<code>\approxcolon</code>	$\approxcolon$
<code>\Eqqcolon</code>	$\Eqqcolon$	<code>\ll</code>	$\ll$
<code>\Subset</code>	$\Subset$	<code>\approxcoloncolon</code>	$\approxcoloncolon$
<code>\eqsim</code>	$\eqsim$	<code>\lll</code>	$\lll$
<code>\subset</code>	$\subset$	<code>\approxeq</code>	$\approxeq$
<code>\eqslantgtr</code>	$\eqslantgtr$	<code>\llless</code>	$\llless$
<code>\subseteq</code>	$\subseteq$	<code>\asymp</code>	$\asymp$
<code>\eqslantless</code>	$\eqslantless$	<code>\lt</code>	$\lt$
<code>\subseteqq</code>	$\subseteqq$	<code>\backepsilon</code>	$\backepsilon$
<code>\equiv</code>	$\equiv$	<code>\mid</code>	$\mid$
<code>\succ</code>	$\succ$	<code>\backsim</code>	$\backsim$
<code>\fallingdotseq</code>	$\fallingdotseq$	<code>\models</code>	$\models$
<code>\succapprox</code>	$\succapprox$	<code>\backsimeq</code>	$\backsimeq$
<code>\frown</code>	$\frown$	<code>\multimap</code>	$\multimap$
<code>\succcurlyeq</code>	$\succcurlyeq$	<code>\between</code>	$\between$
<code>\ge</code>	$\ge$	<code>\origof</code>	$\origof$
<code>\succeq</code>	$\succeq$	<code>\bowtie</code>	$\bowtie$
<code>\geq</code>	$\geq$	<code>\owns</code>	$\owns$
<code>\succsim</code>	$\succsim$	<code>\bumpeq</code>	$\bumpeq$
<code>\geqq</code>	$\geqq$	<code>\parallel</code>	$\parallel$
<code>\Supset</code>	$\Supset$	<code>\Bumpeq</code>	$\Bumpeq$
<code>\geqslant</code>	$\geqslant$	<code>\perp</code>	$\perp$
<code>\supset</code>	$\supset$	<code>\circeq</code>	$\circeq$
<code>\gg</code>	$\gg$	<code>\pitchfork</code>	$\pitchfork$
<code>\supseteq</code>	$\supseteq$	<code>\colonapprox</code>	$\colonapprox$

Relations (continued)

<code>\ggg</code>	$\ggg$	<code>\prec</code>	$\prec$
<code>\supseteqq</code>	$\supseteqq$	<code>\Colonapprox</code>	$\colon\approx$
<code>\gggtr</code>	$\gggtr$	<code>\precapprox</code>	$\precapprox$
<code>\thickapprox</code>	$\thickapprox$	<code>\coloneq</code>	$\coloneq$
<code>\gt</code>	$\gt$	<code>\preccurlyeq</code>	$\preccurlyeq$
<code>\thicksim</code>	$\thicksim$	<code>\Coloneq</code>	$\Coloneq$
<code>\gtrapprox</code>	$\gtrapprox$	<code>\preceq</code>	$\preceq$
<code>\trianglelefteq</code>	$\trianglelefteq$	<code>\coloneqq</code>	$\coloneqq$
<code>\gtreqless</code>	$\gtreqless$	<code>\precsim</code>	$\precsim$
<code>\trianglelefteq</code>	$\trianglelefteq$	<code>\Coloneqq</code>	$\Coloneqq$
<code>\gtreqgless</code>	$\gtreqgless$	<code>\propto</code>	$\propto$
<code>\trianglerighteq</code>	$\trianglerighteq$	<code>\colonsim</code>	$\colonsim$
<code>\gtrless</code>	$\gtrless$	<code>\risingdotseq</code>	$\risingdotseq$
<code>\varpropto</code>	$\varpropto$	<code>\Colonsim</code>	$\Colonsim$
<code>\gtrsim</code>	$\gtrsim$	<code>\shortmid</code>	$\shortmid$
<code>\vartriangle</code>	$\vartriangle$	<code>\cong</code>	$\cong$
<code>\imageof</code>	image of	<code>\shortparallel</code>	$\shortparallel$
<code>\vartriangleleft</code>	$\vartriangleleft$	<code>\curlyeqprec</code>	$\curlyeqprec$
<code>\in</code>	$\in$	<code>\sim</code>	$\sim$
<code>\vartriangleright</code>	$\vartriangleright$	<code>\curlyeqsucc</code>	$\curlyeqsucc$
<code>\Join</code>	$\Join$	<code>\simcolon</code>	$\simcolon$
<code>\vcentcolon</code>	$\vcentcolon$	<code>\dashv</code>	$\dashv$
<code>\le</code>	$\le$	<code>\simcoloncolon</code>	$\simcoloncolon$
<code>\vdash</code>	$\vdash$	<code>\dblcolon</code>	$\dblcolon$
<code>\leq</code>	$\leq$	<code>\simeq</code>	$\simeq$
<code>\vdash</code>	$\vdash$	<code>\doteq</code>	$\doteq$
<code>\leqq</code>	$\leqq$	<code>\smallfrown</code>	$\smallfrown$
<code>\Vdash</code>	$\Vdash$	<code>\Doteq</code>	$\Doteq$
<code>\leqslant</code>	$\leqslant$	<code>\smallsmile</code>	$\smallsmile$
<code>\Vvdash</code>	$\Vvdash$		

Negated Relations

<code>\not =</code>	$\neq$	<code>\gnapprox</code>	$\gnotapprox$
<code>\ngeqslant</code>	$\ngeqslant$	<code>\nsubseteq</code>	$\nsubseteq$
<code>\precneqq</code>	$\precneqq$	<code>\gneq</code>	$\gneq$
<code>\ngtr</code>	$\ngtr$	<code>\nsubseteqq</code>	$\nsubseteqq$
<code>\precnsim</code>	$\precnsim$	<code>\gneqq</code>	$\gneqq$
<code>\nleq</code>	$\nleq$	<code>\nsucc</code>	$\nsucc$
<code>\subsetneq</code>	$\subsetneq$	<code>\gnsim</code>	$\gnotsim$

Relations / Negated Relations (continued)

<code>\nleqq</code>	$\nlessapprox$	<code>\nsucceq</code>	$\nsuccapprox$
<code>\subsetneqq</code>	$\subsetneq$	<code>\gvertneqq</code>	$\gvertneq$
<code>\nleqslant</code>	$\nlessgtr$	<code>\nsupseteq</code>	$\nsupseteq$
<code>\succnapprox</code>	$\succapprox$	<code>\lnapprox</code>	$\lnapprox$
<code>\nless</code>	$\nless$	<code>\nsupseteqq</code>	$\nsupseteqq$
<code>\succneqq</code>	$\succneq$	<code>\lneq</code>	$\lneq$
<code>\nmid</code>	$\nmid$	<code>\ntriangleleft</code>	$\ntriangleleft$
<code>\succnsim</code>	$\succsim$	<code>\lneqq</code>	$\lneqq$
<code>\notin</code>	$\notin$	<code>\ntrianglelefteq</code>	$\ntrianglelefteq$
<code>\supsetneq</code>	$\supsetneq$	<code>\lnsim</code>	$\lnsim$
<code>\notni</code>	$\notni$	<code>\ntriangleright</code>	$\ntriangleright$
<code>\supsetneqq</code>	$\supsetneqq$	<code>\lvertneqq</code>	$\lvertneqq$
<code>\nparallel</code>	$\nparallel$	<code>\ntrianglerighteq</code>	$\ntrianglerighteq$
<code>\varsubsetneq</code>	$\varsubsetneq$	<code>\ncong</code>	$\ncong$
<code>\nprec</code>	$\nprec$	<code>\nvdash</code>	$\nvdash$
<code>\varsubsetneqq</code>	$\varsubsetneqq$	<code>\ne</code>	$\ne$
<code>\npreceq</code>	$\npreceq$	<code>\nvDash</code>	$\nvDash$
<code>\varsupsetneq</code>	$\varsupsetneq$	<code>\neq</code>	$\neq$
<code>\nshortmid</code>	$\nshortmid$	<code>\nVDash</code>	$\nVDash$
<code>\varsupsetneqq</code>	$\varsupsetneqq$	<code>\ngeq</code>	$\ngeq$
<code>\nshortparallel</code>	$\nshortparallel$	<code>\nVdash</code>	$\nVdash$
<code>\ngeqq</code>	$\ngeqq$	<code>\nsim</code>	$\nsim$
<code>\precnapprox</code>	$\precnapprox$		

Arrows

<code>\circlearrowleft</code>	$\circlearrowleft$	<code>\leftharpoonup</code>	$\leftharpoonup$
<code>\rArr</code>	$\Rightarrow$	<code>\circlearrowright</code>	$\circlearrowright$
<code>\leftleftarrows</code>	$\Leftrightarrow$	<code>\rarr</code>	$\rightarrow$
<code>\curvearrowleft</code>	$\curvearrowleft$	<code>\leftrightharpoonup</code>	$\leftrightharpoonup$
<code>\restriction</code>	$\restriction$	<code>\curvearrowright</code>	$\curvearrowright$
<code>\Leftrightarrow</code>	$\Leftrightarrow$	<code>\rightarrow</code>	$\rightarrow$
<code>\Darr</code>	$\Downarrow$	<code>\leftrightharrows</code>	$\Leftrightarrow$
<code>\Rightarrow</code>	$\Rightarrow$	<code>\dArr</code>	$\Downarrow$
<code>\leftrightharpoons</code>	$\Leftrightarrow$	<code>\rightarrowtail</code>	$\rightarrowtail$
<code>\darr</code>	$\Downarrow$	<code>\leftrightsquigarrow</code>	$\leftrightsquigarrow$
<code>\leftharpoonupdown</code>	$\leftharpoonupdown$	<code>\dashleftarrow</code>	$\dashleftarrow$
<code>\Lleftarrow</code>	$\Lleftarrow$	<code>\leftharpoonup</code>	$\leftharpoonup$
<code>\dashrightarrow</code>	$\dashrightarrow$	<code>\longleftarrow</code>	$\longleftarrow$
<code>\rightleftarrows</code>	$\Leftrightarrow$	<code>\downarrow</code>	$\downarrow$

Relations / Arrows (continued)

<code>\Longleftarrow</code>	$\Longleftarrow$	<code>\rightleftharpoons</code>	$\rightleftharpoons$
<code>\Downarrow</code>	$\Downarrow$	<code>\longlefttrightarrow</code>	$\longleftrightarrow$
<code>\rightrightarrows</code>	$\rightrightarrows$	<code>\downdownarrows</code>	$\downdownarrows$
<code>\Longlefttrightarrow</code>	$\Longlefttrightarrow$	<code>\rightsquigarrow</code>	$\rightsquigarrow$
<code>\downharpoonleft</code>	$\downharpoonleft$	<code>\longmapsto</code>	$\longmapsto$
<code>\Rrightarrow</code>	$\Rrightarrow$	<code>\downharpoonright</code>	$\downharpoonright$
<code>\longrightarrow</code>	$\longrightarrow$	<code>\Rsh</code>	$\Rsh$
<code>\gets</code>	$\leftarrow$	<code>\Longrightarrow</code>	$\Longrightarrow$
<code>\searrow</code>	$\searrow$	<code>\Harr</code>	$\Harr$
<code>\looparrowleft</code>	$\looparrowleft$	<code>\swarrow</code>	$\swarrow$
<code>\hArr</code>	$\hArr$	<code>\looparrowright</code>	$\looparrowright$
<code>\to</code>	$\rightarrow$	<code>\harr</code>	$\harr$
<code>\Lrarr</code>	$\Lrarr$	<code>\twoheadleftarrow</code>	$\twoheadleftarrow$
<code>\hookleftarrow</code>	$\hookleftarrow$	<code>\lrArr</code>	$\Leftrightarrow$
<code>\twoheadrightarrow</code>	$\twoheadrightarrow$	<code>\hookrightarrow</code>	$\hookrightarrow$
<code>\lrarr</code>	$\Leftrightarrow$	<code>\Uarr</code>	$\Uarr$
<code>\iff</code>	$\iff$	<code>\Lsh</code>	$\Lsh$
<code>\uArr</code>	$\uArr$	<code>\impliedby</code>	$\impliedby$
<code>\mapsto</code>	$\mapsto$	<code>\uarr</code>	$\uarr$
<code>\implies</code>	$\implies$	<code>\nearrow</code>	$\nearrow$
<code>\uparrow</code>	$\uparrow$	<code>\Larr</code>	$\Larr$
<code>\nleftarrow</code>	$\nleftarrow$	<code>\Uparrow</code>	$\Uparrow$
<code>\lArr</code>	$\lArr$	<code>\nLeftarrow</code>	$\nLeftarrow$
<code>\updownarrow</code>	$\updownarrow$	<code>\larr</code>	$\larr$
<code>\nlefttrightarrow</code>	$\nlefttrightarrow$	<code>\Updownarrow</code>	$\Updownarrow$
<code>\leadsto</code>	$\leadsto$	<code>\nLefttrightarrow</code>	$\nLefttrightarrow$
<code>\upharpoonleft</code>	$\upharpoonleft$	<code>\leftarrow</code>	$\leftarrow$
<code>\nrightarrow</code>	$\nrightarrow$	<code>\upharpoonright</code>	$\upharpoonright$
<code>\Leftarrow</code>	$\Leftarrow$	<code>\nRightarrow</code>	$\nRightarrow$
<code>\upuparrows</code>	$\upuparrows$	<code>\leftarrowtail</code>	$\leftarrowtail$
<code>\nwarrow</code>	$\nwarrow$	<code>\mapsfrom</code>	$\mapsfrom$
<code>\leftharpoondown</code>	$\leftharpoondown$	<code>\Rarr</code>	$\Rightarrow$
<code>\xleftarrow{abc}</code>	$\xleftarrow{abc}$	<code>\xrightarrow[under]{over}</code>	$\xrightarrow[under]{over}$
<code>\xLeftarrow{abc}</code>	$\xLeftarrow{abc}$	<code>\xRightarrow{abc}</code>	$\xRightarrow{abc}$
<code>\xleftrightharpoonrightarrow{abc}</code>	$\xleftrightharpoonrightarrow{abc}$	<code>\xLefttrightharpoonrightarrow{abc}</code>	$\xLefttrightharpoonrightarrow{abc}$
<code>\xhookleftarrow{abc}</code>	$\xhookleftarrow{abc}$	<code>\xhookrightarrow{abc}</code>	$\xhookrightarrow{abc}$
<code>\xleftharpoonup{abc}</code>	$\xleftharpoonup{abc}$	<code>\xrightarrow[abc]{abc}</code>	$\xrightarrow[abc]{abc}$
<code>\xleftharpoondown{abc}</code>	$\xleftharpoondown{abc}$	<code>\xrightarrow[abc]{abc}</code>	$\xrightarrow[abc]{abc}$

Relations / Arrows (continued)

<code>\xleftarrow{abc}</code>	$\xleftarrow{abc}$	<code>\xrightarrow{abc}</code>	$\xrightarrow{abc}$
<code>\xleftrightarrow{abc}</code>	$\xleftrightarrow{abc}$	<code>\xrightleftharpoons{abc}</code>	$\xrightleftharpoons{abc}$

Special Notation

<code>\bra{\phi}</code>	$\langle\phi $	<code>\ket{\psi}</code>	$ \psi\rangle$
<code>\braket{\phi\,\,\,\psi}</code>	$\langle\phi \psi\rangle$	<code>\Bra{\phi}</code>	$\langle\phi $
<code>\Ket{\psi}</code>	$ \psi\rangle$		

Style, Color, Size, and Font

<code>\color{blue} F=ma</code>	$F = ma$	<code>\textcolor{blue}{F=ma}</code>	$F = ma$
<code>\textcolor{#228B22}{F=ma}</code>	$F = ma$	<code>\colorbox{aqua}{F=ma}</code>	
<code>\fcolorbox{red}{aqua}{F=ma}</code>		<code>\mathrm{Ab0}</code>	Ab0
<code>\mathbf{Ab0}</code>	Ab0	<code>\mathsf{Ab0}</code>	Ab0
<code>\mathnormal{Ab0}</code>	Ab0	<code>\textbf{Ab0}</code>	Ab0
<code>\textsf{Ab0}</code>	Ab0	<code>\textrm{Ab0}</code>	Ab0
<code>\bf Ab0</code>	Ab0	<code>\sf Ab0</code>	Ab0
<code>\rm Ab0</code>	Ab0	<code>\bold{Ab0}</code>	Ab0
<code>\mathsf{Ab0}</code>	Ab0	<code>\textnormal{Ab0}</code>	Ab0
<code>\boldsymbol{Ab0}</code>	Ab0	<code>\Bbb{AB}</code>	$\mathbb{A}\mathbb{B}$
<code>\text{Ab0}</code>	Ab0	<code>\bm{Ab0}</code>	Ab0
<code>\mathbb{AB}</code>	$\mathbb{A}\mathbb{B}$	<code>\textup{Ab0}</code>	Ab0
<code>\textmd{Ab0}</code>	Ab0	<code>\frak{Ab0}</code>	$\mathfrak{A}\mathfrak{B}$
<code>\mathit{Ab0}</code>	Ab0	<code>\mathtt{Ab0}</code>	Ab0
<code>\mathfrak{Ab0}</code>	$\mathfrak{A}\mathfrak{B}$	<code>\textit{Ab0}</code>	Ab0
<code>\texttt{Ab0}</code>	Ab0	<code>\mathcal{AB0}</code>	$\mathcal{A}\mathcal{B}$
<code>\it Ab0</code>	Ab0	<code>\tt Ab0</code>	Ab0
<code>\cal AB0</code>	$\mathcal{A}\mathcal{B}$	<code>\emph{Ab0}</code>	Ab0
<code>\mathscr{AB}</code>	$\mathscr{A}\mathscr{B}$	<code>\textsf{\textbf{H}}</code>	H
<code>\mathsf{\textbf{H}}</code>	H	<code>\pmb{\mu}</code>	μ
<code>\Huge AB</code>	AB	<code>\normalsize AB</code>	AB
<code>\huge AB</code>	AB	<code>\small AB</code>	AB
<code>\LARGE AB</code>	AB	<code>\footnotesize AB</code>	AB
<code>\Large AB</code>	AB	<code>\scriptsize AB</code>	AB
<code>\large AB</code>	AB	<code>\tiny AB</code>	AB
<code>\displaystyle\sum_{i=1}^n</code>	$\sum_{i=1}^n$	<code>\textstyle\sum_{i=1}^n</code>	$\sum_{i=1}^n$
<code>\scriptstyle x</code>	x	<code>\scriptscriptstyle x</code>	x
<code>\lim\limits_x</code>	$\lim_x$	<code>\lim\limits_x</code>	$\lim_x$
<code>\verb!x^2!</code>	x^2		

Style, Color, Size, and Font (continued)

Symbols and Punctuation

<code>\dots</code>	...	<code>\KaTeX</code>	KaTeX
<code>\%</code>	%	<code>\cdots</code>	...
<code>\LaTeX</code>	LaTeX	<code>\#</code>	#
<code>\ddots</code>	⋮	<code>\TeX</code>	TeX
<code>\&</code>	&	<code>\ldots</code>	...
<code>\nabla</code>	∇	<code>_</code>	—
<code>\vdots</code>	⋮	<code>\infty</code>	∞
<code>\text{\textunderscore}</code>	—	<code>\dotso</code>	...
<code>\infin</code>	∞	<code>\text{--}</code>	—
<code>\dotsc</code>	...	<code>\checkmark</code>	✓
<code>\text{\textendash}</code>	—	<code>\dotso</code>	...
<code>\dag</code>	†	<code>\text{---}</code>	—
<code>\dotsm</code>	...	<code>\dagger</code>	†
<code>\text{\textemdash}</code>	—	<code>\dotso</code>	...
<code>\text{\textdagger}</code>	†	<code>\text{\textasciitilde}</code>	~
<code>\sdot</code>	·	<code>\ddag</code>	‡
<code>\text{\textasciicircum}</code>	^	<code>\mathellipsis</code>	...
<code>\ddagger</code>	‡	<code>\text{\textdaggerdbl}</code>	‡
<code>\text{\textellipsis}</code>	...	<code>\Box</code>	□
<code>\text{\textquoteright}</code>	’	<code>\lq</code>	‘
<code>\Dagger</code>	‡	<code>\angle</code>	∠
<code>\square</code>	□	<code>\blacksquare</code>	■
<code>\text{\textquoteright}</code>	’	<code>\rq</code>	’
<code>\measuredangle</code>	∠	<code>\sphericalangle</code>	∠
<code>\triangle</code>	△	<code>\triangledown</code>	▽
<code>\text{\textquotedblleft}</code>	“	<code>"</code>	"
<code>\top</code>	⊤	<code>\bot</code>	⊥
<code>\triangleleft</code>	◁	<code>\triangleright</code>	▷
<code>\text{\textquotedblright}</code>	”	<code>\colon</code>	:
<code>\\$</code>	\$	<code>\text{\textdollar}</code>	\$
<code>\bigtriangledown</code>	▽	<code>\bigtriangleup</code>	△
<code>\backprime</code>	′	<code>\prime</code>	′
<code>\pounds</code>	£	<code>\mathsterling</code>	£
<code>\blacktriangle</code>	▲	<code>\blacktriangledown</code>	▼
<code>\text{\textless}</code>	<	<code>\text{\textgreater}</code>	>
<code>\text{\textsterling}</code>	£	<code>\yen</code>	¥
<code>\blacktriangleleft</code>	◀		

Symbols and Punctuation (continued)

<code>\text{\textbar}</code>		<code>\blacktriangleright</code>	►
<code>\surd</code>	√	<code>\text{\textbardbl}</code>	⋮
<code>\diamond</code>	◇	<code>\degree</code>	°
<code>\text{\textbraceleft}</code>	{	<code>\Diamond</code>	◊
<code>\text{\textdegree}</code>	°	<code>\text{\textbraceright}</code>	}
<code>\lozenge</code>	◊	<code>\mho</code>	℧
<code>\text{\textbackslash}</code>	\	<code>\blacklozenge</code>	◆
<code>\diagdown</code>	↘	<code>\text{\P}</code>	¶
<code>\star</code>	★	<code>\diagup</code>	↗
<code>\text{\S}</code>	§	<code>\bigstar</code>	★
<code>\flat</code>	♭	<code>\text{\sect}</code>	§
<code>\clubsuit</code>	♣	<code>\natural</code>	♮
<code>\copyright</code>	©	<code>\clubs</code>	♣
<code>\sharp</code>	♯	<code>\circledR</code>	®
<code>\diamondsuit</code>	◇	<code>\heartsuit</code>	♥
<code>\text{\textregistered}</code>	®	<code>\diamonds</code>	◇
<code>\hearts</code>	♥	<code>\circledS</code>	®
<code>\spadesuit</code>	♠	<code>\spades</code>	♠
<code>\maltese</code>	✠	<code>\minuso</code>	⊖

Units

<code>\rule{1em}{1em}</code>	■	<code>\huge\rule{1em}{1em}</code>	■
<code>\rule{18mu}{18mu}</code>	■	<code>\huge\rule{18mu}{18mu}</code>	■
<code>\rule{10pt}{10pt}</code>	■	<code>\huge\rule{10pt}{10pt}</code>	■
<code>\scriptscriptstyle\rule{1em}{1em}</code>	■		
<code>\scriptscriptstyle\rule{18mu}{18mu}</code>	■		
<code>\scriptscriptstyle\rule{10pt}{10pt}</code>	■		

Units (continued)

Beyond KaTeX

Commands KaTeX does not have

Deprecated	<i>Deprecated</i>	<code>see {array}</code>	<i>seearray</i>
<code>see \Vert</code>	<code>see </code>	<code>see \vert</code>	<code>see </code>
<code>\bfseries</code>		<code>see {cases}</code>	<i>seecases</i>
Deprecated by mhchem	<i>Deprecatedbymhchem</i>	Deprecated by mhchem;	<i>Deprecatedbymhchem;</i>
A PR is pending.	<i>APRispending.</i>	<code>\Digamma</code>	F
<code>\em</code>		Non standard	<i>Nonstandard</i>
<code>{eqnarray}</code>	<i>eqnarray</i>	<code>\euro</code>	€
<code>\hbox to</code>	<i>to</i>	<code>\idotsint</code>	$\int \cdots \int$
<code>\iiint</code>	$\iiint$	<code>\itshape</code>	
<code>\Koppa</code>	?	<code>\koppa</code>	?
<code>See {matrix}</code>	<i>Seematrix</i>	<code>\mdseries</code>	
<code>{multiline}</code>	<i>multiline</i>	<code>\normalfont</code>	
<code>{picture}</code>	<i>picture</i>	<code>See {pmatrix}</code>	<i>Seepmatrix</i>
<code>See \Bbb{Q}</code>	<i>SeeQ</i>	<code>\Sampi</code>	?
<code>\sampi</code>	?	<code>\smiley</code>	?
<code>see \space</code>	<i>see</i>	<code>\Stigma</code>	?
<code>\stigma</code>	?	<code>{subarray}</code>	<i>subarray</i>
<code>see \tiny</code>	<i>see</i>	<code>\upshape</code>	
<code>\vfill</code>			

Numbers and units (a subset of siunitx)

<code>\num{12345.6789}</code>	12 345.6789	<code>\num{1.5e-4}</code>	1.5×10^{-4}
<code>\num{1.2+-0.3e3}</code>	$(1.2 \pm 0.3) \times 10^3$	<code>\qty{1.5}{\kilo\gram}</code>	1.5 kg
<code>\si{kg.m/s^2}</code>	kg m s ⁻²	<code>\ang{1;2;3}</code>	1°2'3"
<code>\numrange{1}{10}</code>	1 to 10	<code>\SIrange{1}{5}{\volt}</code>	1 V to 5 V
<code>\numlist{1;2;3}</code>	1, 2, and 3		
<code>\SI{9.81}{\meter\per\second\squared}</code>			
9.81 m s ⁻²			

Equations

<code>a = b \tag{1}</code>	$a = b$	<code>a = b \tag*{(*)}</code>	$a = b$
<code>\cancelto{0}{x}</code>	x^0	<code>\bigl\lvert x \bigr\rvert</code>	$ x $
<code>\begin{dcases} x & x > 0 \\ -x & \text{otherwise} \end{dcases}</code>			
$\begin{cases} x & x > 0 \\ -x & \text{otherwise} \end{cases}$			
<code>\begin{subarray}{c} i < n \\ j < m \end{subarray}</code>			

Beyond KaTeX / Equations (continued)

`\sqrt[\leftroot{-2}\uproot{2}n]{x}`
 $\sqrt[n]{x}$

Tables

`\begin{array}{c:c} a & b \\ \hdashline c & d \end{array}`

$$\begin{array}{c|c} a & b \\ \hline c & d \end{array}$$

`\begin{tabular}{|l|r|} \hline a & 1 \\ \hline b & 22 \\ \hline \end{tabular}`

<i>a</i>	1
<i>b</i>	22

`\begin{array}{l} \textbf{Bold} \\ \textsc{Small caps} \\ \verb|verbatim| \end{array}`


Bold

SMALLCAPS


`verbatim`

Commutative diagrams


`\begin{tikzcd} A \arrow[r, "f"] \arrow[d, "g"] & B \arrow[d, "h"] \\ C \arrow[r, hook, "k"] & D \end{tikzcd}`



`\begin{tikzcd}[column sep=large] A \arrow[r, "f", bend left] \arrow[r, "g", bend right] & B \arrow[r, two heads, dashed] & C \end{tikzcd}`



`\begin{CD} A @>f>> B \\ @VgVV @VVhV \\ C @>>k> D \end{CD}`



Not supported

<code>\ce{H2O}</code>	<code>\pu{1.5 mol/L}</code>	<code>\mathchoice{a}{b}{c}{d}</code>
<code>\expandafter</code>	<code>\futurelet</code>	<code>\noexpand</code>
<code>\edef</code>	<code>\xdef</code>	<code>\phase{30^\circ}</code>
<code>\angl{n}</code>	<code>\vcenter{x}</code>	<code>\text{H{o}}</code>
<code>\text{\textcircled{a}}</code>	<code>\xlongequal{abc}</code>	<code>\xtofrom{abc}</code>
<code>\twoheadrightarrow{abc}</code>	<code>\overgroup{AB}</code>	<code>\undergroup{AB}</code>
<code>\overlinesegment{AB}</code>	<code>\widecheck{ac}</code>	