Da	ta
----	----

	0.050	Data	0.077	
RDN18-1_27 -	0.959	0.966	0.977	
RDN18-1_99 -	0.912	0.927	0.942	
RDN18-1_T05 -	0.904	0.935	0.922	
RDN18-1_119 -	0.842	0.836	0.814	
RDN18-1 ⁻ 210 -	0.789 0.726	0.831 0.73	0.858 0.872	
RDN18-1_301 - RDN18-1_413 -	0.895	0.943	0.953	
RDN18-1 ⁻ 419 -	0.814	0.77	0.851	
RDN18-1 ⁻ 435 -	0.788	0.847	0.873	
RDN18-1 ⁻ 465 -	0.886	0.903	0.912	
RDN18-1 ⁻ 540 -	0.962	0.964	0.973	
RDN18-1 ⁻ 561 -	0.752	0.801	0.831	
RDN18-1 ⁻ 577 -	0.971	0.968	0.98	
RDN18-1 ⁻ 618 -	0.911	_0.9_	0.915	
RDN18-1 ⁻ 631 -	0.779	0.865	0.86	
RDN18-1 ⁻ 758 -	0.906	0.942	0.967	
RDN18-1-765 -	0.842	0.892	0.901	
RDN18-1-795 -	0.984	0.977	0.977	
RDN18-1 ⁻ 973 -	0.809	0.766	0.79	- 0.9
RDN18-1 ⁻ 998 -	0.643	0.665	0.796	
RDN18-1 ₋ T006 -	0.951	0.951	0.968	
RDN18-1 ⁻ 1125 -	0.722	0.773	0.788	
RDN18-1 ⁻ 1180 -	0.893	0.943	0.958	
RDN18-1_1186 -	0.91	0.91	0.921	
RDN18-1_1190 -	0.947	0.968	0.969	
RDN18-1 ⁻ 1268 -	0.603	0.66	0.8	
RDN18-1 ⁻ 1270 -	0.817	0.848	0.862	
RDN18-1 ⁻ 1279 -	0.812	0.761	0.711	
RDN18-1 ⁻ 1289 -	0.897	0.864	0.944	
RDN18-1 ⁻ 1414 -	0.566	0.575	0.777	
RDN18-1-1427 -	0.874	0.878	0.893	
RDN18-1-1571 -	0.82	0.91	0.929	
RDN18-1 ⁻ 1574 -	0.914	0.934	0.934	
RDN18-1 ⁻ 1638 -	0.826	0.849	0.886	
RDN18-1 ⁻ 1772 -	0.808	0.645	0.834	
RDN18-1 ⁻ 1780 -	0.626	0.922	0.884	
RDN18-1 ⁻ 1781 -	0.832	0.756	0.894	
RDN25-1_644 -	0.988	0.974	0.98	
RDN25-1_648 -	0.962	0.891	0.958	
RDN25-1 ⁻ 649 -	0.923	0.708	0.883	- 0.8
RDN25-1 ⁻ 662 -	0.659	0.766	0.84	
RDN25-1 ⁻ 775 -	0.876	0.843	0.92	
RDN25-1 ⁻ 804 -	0.776	0.85	0.871	
RDN25-1 ⁻ 806 -	0.666	0.81	0.855	
RDN25-1 ⁻ 816 -	0.926 0.567	0.944 0.6	0.956 0.73	
RDN25-1 ⁻ 866 - RDN25-1 ⁻ 875 -	0.514	0.849	0.563	
RDN25-1 ⁻ 897 -	0.66	0.756	0.826	
RDN25-1 ⁻ 907 -	0.685	0.781	0.728	
RDN25-1 ⁻ 959 -	0.924	0.926	0.944	
RDN25-1 ⁻ 965 -	0.627	0.718	0.831	
RDN25-1 ⁻ 985 -	0.88 0.708	0.898 0.752	0.911 0.884	
RDN25-1 ⁹⁸⁹ - RDN25-1 ₁₀₀₃ -	0.803	0.766	0.877	
RDN25-1 ⁻ 1041 -	0.967	0.985	0.983	
RDN25-1 ⁻ 1051 -	0.59	0.803	0.889	
RDN25-1 ¹ 055 -	0.818	0.853	0.823	
RDN25-1 ¹ 109 -	0.468	0. 51 4	0.672	
RDN25-1_1123 -	0.727	0.832	0.898	
RDN25-1_1132 -	0.965	0.975	0.988	
RDN25-1 ⁻ 1436 -	0.929	0.956	0.954	- 0.7
RDN25-1 ⁻ 1448 -	0.948	0.921	0.947	
RDN25-1 ₋ 1449 -	0.654	0.867	0.954	
RDN25-1 ¹ 1887 -	0.926	0.919	0.969	
RDN25-1 ² 128 -	0.957	0.964	0.967	
RDN25-1_2132 -	0.975	0.986	0.981	
RDN25-1_2141 -	0.83	0.884	0.884	
RDN25-1 ⁻ 2190 -	0.866	0.874	0.914	
RDN25-1 ² 196 -	0.667	0.748	0.776	
RDN25-1 ²²¹⁹ -	0.955	0.972	0.967	
RDN25-1 ²²⁵⁵ -	0.93	0.945	0.924	
RDN25-1 ²²⁵⁷ -	0.979	0.871	0.966	
RDN25-1 ²²⁵⁹ - RDN25-1 ²²⁶³ -	0.822 0.877	0.85 0.931	0.867 0.939	
RDN25-1 ⁻ 2265 -	0.965 0.937	0.964 0.821	0.972	
RDN25-1 ²²⁷⁷ - RDN25-1 ²²⁷⁹ -	0.897	0.912	0.925 0.945	
RDN25-1 ²²⁸⁰ - RDN25-1 ²²⁸⁷ -	0.91 0.749	0.946 0.804	0.972 0.853	
RDN25-1 ²³¹³ - RDN25-1 ²³³⁶ -	0.782 0.552	0.786 0.576	0.877 0.852	
RDN25-1_2339 -	0.958	0.939	0.946	- 0.6
RDN25-1_2346 -	0.828	0.859	0.918	
RDN25-1 ⁻ 2348 -	0.964	0.971	0.962	
RDN25-1 ²³⁵⁰ - RDN25-1 ²⁴¹⁵ -	0.779 0.956	0.937 0.921	0.941 0.922	
RDN25-1 ⁻ 2416 -	0.605	0.755	0.912	
RDN25-1 ⁻ 2420 -	0.933	0.942	0.947	
RDN25-1_2618 -	0.583 0.589	0.572 0.571	0.725 0.679	
RDN25-1_2633 - RDN25-1_2639 -	0.903	0.929	0.935	
RDN25-1 ⁻ 2723 -	0.914	0.949	0.98	
RDN25-1 ⁻ 2728 -	0.933	0.963	0.958	
RDN25-1 ²⁷³⁴ -	0.855	0.834	0.919	
RDN25-1 ²⁷⁹⁰ -	0.553	0.651	0.761	
RDN25-1 ⁻ 2792 -	0.758 0.962	0.757 0.962	0.776 0.984	
RDN25-1_2814 - RDN25-1_2825 -	0.937	0.95	0.96	
RDN25-1 ²⁸⁴² - RDN25-1 ²⁸⁶⁴ -	0.488 0.813	0.53 0.874	0.813 0.888	
RDN25-1_2869 -	0.726	0.75	0.857	
RDN25-1_2879 -	0.851	0.849	0.854	
RDN25-1 ⁻ 2920 -	0.779 0.931	0.835 0.924	0.923 0.916	- 0.5
RDN25-1_2921 - RDN25-1_2922 -	0.808	0.828	0.962	0.5
RDN25-1 ²⁹⁴³ -	0.758	0.84	0.894	
RDN25-1 ²⁹⁴⁵ -	0.686	0.885	0.941	
RDN25-1-2947 - RDN25-1-2958 -	0.964 0.848	0.942 0.811	0.941 0.96 0.774	
RDN25-1_2974 -	0.933	0.943	0.954	
	supervised gaussian	supervised ivt	alt canonical	
	7			

gaussian distribution canonical ivt and gaussian testing native train 500 train training 500 train test test 500 500 500 test prob 500 prob 0.5 prob 0.5 0.5 em iterations em iterations em 30 30 USE MEDIAN iterations gaussian 30 true FREQ all false THRESHOLD kmers MIN ivt 0 SD USE and 0 native IVT training **TRAINING** true unsupervised false

all kmers