Usage Guide for Service Baseline v1.0.0

Authors: Jeff Autor (Vertiv), Jeff Hilland (HPE), Mike Raineri (Dell), John Leung (Intel)

Date: 2025-11-04

Supersedes: None

CONTENTS

1 Version History

Date	Version	Author	Description
11/4/2025	1.0.0	Michael Raineri	Initial usage guide and profile contribution

2 Introduction

This document describes the manageability tasks that can be performed on a platform which is conformant to the Service Baseline API v1.0.

The document shows how the Redfish interface is used to accomplish these tasks. This includes examples of the interaction across the Redfish interface.

The document references the OCP Profile as the normative form of the requirements.

2.1 Compliance to Open Compute Project Tenets

2.2 Openness

The usage guide and profile were developed on a public OCP GitHub repository. An open-source validator exists for validating conformance of an implementation to the profile.

2.3 Efficiency

A common manageability interface reduces the amount of client-side code required to be written, and enables the remote client to be used with various conformant products.

3 Impact

Manageability standards enable the interchange of interoperable products. The service baseline profile prescribes common manageability behavior of basic Redfish services.

3.1 Scale

Redfish is one of the scalable interface for managing platforms out-of-band used on OCP platforms.

3.2 Sustainability

No impact.

4 Management Tasks

The following table lists the service baseline management tasks and their requirements.

OCP's out-of-band platform manageability interface is based on Redfish. Redfish is an international recognized standard, specified by Redfish API Specification [1] and the Redfish Data Model Specification [2].

As a Redfish interface, the service baseline requirements on the Redfish model elements has been normatively specified in a corresponding Service Baseline v1.0.0 Profile [4]. The syntax of the profile document is specified in the Redfish Interoperability Profile Specification [5]. Issues with the profile can be filed on the OCP Profile repository.

The profile document can be read by the Redfish Interoperability Validator [3] to test the conformance of an implementation. The validator will auto-generate tests, execute the tests, and create a test report. Issues with the validator can be filed on the Redfish discussion board (redfishforum.com).

Use Case	Management Task	Requirement
User account management	Get user accounts	Mandatory
	Create a new user	Mandatory
	Remove a user	Mandatory
Certificate management	Generate a CSR	Mandatory
	Replace a certificate	Mandatory
	Get a certificate	Mandatory
Event notifications	Get an event subscription	Mandatory
	Create an event subscription	Mandatory
	Remove an event subscription	Mandatory
	Send an event to a subscriber	Mandatory
Manager IP configuration	Get manager IP configuration	Mandatory
	Set manager to a static IP address	IfImplemented
	Set manager to DHCP	Recommended
License management	Get a software license	Recommended

Use Case	Management Task	Requirement
	Install a software license	Recommended
	Uninstall a software license	Recommended
Event logging	Get an event log	Mandatory
	Clear an event log	Mandatory
Software managemnent	Software inventory	Mandatory
	Firmware update	Mandatory
Protocol configuration	Get manager network protocols	Mandatory
	Set manager network protocols	Recommended
Service conditions	Get service conditions	Recommended
Registered client	Get a registered client	Recommended
	Create a registered client	Recommended
	Remove a registered client	Recommended
Session management	Get a session	Mandatory
	Create a session	Mandatory
	Delete a session	Mandatory
	Change session timeout	Recommended
Task management	Get a task	IfImplemented

Refer to the following sections of the Redfish Data Model Specification [2] for the Redfish schema definitions for the previous use cases:

- User account management: `AccountService`, `Role`, and `ManagerAccount` sections.
- Certificate management: `CertificateService` and `Certificate` sections.
- Event notifications: `EventService`, `EventDestination`, and `Event` sections.
- Manger IP configuration: `EthernetInterface` section.
- License management: `LicenseService` and `License` sections.
- Event logging: `LogService` and `LogEntry` sections.
- Software management: `UpdateService` and `SoftwareInventory` sections.
- Protocol configuration: `ManagerNetworkProtocol` section.
- Service conditions: `ServiceConditions` section.

- Registered client: `RegisteredClient` section.
- Session management: `SessionService` and `Session` sections.
- Task management: `TaskService` and `Task` sections.

5 Use cases

This section describes how each capability is accomplished by interacting with the Redfish service. In the example responses, a fragment of the full response or resource may be shown.

5.1 Get user accounts

To access user account information, perform a `GET` operation on a `ManagerAccount` resource:

```
GET /redfish/v1/AccountService/Accounts/1
```

```
{
    "@odata.id": "/redfish/v1/AccountService/Accounts/1",
    "@odata.type": "#ManagerAccount.v1_13_0.ManagerAccount",
    "Id": "1",
    "Name": "User Account",
    "Description": "User Account",
    "Enabled": true,
    "Password": null,
    "PasswordChangeRequired": false,
    "AccountTypes": [
        "Redfish"
    ],
    "UserName": "Administrator",
    "RoleId": "Administrator",
    "Locked": false,
    "Links": {
        "Role": {
            "@odata.id": "/redfish/v1/AccountService/Roles/Administrator"
        }
    }
}
```

5.2 Create a new user

To add a new user account, perform a `POST` operation on the `ManagerAccountCollection` resource:

```
POST /redfish/v1/AccountService/Accounts
Content-Type: application/json
```

```
{
    "UserName": "NewUser",
    "Password": "N3wP@ssw0RD",
    "RoleId": "Operator",
    "Enabled": true
}
```

5.3 Remove a user

To remove a user account, perform a `DELETE` operation on a `ManagerAccount` resource:

```
DELETE /redfish/v1/AccountService/Accounts/3
```

5.4 Generate a CSR

To generate a certificate signing request for a new certificate, perform a `POST` operation on the `GenerateCSR` action:

```
POST /redfish/v1/CertificateService/Actions/CertificateService.GenerateCSR HTTP/1.1
Content-Type: application/json

{
    "Country": "US",
    "State": "CA",
    "City": "San Jose",
    "Organization": "Contoso",
    "OrganizationalUnit": "HW Mgmt",
    "CommonName": "redfish-100.contoso.org",
    "AlternativeNames": [
        "redfish-100.contoso.org",
        "redfish-100.contoso.com",
        "redfish-100.contoso.us"
    ],
    "Email": "admin@contoso.org",
    "KeyPairAlgorithm": "TPM_ALG_RSA",
    "KeyBitLength": 4096,
    "KeyUsage": [
        "KeyEncipherment",
        "ServerAuthentication"
    ],
    "CertificateCollection": {
        "@odata.id": "/redfish/v1/Managers/1/NetworkProtocol/HTTPS/Certificates"
```

```
    }
}


HTTP/1.1 200 OK
Content-Type: application/json

{
    "CSRString": "-----BEGIN CERTIFICATE REQUEST-----...-----END CERTIFICATE REQUEST-----",
    "CertificateCollection": {
        "@odata.id": "/redfish/v1/Managers/1/NetworkProtocol/HTTPS/Certificates"
    }
}
```

5.5 Replace a certificate

To replace a certificate on the service with a new certificate, perform a `POST` operation on the `ReplaceCertificate` action:

```
POST /redfish/v1/CertificateService/Actions/CertificateService.ReplaceCertificate HTTP/1.1
Content-Type: application/json

{
    "CertificateUri": {
        "@odata.id": "/redfish/v1/Managers/1/NetworkProtocol/HTTPS/Certificates/1"
    },
    "CertificateString": "-----BEGIN CERTIFICATE-----\n...\n-----END CERTIFICATE-----",
    "CertificateType": "PEM"
}


HTTP/1.1 204 No Content
Content-Type: application/json
Location: /redfish/v1/Managers/1/NetworkProtocol/HTTPS/Certificates/2
```

5.6 Get a certificate

To view information about a certificate, perform a `GET` operation on a `Certificate` resource:

```
GET /redfish/v1/Managers/1/NetworkProtocol/HTTPS/Certificates/1
```

```
{
    "@odata.id": "/redfish/v1/Managers/1/NetworkProtocol/HTTPS/Certificates/1",
    "@odata.type": "#Certificate.v1_1_0.Certificate",
    "Id": "1",
    "Name": "HTTPS Certificate",
    "CertificateString": "-----BEGIN CERTIFICATE-----\n...\n-----END CERTIFICATE-----",
    "CertificateType": "PEM",
    "Issuer": {
        "Country": "US",
        "State": "CA",
        "City": "San Jose",
        "Organization": "Contoso",
        "OrganizationalUnit": "HW Mgmt",
        "CommonName": "redfish-100.contoso.org"
    },
    "Subject": {
        "Country": "US",
        "State": "CA",
        "City": "San Jose",
        "Organization": "Contoso",
        "OrganizationalUnit": "HW Mgmt",
        "CommonName": "redfish-100.contoso.org"
    },
    "ValidNotBefore": "2024-11-15T12:00:00Z",
    "ValidNotAfter": "2029-11-15T12:00:00Z",
    "KeyUsage": [
        "KeyEncipherment",
        "ServerAuthentication"
    ]
}
```


5.7 Get an event subscription

To access subscription information for an event listener, perform a `GET` operation on a `EventDestination` resource:

```
GET /redfish/v1/EventService/Subscriptions/1
```


```
{
    "@odata.id": "/redfish/v1/EventService/Subscriptions/1",
    "@odata.type": "#EventDestination.v1_15_1.EventDestination",
    "Id": "1",
    "Name": "Subscription 'Data Center Monitor'",
    "Destination": "https://www.contoso.org/DataCenterListener",
```

```
    "SubscriptionType": "RedfishEvent",
    "DeliveryRetryPolicy": "TerminateAfterRetries",
    "Status": {
        "State": "Enabled",
        "Health": "OK"
    },
    "Context": "Data Center Monitor",
    "Protocol": "Redfish",
}
```

5.8 Create an event subscription

To add a new subscription for events, perform a `POST` operation on the `EventDestinationCollection` resource:

```
POST /redfish/v1/EventService/Subscriptions
Content-Type: application/json

{
    "Destination": "https://monitor.contoso.org/events",
    "SubscriptionType": "RedfishEvent",
    "Context": "Event Monitor",
    "Protocol": "Redfish",
}
```

5.9 Remove an event subscription

To remove a subscription, perform a `DELETE` operation on an `EventDestination` resource:

```
DELETE /redfish/v1/EventService/Subscriptions/3
```

5.10 Send an event to a subscriber

To transmit an event from a Redfish service to an event listener, the service performs a `POST` operation on the URI contained by the `Destination` for each applicable `EventDestination` resource.

```
POST /events
Content-Type: application/json
```

```
{
    "@odata.type": "#Event.v1_7_0.Event",
    "Id": "1",
    "Name": "Event Array",
    "Context": "Event Monitor",
    "Events": [
        {
            "EventType": "Other",
            "EventId": "346",
            "Severity": "Critical",
            "Message": "Temperature 'Ambient' reading of 50 degrees (C) is above the 45 upper critical
threshold.",
            "MessageId": "Environmental.1.1.TemperatureAboveUpperCriticalThreshold",
            "MessageArgs": [
                "1",
                "1"
            ],
            "OriginOfCondition": {
                "@odata.id": "/redfish/v1/Chassis/1/Sensors/Ambient"
            },
            "LogEntry": {
                "@odata.id": "/redfish/v1/Managers/1/LogServices/EventLog/Entries/3"
            }
        }
    ]
}
```


5.11 Get manager IP configuration

To access Ethernet interface information for an interface on the service, perform a `GET` operation on an `EthernetInterface` resource:

```
GET /redfish/v1/Managers/1/EthernetInterfaces/1
```


```
{
    "@odata.id": "/redfish/v1/Managers/1/EthernetInterfaces/1",
    "@odata.type": "#EthernetInterface.v1_12_3.EthernetInterface",
    "Id": "1",
    "Name": "Ethernet Interface 1",
    "Status": {
        "State": "Enabled",
        "Health": "OK"
    },
    "LinkStatus": "LinkUp",
```

```
    "PermanentMACAddress": "12:44:6A:3B:04:11",
    "MACAddress": "12:44:6A:3B:04:11",
    "SpeedMbps": 1000,
    "AutoNeg": true,
    "FullDuplex": true,
    "MTUSize": 1500,
    "HostName": "redfish100",
    "FQDN": "redfish100.contoso.com",
    "NameServers": [
        "names.contoso.com"
    ],
    "IPv4Addresses": [
        {
            "Address": "192.168.0.10",
            "SubnetMask": "255.255.252.0",
            "AddressOrigin": "DHCP",
            "Gateway": "192.168.0.1"
        }
    ],
    "IPv4StaticAddresses": [
        null
    ],
    "DHCPv4": {
        "DHCPEnabled": true,
        "UseDNSServers": true,
        "UseGateway": true,
        "UseNTPServers": false,
        "UseStaticRoutes": true,
        "UseDomainName": true
    },
    "VLAN": {
        "VLANEnable": false,
        "VLANId": 101
    }
}
```


5.12 Set manager to a static IP address

```
PATCH /redfish/v1/Managers/1/EthernetInterfaces/1
Content-Type: application/json

{
    "IPv4StaticAddresses": [
        {
            "Address": "192.190.40.55",
            "SubnetMask": "255.255.252.0",
            "Gateway": "192.190.40.1"
```

```
        }
    ],
    "DHCPv4": {
        "DHCPEnabled": false
    }
}
```

5.13 Set manager to DHCP

```
PATCH /redfish/v1/Managers/1/EthernetInterfaces/1
Content-Type: application/json

{
    "IPv4StaticAddresses": [
        null
    ],
    "DHCPv4": {
        "DHCPEnabled": true
    }
}
```

5.14 Get a software license

To retrieve information about a license, perform a `GET` operation on a `License` resource:

```
GET /redfish/v1/LicenseService/Licenses/RemotePresence
```

```
{
    "@odata.id": "/redfish/v1/LicenseService/Licenses/RemotePresence",
    "@odata.type": "#License.v1_1_3.License",
    "Id": "RemotePresence",
    "Name": "Remote Presence Feature License",
    "Status": {
        "State": "Enabled",
        "Health": "OK"
    },
    "EntitlementId": "LIC2130213RP",
    "LicenseType": "Production",
    "Removable": false,
    "LicenseOrigin": "BuiltIn",
    "AuthorizationScope": "Service",
```

```
    "Manufacturer": "Contoso",
    "LicenseInfoURI": "http://licenses.contoso.org/licenses/remote-presence"
}
```

5.15 Install a software license

To install a new license, perform a `POST` operation on the `LicenseCollection` resource:

```
POST /redfish/v1/LicenseService/Licenses
Content-Type: application/json

{
    "LicenseString": "PENvbnRvc29IZWFkZXI+PERhdGE9IkxpY2Vuc2VEYXRhIi8+PC9Db250b3NvSGVhZGVyPg=="
}
```

5.16 Uninstall a software license

To uninstall a license, perform a `DELETE` operation on a `License` resource:

```
DELETE /redfish/v1/LicenseService/Licenses/Feature25
```

5.17 Get an event log

To retrieve log entries for a given log service, perform a `GET` operation on a `LogEntryCollection` resource:

```
GET /redfish/v1/Managers/1/LogServices/EventLog/Entries
```

```
{
    "@odata.id": "/redfish/v1/Managers/1/LogServices/EventLog/Entries",
    "@odata.type": "#LogEntryCollection.LogEntryCollection",
    "Name": "Log Entry Collection",
    "Members@odata.count": 1,
    "Members": [
        {
            "@odata.id": "/redfish/v1/Managers/1/LogServices/EventLog/Entries/1",
```

```
            "@odata.type": "#LogEntry.v1_19_0.LogEntry",
            "Id": "1",
            "Name": "Log Entry 1",
            "EntryType": "Event",
            "Severity": "Warning",
            "Created": "2025-06-30T08:30:00Z",
            "Message": "Sensor 'Ambient' reading of 42 (Cel) is above the 40 upper caution threshold.",
            "MessageId": "Sensor.1.0.ReadingAboveUpperCautionThreshold",
            "MessageArgs": [
                "Ambient",
                "42",
                "Cel",
                "40"
            ],
            "Links": {
                "OriginOfCondition": {
                    "@odata.id": "/redfish/v1/Chassis/1U/Sensors/Ambient"
                }
            }
        }
    ]
}
```


5.18 Clear an event log

To clear the log entries for a given log service, perform a `POST` operation on the `ClearLog` action:

```
POST /redfish/v1/Managers/1/LogServices/EventLog/Actions/LogService.ClearLog
Content-Type: application/json

{}
```

5.19 Software inventory

To retrieve information about an individual software or firmware component, perform a `GET` operation on a `SoftwareInventory` resource:

```
GET /redfish/v1/UpdateService/FirmwareInventory/BMC
```

```
{
```

```
    "@odata.id": "/redfish/v1/UpdateService/FirmwareInventory/BMC",
    "@odata.type": "#SoftwareInventory.v1_10_2.SoftwareInventory",
    "Id": "BMC",
    "Name": "Contoso BMC Firmware",
    "Status": {
        "State": "Enabled",
        "Health": "OK"
    },
    "Updateable": true,
    "Manufacturer": "Contoso",
    "ReleaseDate": "2017-08-22T12:00:00",
    "Version": "1.45.455b66-rev4",
    "SoftwareId": "1624A9DF-5E13-47FC-874A-DF3AFF143089",
    "LowestSupportedVersion": "1.30.367a12-rev1",
    "UefiDevicePaths": [
        "BMC(0x1,0x0ABCDEF)"
    ],
    "RelatedItem": [
        {
            "@odata.id": "/redfish/v1/Managers/1"
        }
    ]
}
```


5.20 Firmware update

See the "Update service" clause of the *Redfish Specification* for additional details regarding firmware update operations.

To retrieve information about the supported update methods, perform a `GET` operation on the `UpdateService` resource:

```
GET /redfish/v1/UpdateService
```


```
{
    "@odata.id": "/redfish/v1/UpdateService",
    "@odata.type": "#UpdateService.v1_12_0.UpdateService",
    "Id": "UpdateService",
    "Name": "Update service",
    "Status": {
        "State": "Enabled",
        "Health": "OK",
    },
```

```
    "ServiceEnabled": true,
    "MultipartHttpPushUri": "/redfish/v1/UpdateService/FWUpdate",
    "FirmwareInventory": {
        "@odata.id": "/redfish/v1/UpdateService/FirmwareInventory"
    },
    "Actions": {
        "#UpdateService.SimpleUpdate": {
            "target": "/redfish/v1/UpdateService/Actions/SimpleUpdate",
            "@Redfish.ActionInfo": "/redfish/v1/UpdateService/SimpleUpdateActionInfo"
        }
    }
}
```


To install a new firmware image, perform a `POST` operation on the `SimpleUpdate` action:

```
POST /redfish/v1/UpdateService/Actions/UpdateService.SimpleUpdate
Content-Type: application/json

{
    "ImageURI": "https://images.contoso.org/bmc_0260_2021.bin"
}
```

5.21 Get manager network protocols

To retrieve information about the manager's supported protocols and their configuration, perform a `GET` operation on the `ManagerNetworkProtocol` resource for that manager:

```
GET /redfish/v1/Managers/1/NetworkProtocol
```


```
{
    "@odata.id": "/redfish/v1/Managers/1/NetworkProtocol",
    "@odata.type": "#ManagerNetworkProtocol.v1_9_1.ManagerNetworkProtocol",
    "Id": "NetworkProtocol",
    "Name": "Manager Network Protocol",
    "Status": {
        "State": "Enabled",
        "Health": "OK"
    },
    "HostName": "rack42-pdu",
    "FQDN": "rack42-pdu.dmtf.org",
    "HTTP": {
```

```
        "ProtocolEnabled": true,
        "Port": 80
    },
    "HTTPS": {
        "ProtocolEnabled": true,
        "Port": 443
    },
    "SSH": {
        "ProtocolEnabled": true,
        "Port": 22
    },
    "SNMP": {
        "ProtocolEnabled": true,
        "Port": 161
    },
    "SSDP": {
        "ProtocolEnabled": true,
        "Port": 1900,
        "NotifyMulticastIntervalSeconds": 600,
        "NotifyTTL": 5,
        "NotifyIPv6Scope": "Site"
    }
}
```

5.22 Set manager network protocols

To configure the settings for protocols exposed by the service, perform a `PATCH` operation on the `ManagerNetworkProtocol` resource. In the request body, specify the new protocol settings.

```
PATCH /redfish/v1/Managers/1/NetworkProtocol
Content-Type: application/json

{
    "SNMP": {
        "ProtocolEnabled": false
    }
}
```

5.23 Get service conditions

To retrieve active conditions detected by the service, perform a `GET` operation on the `ServiceConditions` resource:

```
GET /redfish/v1/ServiceConditions
```


```
{
    "@odata.id": "/redfish/v1/ServiceConditions",
    "@odata.type": "#ServiceConditions.v1_0_1.ServiceConditions",
    "Name": "Redfish Service Conditions",
    "HealthRollup": "Warning",
    "Conditions": [
        {
            "MessageId": "Sensor.1.0.ReadingAboveUpperCautionThreshold",
            "Timestamp": "2025-06-30T08:30:00Z",
            "Message": "Sensor 'Ambient' reading of 42 (Cel) is above the 40 upper caution threshold.",
            "Severity": "Warning",
            "MessageArgs": [
                "Ambient",
                "42",
                "Cel",
                "40"
            ],
            "OriginOfCondition": {
                "@odata.id": "/redfish/v1/Chassis/1U/Sensors/Ambient"
            },
            "LogEntry": {
                "@odata.id": "/redfish/v1/Managers/1/LogServices/EventLog/Entries/1"
            }
        }
    ]
}
```


5.24 Get a registered client

To retrieve information about an individual registered client, perform a `GET` operation on a `RegisteredClient` resource:

```
GET /redfish/v1/RegisteredClients/1
```


```
{
    "@odata.id": "/redfish/v1/RegisteredClients/1",
    "@odata.type": "#RegisteredClient.v1_1_2.RegisteredClient",
    "Id": "1",
    "Name": "Configuration Client",
    "ClientType": "Configure",
```

```
    "CreatedDate": "2025-05-15T12:00:00Z",
    "ManagedResources": [
        {
            "ManagedResourceURI": "/redfish/v1/Systems",
            "PreferExclusive": true,
            "IncludesSubordinates": true
        },
        {
            "ManagedResourceURI": "/redfish/v1/Chassis",
            "PreferExclusive": true,
            "IncludesSubordinates": true
        }
    ],
    "ClientURI": "https://192.168.68.113/ConfigurationManagerConsole",
    "Context": "Contoso Console 1568ABEF145"
}
```

5.25 Create a registered client

To register a new client, perform a `POST` operation on the `RegisteredClientCollection` resource:

```
POST /redfish/v1/RegisteredClients
Content-Type: application/json

{
    "Name": "Monitoring Client",
    "ClientType": "Monitor",
    "ManagedResources": [
        {
            "ManagedResourceURI": "/redfish/v1/Chassis",
            "IncludesSubordinates": true
        }
    ],
    "ClientURI": "https://192.168.68.113/MonitoringConsole",
    "Context": "Contoso Console 89189FEAB"
}
```

5.26 Remove a registered client

To remove a registered client, perform a `DELETE` operation on the `RegisteredClient` resource:

```
DELETE /redfish/v1/RegisteredClients/2
```

5.27 Get a session

To retrieve information about an individual session, perform a `GET` operation on a `Session` resource:

```
GET /redfish/v1/SessionService/Sessions/1
```

```
{
    "@odata.id": "/redfish/v1/SessionService/Sessions/1"
    "@odata.type": "#Session.v1_8_0.Session",
    "Id": "1",
    "Name": "User Session",
    "UserName": "admin",
    "Password": null,
    "ClientOriginIPAddress": "192.168.35.147"
}
```

5.28 Create a session

To create a new session, perform a `POST` operation on the `SessionCollection` resource:

```
POST /redfish/v1/SessionService/Sessions
Content-Type: application/json

{
    "UserName": "Fred",
    "Password": "MyP@ssw0rd"
}
```

5.29 Delete a session

To delete a session, perform a `DELETE` operation on the `Session` resource:

```
DELETE /redfish/v1/SessionService/Sessions/1
```

5.30 Change session timeout

To change the session timeout limit for the service, perform a `PATCH` operation on the `SessionService` resource:

```
PATCH /redfish/v1/SessionService
Content-Type: application/json

{
    "SessionTimeout": 600
}
```

5.31 Get a task

To retrieve information about an individual task, perform a `GET` operation on a `Task` resource:

```
GET /redfish/v1/TaskService/Tasks/5
```

```json
{
    "@odata.id": "/redfish/v1/TaskService/Tasks/5",
    "@odata.type": "#Task.v1_7_4.Task",
    "Id": "5",
    "Name": "Task 5",
    "TaskMonitor": "/redfish/v1/TaskService/TaskMonitors/5",
    "TaskState": "Running",
    "StartTime": "2025-06-30T08:24:30Z",
    "Messages": []
}
```

6 References

[1] "Redfish API Specification"

[2] "Redfish Data Model Specification"

[3] "Redfish Interop Validator"

[4] "Service Baseline v1.0.0 Profile"

[5] "Redfish Interoperability Profile Specification"

7 License

OCP encourages participants to share their proposals, specifications and designs with the community. This is to promote openness and encourage continuous and open feedback. It is important to remember that by providing feedback for any such documents, whether in written or verbal form, that the contributor or the contributor's organization grants OCP and its members irrevocable right to use this feedback for any purpose without any further obligation.

It is acknowledged that any such documentation and any ancillary materials that are provided to OCP in connection with this document, including without limitation any white papers, articles, photographs, studies, diagrams, contact information (together, "Materials") are made available under the Creative Commons Attribution-ShareAlike 4.0 International License found here: https://creativecommons.org/licenses/by-sa/4.0/, or any later version, and without limiting the foregoing, OCP may make the Materials available under such terms.

As a contributor to this document, all members represent that they have the authority to grant the rights and licenses herein. They further represent and warrant that the Materials do not and will not violate the copyrights or misappropriate the trade secret rights of any third party, including without limitation rights in intellectual property. The contributor(s) also represent that, to the extent the Materials include materials protected by copyright or trade secret rights that are owned or created by any third-party, they have obtained permission for its use consistent with the foregoing. They will provide OCP evidence of such permission upon OCP's request. This document and any "Materials" are published on the respective project's wiki page and are open to the public in accordance with OCP's Bylaws and IP Policy. This can be found at http://www.opencompute.org/participate/legal-documents/. If you have any questions, please contact OCP.

8 About Open Compute Foundation

The Open Compute Project (OCP) brings at-scale innovations and hyperscaler best practices to all, spanning technology domains from the data center to the edge, and the technology stack from silicon, to systems, to site facilities and services. The international OCP Community is made up of organizations and people from hyperscale and tier-2 cloud data center operators, communications providers, colocation providers, diverse enterprises, and technology vendors.

The OCP Foundation fosters collaboration within the Community to tackle market challenges in an array of OCP Projects that create open contributions such as specifications, designs, and more. The OCP Solution Provider Program then recognizes the application of those contributions in compliant products, solutions, and data center facilities and services with designations like OCP Inspired, OCP Accepted and OCP Ready. With the tenets of openness, impact, efficiency, scale and sustainability, the OCP engages and educates thousands of engineers every year through many events and webinars. Across many initiatives the OCP Foundation and Community are meeting the market today and shaping the future.