

Question 4 à 14

Pour 15 points:



B41201: Basic Part - Step 1 - (Radial Swing Block)

Build this part in SOLIDWORKS.

(Save part after each question in a different file in case it must be reviewed)

Unit system: MMGS (millimeter, gram, second)

Decimal places: 2

Part origin: Arbitrary

All holes through all unless shown otherwise.

Material: Aluminium 1060 Alloy

Density = 0.0027 g/mm³

A = 122.50


B = 15.00




C = 55.00 degrees


1 - Note: All geometry is symmetrical about the plane represented by the line labeled F in view(s): View M-M, View N-N, View P-P.


What is the overall mass of the part (grams)?

Hint: If you don't find an option within 1% of your answer please re-check your model(s).









- | | |
|---|------------------------------|
| ☐ 1478.32 | ☐ 327.65 |
| ☒ 870.11 | ☐ 578.14 |

870.11

Question 5 à 14

Pour 15 points:



B41202: Basic Part - Step 2 - (Radial Swing Block)
Modify the part in SOLIDWORKS

Unit system: MMGS (millimeter, gram, second)

Decimal places: 2

Part origin: Arbitrary

All holes through all unless shown otherwise.

Modify the part using the following variable values:

A = 106.00

B = 18.50

C = 62.50 degrees



Change the material of the part:

Material: AISI 1020 Steel

Density = 0.0079 g/mm³

Note: Assume all unshown dimensions are the same as in the previous question.

What is the overall mass of the part (grams)?



Entrer la valeur (g):

2671.27

(utiliser , (virgule) comme séparateur décimal)

