

Red MMO — Environment Artist Handoff (EN)

2026-08-07. Same-repo collaboration: own L_Hub_Env_Visuals; developer owns HubLogic (L_Hub_Gameplay_Logic); thin L_Hub_Persistent composes both. Test maps: ArtistCanvas + Sandbox_DesertDemoSparkle_T01. Clone RedMMOTitan-DeveloperHandoff (same repo as gameplay).

START HERE — Red MMO environment artist handoff

Generated: 2026-08-07
Ukrainian: START_HERE_UK.md
PDF (EN): RedMMO_Environment_Artist_Handoff.pdf · PDF (UK): RedMMO_Environment_Artist_Handoff_UK.pdf
Product name in docs: Red MMO. Names like Titan.uproject / RedMMOTitan* are technical paths only.
Gameplay / netcode role (separate): ../DeveloperHandoff/START_HERE.md

Core: same repo, merge-safe world (read this first)

You and the gameplay developer work in the same GitHub repository. Your hub environment will not overwrite HubLogic, and the developer will not overwrite your env package — if you keep ownership split:

Layer	Package	Owner
Thin persistent	/Game/RedMMO/Maps/Hubs/L_Hub_Persistent	Lead / rare edits
Environment (you)	/Game/RedMMO/Maps/Hubs/L_Hub_Env_Visuals	Environment artist
HubLogic	/Game/RedMMO/Maps/Hubs/L_Hub_Gameplay_Logic	Gameplay developer

- Put landscape, lighting, fog/post look, foliage, static meshes, and set dressing in L_Hub_Env_Visuals.
- Do not edit L_Hub_Gameplay_Logic (PlayerStarts, combat volumes, replicated actors).
- Do not edit pawn / Character BP, running animation, weapons, or netcode packages.
- Details: MERGE_ENV_AND_GAMEPLAY.md · developer mirror: ../DeveloperHandoff/MERGE_SAFE_WORLD.md.

One-liner: Clone the same handoff repo as the gameplay developer; own L_Hub_Env_Visuals (plus ArtistCanvas / Desert sandbox for tests); leave HubLogic and gameplay code alone.

60-second path

- 1 Clone: <https://github.com/addgamestudios-ops/RedMMOTitan-DeveloperHandoff.git>
- 2 Install Unreal Engine 5.8.
- 3 Open the project that has the env Content you were given:
 - Hub stubs / fundamentals: TitanFundamentals.uproject in the handoff clone
 - Full planetary / dressed Titan Content (owner machine or content sync): Titan.uproject
- 1 Open your maps (see below). Do not open HubLogic and save into it.
- 2 Read MERGE_ENV_AND_GAMEPLAY.md before delivering hub art.
- 3 Run one Unreal Editor at a time on a shared machine.

```
git clone https://github.com/addgamestudios-ops/RedMMOTitan-DeveloperHandoff.git
cd RedMMOTitan-DeveloperHandoff
# Hub env ownership: /Game/RedMMO/Maps/Hubs/L_Hub_Env_Visuals
start TitanFundamentals.uproject
```

Check	Expected
Hub stubs present	L_Hub_Persistent, L_Hub_Env_Visuals, L_Hub_Gameplay_Logic

Your save target	L_Hub_Env_Visuals only for hub delivery
HubLogic	Present but not your edit target
Test maps (full Titan Content)	ArtistCanvas and/or Desert sandbox
Running anim / pawn / weapons	Do not touch

Maps you open

Hub delivery (same-repo ownership)

Soft path	You
/Game/RedMM0/Maps/Hubs/L_Hub_Env_Visuals	Own and save here
/Game/RedMM0/Maps/Hubs/L_Hub_Persistent	Integration only (streaming refs; rarely edit)
/Game/RedMM0/Maps/Hubs/L_Hub_Gameplay_Logic	Do not edit (developer / HubLogic)

Env / level-design test maps (full Titan Content)

Soft path	Role
/Game/RedMM0/Maps/RedPlanetGen_50km_ArtistCanvas	Planetary environment canvas (PlanetGen)
/Game/RedMM0/Maps/Sandbox_DesertDemoSparkle_T01	Desert / dressed sandbox for LD, props, lighting

Details: MAPS.md · Fab packs: ENV_FAB_INVENTORY.md · Folders: FOLDER_OWNERSHIP.md

What you own

- Hub visuals in L_Hub_Env_Visuals: architecture dressing, set dressing, landscape look, lighting, fog/post that do not change gameplay rules
- Foliage, rocks, props; static meshes / materials under /Game/RedMM0/World/... (Quarantine → Approved → Biomes / ManualPOI)
- ArtistCanvas / Desert sandbox experiments when assigned
- Screenshots from player height, jetpack height, and ship approach

What you must NOT edit

Do not touch	Why
L_Hub_Gameplay_Logic	Developer HubLogic — PlayerStarts, volumes, networked actors
Player pawn / Character Blueprints and C++	Locomotion and replication
Running animation assets or AnimBP “fixes”	Protected — do not overwrite
Weapon Blueprints, projectile C++, aim chain	Gameplay combat
Replication / GameMode / GameState / PlayerController networking	Netcode developer owns
Protected production maps: RedPlanetGen, RedPlanetGen_50km_Test, RedPlanetGen_50km_FusedPrototype	Rollback baselines
Marketplace master materials (edit project-owned MI children only)	Pack upgrades break otherwise

What to read next

Doc	Why
-----	-----

MERGE_ENV_AND_GAMEPLAY.md	Same-repo merge without overwrite
ENVIRONMENT_ARTIST_HANDOFF.md	Paths, plugins, first-day checklist
MAPS.md	Map identity + protected list
FOLDER_OWNERSHIP.md	World folder conventions
ENV_FAB_INVENTORY.md	Fab / art packs you may need

Where this package lives

Copy	Path
Repo docs	docs/EnvironmentArtistHandoff/ (this folder)
Public GitHub	https://github.com/addgamestudios-ops/RedMMOTitan-DeveloperHandoff/tree/main/docs/EnvironmentArtistHandoff
Desktop PDF pack	C:\Users\user\Desktop\RedMMO_EnvironmentArtist_Handoff\

Same-repo merge: environment + HubLogic (artist view)

This is the core collaboration rule for Red MMO — environment side.

Gameplay and environment work in the same GitHub repo, on separate Unreal map packages, so hub art can land without forcing a gameplay rewrite and without binary .umap overwrite fights.

Developer mirror: ../DeveloperHandoff/MERGE_SAFE_WORLD.md.

What you are guaranteed

Need	How it is met
Hub visuals that survive alongside HubLogic	Your dress lives in L_Hub_Env_Visuals. Developer actors live in L_Hub_Gameplay_Logic.
Developer does not overwrite your env delivery	Developers never check in your env sublevel; you never edit HubLogic.
You do not rebuild pawn / weapons / netcode when maps compose	Those are separate packages from env .umap files. Persistent only streams both.

Map layout (named packages)

/Game/RedMMO/Maps/Hubs/L_Hub_Persistent

← thin shell (streaming refs only; rarely edited)

/Game/RedMMO/Maps/Hubs/L_Hub_Env_Visuals

← you (environment)

/Game/RedMMO/Maps/Hubs/L_Hub_Gameplay_Logic

← gameplay developer (HubLogic)

Owner	Owns	Do not touch
Environment artist	L_Hub_Env_Visuals, landscape/lighting/foilage/dressing, ArtistCanvas / Desert sandbox as assigned	L_Hub_Gameplay_Logic, Character/GameMode/weapons/netcode
Gameplay developer	L_Hub_Gameplay_Logic, Source/, gameplay Blueprints, netcode	Artist-owned env .umap
Lead / either with agreement	L_Hub_Persistent membership (which sublevels load)	Daily art or combat authoring inside Persistent

L_Hub_Persistent

← thin shell (streaming only)

■■■ L_Hub_Env_Visuals

← you

■■■ L_Hub_Gameplay_Logic

← developer / HubLogic (do not edit)

Working rules

- 1 Clone the same handoff repo as the gameplay developer:
`https://github.com/addgamestudios-ops/RedMMOTitan-DeveloperHandoff.git`
- 1 Author hub visuals in L_Hub_Env_Visuals.
- 2 Use ArtistCanvas or Sandbox_DesertDemoSparkle_T01 for planetary / desert experiments — prefer delivering finished hub look into L_Hub_Env_Visuals, not into HubLogic.
- 3 Do not put PlayerStarts, combat volumes, spawn managers, or networked actors in your env package.
- 4 Do not both save the same .umap as the developer. Binary packages do not git-merge.

Binary truth: two people saving the same .umap cannot be safely git-merged. Split packages first.

Safe merge options (ranked)

(A) Sublevel composition with named hub packages — best

- 1 You deliver dress in L_Hub_Env_Visuals.
- 2 Developer keeps HubLogic in L_Hub_Gameplay_Logic.
- 3 Persistent loads both; PIE tests the composition.
- 4 You never check in the gameplay sublevel; developers never check in the env sublevel.

Result: Parallel work, no binary map conflict, no restart.

(B) Migrate env-only actors — good if already diverged

- 1 Freeze HubLogic as source of truth for PlayerStarts / volumes.
- 2 Migrate env-only actors (StaticMesh, lights, foliage, decals) into L_Hub_Env_Visuals.
- 3 Do not migrate Character, GameMode, weapon pickups that own replication, or AnimBP via map copy.
- 4 Verify look once in composed Persistent.

(C) OFPA / World Partition external actors — good on WP maps

Reduces whole-map conflicts for externalized actors, but still requires folder ownership. Not a substitute for keeping gameplay out of artist packages.

Explicit guarantees

Statement	True?
Merge hub graphics + HubLogic without starting the hub from zero	Yes, via (A) or (B)
Keep gameplay C++ / BP while env .umap changes	Yes
Both people save the same .umap and "git merge" later	No
Artist must re-implement PlayerStart / weapons / netcode after merge	No, if those stayed in HubLogic

Checklist before “we’re merging”

- ☐ Env work is in L_Hub_Env_Visuals (or agreed env-owned package) only
- ☐ Gameplay actors / PlayerStarts / volumes are in L_Hub_Gameplay_Logic only
- ☐ Persistent only adds streaming/WP references (minimal dirtying)
- ☐ No simultaneous save of the same .umap
- ☐ Running anim, weapons, pawn, replication untouched by art pass
- ☐ Screenshots of composed PIE from ground + approach

One sentence for the environment artist

Clone the same handoff repo, own L_Hub_Env_Visuals (plus ArtistCanvas / Desert sandbox as needed); the gameplay developer owns HubLogic and will not overwrite your env package if you both keep that split.

Red MMO — Environment Artist Handoff (2026-08-07)

Status: Enough to pick up hub visuals and env test maps. Full marketplace Content may need a drive sync.

Ukrainian: ENVIRONMENT_ARTIST_HANDOFF_UK.md · START: START_HERE.md

Audience: 3D environmental / level-design artist. World ownership first: MERGE_ENV_AND_GAMEPLAY.md.

Artifact	Location
START_HERE	START_HERE.md · START_HERE_UK.md
Merge-safe world (env view)	MERGE_ENV_AND_GAMEPLAY.md · MERGE_ENV_AND_GAMEPLAY_UK.md
PDF EN / UK	RedMMO_Environment_Artist_Handoff.pdf · RedMMO_Environment_Artist_Handoff_UK.pdf
Maps	MAPS.md
Folders	FOLDER_OWNERSHIP.md
Fab / art packs	ENV_FAB_INVENTORY.md
Clone (same as gameplay)	https://github.com/addgamestudios-ops/RedMMOTitan-DeveloperHandoff.git

1. Same-repo collaboration (non-negotiable)

Gameplay and environment share one repository. Separable ownership keeps hub art from fighting HubLogic:

```
L_Hub_Persistent      ← thin shell (streaming only)
■■■ L_Hub_Env_Visuals  ← you
■■■ L_Hub_Gameplay_Logic ← developer / HubLogic (do not edit)
```

You own	Developer owns
L_Hub_Env_Visuals, landscape, lighting, foliage, set dressing	L_Hub_Gameplay_Logic, Source/RedMMO, gameplay BP, netcode

Guarantees: your env delivery file is not the HubLogic package; C++/BP are not rewritten when you save env .umap; git will not “merge” two writers on one binary .umap — so do not share one.

Aligned with ../DeveloperHandoff/MERGE_SAFE_WORLD.md.

2. Paths

Role	Path
Standalone handoff (clone this)	https://github.com/addgamestudios-ops/RedMMOTitan-DeveloperHandoff.git → TitanFundamentals.uproject
Hub map stubs	/Game/RedMMO/Maps/Hubs/ (L_Hub_Persistent, L_Hub_Env_Visuals, L_Hub_Gameplay_Logic)
Your hub save target	/Game/RedMMO/Maps/Hubs/L_Hub_Env_Visuals
Env test maps (full Titan Content)	ArtistCanvas · Sandbox_DesertDemoSparkle_T01
Engine	Unreal Engine 5.8

Optional later (owner / full content): full Titan.uproject planetary maps + Fab packs, clean D-drive RedMMO.uproject + PPG home world — only if assigned.

3. What works / what is open (honest)

Working enough to start:

- Named hub stubs: Persistent / Env / HubLogic in the shared handoff repo
- Parallel ownership with gameplay (no shared .umap save target)
- On full Titan Content: ArtistCanvas and Desert sandbox for env experiments
- World folder conventions: Quarantine → Approved → Biomes / ManualPOI

Still open / needs content sync:

- Full Fab pack trees (tens of GB) are not entirely in git
- Composed hub Persistent with finished env + gameplay streaming (stubs exist; dress Env, developer wires HubLogic)
- Planetary look on ArtistCanvas needs PlanetGen on UE 5.8

4. First-day checklist

```
git clone https://github.com/addgamestudios-ops/RedMM0Titan-DeveloperHandoff.git
cd RedMM0Titan-DeveloperHandoff
start TitanFundamentals.uproject
```

- 1 Confirm hub stubs under /Game/RedMM0/Maps/Hubs/.
- 2 Open L_Hub_Env_Visuals — this is your hub ownership file.
- 3 Do not save into L_Hub_Gameplay_Logic.
- 4 If you have full Titan Content: open ArtistCanvas or Desert sandbox (not both blindly).
- 5 Place art under agreed World folders (FOLDER_OWNERSHIP.md).
- 6 Export screenshots; list changed folders when you hand work back.

One UnrealEditor at a time on a shared machine.

5. Plugins for env work

Need	Requirement
UE version	5.8
Hub stubs in fundamentals	No PlanetGen / PPG required
ArtistCanvas / RedPlanetGen*	PlanetGen (Epic Marketplace for UE 5.8)
Sandbox desert map	Usually opens without PPG; may reference dressed Content packs
Clean PPG home world	Separate project + PPG — only if assigned

See ENV_FAB_INVENTORY.md.

6. Protected items

- 1 L_Hub_Gameplay_Logic — not your save target.
- 2 Running animation / locomotion — do not replace.
- 3 Player pawn, weapons, projectile / aim chain, replication / GameMode networking.
- 4 Protected production maps: RedPlanetGen, RedPlanetGen_50km_Test, RedPlanetGen_50km_FusedPrototype.
- 5 Marketplace master materials — use project-owned Material Instances only.

7. Next work order

- 1 Clone same repo; open hub L_Hub_Env_Visuals.
- 2 Block out hub dress (architecture, lighting, foliage) without gameplay actors.

- 3 Use ArtistCanvas / Desert sandbox for look-dev when Content is available.
- 4 Hand back env package + screenshots; integration day loads Persistent with HubLogic.
- 5 Do not “fix” gameplay actors or rewrite AnimBP during art pass.

8. Clone contents (expectations)

Expect: docs/ EnvironmentArtistHandoff + DeveloperHandoff (MD + PDF), TitanFundamentals.uproject, Hub stubs under Content/RedMMO/Maps/Hubs/, selected RedMMO crumbs.

Do not expect: full Fab packs, Binaries/Intermediate/DDC, owner machine diagnostics, Cursor/auth troubleshooting, or gameplay netcode deep-dives (those stay in the developer pack).

Maps — environment artist ownership

Status: Aligned with merge-safe hub packages + on-disk env test maps (2026-08-07).

Hub packages (same-repo ownership — use these for delivery)

Soft path	Owner	Role
/Game/RedMMO/Maps/Hubs/L_Hub_Env_Visuals	Environment artist	Hub landscape, lighting, foliage, set dressing — your save target
/Game/RedMMO/Maps/Hubs/L_Hub_Persistent	Lead / rare	Thin shell — streaming refs only
/Game/RedMMO/Maps/Hubs/L_Hub_Gameplay_Logic	Gameplay developer	HubLogic — do not edit

Disk (handoff / Titan Content): Content/RedMMO/Maps/Hubs/

Env / level-design test maps (full Titan Content)

Soft path	Project	Role
/Game/RedMMO/Maps/RedPlanetGen_50km_ArtistCanvas	Titan	Planetary environment canvas — continents, atmosphere preview
/Game/RedMMO/Maps/Sandbox_DesertDemoSparkle_T01	Titan	Desert / dressed sandbox for LD, props, lighting

Why these two for look-dev

- 1 ArtistCanvas — planet-artist canvas for environmental / planetary authoring review (PlanetGen).
- 2 Sandbox_DesertDemoSparkle_T01 — desert sandbox for dressed/local env experiments without mutating protected production planets.

Prefer finishing hub delivery in L_Hub_Env_Visuals, not leaving long-term hub art only on a test map.

Related maps (do not treat as primary ownership)

Soft path	Note
/Game/RedMMO/Maps/Tests/RedPlanetGen_50km_FusedPrototype_M07_TropicalTile_R15_V3	Continent / tropical tile lighting scratch
/Game/RedMMO/Maps/RedMMO_PPG_HomeWorld	Clean RedMMO + PPG only — only if assigned

Protected — do not save over

- /Game/RedMMO/Maps/Hubs/L_Hub_Gameplay_Logic (developer ownership)
- /Game/RedMMO/Maps/RedPlanetGen
- /Game/RedMMO/Maps/RedPlanetGen_50km_Test
- /Game/RedMMO/Maps/RedPlanetGen_50km_FusedPrototype

Folder ownership conventions (environment)

Aligned with merge-safe hub packages and docs/WORLD_AUTHORING_WORKFLOW.md. Artists place and promote content here; gameplay developers do not dump logic Blueprints into these folders.

Hub map packages (first)

/Game/RedMMO/Maps/Hubs/L_Hub_Persistent ← lead / rare (streaming only)
/Game/RedMMO/Maps/Hubs/L_Hub_Env_Visuals ← environment artist (you)
/Game/RedMMO/Maps/Hubs/L_Hub_Gameplay_Logic ← gameplay developer (do not edit)

Or World Partition Data Layers: DL_Env, DL_Gameplay — same ownership idea.

Content layout

/Game/RedMMO/World/Quarantine/<PackName>/ ← new marketplace imports (review only)
/Game/RedMMO/World/Approved/<PackName>/ ← passed pivot/scale/collision/perf
/Game/RedMMO/World/Biomes/<BiomeName>/Palettes/
/Game/RedMMO/World/ManualPOI/<RegionId>/<POIName>/

Folder	Who writes	Rule
Maps/Hubs/L_Hub_Env_Visuals	Env	Hub delivery ownership
Maps/Hubs/L_Hub_Gameplay_Logic	Gameplay	Artists do not edit
Maps/Hubs/L_Hub_Persistent	Lead / rare	Streaming membership only
World/Quarantine/*	Env / import pass	Never drag straight into production maps
World/Approved/*	Env after review	Source for placement
World/Biomes/*/Palettes	Env	Data Assets (URedWorldAssetPalette)
World/ManualPOI/*	Env	Hand-authored colonies / landmarks
Maps/RedPlanetGen_50km_ArtistCanvas	Env (canvas)	Look-dev; do not put networked gameplay actors here long-term
Maps/Sandbox_DesertDemoSparkle_T01	Env / LD experiments	Prefer delivering finished hub look into L_Hub_Env_Visuals
Maps/RedPlanetGen (+ 50km Test / FusedPrototype)	Protected	Read-only without explicit gate
Character / Weapons / GameMode packages	Gameplay	Artists do not edit

Marketplace masters

- Do not edit Fab/Marketplace master materials or meshes in place.
- Create project-owned Material Instances under /Game/RedMMO/World/... or /Game/RedMMO/Environment/....
- Keep vendor pack folders intact for updates.

Outliner hygiene

- Group env actors under folders: Env/Landscape, Env/Foliage, Env/Lighting, Env/Dressing.
- Leave gameplay folders (Gameplay/Spawns, Gameplay/Volumes, Gameplay/Interactables) for the developer in HubLogic.
- Add Red Manual Placement Protection on hand-authored POI roots when using the planetary workflow.

Fab / Marketplace inventory — environment focus

Subset of docs/DeveloperHandoff/FAB_MARKETPLACE_INVENTORY.md for environmental / level-design work.

Presence checked on owner machine 2026-08-07.

Legend: Titan = D:\RedMMOTitan\Content · Clean = D:\RedMMOTitanWindowsData\Projects\RedMMO\Content

Hub delivery in the shared handoff repo (L_Hub_Env_Visuals) does not require PlanetGen/PPG. Those plugins matter for planetary test maps and full Titan Content.

Plugins required for env maps

Name	Needed for	Notes
(none)	Hub stubs L_Hub_* in TitanFundamentals	Dress hub visuals without planet plugins
PlanetGen (UE 5.8 Marketplace)	ArtistCanvas, RedPlanetGen*	Install via Epic Launcher into UE 5.8
PPG	Only clean RedMMO_PPG_HomeWorld	Not required for Titan ArtistCanvas / desert sandbox
Nwiro / UAIP	Optional editor tooling	Not required for art delivery

Environment content packs

Pack	On Titan	On Clean RedMMO	Typical use
SoStylized	Yes	Yes	Landscape layers, stylized foliage/rocks language
Stylized Desert Oasis	Yes	Yes	Desert oasis water MI, palms, desert dressing
StylizedRocksPack_01	—	Yes	Grass chunks / rock meshes used in PPG stylized binding
TropicalAlienWorld	Yes	—	Cliffs, rock formations, alien tropical silhouettes
AlienJungle	Yes	Yes	Obsidian pillars/rocks, jungle alien props
Alien_Grass_Pack	Yes	Yes	Ground cover candidates (review before approve)
Alien_Plants_Pack	Yes	Yes	Plant props (quarantine → approve)
SpaceColony	Yes	—	Sci-fi architecture dressing
AsteroidSpaceport	Yes	—	Port / hard-surface set dressing
Cloudz_Hi5	Yes	—	Cloud volumes (atmosphere dressing; respect scale rules)
Vefects	Yes	—	VFX support (use sparingly in env maps)

Full gameplay/plugin checklist (FocalRig, Steam, etc.) stays in the developer Fab inventory — env artists usually ignore those.

Review before placing on a live map

Score packs (mood-board fit, variation, pivots/LOD/Nanite, editability, cost) per docs/WORLD_AUTHORING_WORKFLOW.md.

Import → world/Quarantine → approve → palette entry → place only approved meshes into ManualPOI / biome folders.

Size / transfer note

Full Content/ is tens of GB and is not entirely in git. Artists need a drive sync or shared Content drop for the packs above. The public handoff repo carries docs + fundamentals crumbs, not every marketplace pack.