




IstioCon



Istio Web Application Firewall With WASM & Coraza

Zufar Dhiyaulhaq, GoTo Financial

- 
- A decorative pattern of light blue circles of varying sizes, arranged in a somewhat grid-like but slightly irregular fashion, covering the left side of the slide.
- there are few open source WAF solution in the market,
 - Integration with Istio service mesh is complicated,
 - Not all company can pay for enterprise WAF solution,
 - ModSecurity is deprecated in 1 July, 2024.


- drop-in alternative to replace ModSecurity
- support ModSecurity SecLang rulesets
- 100% compatible with OWASP Core Rule Set
- Library at its core, extensible by default
- Seamless integration with Envoy & Istio service mesh



coraza
WEB APPLICATION FIREWALL




- Coraza has WebAssembly implementation that supported by Envoy & Istio
<https://github.com/corazawaf/coraza-proxy-wasm>
- Istio support this via **WASMPlugin** object.



```

apiVersion: extensions.istio.io/v1alpha1
kind: WasmPlugin
metadata:
  name: istio-public-gateway-waf-wp
  namespace: istio-system
spec:
  selector:
    matchLabels:
      app: istio-public-gateway
  url: oci://ghcr.io/corazawaf/coraza-proxy-wasm:0.1.2
  imagePullPolicy: Always
  pluginConfig:
    directives_map:
      crs:
        - Include @demo-conf
        - Include @crs-setup-demo-conf
        - Include @owasp_crs/*.conf
    default_directives: crs

```

A decorative pattern of light blue circles of varying sizes, arranged in a somewhat random, overlapping manner on the left side of the slide.

```
pluginConfig:
  directives_map:
    crs_detection_only:
      - Include @demo-conf
      - Include @crs-setup-demo-conf
      - Include @owasp_crs/*.conf
      - SecRuleEngine DetectionOnly
    crs:
      - Include @demo-conf
      - Include @crs-setup-demo-conf
      - Include @owasp_crs/*.conf
  default_directives: crs_detection_only
  per_authority_directives:
    foo.gotofinancial.com: crs
    bar.gotofinancial.com: crs
```

```
running (2m30.0s), 00000/15009 VUs, 2227601 complete and 0 interrupted iterations
constant request rate / [=====] 00000/15009 VUs 2m30s 15000.00 iters/s
```

```
running (2m30.2s), 00000/15028 VUs, 2223201 complete and 0 interrupted iterations
```


Demo

Thank You