Write a manual. Include information on the concepts of the workflow. How do letters work in the neolamia.com package? Neolamia has exactly one package to install on top of it's existing server installation package.

The github repository for the server package is at https://github.com/addressbar-net/server.

The github repository for the contact package is at https://github.com/addressbar-net/contact.

This is the contact package.

The server package can be reached from https://neolamia.com.

The contact package can be reached from https://hotletter.band.

Neolamia is a vampire theme. A vampire lives in the modern age. Surrounded by technology, it's hard to find one's way as corporations become involved with clients.

There is a guide for the windows user to install the base, server package at

https://github.com/addressbar-net/server/blob/main/documents/install_from_the_windows_operating_system.pdf

The prefix 'neo' can refer to the modern age, but it could also imply a relatedness to the Matrix movies. A theme built for hotletter.band is used for the contact package. Write about the details of how the message system works. The manual can be formatted like an old SNES manual.

SNS-NL-USA-1

INSTRUCTION BOOKLET

NEOLAMIA SERVER SUITE & HOTLETTER EXPANSION MODULE

```
_____________________________________________________________________________
|                                                                           |
|   ========================================================================  |
|   |                        SUPER NINTENDO ENTERTAINMENT                  |  |
|   |                               SYSTEM COMPATIBLE                      |  |
|   ========================================================================  |
|                                                                           |
|                              N E O L A M I A                              |
|                                     &                                     |
|                            H O T L E T T E R . B A N D                    |
|                                                                           |
|                     FEDERATED CORRESPONDENCE & DIRECTORY MODULE           |
|                                                                           |
|   [ OFFICIAL SEAL OF AUTONOMOUS COMPUTING ]                               |
|   This seal is your assurance that Neolamia has reviewed this software   |
|   and verified that it meets our strict standards for nocturnal isolation,|
|   cryptographic independence, and zero-daemon SQLite persistence.         |
|___________________________________________________________________________|
```

Manual Artifacts:

- Markdown: INSTRUCTION_BOOKLET.md
- Printable PDF: INSTRUCTION_BOOKLET.pdf

⚠️ WARNING: PLEASE READ BEFORE OPERATING YOUR TERMINAL

A small percentage of administrators may experience digital vertigo or corporate dread when confronted with decentralized peer-to-peer streams and neon-lit matrix interfaces. If you detect unauthorized corporate acquisitions, suspicious telemetry probes, or an insatiable thirst for fresh crimson packets, step back from the terminal and seek shadow immediately.

TABLE OF CONTENTS

1. **The Lore: An Immortal in the Silicon Age**
2. **System Hardware: The Two-Cartridge Stack**
3. **Controller Layout & Command Mappings**
4. **The Genesis Installation**

5. **The HUD & The Three Letter Scrolls (Tabs)**
6. **The Inventory Rule: The 20-Letter Cap & Immutable Archives**
7. **The Status Gauges: Unread Counter & The Roll Up Spell**
8. **Reconnaissance: The Pre-Flight Availability Radar**
9. **The Alchemist's Press: Exporting Letters to PNG**
10. **The Cleansing Ritual: `wipe_database.php`**
11. **Troubleshooting & The Master Registry**
12. **90-Day Limited Warranty**

---

1. THE LORE: AN IMMORTAL IN THE SILICON AGE

You are a vampire surviving in the 21st century.

Centuries ago, sanctuary was simple: stone crypts, velvet darkness, and secluded halls untouched by mortal curiosity. But stone surrendered to silicon; crypts were replaced by towering glass skyscrapers; and mortal kingdoms evolved into sprawling corporate conglomerates. Today, corporate data monopolies monitor every fiber-optic highway, demanding phone numbers, identity verifications, and proprietary lock-in just to deliver a message.

To survive as an immortal in this **Neo-age**—a world reminiscent of a hyper-connected digital Matrix—one cannot rely on centralized cloud services. The prefix **Neo** signifies both the modern corporate technopolis and the urgent necessity of dodging corporate surveillance agents like an operative unplugged from the wire.

To preserve sovereignty, the **Neolamia** base server was forged: a nocturnal operating foundation deployed on bare metal. And atop Neolamia sits exactly **one** extension package: the **Hotletter** federated correspondence suite (hotletter.band).


Infused with the aesthetic of warm vacuum-tube dials, cast-iron chassis plates, stamped brass trims, and glowing amber filaments, Hotletter bridges the gothic past with the cybernetic future. It delivers messages website-to-website, peer-to-peer, over direct HTTP POST streams (`stream_context_create()`). Zero mail server daemons. Zero DNS reverse pointer (PTR) demands. Zero corporate middlemen.

---

2. SYSTEM HARDWARE: THE TWO-CARTRIDGE STACK

The architecture is strictly modular and consists of **two parts**:


```
+--------------------------------------------------------------------+
|                    HOTLETTER EXPANSION MODULE                      |
|            Repository: https://github.com/addressbar-net/contact   |
|                   Portal: https://hotletter.band                   |
```



1. **The Base Cartridge: Neolamia Server** (addressbar-net/server)
    - Gateway portal: neolamia.com.
    - Manages Nginx routing, automated SSL/TLS certificates, `/etc/tricurse/` configurations, directory sandboxes, and the `html_backup` archival system.
    - **Windows Installation Guide**: For operators deploying from Windows, consult the documentation: install_from_the_windows_operating_system.pdf.
2. **The Add-On Cartridge: The Contact Package** (addressbar-net/contact)
    - Gateway portal: hotletter.band.
    - Installs directly onto the existing Neolamia base installation. It provides the communication desk, multi-client routing, shared SQLite database isolation, and the Hotletter GUI.

---

3. CONTROLLER LAYOUT & COMMAND MAPPINGS



Controller Input	Hotletter Command	Action & Purpose
D-PAD UP / DOWN	Scroll Letter Queue	Browse through letters in the active inventory queue.
D-PAD LEFT / RIGHT	Switch Sub-Tabs	Switch between `Client`, `Revealed`, and `Group` tabs.

Controller Input	Hotletter Command	Action & Purpose
L BUTTON	View Archive Vault	Open the Library of Immutable Archive Pages (`tab=archive`).
R BUTTON	Compose Letter	Open the Composition Desk to draft a new dispatch (`tab=mail`).
A BUTTON	**[↩️ Reply]**	Reply to sender (triggers pre-flight host availability check).
B BUTTON	**[🔼 Roll Up]**	Toggle the Roll Up spell to collapse/expand message body text.
X BUTTON	**[🔍 Check]**	Query the target host radar for status and remaining quotas.
Y BUTTON	**[📷 Download As PNG]**	Render and download a stamped, high-resolution PNG artifact.
SELECT	**[👁️ Reveal to Group]**	Unveil an external client letter to all members of the server clan.
START	**[√ Mark All Read]**	Reset the active unread counter gauge back to 0.

---

4. THE GENESIS INSTALLATION

When deploying Hotletter upon your Neolamia server, run the automated installer. The package detects if `addressbar-net/server` is present and runs `html_backup` automatically upon completion:

```
# 1. Clone the contact package onto your Neolamia host
git clone https://github.com/addressbar-net/contact.git
cd contact

# 2. Run the installer
sudo ./install.sh
```

The installer configures:

- **Target Web Directory (`-d`)**: Webroot destination (e.g. `/var/www/html/contact`).
- **Persistent Database Directory (`-m`)**: Secure directory outside webroot (default: `/var/lib/tricurse/contact`).
- **Server Role**: Either **Main Contact Point (Central Transmitter)** or **Individual Client**.
- **Master Password (`-p`)**: Bcrypt-hashed directly into SQLite.

---

5. THE HUD & THE THREE LETTER SCROLLS (TABS)

Correspondence is segmented into three dedicated scrolls:

```
+=============================================================================+
| [📥 Client Letters (4)] | [👁️ Revealed Letters (2)] | [📢 Group Letters (6)] |
+=============================================================================+
```

Tab I: Client Letters (`client`)

- **Concept**: Strictly private external correspondence belonging to this specific client.
- **Inclusions**:
    1. Incoming letters sent by an external outside website directly to this client (e.g. `outside.com` $\rightarrow$ `novy.addr.bar`).
    2. Outbox copies of letters sent by this client to an external website.
    3. **The Dual-Copy Rule**: If a private client letter is later revealed to the server group, **the original recipient retains their copy here in the Client tab!**
- **Exclusions**: Letters between server clients (inner-server mail), transmitter broadcasts, and mail sent to other clients never appear here.
- **Ordering**: Ordered by **Date of Receipt** (`received_at DESC`).

Tab II: Revealed Letters (`revealed`)

- **Concept**: External letters originally received privately by an individual client that were subsequently revealed to the server clan.
- **Triggers**: Clicking `[ 👁️ Reveal to Group ]` or including another server member in a reply.
- **Dual Date Display**: Every revealed letter card displays two dates:
    - 📅 **Original Received**: The date the external letter arrived.
    - 👁️ **Date of Revelation**: The date the letter was revealed to the group.
- **Ordering**: Ordered at the **Date of Revelation** (`COALESCE(revealed_at, received_at) DESC`).
- **Clan Visibility**: Visible to all clients on the server. Clients who were *not* the original recipient view it *only* in this tab.

Tab III: Group Letters (`group`)

- **Concept**: Clan-wide correspondence and inner-server communications.
- **The Golden Law**: *"Inner-server letters are all group letters."*
    - Any letter between server clients is an inner-server letter, visible to all other recipients in the clan, and categorized under the **Group** tab.

    - Letters sent to the server's Central Transmitter (`tricurse.com/contact`) and transmitter broadcasts to subscribers appear here.
- **Ordering**: Ordered by **Date of Receipt** (`received_at DESC`).

---

6. THE INVENTORY RULE: THE 20-LETTER CAP & IMMUTABLE ARCHIVES

To keep your terminal swift and uncluttered, each tab enforces the **Rule of Twenty**:

```
ACTIVE TAB QUEUE (Maximum 20 Letters)
[Msg 1 (Newest)] ... [Msg 20 (Oldest)]
                      |
    (When Msg 21 Arrives)
                      |
                      v
+-------------------------------------+
|  THE IMMUTABLE ARCHIVE VAULT        |
|  ================================  |
|  Page 1: [20 Sealed Messages]       |
|  Page 2: [20 Sealed Messages]       |
|  Page 3: [In Creation... Needs 20]  |
+-------------------------------------+
```

1. **Active Inventory**: Exactly **20 letters** can reside in any active tab.
2. **Automated Transfer**: When letter 21 arrives, older letters are permanently transferred to the archive vault (`tab=archive`).
3. **Immutable 20-Letter Pages**:
    - Archive pages are created in fixed blocks of **exactly 20 letters**.
    - An archive page is finalized only when 20 letters accumulate.
    - **An archive page will always remain the same**. Its contents never shift or re-paginate.
    - Dedicated archive pages exist for each category: `Client Archive`, `Revealed Archive`, and `Group Archive`.
4. **Loss of Read/Unread Status**: Messages transferred to the archive vault permanently lose their Read/Unread tracking.

---

7. THE STATUS GAUGES: UNREAD COUNTER & THE ROLL UP SPELL

- **The Unread Gauge**: Capped at a maximum value of **20** across active tabs. Clicking `[ ✓ Mark All Read ]` depletes the counter to **0**.
- **The Roll Up Spell (`[ 🔼 Roll Up ]`)**:
    - Collapses the letter body while keeping the Subject, Sender, Timestamps, and Status Badges visible.

- State is tracked per-client in the `message_rollups` database table—rolling up a letter on your screen **never** collapses it for another client.
- Use `[ 🔼 Roll Up All ]` to collapse or expand the entire view at once.

---

8. RECONNAISSANCE: THE PRE-FLIGHT AVAILABILITY RADAR

Clicking **`[ 🔍 Check ]`** probes the target host before drafting or sending:

```
[ Target: https://novy.addr.bar ]  --->  [ 🔍 Check ]
             ||
             \/
🟢 Available: Website is online and available to receive messages. (8 msgs
remaining today)
```

- **Dual Path Resolution**: Automatically inspects both root domains (`domain.com`) and contact subpaths (`domain.com/contact/`).
- **Quota Tracking**: Displays remote daily rate limits and remaining messages.
- **Server Rate Synchronization**: Subdomains sharing a server installation (e.g. `novy.addr.bar` and `karo.addr.bar`) draw from the same host budget. Sending a letter decrements the count synchronously across client endpoints.
- **Automated Reply Check**: Clicking `[ ↩️ Reply ]` automatically checks recipient availability.

---

9. THE ALCHEMIST'S PRESS: EXPORTING LETTERS TO PNG

Click **`[ 📷 Download As PNG ]`** on any letter:

- The letter is rendered at high resolution with retro chassis borders, typography, and badges.
- **Hyperlink Preservation**: Any hyperlink included in the message body retains its underlined, styled format in the downloadable PNG.

---

10. THE CLEANSING RITUAL: `wipe_database.php`

When all correspondence must be cleared from the database while keeping user accounts and settings intact:

```
# Interactive Mode (prompts [y/N] before deletion)
php /addr.bar/tricurse/contact/wipe_database.php

# Immediate Automated Wipe
php /addr.bar/tricurse/contact/wipe_database.php --yes
```

What It Purges

- Deletes all records from `incoming_messages`, `sent_messages`, `message_archives`, `message_deletions`, `message_reads`, and `message_rollups`.
- Resets SQLite auto-increment sequences (`sqlite_sequence`) back to 1.
- Executes `VACUUM;` to reclaim disk space and defragment SQLite storage.
- Preserves user accounts, credentials, and site settings.

---

11. TROUBLESHOOTING & THE MASTER REGISTRY

Symptom	Cause	Remedy
Database Connection Error	File permissions	Ensure `/var/lib/tricurse/contact/contact.sqlite` has `chmod 666`.
Letter in Group tab instead of Client tab	Inner-Server message	Intended behavior: inner-server letters between clients are all group letters.
Revealed letter missing from other Client tabs	Client isolation	Intended behavior: client tabs ONLY contain correspondence visible to that client. Other clients see it in the Revealed tab.
Archive page not showing	Under 20 messages	Archive pages require **20 completed letters** before sealing and appearing.

Useful CLI Tools

- `contact_list`: View all registered installations on the server.
- `update_client_name`: Rename a client account.
- `update_password`: Update host password via command line.
- `remove_client`: Safely deregister a client installation.

---

12. 90-DAY LIMITED WARRANTY

Neolamia warrants that this software module shall perform in accordance with the specifications in this booklet. This warranty does not cover damages caused by corporate telemetry intrusions, unauthorized reverse proxies, or daylight exposure.

(C) 2026 NEOLAMIA & HOTLETTER.BAND
ALL RIGHTS RESERVED. LICENSED BY
THE AUTONOMOUS FEDERATION OF PEER WEBSITES.