If the original To recipient is included in the reply, the reply shares it with the group. However, it can be noted that the orignal To recipient is included in the Shared External Message.

Exactly. When an individual client replies to an external message and includes an inner-server client (such as another original `To` recipient on the local server or the main contact point), sending the reply shares the message and the reply across the server group.

Where and How It Is Noted

1. **Shared External Message Banner (Inbox & Archive)**: Whenever an external message is shared with the group, the message card displays:

```
[ 👥 Shared External Message ]
📤 Original To: [Preset Name(s)] — Original To recipient is included in this
Shared External Message
To: [Full Distribution List]
```

    - It explicitly identifies the original `To` recipient(s) using their configured preset name(s).
    - It confirms to everyone in the group that the original `To` recipient is included in the shared communication.

2. **Reply Composition Notice**: When composing a reply, the reply context banner right above the mail form displays:

```
↩️ Replying to Message #ID: From [Sender] — Subject: "[Subject]"
Original To: [Client Preset Name(s)]
Note: If you include an inner-server client (such as an original To recipient
or the main contact point) in the recipients list, this original message and
your reply will become visible to all other clients in the server group, and
the original To recipient will be noted in the Shared External Message.
```

All changes have been synchronized across `/addr.bar/tricurse/contact/`, `/addr.bar/addressbar.net/contact/`, and `/var/www/html/contact/`.