A name must be set for each client. When the administrator installs client accounts, they must set one for them. For existing client accounts without a name, when contact_update_all is run an option to set names must be presented if they're not already set.

Client account naming and update functionality has been implemented and verified.

Key Changes Implemented

1. **Mandatory Client Name During Installation (`install.sh`)**:
    - Added `-N, --name, --client-name <name>` option to the installer CLI.
    - When deploying with role `client`, a client name is now mandatory.
    - In interactive mode, the installer prompts: `Enter client name:` and validates that it cannot be left empty.
    - In non-interactive mode (`-y`), omitting `-N` / `--name` returns an error requiring the administrator to provide one.
2. **Interactive Option in `contact_update_all` (`install.sh` & `contact_update_all.php`)**:
    - When `contact_update_all` (or `./install.sh --update-all`) executes, it scans all registered client accounts across the server.
    - If any client accounts lack a configured name, it reports them and presents an interactive prompt:

```
Notice: Found X existing client account(s) without a name set:
  1) client1.example.com
A name must be set for each client account.
Would you like to set names for these client accounts now? [Y/n]:
```

    - Accepting the prompt guides the administrator to enter names for each unnamed client account and immediately persists them.
    - Subsequent runs detect the configured names and proceed without reprompting.
3. **Storage & Persistence (`db.php` & `schema.sql`)**:
    - Added `set_client_name()` and `get_client_name()` helper functions.
    - Names are stored consistently in:
        - `site_settings` under `<domain>::client_name`.
        - `users` table via the `client_name` column.
        - `main_subscriptions` table via the `client_name` column.
        - `/etc/tricurse/<domain>/contact.conf` as `$client_name`.

    - `/etc/tricurse/installations.json` as `client_name`.

4. **Desktop Display & Listing (`index.php` & `contact_list.php`)**:
    - In `index.php`, the header displays the client's name next to the domain, uses the client name as the default sender name in the Send Mail form, and shows the client name in the Main Contact Point subscriber directory.
    - In `contact_list.php`, added a dedicated `Client Name` column showing the configured name or `(not set)`.

All updates have been synchronized across `/addr.bar/tricurse/contact/`, `/addr.bar/addressbar.net/contact/`, and `/var/www/html/contact/`.

The text input for setting your name should be removed. It's set by the administrator and never changed by the client.

The editable text input for setting your name has been removed:

1. **Send Mail Form Display (`index.php`)**:
    - Replaced the editable `<input type="text">` field with a read-only `From:` display showing the administrator-configured client name and domain.
2. **Dispatch Enforcement (`index.php`)**:
    - In the `send_mail` action, the sender name is set directly from `get_client_name()` configured by the administrator, ignoring any client-submitted POST parameters.

All mirror directories (`/addr.bar/tricurse/contact/`, `/addr.bar/addressbar.net/contact/`, and `/var/www/html/contact/`) have been updated and synchronized.