Include a script that can be run on the CLI to wipe the database. All messages will be deleted.

A CLI utility script wipe_database.php has been created to wipe all messages from the database. It has also been synchronized to addressbar.net/contact and /var/www/html/contact/.

What It Does

- **Deletes All Messages**:
  - `incoming_messages` (all received letters, broadcasts, and shared letters)
  - `sent_messages` (all outgoing dispatch/federation logs)
  - `message_archives` (all archived letter pages across all tabs)
  - `message_deletions` (all deletion records)
  - `message_reads` (all read status records)
  - `message_rollups` (all per-client collapse/rollup records)
- **Resets Auto-Increment Sequences**: Restarts SQLite IDs for message tables (`sqlite_sequence`).
- **Vacuums & Reclaims Disk Space**: Executes `VACUUM;` to optimize and shrink the database file.
- **Safety Protection**:
  - Web access is blocked (returns `HTTP 403 Forbidden` if requested via HTTP).
  - Prompts for interactive confirmation (`[y/N]`) before executing, unless `--yes` or `--force` is passed.
  - User accounts and site settings are preserved.

Usage

1. Interactive Mode (prompts for confirmation before wiping)

```
php /addr.bar/tricurse/contact/wipe_database.php
```

2. Immediate Wipe (skips confirmation prompt)

```
php /addr.bar/tricurse/contact/wipe_database.php --yes
# or
php /addr.bar/tricurse/contact/wipe_database.php -f
```

3. Available Options

Option	Description
`-y`, `--yes`, `-f`, `--force`	Skip confirmation prompt and wipe immediately
`-d`, `--database <path>`	Specify a custom SQLite database file to wipe
`--domain <domain>`	Only wipe messages belonging to a specific client domain
`--all`, `--full`	Also clear login attempts and blocked site records
`-h`, `--help`	Display help and usage instructions