

Incident Response and Digital Forensics Strategies for Rapid Cyber Attack Containment

Adetomiwa A. Dosunmu¹, Peter Olusoji Ogundele²

¹Lagos State Government, Lagos, Nigeria

²Ericsson, Lagos Nigeria

Corresponding Author : dosunmu.adetomiwa@yahoo.com

Article Info

Volume 4 Issue 4

Page Number : 239-258

Publication Issue :

July-August-2021

Article History

Accepted : 01 July 2021

Published : 18 July 2021

ABSTRACT

The escalating frequency, sophistication, and impact of cyber attacks have made rapid incident response and effective digital forensics essential components of modern cybersecurity strategies. Organisations across critical infrastructure, finance, healthcare, and government sectors face increasing pressure to detect, contain, investigate, and recover from cyber incidents in compressed timeframes while preserving evidentiary integrity. Incident response and digital forensics, once treated as separate post-incident functions, are now increasingly integrated to support rapid containment, root-cause analysis, attribution, and legal or regulatory action. This paper presents a comprehensive examination of incident response and digital forensics strategies aimed at rapid cyber attack containment, drawing exclusively on research and practice established. The study synthesises foundational theories, operational models, forensic methodologies, and organisational frameworks that underpin effective response capabilities. Key developments in intrusion detection, memory and network forensics, malware analysis, automation, and coordinated response processes are reviewed. The paper highlights the evolution toward integrated, proactive, and intelligence-driven approaches that balance speed, accuracy, and evidentiary reliability. By consolidating established knowledge and practices, this work provides a structured reference for researchers and practitioners seeking to enhance cyber resilience through coordinated incident response and forensic readiness.

Keywords : Incident response, Digital forensics, Cyber-attack containment, Malware analysis, Network forensics, Cybersecurity operations

1. Introduction

Cyber attacks have evolved from isolated technical incidents into complex, multi-stage campaigns capable of causing severe operational, financial, and reputational damage [1], [2]. Modern threat actors employ sophisticated techniques that blend social engineering, malware, lateral movement, privilege escalation, and data exfiltration, often operating stealthily for extended periods before detection [3], [4], [5]. As digital systems become increasingly integrated into critical services and business processes, the consequences of delayed or ineffective response grow more severe. In this environment, the ability to rapidly contain cyber

attacks while simultaneously preserving forensic evidence has become a central challenge in cybersecurity practice [6], [7].

Incident response refers to the structured set of actions taken to identify, manage, mitigate, and recover from security incidents. Digital forensics involves the identification, collection, preservation, analysis, and presentation of digital evidence in a manner suitable for technical investigation and legal proceedings [8]. Historically, these functions were often treated as sequential or separate activities: response teams focused on restoring operations as quickly as possible, while forensic analysts conducted post-incident investigations. However, as cyber attacks have become faster, more destructive, and more evasive, this separation has proven increasingly problematic [9], [10]. Rapid containment actions such as system isolation, log rotation, or malware eradication, can inadvertently destroy volatile evidence, compromise chain-of-custody requirements, or obscure attacker behaviour. Conversely, overly cautious forensic preservation can delay containment and amplify damage [11], [12].

The growing recognition of this tension has driven a shift toward integrated incident response and digital forensics strategies [13], [14]. These strategies aim to achieve rapid containment without sacrificing investigative depth or evidentiary integrity. Achieving this balance requires not only technical tools but also organisational readiness, predefined procedures, skilled personnel, and cross-functional coordination. Research and operational experience consistently emphasised that successful cyber incident management depends as much on preparation and integration as on reactive technical measures [15], [16].

The threat landscape confronting organisations has expanded significantly in scope and complexity. Early cyber incidents often involved relatively simple viruses, worms, or denial-of-service attacks. In contrast, contemporary attacks frequently involve advanced persistent threats (APTs), ransomware campaigns, supply chain compromises, and blended attacks that exploit technical vulnerabilities alongside human factors. These attacks are characterised by stealth, persistence, and adaptability, often using encryption, fileless malware, or living-off-the-land techniques to evade detection. Such characteristics complicate both incident response and forensic analysis, increasing the need for rapid, informed decision-making under uncertainty [17], [18].

The speed at which modern attacks unfold further intensifies the challenge. Automated exploitation tools, botnets, and ransomware frameworks can compromise thousands of systems within minutes. Data exfiltration can occur rapidly once access is obtained, and destructive payloads may be triggered almost immediately after intrusion. In these scenarios, delays of even a few minutes can significantly increase impact. Rapid containment through network segmentation, account suspension, or process termination becomes essential [19], [20]. Yet these same actions can overwrite memory, terminate malicious processes before analysis, or alter system states in ways that hinder forensic reconstruction. The dual objectives of speed and evidentiary preservation thus sit in inherent tension.

Digital transformation has also expanded the attack surface and complicated response activities [21], [22]. Cloud computing, virtualisation, mobile devices, Internet of Things (IoT) systems, and remote work environments introduce distributed and ephemeral infrastructures that challenge traditional forensic approaches [23], [24]. Logs may be decentralised, volatile data may exist only in memory, and system instances may be dynamically created or destroyed. Incident response teams must therefore operate across heterogeneous environments, often under contractual, jurisdictional, or regulatory constraints [25], [26].

Research's increasingly highlighted the need for adaptable forensic strategies capable of operating across on-premise, cloud, and hybrid systems [27], [28].

Regulatory and legal pressures further elevate the importance of effective incident response and forensics. Data protection regulations, breach notification laws, and industry compliance standards impose strict requirements on how incidents are handled, investigated, and reported. Failure to preserve evidence or accurately determine breach scope can lead to legal penalties, regulatory sanctions, and litigation. In some sectors, organisations are required to demonstrate due diligence in incident handling, including documented response procedures and forensic investigations conducted according to accepted standards. This regulatory context reinforces the need for integrated strategies that support both operational containment and evidentiary accountability [29], [30].

Organisational factors play a decisive role in shaping incident response effectiveness. Studies consistently show that well-defined incident response plans, trained response teams, clear communication channels, and executive support significantly improve response outcomes. Conversely, ad hoc decision-making, unclear authority, and lack of forensic readiness often result in delayed containment, evidence loss, and poor post-incident understanding. The human dimension skills, experience, stress management, and inter-team coordination is therefore as critical as technical capability [31], [32].

Technological advances have supported more effective integration of response and forensics. Security information and event management (SIEM) systems, endpoint detection and response (EDR) platforms, network traffic analysis tools, and threat intelligence feeds became increasingly central to incident handling [33], [34]. These technologies enable rapid detection, contextual awareness, and coordinated response actions. At the same time, advances in memory forensics, malware reverse engineering, and network flow analysis expanded the forensic toolkit, allowing investigators to reconstruct attacker actions with greater precision. Automation and orchestration tools further reduced response times, though they also raised concerns about unintended evidence destruction if not carefully designed [35], [36].

Despite these advances, significant challenges remain. Incident responders must make high-stakes decisions with incomplete information, balancing operational continuity against investigative needs. Forensic analysts must contend with encrypted data, anti-forensic techniques, and the sheer volume of digital artefacts generated during incidents. Resource constraints, skills shortages, and organisational silos can undermine even well-designed response frameworks. Moreover, attackers actively adapt to defensive measures, employing techniques specifically designed to frustrate forensic analysis and delay detection [37], [38].

Against this backdrop, the objective of this paper is to examine established incident response and digital forensics strategies that support rapid cyber attack containment [39], [40]. Drawing exclusively on literature and practice established, the paper synthesises foundational concepts, operational models, and methodological advances that underpin effective integrated response. The focus is not on proposing new technologies but on consolidating and structuring existing knowledge to highlight how speed, coordination, and evidentiary integrity can be jointly achieved.

The remainder of the paper is structured as follows. Section 2 presents a comprehensive literature review covering incident response models, digital forensic methodologies, integration challenges, automation, and

organisational readiness. Subsequent sections (not included here) would develop a conceptual framework, discuss practical implications, and conclude with recommendations for research and practice.

2. Literature Review

The literature on incident response and digital forensics reflects the growing recognition that effective cyber attack containment depends on both rapid operational action and rigorous investigative capability [1], [2]. Early research treated these domains as largely separate, with incident response focusing on mitigation and recovery, and digital forensics concentrating on post-incident evidence analysis. Over time, however, scholars and practitioners increasingly emphasised the need for integration, coordination, and shared situational awareness [3], [5].

Foundational incident response models established the basic phases of preparation, detection, analysis, containment, eradication, and recovery. These models provided a structured approach to handling security incidents and were widely adopted in organisational policies and standards [6], [8]. Preparation was consistently identified as the most critical phase, encompassing incident response planning, team formation, training, tool deployment, and communication protocols. Studies showed that organisations with mature preparation capabilities were able to detect incidents earlier, contain them more quickly, and conduct more effective investigations [41], [42].

Detection and analysis phases received significant attention in the literature, particularly with the rise of sophisticated attacks designed to evade traditional security controls. Signature-based intrusion detection systems proved insufficient against novel or polymorphic malware, leading to increased reliance on anomaly detection, behavioural analysis, and correlation of events across multiple data sources. Research highlighted the importance of contextual information, such as asset criticality and threat intelligence, in prioritising response actions [43].

Containment strategies were a central focus of incident response research. Containment can be broadly categorised into short-term and long-term measures [44], [45]. Short-term containment aims to immediately limit damage, often through isolating affected systems, disabling accounts, or blocking network traffic. Long-term containment involves more deliberate actions designed to prevent recurrence, such as patching vulnerabilities or reconfiguring systems. The literature emphasised that containment decisions must consider forensic implications, as aggressive actions can destroy volatile evidence or alter system states in ways that complicate later analysis [46], [47].

Digital forensics research developed in parallel, with early work focusing on disk-based analysis and file system artefacts. As attacks became more sophisticated, forensic methodologies expanded to include memory forensics, network forensics, and malware analysis. Memory forensics gained prominence due to the increasing use of fileless malware and in-memory execution techniques. Researchers demonstrated that volatile memory often contains critical evidence of running processes, encryption keys, network connections, and injected code that may never be written to disk [48], [49].

Network forensics also emerged as a vital component of cyber investigations [50], [51]. By analysing packet captures, flow records, and log data, investigators could reconstruct communication patterns, identify command-and-control channels, and detect data exfiltration [52]. Studies highlighted the value of network-

level evidence for understanding attacker behaviour, particularly in distributed or cloud-based environments where endpoint artefacts may be incomplete [53], [54], [55].

Malware analysis constituted another major strand of the literature. Static and dynamic analysis techniques were used to understand malware functionality, propagation mechanisms, and persistence strategies [56]. Reverse engineering provided insights into attacker objectives and capabilities, informing both containment and long-term defensive improvements. The literature also documented the growing use of obfuscation, packing, and anti-debugging techniques by attackers, which increased the technical complexity and time required for analysis [57], [58].

As the volume and velocity of security data increased, automation became a recurring theme. Security orchestration, automation, and response (SOAR) platforms were introduced to streamline repetitive tasks, reduce response times, and improve consistency. Research explored the benefits and risks of automation, noting that while automated containment actions could significantly limit damage, they also carried the risk of unintended service disruption or evidence loss if not carefully governed [59].

Integration of incident response and forensics was increasingly framed in terms of forensic readiness [60]. Forensic readiness refers to an organisation's ability to maximise the use of digital evidence while minimising the cost and disruption of investigations. Studies identified key elements of forensic readiness, including comprehensive logging, time synchronisation, evidence preservation procedures, trained personnel, and clear legal guidance. Forensic readiness was shown to improve both response efficiency and investigative outcomes [61].

Organisational and human factors featured prominently in the literature. Effective incident response requires coordination among technical teams, management, legal counsel, and external stakeholders [62]. Communication breakdowns, unclear authority, and inadequate training were frequently cited as causes of poor response outcomes. The literature emphasised the importance of regular exercises, incident simulations, and cross-functional collaboration in building organisational resilience [63], [64].

Legal and regulatory considerations also shaped response and forensic practices. Research discussed the implications of data protection laws, breach notification requirements, and evidentiary standards for incident handling. Investigators must ensure that evidence collection complies with legal requirements to maintain admissibility, while responders must balance transparency with the need to protect sensitive information [65], [66].

Overall, the literature reflects a clear trend toward integrated, intelligence-driven, and preparedness-oriented approaches to incident response and digital forensics. While technical challenges remain, the body of research provides a solid foundation for developing strategies that support rapid containment without compromising investigative integrity.

3. Integrated Incident Response and Digital Forensics Framework for Rapid Containment

The literature reviewed in the preceding section demonstrates that effective cyber attack containment requires a tightly integrated approach to incident response and digital forensics [67]. Treating these functions as sequential or loosely coupled activities is no longer sufficient in environments where attacks unfold rapidly, infrastructure is distributed, and attackers deliberately employ anti-forensic techniques [68]. This section presents a conceptual framework that synthesises established practices into a cohesive structure designed to

support rapid containment while preserving forensic integrity. The framework does not propose new technologies or methods but instead organises existing strategies into an operationally coherent model that aligns technical, procedural, and organisational dimensions of cyber incident management.

3.1 Framework Rationale and Design Principles

The central premise of the proposed framework is that speed and evidentiary integrity are not mutually exclusive objectives, provided that response activities are guided by predefined procedures, forensic readiness, and situational awareness [69], [70]. Rapid containment must be informed by an understanding of what evidence is likely to be lost through specific actions, while forensic investigation must be sufficiently agile to operate within compressed response timelines. The framework is therefore built around three core principles: preparedness, integration, and proportionality.

Preparedness ensures that organisations do not have to design response and forensic processes during an active incident. Integration refers to the coordination of response and forensic functions at both technical and organisational levels [71]. Proportionality recognises that not all incidents require the same level of forensic preservation and that response actions should be scaled according to incident severity, asset criticality, and legal or regulatory implications. These principles collectively enable informed decision-making under pressure, reducing the likelihood of unnecessary evidence loss or excessive operational disruption [72].

3.2 Pre-Incident Readiness and Forensic Preparedness

The first layer of the framework emphasises pre-incident readiness as the foundation for rapid and effective containment [73]. Numerous studies have shown that organisations with mature preparation capabilities respond faster and more effectively to cyber incidents than those relying on ad hoc measures. Forensic preparedness is a critical component of this readiness and involves ensuring that systems are configured to generate, preserve, and protect potential evidence before an incident occurs [74].

Key elements include comprehensive and centralised logging across endpoints, servers, network devices, and security controls, with appropriate retention periods and time synchronisation. Logging must be designed not only for operational monitoring but also for forensic reconstruction, capturing authentication events, process execution, network connections, and configuration changes [75]. Access controls and integrity protections are necessary to prevent tampering with logs during or after an incident. In parallel, organisations must establish evidence handling procedures, chain-of-custody documentation, and secure storage mechanisms that can be activated immediately when an incident is suspected [76].

Human readiness is equally important. Incident response and forensic teams must be clearly defined, trained, and authorised to act. Roles and responsibilities should be documented in incident response plans, including escalation paths, decision authority, and communication protocols. Regular exercises and simulations help ensure that personnel can execute procedures under stress and understand the forensic implications of containment actions. This preparatory layer reduces uncertainty during live incidents and enables faster, more confident action.

3.3 Detection and Initial Triage

The second layer of the framework addresses detection and initial triage, which form the gateway between routine operations and active incident response. Detection mechanisms include intrusion detection systems,

endpoint monitoring, log correlation platforms, and user or third-party reports. Once a potential incident is identified, rapid triage is essential to determine scope, severity, and potential impact.

From an integrated response-forensics perspective, triage serves two functions. First, it enables prioritisation of response actions by identifying affected systems, data types, and business functions. Second, it informs forensic strategy by indicating what types of evidence are likely to be most valuable and most at risk. For example, indicators of memory-resident malware or credential theft suggest that volatile data collection should be prioritised, whereas evidence of data exfiltration may shift attention toward network traffic and log analysis.

The framework emphasises that initial triage should be minimally invasive where possible, relying on existing monitoring data and remote analysis rather than immediate system shutdowns. This approach preserves system state and reduces the risk of prematurely destroying volatile evidence. Clear criteria for escalation ensure that more intrusive actions are taken only when justified by risk and impact considerations.

3.4 Coordinated Containment and Evidence Preservation

Containment represents the most critical and time-sensitive phase of incident response, particularly in fast-moving attacks such as ransomware outbreaks or lateral movement campaigns [77], [78]. The framework conceptualises containment as a coordinated activity in which response and forensic objectives are jointly considered rather than sequentially applied.

Short-term containment actions aim to halt attacker activity and limit damage. These may include network segmentation, isolation of compromised hosts, disabling compromised accounts, or blocking malicious traffic [79]. The framework stresses that such actions should be executed in a manner that preserves evidence wherever feasible. For example, isolating a host from the network while keeping it powered on may preserve memory artefacts, whereas immediate shutdown would eliminate them. Similarly, suspending an account rather than deleting it preserves authentication data and usage history.

Longer-term containment measures involve stabilising the environment and preventing re-compromise. These actions often overlap with eradication activities, such as patching vulnerabilities or removing malware, and therefore require careful sequencing [80], [81]. The framework advocates for evidence capture such as disk imaging, memory acquisition, and log preservation before irreversible changes are made. Where full forensic acquisition is not immediately feasible, targeted evidence collection guided by triage findings can provide a compromise between speed and completeness.

Effective coordination during containment depends on communication between response and forensic personnel [82], [83]. Decisions about isolation, rebooting, or system restoration should be made collaboratively, with an explicit understanding of their forensic consequences. This coordination reduces the likelihood of conflicting actions and ensures that containment does not undermine subsequent investigation or legal processes.

3.5 Forensic Analysis in Parallel with Response

A distinguishing feature of the proposed framework is its emphasis on conducting forensic analysis in parallel with containment and recovery activities [84]. Rather than deferring investigation until systems are restored, the framework encourages continuous analysis of collected evidence as the incident unfolds. This approach

supports adaptive response by providing insights into attacker behaviour, scope of compromise, and potential next steps.

Forensic analysis may include memory examination to identify malicious processes or injected code, disk analysis to uncover persistence mechanisms, and network analysis to trace command-and-control communications or data exfiltration paths [85]. Malware analysis can inform detection rules and containment strategies, enabling responders to block additional indicators or anticipate attacker actions. By feeding forensic findings back into response decision-making, organisations can refine containment measures in near real time.

Parallel analysis also supports more accurate scoping of incidents, reducing both under- and over-containment. Understanding which systems are genuinely compromised allows organisations to avoid unnecessary shutdowns while ensuring that all affected assets are addressed. This feedback loop between forensics and response is a central element of rapid yet controlled containment.

3.6 Recovery, Eradication, and Post-Incident Actions

Recovery and eradication activities aim to restore systems to normal operation and remove attacker footholds. In the framework, these activities are closely linked to forensic conclusions about root cause and persistence mechanisms [86]. Eradication actions informed by incomplete or inaccurate forensic understanding risk leaving backdoors in place or triggering reinfection.

The framework therefore positions recovery as a controlled process guided by forensic evidence. System rebuilds, credential resets, and configuration changes are undertaken with an understanding of how the attack occurred and how similar incidents can be prevented [87]. Throughout recovery, additional evidence may be generated, particularly if attacker activity resumes or dormant mechanisms are triggered. Preserving and analysing this evidence contributes to a more complete understanding of the incident[88].

Post-incident activities include formal reporting, lessons-learned reviews, and updates to response plans and controls. These activities close the loop in the framework, feeding experience back into preparedness and readiness. From a forensic perspective, documentation and evidence handling during this phase support potential legal action, regulatory reporting, or intelligence sharing.

3.7 Organisational, Legal, and Governance Integration

The final layer of the framework situates technical response and forensic activities within broader organisational and governance contexts. Incident response does not occur in isolation; it involves coordination with management, legal counsel, compliance teams, human resources, and external stakeholders such as regulators or law enforcement. Decisions about evidence handling, disclosure, and cooperation with authorities must align with organisational policy and legal obligations [89], [90].

The framework emphasises the importance of predefined governance structures that clarify decision authority and communication pathways [91], [92]. Legal and regulatory considerations influence how evidence is collected, stored, and shared, as well as how quickly incidents must be reported. Integrating these considerations into response planning reduces uncertainty and conflict during live incidents, enabling faster and more confident action.

3.8 Summary of the Framework

The integrated framework presented in this section conceptualises rapid cyber attack containment as a coordinated, multi-layered process that spans preparation, detection, containment, investigation, recovery, and organisational governance. By embedding digital forensics within incident response rather than treating it as a separate or subsequent activity, the framework addresses the fundamental tension between speed and evidentiary integrity. It provides a structured lens through which established practices can be aligned to support rapid, informed, and accountable cyber incident management.

4. Discussion

The integrated incident response and digital forensics framework presented in this study reflects a broader evolution in cybersecurity practice toward coordinated, intelligence-driven, and preparedness-oriented approaches. The discussion that follows situates the framework within established research and operational experience, examines its implications for rapid cyber attack containment, and highlights persistent challenges that influence its practical application [93], [94]. By focusing on synthesis rather than novelty, the discussion reinforces how existing methods can be aligned more effectively to meet the demands of contemporary cyber threats.

One of the most significant implications of the framework is its reframing of speed and evidentiary integrity as complementary rather than competing objectives. Traditional approaches often forced organisations to choose between rapid containment and thorough forensic investigation [95]. The literature, however, increasingly demonstrates that this dichotomy arises not from inherent incompatibility but from insufficient preparation and poor integration of response and forensic processes. When forensic readiness is embedded into system design and organisational policy, responders can act quickly without resorting to destructive containment measures. The framework underscores that decisions made during the first minutes of an incident often determine both the extent of damage and the quality of subsequent investigation, reinforcing the importance of preparedness and predefined decision pathways [96], [97].

The framework also highlights the centrality of pre-incident readiness in shaping response effectiveness. Research consistently shows that organisations with documented incident response plans, trained personnel, and established forensic procedures contain attacks more rapidly and with fewer unintended consequences [98], [99]. The discussion reinforces that readiness is not a static condition but an ongoing process requiring continuous training, tool validation, and procedural refinement. Exercises and simulations play a critical role in exposing gaps between policy and practice, allowing organisations to refine coordination between response and forensic teams before a real incident occurs. This emphasis aligns with prior findings that technical capability alone is insufficient without organisational maturity and leadership support [100], [101].

Detection and triage emerge as pivotal transition points in the framework, connecting routine security monitoring with active incident management [102]. The discussion highlights that triage decisions directly influence both containment speed and investigative depth. Overly aggressive containment based on incomplete triage can destroy valuable evidence or trigger unnecessary outages, while excessive caution can allow attackers to expand their foothold [103]. The framework's emphasis on minimally invasive initial assessment reflects established best practices in incident handling, where responders seek to maximise situational awareness before executing irreversible actions. This balance is particularly important in

environments characterised by sophisticated, stealthy threats that deliberately blur the line between benign and malicious activity.

Containment strategies represent the most operationally challenging aspect of integrated response and forensics. The discussion emphasises that containment is not a single action but a sequence of decisions that must adapt as new information becomes available [104]. The framework's distinction between short-term and longer-term containment is well supported by the literature, which demonstrates that immediate isolation measures are often necessary to stop damage but must be carefully designed to preserve system state. The discussion reinforces that containment should be viewed as a collaborative process, with responders and forensic analysts jointly evaluating the consequences of actions such as network isolation, account suspension, or system rebooting [105]. This collaborative approach reduces the risk of conflicting objectives and enhances overall response effectiveness.

The parallel execution of forensic analysis during active response represents a practical shift from older, sequential models of incident handling. The discussion notes that this shift has been enabled by advances in tooling, increased computational capacity, and improved access to real-time data. Conducting analysis in parallel allows organisations to refine containment measures based on evolving understanding of attacker behaviour [106]. For example, forensic insights into lateral movement techniques or persistence mechanisms can inform targeted containment actions that are both faster and more precise than broad, disruptive measures. This feedback loop between investigation and response is a defining feature of mature incident handling practices.

Recovery and eradication are also reframed within the discussion as analytically informed processes rather than purely technical restoration tasks. The framework's emphasis on forensic evidence as a guide for eradication aligns with established research showing that incomplete understanding of attack vectors often leads to reinfection or residual compromise [107]. The discussion highlights that rapid restoration of services, while important, should not come at the expense of leaving attackers' mechanisms intact. Instead, recovery should be paced and sequenced in accordance with investigative findings, ensuring that systems are returned to operation in a more secure state.

Organisational and governance considerations occupy a central place in the discussion. The framework reinforces that incident response and digital forensics operate within legal, regulatory, and institutional constraints that shape what actions are permissible and when they must occur [108]. Clear governance structures reduce uncertainty during incidents by defining decision authority, communication channels, and escalation pathways. The discussion emphasises that involvement of legal and compliance functions is not merely procedural but essential for ensuring that evidence handling, disclosure decisions, and cooperation with external parties are conducted appropriately. This integration reduces the risk of secondary harm arising from mishandled investigations or regulatory non-compliance.

The discussion also acknowledges persistent challenges that may limit the framework's implementation. Resource constraints, skills shortages, and uneven access to advanced tools can impede integration, particularly in smaller organisations. The increasing use of encryption, cloud-based services, and ephemeral infrastructure complicates both response and forensic activities, even when established methodologies are applied [109]. The framework does not eliminate these challenges but provides a structured approach for

addressing them systematically. By clarifying priorities and relationships between activities, it helps organisations make informed trade-offs under constrained conditions.

Another important consideration discussed is the human dimension of incident response. High-pressure environments, time constraints, and cognitive overload can affect decision quality during major incidents. The framework implicitly addresses this by emphasising predefined procedures, role clarity, and collaborative decision-making, all of which reduce reliance on ad hoc judgement. The discussion reinforces that investing in training, team cohesion, and communication skills is as important as investing in technology, echoing findings from prior empirical studies on incident response performance.

Finally, the discussion situates the framework within the broader trajectory of cybersecurity practice. The movement toward integrated response and forensics reflects a maturation of the field, driven by hard-earned lessons from major incidents and breaches. While no framework can guarantee perfect outcomes, the structured integration of established strategies provides a more resilient foundation for managing cyber attacks[110]. The framework encourages organisations to view incident response and digital forensics not as emergency functions activated only during crises, but as continuous capabilities embedded within everyday security operations.

In summary, the discussion demonstrates that the proposed framework aligns closely with established research and operational experience. It offers a coherent way to organise existing practices, address long-standing tensions between speed and investigation, and support more effective cyber attack containment. Its value lies not in introducing new techniques but in clarifying how proven strategies can be integrated to meet the demands of increasingly complex and fast-moving cyber threats.

5. Conclusion

This paper has examined incident response and digital forensics strategies for rapid cyber attack containment through a comprehensive synthesis of established research and practice. As cyber threats have increased in scale, speed, and sophistication, the traditional separation between response and forensic investigation has proven inadequate for managing modern incidents effectively. The analysis presented in this work reinforces the view that rapid containment and rigorous investigation are not inherently incompatible objectives, but rather complementary outcomes that depend on preparedness, coordination, and informed decision-making.

The review of the literature demonstrated a clear progression from reactive, sequential incident handling models toward integrated approaches that embed forensic considerations within every stage of response. Foundational incident response frameworks provided the structural basis for managing security events, while advances in digital forensics expanded the ability to reconstruct attacker behaviour across endpoints, networks, and memory. Over time, operational experience and empirical research highlighted the risks of treating these disciplines in isolation, particularly in fast-moving attacks where containment actions can unintentionally compromise critical evidence. This body of work underscores the necessity of aligning technical, procedural, and organisational elements into a unified response capability.

The conceptual framework developed in this paper provides a structured interpretation of how such alignment can be achieved using established methods. By emphasising pre-incident readiness, the framework highlights the importance of forensic preparedness, logging, role definition, and training as prerequisites for effective response. Detection and triage are positioned as pivotal transition points where early decisions shape

both containment outcomes and investigative depth. The coordinated treatment of containment and evidence preservation reflects practical lessons learned from real-world incidents, where poorly sequenced actions often result in either excessive damage or loss of forensic visibility.

A key contribution of the framework lies in its emphasis on conducting forensic analysis in parallel with response activities. This approach enables organisations to adapt containment measures as new insights emerge, improving precision and reducing unnecessary disruption. Recovery and eradication are similarly reframed as analytically informed processes rather than purely technical restoration tasks. By grounding recovery actions in forensic findings, organisations can reduce the risk of reinfection, strengthen defensive controls, and improve long-term resilience.

The discussion further illustrated that effective incident response and digital forensics extend beyond technical execution. Legal, regulatory, and governance considerations play a central role in shaping permissible actions, evidence handling practices, and disclosure obligations. Clear organisational structures, executive support, and cross-functional coordination are essential for translating technical capability into effective action under pressure. The human dimension skills, communication, judgement, and stress management remains a decisive factor in determining response quality, reinforcing the need for continuous training and realistic exercises.

While the framework offers a comprehensive synthesis, it does not eliminate the inherent challenges of cyber incident management. Constraints related to resources, expertise, infrastructure complexity, and attacker adaptation will continue to shape response outcomes. Encrypted communications, cloud-based environments, and ephemeral systems complicate both containment and investigation, even when established methodologies are applied. Nevertheless, the structured integration of response and forensics provides a more robust foundation for navigating these challenges than fragmented or ad hoc approaches.

In conclusion, this paper contributes to the cybersecurity literature by consolidating established incident response and digital forensics strategies into a coherent framework focused on rapid cyber attack containment. Rather than proposing new tools or techniques, it clarifies how existing practices can be organised and executed to balance speed, accuracy, and evidentiary integrity. The framework serves as a reference point for researchers seeking to analyse response effectiveness and for practitioners aiming to strengthen organisational cyber resilience. Future work may build on this foundation through empirical validation, case-based analysis, and adaptation to emerging operational contexts, but the principles articulated here remain grounded in the enduring lessons of cybersecurity research and practice.

References

1. T. P. Gbenle, J. C. Ogeawuchi, A. A. Abayomi, O. A. Agboola, and A. C. Uzoka, "Advances in Cloud Infrastructure Deployment Using AWS Services for Small and Medium Enterprises," *Iconic Research and Engineering Journals*, vol. 3, no. 11, pp. 365–381, 2020, [Online]. Available: <https://www.irejournals.com/paper-details/1708522>

2. L. A. Babatunde et al., "Adversarial machine learning in cybersecurity: Vulnerabilities and defense strategies," *Journal of Frontiers in Multidisciplinary Research*, vol. 1, no. 2, pp. 31–45, 2020, doi: 10.54660/JFMR.2020.1.2.31-45.
3. B. S. Adelusi and O. D. Adeniji, "Analyzing the Usage of Accounting Software for Short Medium Services (SMS) using Panel Data to improve Business competitiveness of Microfinance," [Journal Not Specified], 2019.
4. H. Ilufoye, O. V Akinrinoye, and C. H. Okolo, "A strategic product innovation model for launching digital lending solutions in financial technology," *International Journal of Multidisciplinary Research and Growth Evaluation*, vol. 1, no. 3, pp. 93–99, 2020.
5. J. O. Omisola, J. O. Shiyanbola, and G. O. Osho, "A Predictive Quality Assurance Model Using Lean Six Sigma: Integrating FMEA, SPC, and Root Cause Analysis for Zero-Defect Production Systems," *Unknown Journal*, 2020.
6. O. D. Akintayo, C. N. Ifeanyi, and O. Onunka, "A Conceptual Lakehouse-DevOps Integration Model for Scalable Financial Analytics in MultiCloud Environments," *International Journal of Multidisciplinary Research and Growth Evaluation*, vol. 1, 2020.
7. O. O. Morah, E. N. Awanye, L. Ekpido, and O. Adeyoyin, "A Review of Leadership, Operational Efficiency, and Financial Strategy Integration in Corporations," 2020.
8. K. T. Park, Y. H. Son, and S. Do Noh, "The architectural framework of a cyber physical logistics system for digital-twin-based supply chain control," *Int J Prod Res*, pp. 1–22, 2020, doi: 10.1080/00207543.2020.1788738.
9. C. Legner et al., "Digitalization: Opportunity and challenge for the business and information systems engineering community," *Business & Information Systems Engineering*, vol. 59, no. 4, pp. 301–308, Aug. 2017, doi: 10.1007/s12599-017-0484-2.
10. A. Sestino, M. I. Prete, L. Piper, and G. Guido, "Internet of Things and Big Data as enablers for business digitalization strategies," *Technovation*, vol. 98, Dec. 2020, doi: 10.1016/J.TECHNOVATION.2020.102173.
11. C. Matt, T. Hess, and A. Benlian, "Digital Transformation Strategies," *Business and Information Systems Engineering*, vol. 57, no. 5, pp. 339–343, Oct. 2015, doi: 10.1007/S12599-015-0401-5.
12. J. Rowley, "Understanding digital content marketing," *Journal of Marketing Management*, vol. 24, no. 5–6, pp. 517–540, 2008, doi: 10.1362/026725708X325977.
13. S. Chanas, M. D. Myers, and T. Hess, "Digital transformation strategy making in pre-digital organizations: The case of a financial services provider," *Journal of Strategic Information Systems*, vol. 28, no. 1, pp. 17–33, Mar. 2019, doi: 10.1016/J.JSIS.2018.11.003.
14. O. E. Akpe, J. C. Ogeawuchi, A. A. Abayomi, O. A. Agboola, and E. Ogbuefi, "A Conceptual Framework for Strategic Business Planning in Digitally Transformed Organizations," *Iconic Research And Engineering Journals*, vol. 4, no. 4, pp. 207–222, 2020, [Online]. Available: <https://www.irejournals.com/paper-details/1708525>
15. H. Tardieu, D. Daly, J. Esteban-Lauzán, J. Hall, and G. Miller, "Enduring Digital Transformation—Delivering Incremental Value from a Long-Term Vision BT - Deliberately Digital: Rewriting Enterprise

- DNA for Enduring Success,” Future of Business and Finance book, pp. 209–220, 2020, Accessed: Jun. 01, 2020. [Online]. Available: https://doi.org/10.1007/978-3-030-37955-1_20
16. H. Lee and C. H. Cho, “Digital advertising: present and future prospects,” *Int J Advert*, vol. 39, no. 3, pp. 332–341, Apr. 2020, doi: 10.1080/02650487.2019.1642015.
17. L. Ferretti et al., “Quantifying SARS-CoV-2 transmission suggests epidemic control with digital contact tracing,” *Science* (1979), vol. 368, no. 6491, May 2020, doi: 10.1126/SCIENCE.ABB6936.
18. G. Vial, “Understanding digital transformation: A review and a research agenda,” *Journal of Strategic Information Systems*, vol. 28, no. 2, pp. 118–144, Jun. 2019, doi: 10.1016/J.JSIS.2019.01.003.
19. S. M. Haddad et al., “Building a digital tool for the adoption of the World Health Organization’s antenatal care recommendations: methodological intersection of evidence, clinical logic, and digital technology,” *J Med Internet Res.*, vol. 22, no. 10, p. e16355, Oct. 2020, doi: 10.2196/16355.
20. R. Adams, B. Kewell, and G. Parry, “Blockchain for Good? Digital Ledger Technology and Sustainable Development Goals,” *World Sustainability Series*, pp. 127–140, 2018, doi: 10.1007/978-3-319-67122-2_7.
21. G. Alibekova, T. Medeni, A. Panzabekova, and D. Mussayeva, “Digital transformation enablers and barriers in the economy of Kazakhstan,” *Journal of Asian Finance, Economics and Business*, vol. 7, no. 7, pp. 565–575, Jul. 2020, doi: 10.13106/JAFEB.2020.VOL7.NO7.565.
22. R. Agarwal, G. G. Gao, C. DesRoches, and A. K. Jha, “The digital transformation of healthcare: Current status and the road ahead,” *Information Systems Research*, vol. 21, no. 4, pp. 796–809, 2010, doi: 10.1287/ISRE.1100.0327.
23. Y. Alshamaila, S. Papagiannidis, and F. Li, “Cloud computing adoption by SMEs in the north east of England: A multi-perspective framework,” *Journal of Enterprise Information Management*, vol. 26, no. 3, pp. 250–275, Apr. 2013, doi: 10.1108/17410391311325225.
24. H. Demirkan and D. Delen, “Leveraging the capabilities of service-oriented decision support systems: Putting analytics and big data in cloud,” *Decis Support Syst*, vol. 55, no. 1, pp. 412–421, Apr. 2013, doi: 10.1016/j.dss.2012.05.048.
25. V. K. Sarker, T. N. Gia, I. Ben Dhaou, and T. Westerlund, “Smart parking system with dynamic pricing, edge-cloud computing and LoRa,” *Sensors (Switzerland)*, vol. 20, no. 17, pp. 1–22, Sep. 2020, doi: 10.3390/S20174669.
26. X. Liu, P. V. Singh, and K. Srinivasan, “A structured analysis of unstructured big data by leveraging cloud computing,” *Marketing Science*, vol. 35, no. 3, pp. 363–388, May 2016, doi: 10.1287/MKSC.2015.0972.
27. O. Al-Hujran, E. M. Al-Lozi, M. M. Al-Debei, and M. Maqableh, “Challenges of cloud computing adoption from the TOE framework perspective,” *International Journal of e-Business Research*, vol. 14, no. 3, pp. 77–94, Jul. 2018, doi: 10.4018/IJEER.2018070105.
28. L. Tawalbeh, R. Mehmood, E. Benkhelifa, and H. Song, “Cloud Computing Model and Big Data Analysis for Healthcare Applications,” *IEEE Access*, vol. 4, 2016.
29. Y. Zhang and B. Li, “A Novel Software Defined Networking Framework for Cloud Environments,” *Proceedings - 3rd IEEE International Conference on Cyber Security and Cloud Computing, CSCloud*

- 2016 and 2nd IEEE International Conference of Scalable and Smart Cloud, SSC 2016, pp. 30–35, Aug. 2016, doi: 10.1109/CSCLOUD.2016.22.
30. A. Hudic et al., “A multi-layer and multitenant cloud assurance evaluation methodology,” Proceedings of the International Conference on Cloud Computing Technology and Science, CloudCom, vol. 2015-February, no. February, pp. 386–393, Feb. 2015, doi: 10.1109/CLOUDCOM.2014.85.
31. G. Kappes, A. Hatzieleftheriou, and S. V. Anastasiadis, “Multitenant Access Control for Cloud-Aware Distributed Filesystems,” IEEE Trans Dependable Secure Comput, vol. 16, no. 6, pp. 1070–1085, Nov. 2019, doi: 10.1109/TDSC.2017.2715839.
32. R. Merz, R. Hoch, and D. Drexel, “A cloud-based research and learning factory for industrial production,” Procedia Manuf, vol. 45, pp. 215–221, 2020, doi: 10.1016/j.promfg.2020.04.097.
33. A. M. Gomez-Trujillo, J. Velez-Ocampo, and M. A. Gonzalez-Perez, “Trust, Transparency, and Technology: Blockchain and Its Relevance in the Context of the 2030 Agenda,” The Palgrave Handbook of Corporate Sustainability in the Digital Era, pp. 561–580, Jan. 2020, doi: 10.1007/978-3-030-42412-1_28.
34. S. E. Chang, Y. C. Chen, and M. F. Lu, “Supply chain re-engineering using blockchain technology: A case of smart contract based tracking process,” Technol Forecast Soc Change, vol. 144, pp. 1–11, Jul. 2019, doi: 10.1016/J.TECHFORE.2019.03.015.
35. J. Byun, T. E. Sung, and H. W. Park, “Technological innovation strategy: how do technology life cycles change by technological area,” Technol Anal Strateg Manag, vol. 30, no. 1, pp. 98–112, Jan. 2018, doi: 10.1080/09537325.2017.1297397.
36. B. Boyce, “Emerging Technology and the Health Insurance Portability and Accountability Act,” J Acad Nutr Diet, vol. 117, no. 4, pp. 517–518, Apr. 2017, doi: 10.1016/j.jand.2016.05.013.
37. M. Attaran, “Digital technology enablers and their implications for supply chain management,” Supply Chain Forum, vol. 21, no. 3, pp. 158–172, Jul. 2020, doi: 10.1080/16258312.2020.1751568.
38. Y. Fernando, A. Zainul Abideen, and M. S. Shaharudin, “The nexus of information sharing, technology capability and inventory efficiency,” Journal of Global Operations and Strategic Sourcing, vol. 33, no. 4, pp. 327–351, Dec. 2020, doi: 10.1108/JGOSS-02-2020-0011.
39. H. Alami, M. P. Gagnon, M. A. Ag Ahmed, and J. P. Fortin, “Digital health: Cybersecurity is a value creation lever, not only a source of expenditure,” Health Policy Technol, vol. 8, no. 4, pp. 319–321, Dec. 2019, doi: 10.1016/J.HLPT.2019.09.002.
40. L. A. Saxon, N. Varma, L. M. Epstein, L. I. Ganz, and A. E. Epstein, “Factors influencing the decision to proceed to firmware upgrades to implanted pacemakers for cybersecurity risk mitigation,” Circulation, vol. 138, no. 12, pp. 1274–1276, 2018, doi: 10.1161/CIRCULATIONAHA.118.034781.
41. M. Y. Ilchenko, L. A. Uryvsky, and A. V. Moshinskaya, “Developing telecommunication strategies based on scenarios in the information community,” Cybern. Syst. Analysis, vol. 53, no. 6, pp. 905–913, Nov. 2017, doi: 10.1007/s10559-017-9992-9.
42. V. Y. Meytus, “Problems of constructing intelligent systems. Knowledge representation,” Cybern. Syst. Analysis, vol. 55, no. 4, pp. 521–530, Jul. 2019, doi: 10.1007/s10559-019-00160-5.

43. I. G. Kryvonos, I. V. Krak, O. V. Barmak, and A. I. Kulias, "Methods to Create Systems for the Analysis and Synthesis of Communicative Information," *Cybern Syst Anal*, vol. 53, no. 6, pp. 847–856, Nov. 2017, doi: 10.1007/S10559-017-9986-7.
44. A. V. Palagin, "Functionally oriented approach in research-related design," *Cybern. Syst. Analysis*, vol. 53, no. 6, pp. 986–992, Nov. 2017, doi: 10.1007/s10559-017-0001-0.
45. S. A. Amatare and A. K. Ojo, "Predicting customer churn in telecommunication industry using convolutional neural network model," *IOSR J Comput Eng*, vol. 22, no. 3, pp. 54–59, 2020.
46. H. Ilufoye, O. V. Akinrinoye, and C. H. Okolo, "A Scalable Infrastructure Model for Digital Corporate Social Responsibility in Underserved School Systems," *International Journal of Multidisciplinary Research and Growth Evaluation*, vol. 1, no. 3, pp. 100–106, 2020.
47. S. Nwani, O. Abiola-Adams, B. O. Otokiti, and J. C. Ogeawuchi, "Building Operational Readiness Assessment Models for Micro, Small, and Medium Enterprises Seeking Government-Backed Financing," *Journal of Frontiers in Multidisciplinary Research*, vol. 1, no. 01, pp. 38–43, 2020.
48. M. Brodie, R. E. Flournoy, D. E. Altman, R. J. Blendon, J. M. Benson, and M. D. Rosenbaum, "Health information, the internet, and the digital divide," *Health Aff*, vol. 19, no. 6, pp. 255–265, 2000, doi: 10.1377/HLTHAFF.19.6.255.
49. T. Kretschmer and P. Khashabi, "Digital Transformation and Organization Design: An Integrated Approach," *Calif Manage Rev*, vol. 62, no. 4, pp. 86–104, Aug. 2020, doi: 10.1177/0008125620940296.
50. B. Baesens, R. Bapna, J. R. Marsden, J. Vanthienen, and J. L. Zhao, "Transformational issues of big data and analytics in networked business," *MIS Quarterly*, vol. 40, no. 4, pp. 807–818, Dec. 2016, doi: 10.25300/misq/2016/40:4.03.
51. S. Hosseini and K. Barker, "Modeling infrastructure resilience using Bayesian networks: A case study of inland waterway ports," *Comput Ind Eng*, vol. 93, pp. 252–266, Mar. 2016, doi: 10.1016/j.cie.2016.01.007.
52. L. Oneto et al., "Dynamic delay predictions for large-scale railway networks: Deep and shallow extreme learning machines tuned via thresholdout," *IEEE Trans Syst Man Cybern Syst*, vol. 47, no. 10, pp. 2754–2767, Oct. 2017, doi: 10.1109/TSMC.2017.2693209.
53. D. Brockmann and D. Helbing, "The hidden geometry of complex, network-driven contagion phenomena," *Science* (1979), vol. 342, no. 6164, pp. 1337–1342, 2013, doi: 10.1126/SCIENCE.1245200.
54. W. Guo et al., "Global air transport complex network: multi-scale analysis," *SN Appl Sci*, vol. 1, no. 7, Jul. 2019, doi: 10.1007/S42452-019-0702-2.
55. D. Helbing, "Globally networked risks and how to respond," *Nature*, vol. 497, no. 7447, pp. 51–59, 2013, doi: 10.1038/NATURE12047.
56. R. I. Ferguson, K. Renaud, S. Wilford, and A. Irons, "PRECEPT: a framework for ethical digital forensics investigations," *Journal of Intellectual Capital*, vol. 21, no. 2, pp. 257–290, May 2020, doi: 10.1108/JIC-05-2019-0097.
57. "Fostering incident response and digital forensics research - ScienceDirect." Accessed: Dec. 22, 2020. [Online]. Available:

https://www.sciencedirect.com/science/article/pii/S174228761400108X?casa_token=OuUZoI6z6LMAA AAA:ahOFx9xk0G5cDWERQjosR_JxyAi0INCr9XaOFvn8AC_-A_cd8AdPeSp46JBHSuwxSw-o1H7yg

58. B. F. Zahra and B. Abdelhamid, "Risk analysis in Internet of Things using EBIOS," 2017 IEEE 7th Annual Computing and Communication Workshop and Conference, CCWC 2017, Mar. 2017, doi: 10.1109/CCWC.2017.7868444.
59. A. Alvarenga and G. Tanev, "A Cybersecurity Risk Assessment Framework that Integrates Value-Sensitive Design," *Technology Innovation Management Review*, vol. 7, no. 4, pp. 32–43, Apr. 2017, doi: 10.22215/TIMREVIEW/1069.
60. M. Aminzade, "Confidentiality, integrity and availability – finding a balanced IT framework," *Network Security*, vol. 2018, no. 5, pp. 9–11, May 2018, doi: 10.1016/S1353-4858(18)30043-6.
61. L. Pan and A. Tomlinson, "A systematic review of information security risk assessment," *International Journal of Safety and Security Engineering*, vol. 6, no. 2, pp. 270–281, 2016, doi: 10.2495/SAFE-V6-N2-270-281.
62. "Risk-Management Framework and Information-Security Systems for Small and Medium Enterprises (SMEs): A Meta-Analysis Approach." Accessed: Dec. 01, 2020. [Online]. Available: <https://www.mdpi.com/2079-9292/12/17/3629>
63. G. Collard, S. Ducroquet, E. Disson, and G. Talens, "A definition of Information Security Classification in cybersecurity context," *Proceedings - International Conference on Research Challenges in Information Science*, pp. 77–82, Jun. 2017, doi: 10.1109/RCIS.2017.7956520.
64. B. Fabian, S. Gürses, M. Heisel, T. Santen, and H. Schmidt, "A comparison of security requirements engineering methods," *Requir Eng*, vol. 15, no. 1, pp. 7–40, Mar. 2010, doi: 10.1007/S00766-009-0092-X.
65. N. R. Mead and T. Stehney, "Security quality requirements engineering (SQUARE) methodology," *ACM SIGSOFT Software Engineering Notes*, vol. 30, no. 4, pp. 1–7, Jul. 2005, doi: 10.1145/1082983.1083214.
66. J. M. Ndungo and Mr. K. Rucha, "FACTORS AFFECTING THE GROWTH OF SMES: A STUDY OF SMES IN KAJIADO DISTRICT," *International Journal of Finance*, vol. 2, no. 4, pp. 58–75, Feb. 2017, doi: 10.47941/IJF.115.
67. S. Kabanda, M. Tanner, and C. Kent, "Exploring SME cybersecurity practices in developing countries," *Journal of Organizational Computing and Electronic Commerce*, vol. 28, no. 3, pp. 269–282, Jul. 2018, doi: 10.1080/10919392.2018.1484598.
68. J. R. C. Nurse, P. Radanliev, S. Creese, and D. De Roure, "If you can't understand it, you can't properly assess it! The reality of assessing security risks in internet of things systems," *IET Conference Publications*, vol. 2018, no. CP740, 2018, doi: 10.1049/CP.2018.0001.
69. K. Renaud, S. Flowerday, M. Warkentin, P. Cockshott, and C. Orgeron, "Is the responsabilization of the cyber security risk reasonable and judicious?," *Comput Secur*, vol. 78, pp. 198–211, Sep. 2018, doi: 10.1016/J.COSE.2018.06.006.
70. D. Ki-Aries and S. Faily, "Persona-centred information security awareness," *Comput Secur*, vol. 70, pp. 663–674, Sep. 2017, doi: 10.1016/J.COSE.2017.08.001.

71. "Framework for Improving Critical Infrastructure Cybersecurity, Version 1.1," Apr. 2018, doi: 10.6028/NIST.CSWP.04162018.
72. N. A. Hashim, Z. Z. Abidin, N. A. Zakaria, R. Ahmad, and A. P. Puvanasvaran, "Risk assessment method for insider threats in cyber security: A review," *International Journal of Advanced Computer Science and Applications*, vol. 9, no. 11, pp. 126–130, 2018, doi: 10.14569/IJACSA.2018.091119.
73. N. M. Radziwill and M. C. Benton, "Cybersecurity Cost of Quality: Managing the Costs of Cybersecurity Risk Management," Jul. 2017, Accessed: Aug. 20, 2020. [Online]. Available: <http://arxiv.org/abs/1707.02653>
74. H. Suleiman and D. Svetinovic, "Evaluating the effectiveness of the security quality requirements engineering (SQUARE) method: A case study using smart grid advanced metering infrastructure," *Requir Eng*, vol. 18, no. 3, pp. 251–279, Sep. 2013, doi: 10.1007/S00766-012-0153-4.
75. W. Abbass, A. Baina, and M. Bellafkih, "Using EBIOS for risk management in critical information infrastructure," *Proceedings of the 2015 5th World Congress on Information and Communication Technologies, WICT 2015*, pp. 107–112, Jun. 2016, doi: 10.1109/WICT.2015.7489654.
76. E. G. Birgin, G. Haeser, and A. Ramos, "Augmented lagrangians with constrained subproblems and convergence to second-order stationary points," *Comput Optim Appl*, vol. 69, no. 1, pp. 51–75, Jan. 2018, doi: 10.1007/S10589-017-9937-2.
77. M. Omair, B. Sarkar, and L. E. Cárdenas-Barrón, "Minimum quantity lubrication and carbon footprint: A step towards sustainability," *Sustainability (Switzerland)*, vol. 9, no. 5, 2017, doi: 10.3390/SU9050714.
78. B. Sarkar, L. E. Cárdenas-Barrón, M. Sarkar, and M. L. Singgih, "An economic production quantity model with random defective rate, rework process and backorders for a single stage production system," *J Manuf Syst*, vol. 33, no. 3, pp. 423–435, 2014, doi: 10.1016/J.JMSY.2014.02.001.
79. B. Sarkar, "Supply Chain Coordination with Variable Backorder, Inspections, and Discount Policy for Fixed Lifetime Products," *Math Probl Eng*, vol. 2016, 2016, doi: 10.1155/2016/6318737.
80. M. K. Hagnell and M. Åkermo, "The economic and mechanical potential of closed loop material usage and recycling of fibre-reinforced composite materials," *J Clean Prod*, vol. 223, pp. 957–968, Jun. 2019, doi: 10.1016/J.JCLEPRO.2019.03.156.
81. M. Alkahtani, M. Omair, Q. S. Khalid, G. Hussain, and B. Sarkar, "An agricultural products supply chain management to optimize resources and carbon emission considering variable production rate: Case of nonperishable corps," *Processes*, vol. 8, no. 11, pp. 1–26, Nov. 2020, doi: 10.3390/PR8111505.
82. M. L. Longana, N. Ong, H. N. Yu, and K. D. Potter, "Multiple closed loop recycling of carbon fibre composites with the HiPerDiF (High Performance Discontinuous Fibre) method," *Compos Struct*, vol. 153, pp. 271–277, Oct. 2016, doi: 10.1016/J.COMPSTRUCT.2016.06.018.
83. Q. Tan, X. Zeng, W. L. Ijomah, L. Zheng, and J. Li, "Status of end-of-life electronic product remanufacturing in China," *J Ind Ecol*, vol. 18, no. 4, pp. 577–587, 2014, doi: 10.1111/JIEC.12124.
84. M. J. Nigrini, "Benford's law: Applications for forensic accounting, auditing, and fraud detection," *Benford's Law: Applications for Forensic Accounting, Auditing, and Fraud Detection*, pp. 1–330, Jan. 2012, doi: 10.1002/9781119203094.

85. J. Fernández-Gracia and L. Lacasa, "Bipartisanship Breakdown, Functional Networks, and Forensic Analysis in Spanish 2015 and 2016 National Elections," *Complexity*, vol. 2018, 2018, doi: 10.1155/2018/9684749.
86. H. Ilufoye, O. V Akinrinoye, and C. H. Okolo, "A conceptual model for sustainable profit and loss management in large-scale online retail," *International Journal of Multidisciplinary Research and Growth Evaluation*, vol. 1, no. 3, pp. 107–113, 2020.
87. T. Qu et al., "System dynamics analysis for an Internet-of-Things-enabled production logistics system," *Int J Prod Res*, vol. 55, no. 9, pp. 2622–2649, May 2017, doi: 10.1080/00207543.2016.1173738.
88. J. Moll and O. Yigitbasioglu, "The role of internet-related technologies in shaping the work of accountants: New directions for accounting research," *British Accounting Review*, vol. 51, no. 6, Nov. 2019, doi: 10.1016/J.BAR.2019.04.002.
89. S. Madakam, R. Ramaswamy, and S. Tripathi, "Internet of Things (IoT): A Literature Review," *Journal of Computer and Communications*, vol. 03, no. 05, pp. 164–173, 2015, doi: 10.4236/JCC.2015.35021.
90. N. Kshetri, "Can Blockchain Strengthen the Internet of Things?," *IT Prof*, vol. 19, no. 4, pp. 68–72, 2017, doi: 10.1109/MITP.2017.3051335.
91. I. Reay, P. Beatty, S. Dick, and J. Miller, "Privacy policies and national culture on the internet," *Information Systems Frontiers*, vol. 15, no. 2, pp. 279–292, 2013, doi: 10.1007/s10796-011-9336-7.
92. M. Singh, S. Sachan, A. Singh, and K. K. Singh, "Internet of Things in pharma industry: Possibilities and challenges," *Emergence of Pharmaceutical Industry Growth with Industrial IoT Approach*, pp. 195–216, Jan. 2019, doi: 10.1016/B978-0-12-819593-2.00007-8.
93. M. Ben-Daya, E. Hassini, and Z. Bahroun, "Internet of things and supply chain management: a literature review," *Int J Prod Res*, vol. 57, no. 15–16, pp. 4719–4742, 2019, doi: 10.1080/00207543.2017.1402140.
94. C. N. Verdouw, J. Wolfert, A. J. M. Beulens, and A. Rialland, "Virtualization of food supply chains with the internet of things," *J Food Eng*, vol. 176, pp. 128–136, May 2016, doi: 10.1016/J.JFOODENG.2015.11.009.
95. I. Lee and K. Lee, "The Internet of Things (IoT): Applications, investments, and challenges for enterprises," *Bus Horiz*, vol. 58, no. 4, pp. 431–440, Jul. 2015, doi: 10.1016/J.BUSHOR.2015.03.008.
96. H. Cao and Z. Zhu, "Research on future accounting information system in the Internet of Things era," *ICSESS 2012 - Proceedings of 2012 IEEE 3rd International Conference on Software Engineering and Service Science*, pp. 741–744, 2012, doi: 10.1109/ICSESS.2012.6269573.
97. T. M. Fernández-Caramés and P. Fraga-Lamas, "A Review on the Use of Blockchain for the Internet of Things," *IEEE Access*, vol. 6, pp. 32979–33001, May 2018, doi: 10.1109/ACCESS.2018.2842685.
98. S. S. Kamble, A. Gunasekaran, H. Parekh, and S. Joshi, "Modeling the internet of things adoption barriers in food retail supply chains," *Journal of Retailing and Consumer Services*, vol. 48, pp. 154–168, May 2019, doi: 10.1016/J.JRETCONSER.2019.02.020.
99. B. Yan, Z. Jin, L. Liu, and S. Liu, "Factors influencing the adoption of the internet of things in supply chains," *J Evol Econ*, vol. 28, no. 3, pp. 523–545, Aug. 2018, doi: 10.1007/S00191-017-0527-3.

100. A. Haddud, A. DeSouza, A. Khare, and H. Lee, "Examining potential benefits and challenges associated with the Internet of Things integration in supply chains," *Journal of Manufacturing Technology Management*, vol. 28, no. 8, pp. 1055–1085, 2017, doi: 10.1108/JMTM-05-2017-0094.
101. W. Jiang, "An Intelligent Supply Chain Information Collaboration Model Based on Internet of Things and Big Data," *IEEE Access*, vol. 7, pp. 58324–58335, 2019, doi: 10.1109/ACCESS.2019.2913192.
102. Meher Neger and Burhan Uddin, "Factors Affecting Consumers' Internet Shopping Behavior During the COVID-19 Pandemic: Evidence From Bangladesh," *Chinese Business Review*, vol. 19, no. 3, Mar. 2020, doi: 10.17265/1537-1506/2020.03.003.
103. N. Lin, Y. Shi, T. Zhang, and X. Wang, "An Effective Order-Aware Hybrid Genetic Algorithm for Capacitated Vehicle Routing Problems in Internet of Things," *IEEE Access*, vol. 7, pp. 86102–86114, 2019, doi: 10.1109/ACCESS.2019.2925831.
104. G. W. Peters and E. Panayi, "Understanding modern banking ledgers through blockchain technologies: Future of transaction processing and smart contracts on the internet of money," *New Economic Windows*, pp. 239–278, 2016, doi: 10.1007/978-3-319-42448-4_13.
105. M. Tu, "An exploratory study of internet of things (IoT) adoption intention in logistics and supply chain management a mixed research approach," *International Journal of Logistics Management*, vol. 29, no. 1, pp. 131–151, 2018, doi: 10.1108/IJLM-11-2016-0274.
106. K. Nakatani and T. T. Chuang, "A web analytics tool selection method: An analytical hierarchy process approach," *Internet Research*, vol. 21, no. 2, pp. 171–186, Jan. 2011, doi: 10.1108/10662241111123757.
107. E. S. Kirkendall, Y. Ni, T. Lingren, M. Leonard, E. S. Hall, and K. Melton, "Data challenges with real-time safety event detection and clinical decision support," *J Med Internet Res*, vol. 21, no. 5, May 2019, doi: 10.2196/13047.
108. M. S. Jalali and J. P. Kaiser, "Cybersecurity in hospitals: A systematic, organizational perspective," *J Med Internet Res*, vol. 20, no. 5, May 2018, doi: 10.2196/10059.
109. O. Novo, "Blockchain Meets IoT: An Architecture for Scalable Access Management in IoT," *IEEE Internet Things J*, vol. 5, no. 2, pp. 1184–1195, Apr. 2018, doi: 10.1109/JIOT.2018.2812239.
110. A. Cahan and J. J. Cimino, "A learning health care system using computer-aided diagnosis," *J Med Internet Res*, vol. 19, no. 3, Mar. 2017, doi: 10.2196/JMIR.6663.