



Norway

SLEIPNER

Volve F

F-11

Well Summary Report

11 april, 2018



Statoil

Well Level Summary Report

Company:	Norway	Local Co-ordinate Reference:	Site Volve F
Project:	SLEIPNER	TVD Reference:	MI @ 54.90m (MI)
Site:	Volve F	MD Reference:	MI @ 54.90m (MI)
Well:	F-11	North Reference:	Grid
		Survey Calculation Method:	Minimum Curvature
		Database:	Production EDM P246N

Project	SLEIPNER, Norway		
Map System:	Universal Transverse Mercator	System Datum:	Mean Sea Level
Geo Datum:	European 1950 - Mean		Using Well Reference Point
Map Zone:	Zone 31N (0 E to 6 E)		Using geodetic scale factor

Site		Volve F, 15/9			
Site Position:		Northing:	6,478,563.53 m	Latitude:	58° 26' 29.8068 N
From:	Map	Easting:	435,050.02 m	Longitude:	1° 53' 14.9285 E
Position Uncertainty:	0.00 m	Slot Radius:	13.200 in	Grid Convergence:	-0.95 °

Statoil

Well Level Summary Report

Company:	Norway	Local Co-ordinate Reference:	Site Volve F
Project:	SLEIPNER	TVD Reference:	MI @ 54.90m (MI)
Site:	Volve F	MD Reference:	MI @ 54.90m (MI)
Well:	F-11	North Reference:	Grid
		Survey Calculation Method:	Minimum Curvature
		Database:	Production EDM P246N

Well	F-11				
Well Position	+N/-S	4.65 m	Northing:	6,478,568.18 m	Latitude: 58° 26' 29.9566 N
	+E/-W	-0.93 m	Easting:	435,049.09 m	Longitude: 1° 53' 14.8667 E
Position Uncertainty		0.00 m	Wellhead Depth:	91.00 m	Water Depth: 91.00 m

Surveys					
Wellpath Survey	Survey Depths		Survey Dates		Survey Tool
	From (m)	To (m)	From	To	
15/9-F-11					
F-11 Gyro SDC	147.70	193.00	06.03.2013		Gyro, old
F-11 Gyro SDC 202-306m after reaming	202.00	305.50	20.03.2013		Gyro, old
F-11 GyroTrak 26"	319.20	319.20	13.03.2013		NOT_useMWD gyro, Baker Hughes(Gyro)
15/9-F-11 A					
15/9-F-11 A	2,603.40	3,288.70	12.05.2013		Magn, IFR, mag-corr, dual incl
15/9-F-11 A Gyro	2,590.00	3,144.00	17.05.2013		Keeper, cont
15/9-F-11 A after Gyro	3,168.10	3,749.10	17.05.2013		Magn, IFR, mag-corr, dual incl
15/9-F-11 B					
12 1/4" _BH_MWD	2,603.30	3,167.70	23.05.2013		Magn, IFR, mag-corr, dual incl
8 1/2" _BH_MWD	3,237.80	4,757.10	03.06.2013		Magnetic, std, non-mag
8 1/2" _BH_MWD_Multistation	3,237.80	4,757.10	12.06.2013		Magnetic, std, non-mag
Projection	4,770.00	4,770.00	12.06.2013		Blind Drilling
15/9-F-11 T2					
F-11 BH OnTrak (651.9 - 1344.3)	651.90	1,344.30	29.03.2013		Magnetic, IFR, mag-corr
F-11 T2 BH AutoTrak 17 1/2" Section	1,385.20	2,559.50	05.04.2013		Magn, IFR, mag-corr, dual incl
F-11 T2 BH AutoTrak 8 1/2" Section	2,612.20	4,547.60	25.04.2013		Magn, IFR, non-mag, dual incl
F-11 T2 GyroData Gyro	161.73	2,431.82	02.05.2013		NOTuse_Wellbore Surveyor, cont
F-11 T2 SDI Gyro	249.00	914.00	23.03.2013		Gyro, old
F-11 T2 SDI Keeper Gyro	150.00	4,550.70	08.05.2013		Keeper, cont
GyroTrak	426.50	1,209.50	29.03.2013		NOT_useMWD gyro, Baker Hughes(Gyro)
GyroTrak (1209,5m)	1,209.50	1,209.50	31.03.2013	01.04.2013	NOT_useMWD gyro, Baker Hughes(Gyro)
GyroTrak (967,6m)	967.60	967.60	29.03.2013	30.03.2013	NOT_useMWD gyro, Baker Hughes(Gyro)
OnTrak surveys with flagged (assumed) azimuth	246.40	338.10	23.03.2013		Magnetic, other

Plans				
Wellpath Plan	Principal Plan	Plan Depths		Effective Date
		From (m)	To (m)	
15/9-F-11				
15/9-F-11 rev0	Yes	145.90	4,550.76	
15/9-F-11 A				
15/9-F-11 A NWest PIL DG3 rev0	Yes	2,570.00	3,713.91	
15/9-F-11 B				
15/9-F-11 B IOR DG3 rev0	Yes	2,570.00	4,864.71	
15/9-F-11 T2				
15/9-F-11 T2 rev0	Yes	202.00	4,550.81	
Relief well 1049m West				
Relief Well F-11 N Pilot 1049m West 14" csg s No		145.90	2,629.49	
relief well F-11 B IOR 1049 West 9 5/8" csg sh No		145.90	3,116.82	
Relief well 1352m South				
Relief well F-11 B IOR 1352m South 9 5/8" csg No		145.90	3,529.38	
Relief well F-11 N Pilot 1352m South 14" csg s No		145.90	3,053.68	
Relief well 508m West				

Statoil

Well Level Summary Report

Company:	Norway	Local Co-ordinate Reference:	Site Volve F
Project:	SLEIPNER	TVD Reference:	MI @ 54.90m (MI)
Site:	Volve F	MD Reference:	MI @ 54.90m (MI)
Well:	F-11	North Reference:	Grid
		Survey Calculation Method:	Minimum Curvature
		Database:	Production EDM P246N

Relief Well -F-11 B IOR 508m West 9 5/8" csg No	145.90	3,075.44
Relief Well F-11 N pilot 508m West 14" csg sh No	145.90	2,566.83
Relief well 966m North		
Relief wel F-11 B IOR 966m North 9 5/8" csg s No	145.90	3,237.18
Relief well F-11 N Pilot 966m North 14" csg sh No	145.90	2,735.01