

Prevalence of High-Fructose Corn Syrup in the U.S. Branded Food Supply: A Cross-Sectional Analysis of the USDA Global Branded Food Products Database

Miebaka F. Roberts; Chelsea R. Mazonde, MPH; Ifeoluwanimi P. Shobayo, MSPH. Department of Public and Community Health, Liberty University. APHA 2026 Annual Meeting poster — full reference list (AMA style).

A. References cited on the poster

Numbered as they appear on the poster.

1. Wang X, Zhu L, Li X, Wang X, Hao R, Li J. Effects of high fructose corn syrup on intestinal microbiota structure and obesity in mice. *NPJ Sci Food*. 2022;6(1):17. doi:10.1038/s41538-022-00133-7
2. High fructose corn syrup (HFCS) market trends report [2034]. IndustryResearch.biz. Accessed August 30, 2025. <https://www.industryresearch.biz/market-reports/high-fructose-corn-syrup-hfcs-market-111615>
3. White JS. Straight talk about high-fructose corn syrup: what it is and what it ain't. *Am J Clin Nutr*. 2008;88(6):1716S-1721S. doi:10.3945/ajcn.2008.25825B
4. Duffey KJ, Popkin BM. High-fructose corn syrup: is this what's for dinner? *Am J Clin Nutr*. 2008;88(6):1722S-1732S. doi:10.3945/ajcn.2008.25825C
5. Sigala DM, Hieronimus B, Medici V, et al. Consuming sucrose- or HFCS-sweetened beverages increases hepatic lipid and decreases insulin sensitivity in adults. *J Clin Endocrinol Metab*. 2021;106(11):3248-3264. doi:10.1210/clinem/dgab508
6. DeChristopher LR. 40 years of adding more fructose to high fructose corn syrup than is safe, through the lens of malabsorption and altered gut health—gateways to chronic disease. *Nutr J*. 2024;23(1):16. doi:10.1186/s12937-024-00919-3
7. US Department of Agriculture; US Department of Health and Human Services. *Dietary Guidelines for Americans, 2025–2030*. Published January 7, 2026. Accessed September 30, 2026. <https://www.dietaryguidelines.gov>
8. Fukagawa NK, McKillop K, Pehrsson PR, Moshfegh A, Harnly J, Finley J. USDA's FoodData Central: what is it and why is it needed today? *Am J Clin Nutr*. 2022;115(3):619-624. doi:10.1093/ajcn/nqab397
9. Larrick B, Kretser A, McKillop K, et al. Update on “A Partnership for Public Health: USDA Global Branded Food Products Database.” *J Food Compos Anal*. 2022;105:104250. doi:10.1016/j.jfca.2021.104250
10. US Department of Agriculture, Economic Research Service. Caloric sweetener availability dropped nearly 20 percent since 1999. Published December 2, 2024. Accessed December 21, 2025. <https://www.ers.usda.gov/data-products/charts-of-note/chart-detail?chartId=110515>

11. Martínez Steele E, Baraldi LG, Louzada ML, Moubarac JC, Mozaffarian D, Monteiro CA. Ultra-processed foods and added sugars in the US diet: evidence from a nationally representative cross-sectional study. *BMJ Open*. 2016;6(3):e009892. doi:10.1136/bmjopen-2015-009892
12. Nguyen M, Jarvis SE, Tinajero MG, et al. Sugar-sweetened beverage consumption and weight gain in children and adults: a systematic review and meta-analysis of prospective cohort studies and randomized controlled trials. *Am J Clin Nutr*. 2023;117(1):160-174. doi:10.1016/j.ajcnut.2022.11.008
13. Li X, Luan Y, Li Y, et al. The effect of high-fructose corn syrup vs. sucrose on anthropometric and metabolic parameters: a systematic review and meta-analysis. *Front Nutr*. 2022;9:1013310. doi:10.3389/fnut.2022.1013310
14. US Food and Drug Administration. Added sugars on the Nutrition Facts label. Updated March 5, 2024. Accessed December 21, 2025. <https://www.fda.gov/food/nutrition-facts-label/added-sugars-nutrition-facts-label>

B. Additional references cited in the full paper (10)

Listed alphabetically by first author.

- Aoyagi T, Ohira G, Hayano K, Martin O, Takabe K. High-fructose corn syrup on inflammation and cancer. *World J Oncol*. 2025;16(6):531-537. doi:10.14740/wjon2652
- Branded foods search. FoodData Central, US Department of Agriculture, Agricultural Research Service. Accessed December 13, 2025. <https://fdc.nal.usda.gov/food-search?type=Branded>
- Food labeling: revision of the Nutrition and Supplement Facts labels. *Fed Regist*. 2016;81(103):33742-33999. To be codified at 21 CFR §101.
- Lancaster KJ. Current intake and demographic disparities in the association of fructose-rich foods and metabolic syndrome. *JAMA Netw Open*. 2020;3(7):e2010224. doi:10.1001/jamanetworkopen.2020.10224
- Li Z, Forester S, Jennings-Dobbs E, Heber D. Perspective: a comprehensive evaluation of data quality in nutrient databases. *Adv Nutr*. 2023;14(3):379-391. doi:10.1016/j.advnut.2023.02.005
- Rippe JM. The health implications of sucrose, high-fructose corn syrup, and fructose: what do we really know? *J Diabetes Sci Technol*. 2010;4(4):1008-1011. doi:10.1177/193229681000400433
- Rizkalla SW. Health implications of fructose consumption: a review of recent data. *Nutr Metab (Lond)*. 2010;7:82. doi:10.1186/1743-7075-7-82
- US Department of Agriculture, Agricultural Research Service. *FoodData Central: USDA Global Branded Food Products Database (GBFPD) Documentation and Download User Guide*. April 2023. Accessed December 21, 2025. https://fdc.nal.usda.gov/docs/GBFPD_Documentation_and_Download_User_Guide_Apr2023.pdf
- US Department of Agriculture, Economic Research Service. High fructose corn syrup availability peaked in 1999. Published May 1, 2013. Accessed December 21, 2025. <https://www.ers.usda.gov/data-products/chart-gallery/chart-detail?chartId=57655>

- US Department of Agriculture; US Department of Health and Human Services. *Dietary Guidelines for Americans, 2020–2025*. 9th ed. Published December 2020. Accessed December 21, 2025.
https://www.dietaryguidelines.gov/sites/default/files/2020-12/Dietary_Guidelines_for_Americans_2020-2025.pdf

C. Further reading (10)

Key studies and guidance on high-fructose corn syrup, added sugars, and health. Listed alphabetically by first author.

- Bray GA, Nielsen SJ, Popkin BM. Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. *Am J Clin Nutr*. 2004;79(4):537-543. doi:10.1093/ajcn/79.4.537
- Goncalves MD, Lu C, Tutnauer J, et al. High-fructose corn syrup enhances intestinal tumor growth in mice. *Science*. 2019;363(6433):1345-1349. doi:10.1126/science.aat8515
- Goran MI, Ulijaszek SJ, Ventura EE. High fructose corn syrup and diabetes prevalence: a global perspective. *Glob Public Health*. 2013;8(1):55-64. doi:10.1080/17441692.2012.736257
- Malik VS, Hu FB. The role of sugar-sweetened beverages in the global epidemics of obesity and chronic diseases. *Nat Rev Endocrinol*. 2022;18(4):205-218. doi:10.1038/s41574-021-00627-6
- Ng SW, Slining MM, Popkin BM. Use of caloric and noncaloric sweeteners in US consumer packaged foods, 2005-2009. *J Acad Nutr Diet*. 2012;112(11):1828-1834. doi:10.1016/j.jand.2012.07.009
- Popkin BM, Hawkes C. Sweetening of the global diet, particularly beverages: patterns, trends, and policy responses. *Lancet Diabetes Endocrinol*. 2016;4(2):174-186. doi:10.1016/S2213-8587(15)00419-2
- Ricciuto L, Fulgoni VL III, Gaine PC, Scott MO, DiFrancesco L. Sources of added sugars intake among the U.S. population: analysis by selected sociodemographic factors using the National Health and Nutrition Examination Survey 2011–18. *Front Nutr*. 2021;8:687643. doi:10.3389/fnut.2021.687643
- Stanhope KL, Schwarz JM, Keim NL, et al. Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin sensitivity in overweight/obese humans. *J Clin Invest*. 2009;119(5):1322-1334. doi:10.1172/JCI37385
- Te Morenga L, Mallard S, Mann J. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies. *BMJ*. 2013;346:e7492. doi:10.1136/bmj.e7492
- World Health Organization. *Guideline: Sugars Intake for Adults and Children*. World Health Organization; 2015.