0.5cm 0cm
@,@*)

CSS Course

Source Code Collection

Emmanuel Adedayo
Code Academy | SEA Technologies Media

Learn. Build. Innovate.

SEA TECHNOLOGIES MEDIA

Code Error Legend

Errors Found in Source Code

The following errors were detected in the original code and have been flagged in-place with corrections alongside. Both the **incorrect** (red) and **correct** (green) versions appear so learners can compare.

Error 1 — Topic 1, ID selector: `font-weight: bold` is missing its closing semicolon.
Correct: `font-weight: bold;`

Error 2 — Topic 2, HEX colour: `color: #FFFFF;` has only 5 digits. A HEX colour must be 3 or 6 digits.
Correct: `color: #FFFFFF;`

Error 3 — Topic 2, opacity: `opacity: 0.5` is missing its closing semicolon.
Correct: `opacity: 0.5;`

Error 4 — Topic 3, property name: `font-familly` is a typo, so the whole declaration is ignored by the browser.
Correct: `font-family: 'Inter', Arial, sans-serif;`

Error 5 — Topic 4, overflow: `overflow-y: auto` is missing its closing semicolon.
Correct: `overflow-y: auto;`

Error 6 — Topic 5, attribute selector: `input[type=text]` should quote the value for reliability.
Correct: `input[type="text"]`

Error 7 — Topic 6, property name: `visibilty: hidden;` is a typo and does nothing.
Correct: `visibility: hidden;`

Error 8 — Topic 7, comment style: `/*Step 1 ... containner.*/` has no space after `/*` and `containner` is a typo.
Correct: `/* STEP 1: make the PARENT a flex container. */`

Error 9 — Topic 7, gap: `gap: 16px` is missing its closing semicolon.
Correct: `gap: 16px;`

Error 10 — Topic 8, z-index: `z-index: 100` is missing its closing semicolon.
Correct: `z-index: 100;`

Error 11 — Topic 9, variable syntax: `var(primary)` is missing the two leading dashes, so the value never resolves.
Correct: `var(--primary)`

Error 12 — Topic 9, comment typo: `CSS VARAIBLES` should read `CSS VARIABLES`.
Correct: `/* CSS VARIABLES -- define once, reuse everywhere. */`

SEA TE

Topic 1: Introduction to CSS and the 3 Ways to Add It — index_html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
          initial-scale=1.0">
    <title>CSS Class -- Code Academy</title>

    <!-- HOW TO GET GOOGLE FONTS -->
    <!-- Step 1: Go to fonts.google.com -->
    <!-- Step 2: Search for a font e.g. Poppins -->
    <!-- Step 3: Click the font you want -->
    <!-- Step 4: Select the weights you need -->
    <!-- Step 5: Click "Get embed code" -->
    <!-- Step 6: Copy the link tag and paste here -->

    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;700\&family=Inter:wght@400;500;600\&display=swap"
          rel="stylesheet">

    <!-- Way 3: External CSS -- always use this -->
    <link rel="stylesheet" href="style.css">
</head>
<body>

    <!-- Way 1: Inline CSS -- avoid for real projects -->
    <p style="color: red; font-size: 20px;">
        Inline CSS paragraph
    </p>

    <h1>Welcome to CSS</h1>
    <h2>This is Heading 2</h2>

    <!-- Way 2: Internal CSS is in the head style tag -->

    <p class="intro">This uses a class selector</p>
    <p id="special">This uses an ID selector</p>
    <p>This is a normal paragraph</p>

</body>
</html>
```

Topic 1: Introduction to CSS and the 3 Ways to Add It — style_css

```
/* ========================================
   TOPIC 1 -- INTRODUCTION TO CSS
   CSS = Cascading Style Sheets
   It styles the HTML we already know how to write
   ======================================== */

/* CSS SYNTAX
   selector {
       property: value;
   }
   Every declaration ends with a semicolon */

/* THE 3 WAYS TO ADD CSS
   1. Inline CSS   -> style attribute inside the tag
   2. Internal CSS -> style tag inside the head
   3. External CSS -> separate .css file BEST) /

/* Element selector -- targets every h1 on the page */

h1 {
    color: navy;
    text-align: center;
}

/* Class selector -- starts with a dot, reusable */

.intro {
    color: green;
    font-size: 18px;
}

/* ID selector -- starts with a hash, use once per page */

\#special {
    color: purple;
    font-weight: bold  @\textcolor{errorflag}{\bfseries ERROR: missing semicolon} @*)
    font-weight: bold;  @\textcolor{correctclr}{\bfseries CORRECT} @*)
}

/* Grouping selectors -- one rule, many targets */

h1, h2, p {
    font-family: 'Poppins', sans-serif;
}

/* Universal selector -- targets everything */
```

```
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}
```

SEA TECHNOLOGIES MEDIA

Topic 2: Colors and Backgrounds

```
/* ========================================
   TOPIC 2 -- COLORS AND BACKGROUNDS
   ======================================== */

/* THE 4 WAYS TO WRITE A COLOUR IN CSS
   1. Named colour  -> red, navy, tomato
   2. HEX           -> \#1E56D6
   3. RGB / RGBA    -> rgb30, 86, 214)4. HSL -> hsl(220, 75/ 1. Named colours -- easy but limited */

.named-color {
    color: tomato;
    background-color: lightyellow;
}

/* 2. HEX colours -- most common in real projects */

.hex-color {
    color: \#FFFFF;  @\textcolor{errorflag}{\bfseries ERROR: 5-digit HEX} @*)
    color: \#FFFFFF;  @\textcolor{correctclr}{\bfseries CORRECT} @*)
    background-color: \#0A1F44;
}

/* 3. RGB and RGBA -- the A means alpha transparency) /

.rgb-color {
    color: rgb255, 255, 255);background-color: rgba(10, 31, 68, 0.75);/* 4. HSL -- hue, saturation, lightness */.hsl-color background-color:
      hsl(220, 75/* BACKGROUND IMAGEScover = fill the box, may cropcontain = fit inside the box, never crops */.hero background-image:
      url('images/hero.jpg');background-size: cover;background-position: center;background-repeat: no-repeat;height: 400px;/* GRADIENTS --
      no image file needed */.gradient-box background: linear-gradient(to right, #1E56D6, #0A1F44);color: white;padding: 40px;.radial-box
      background: radial-gradient(circle, #FFA000, #D64545);/* OPACITY affects the whole element, children included */.faded opacity: 0.5
      (*@ERROR: missing semicolon @*)opacity: 0.5; (*@CORRECT @*)
```

SEA TECHNOLOGIES

Topic 3: Typography

```
/* ========================================
   TOPIC 3 -- TYPOGRAPHY
   Typography is 90% of good web design
   ======================================== */

/* FONT FAMILY
   Always end with a generic fallback:
   serif, sans-serif, monospace */

body {
    font-familly: 'Inter', Arial, sans-serif;  @\textcolor{errorflag}{\bfseries TYPO: font-familly} @*)
    font-family: 'Inter', Arial, sans-serif;  @\textcolor{correctclr}{\bfseries CORRECT} @*)
    color: \#333333;
}

h1, h2, h3 {
    font-family: 'Poppins', sans-serif;
}

/* FONT SIZE UNITS
   px  -> fixed, never scales
   em  -> relative to the PARENT font size
   rem -> relative to the ROOT html) font size BESThtml font-size: 16px;h1 font-size: 2.5rem;h2 font-size: 2rem;p font-size:
     1rem;/ FONT WEIGHT -- 100 to 900, or normal / bold */

.light   { font-weight: 300; }
.regular { font-weight: 400; }
.semibold{ font-weight: 600; }
.bold    { font-weight: 700; }

/* LINE HEIGHT -- use a number, not a unit
   1.5 to 1.7 is the sweet spot for body text */

p {
    line-height: 1.6;
}

/* LETTER SPACING and TEXT TRANSFORM */

.label {
    letter-spacing: 2px;
    text-transform: uppercase;
    font-size: 12px;
}

/* TEXT ALIGN -- left, right, center, justify */

.centered {
    text-align: center;
}

/* TEXT DECORATION -- removing link underlines */

a {
    text-decoration: none;
    color: \#1E56D6;
}

a:hover {
    text-decoration: underline;
}

/* TEXT SHADOW -- x-offset y-offset blur colour */

.hero-title {
    text-shadow: 2px 2px 6px rgba0, 0, 0, 0.4);
```

Topic 4: The Box Model

```
/* ========================================
   TOPIC 4 -- THE BOX MODEL
   Every element on a page is a box
   ======================================== */

/* THE BOX MODEL FROM INSIDE OUT
   +--------------------------------+
   |            MARGIN              |
   |  +--------------------------+  |
   |  |         BORDER           |  |
   |  |  +--------------------+  |  |
   |  |  |      PADDING       |  |  |
   |  |  |  +--------------+  |  |  |
   |  |  |  |   CONTENT    |  |  |  |
   |  |  |  +--------------+  |  |  |
   |  |  +--------------------+  |  |
   |  +--------------------------+  |
   +--------------------------------+
   CONTENT -> PADDING -> BORDER -> MARGIN */

/* CONTENT -- width and height */

.box {
    width: 300px;
    height: 200px;
}

/* PADDING -- space INSIDE the border */

.padding-demo {
    padding: 20px;                  /* all 4 sides */
    padding: 10px 20px;             /* top-bottom | left-right */
    padding: 10px 20px 30px 40px;   /* top right bottom left */
}

/* BORDER -- width style colour */

.border-demo {
    border: 2px solid \#1E56D6;
    border-radius: 8px;
}

.circle {
    width: 100px;
    height: 100px;
    border-radius: 50%;
    background-color: \#1E56D6;
}

/* MARGIN -- space OUTSIDE the border */

.margin-demo {
    margin: 20px;
    margin-bottom: 40px;
}

/* CENTRING A BLOCK -- auto left and right margins */

.container {
    width: 90%;
    max-width: 1100px;
    margin: 0 auto;
}

/* BOX SIZING -- the most important line in CSS
   content-box default) = padding and border ADD to the widthborder-box = padding and border are INCLUDED /

* {
    box-sizing: border-box;
}

/* BOX SHADOW -- x y blur spread colour */

.card {
    background-color: white;
    padding: 24px;
    border-radius: 12px;
    box-shadow: 0 4px 12px rgba0, 0, 0, 0.1);/* OVERFLOW -- visible | hidden | scroll | auto */.scroll-box height: 150px;overflow-y: auto
      (*@ERROR: missing semicolon @*)overflow-y: auto; (*@CORRECT @*)
```

Topic 5: Selectors and Specificity

```
/* ========================================
   TOPIC 5 -- SELECTORS AND SPECIFICITY
   ======================================== */

/* BASIC SELECTORS */

p            { color: \#333; }   /* element */
.card        { color: \#333; }   /* class */
\#header      { color: \#333; }   /* id */
*            { color: \#333; }   /* universal */

/* COMBINATORS */

/* Descendant -- any p inside .card, at any depth */

.card p {
    color: gray;
}

/* Child -- only a DIRECT child p of .card */

.card > p {
    font-weight: 600;
}

/* Adjacent sibling -- the first p right after an h2 */

h2 + p {
    font-size: 1.1rem;
}

/* General sibling -- every p after an h2 */

h2 ~ p {
    color: \#555;
}

/* ATTRIBUTE SELECTORS */

input[type=text] {  @\textcolor{errorflag}{\bfseries ERROR: quote the value} @*)
input[type="text"] {  @\textcolor{correctclr}{\bfseries CORRECT} @*)
    border: 1px solid \#ccc;
}

a[href^="https"] {
    color: green;
}

/* PSEUDO CLASSES -- element states */

a:hover      { color: \#D64545; }
a:visited    { color: purple; }
button:focus { outline: 2px solid \#1E56D6; }

li:first-child { font-weight: bold; }
li:last-child  { border-bottom: none; }
li:nth-child2n)  background-color: #F5F7FA; / PSEUDO ELEMENTS -- use double colon */

p::first-letter {
    font-size: 2rem;
    font-weight: 700;
}

.badge::after {
    content: " NEW";
    color: \#FFA000;
}

/* SPECIFICITY -- who wins when rules clash
   Inline style .... 1000
   ID ............... 100
   Class / pseudo .... 10
   Element ............ 1
   Higher number wins. If tied, the LAST rule wins. */

\#special { color: purple; }  /* 100 -- this wins */
.intro   { color: green;  }  /* 10  */
p        { color: black;  }  /* 1   */

/* !important overrides everything -- avoid it */

.danger {
    color: red !important;
}
```

Topic 6: Display and Visibility

```
/* ========================================
   TOPIC 6 -- DISPLAY AND VISIBILITY
   ======================================== */

/* DISPLAY BLOCK
   Starts on a new line, takes the full width
   Examples: div, p, h1, section */

.block-demo {
    display: block;
    width: 100%;
    background-color: \#F5F7FA;
}

/* DISPLAY INLINE
   Sits in the flow of text
   width, height and vertical margins DO NOT work
   Examples: span, a, strong */

.inline-demo {
    display: inline;
    color: \#1E56D6;
}

/* DISPLAY INLINE-BLOCK
   Sits inline BUT accepts width, height and padding */

.button {
    display: inline-block;
    padding: 12px 24px;
    background-color: \#1E56D6;
    color: white;
    border-radius: 6px;
}

/* DISPLAY NONE -- removed from the page completely,
   it leaves no empty space behind */

.hidden {
    display: none;
}

/* VISIBILITY HIDDEN -- invisible BUT still takes up space */

.invisible {
    visibilty: hidden;  @\textcolor{errorflag}{\bfseries TYPO: visibilty} @*)
    visibility: hidden;  @\textcolor{correctclr}{\bfseries CORRECT} @*)
}

/* DISPLAY NONE vs VISIBILITY HIDDEN
   display: none      -> gone, no gap
   visibility: hidden -> gone, gap remains */

/* CURSOR and TRANSITIONS -- polish for buttons */

.button {
    cursor: pointer;
    transition: background-color 0.3s ease;
}

.button:hover {
    background-color: \#0A1F44;
}

/* TRANSFORM -- move, scale or rotate an element */

.card:hover {
    transform: translateY-6px);.icon:hover transform: scale(1.2) rotate(8deg);
```

Topic 7: Flexbox

```
/* ========================================
   TOPIC 7 -- FLEXBOX
   The modern way to lay out a page
   ======================================== */

/*Step 1: make the PARENT a flex containner.  @\textcolor{errorflag}{\bfseries TYPO + missing space after /*} @*)
   The direct children become flex items. */

.flex-container {
    display: flex;
}

/* FLEX DIRECTION -- the main axis
   row default) | row-reverse | column | column-reverse /

.row    { flex-direction: row; }
.column { flex-direction: column; }

/* JUSTIFY CONTENT -- along the MAIN axis
   flex-start | flex-end | center
   space-between | space-around | space-evenly */

.nav {
    display: flex;
    justify-content: space-between;
    align-items: center;
}

/* ALIGN ITEMS -- along the CROSS axis
   stretch default) | flex-start | flex-endcenter | baseline /

.centered-box {
    display: flex;
    justify-content: center;
    align-items: center;
    height: 300px;
}

/* PERFECT CENTRING -- the classic 3 lines */

.hero {
    display: flex;
    justify-content: center;
    align-items: center;
}

/* FLEX WRAP -- let items drop to the next line */

.card-grid {
    display: flex;
    flex-wrap: wrap;
    gap: 20px;
}

/* GAP -- spacing between items, no margins needed */

.gallery {
    display: flex;
    gap: 16px  @\textcolor{errorflag}{\bfseries ERROR: missing semicolon} @*)
    gap: 16px;  @\textcolor{correctclr}{\bfseries CORRECT} @*)
}

/* FLEX ON THE CHILD -- how it grows and shrinks
   flex: grow shrink basis */

.sidebar {
    flex: 1;
}

.main-content {
    flex: 3;
}

/* flex: 1 on every card = equal width columns */

.card {
    flex: 1;
    min-width: 250px;
}

/* ALIGN SELF -- override align-items for ONE item */

.special-item {
    align-self: flex-end;
}

/* ORDER -- rearrange without touching the HTML */

.first { order: -1; }
.last  { order: 99; }
```

Topic 8: Positioning

```
/* ========================================
   TOPIC 8 -- POSITIONING
   ======================================== */

/* POSITION STATIC -- the default.
   top, right, bottom, left do NOTHING here. */

.static-demo {
    position: static;
}

/* POSITION RELATIVE -- moves relative to ITSELF.
   The original space is kept. */

.relative-demo {
    position: relative;
    top: 20px;
    left: 30px;
}

/* POSITION ABSOLUTE -- moves relative to the nearest
   positioned ANCESTOR. Removed from normal flow.
   Remember: the parent needs position: relative. */

.parent {
    position: relative;
    height: 300px;
}

.badge {
    position: absolute;
    top: 10px;
    right: 10px;
    background-color: \#D64545;
    color: white;
    padding: 4px 10px;
    border-radius: 4px;
}

/* POSITION FIXED -- locked to the viewport,
   it stays put while the page scrolls. */

.floating-button {
    position: fixed;
    bottom: 24px;
    right: 24px;
    width: 56px;
    height: 56px;
    border-radius: 50%;
}

/* POSITION STICKY -- relative until it hits the
   offset, then it behaves like fixed. */

.sticky-nav {
    position: sticky;
    top: 0;
    background-color: white;
    z-index: 100  @\textcolor{errorflag}{\bfseries ERROR: missing semicolon} @*)
    z-index: 100;  @\textcolor{correctclr}{\bfseries CORRECT} @*)
}

/* Z-INDEX -- stacking order.
   Higher number sits on top.
   Only works on positioned elements. */

.behind { position: relative; z-index: 1; }
.middle { position: relative; z-index: 10; }
.front  { position: relative; z-index: 999; }

/* CENTRING WITH ABSOLUTE POSITION */

.modal {
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate-50/* OVERLAY -- cover the whole screen */.overlay position: fixed;top: 0;left: 0;width: 100height:
      100background-color: rgba(0, 0, 0, 0.6);
```

Topic 9: Responsive Design and CSS Variables

```
/* ========================================
   TOPIC 9 -- RESPONSIVE DESIGN AND VARIABLES
   Making one site work on every screen size
   ======================================== */

/* CSS VARAIBLES -- define once, reuse everywhere.  @\textcolor{errorflag}{\bfseries TYPO: VARAIBLES} @*)
   Declared inside :root so the whole page can see them. */

:root {
    --primary: \#1E56D6;
    --dark: \#0A1F44;
    --accent: \#FFA000;
    --light: \#F5F7FA;
    --text: \#333333;
    --radius: 10px;
    --space: 20px;
}

/* Use a variable with var) /

.button {
    background-color: varprimary); (@\textcolor{errorflag}{\bfseries ERROR: needs two dashes} @*)
    background-color: var--primary); (@\textcolor{correctclr}{\bfseries CORRECT} @*)
    border-radius: var--radius);padding: var(--space);.card background-color: var(--light);color: var(--text);/* RESPONSIVE UNITSvw -> 1vh
      -> 1rem -> relative to the root font size */.hero width: 100height: 100vh;font-size: 2rem;/* FLUID SIZING -- min, preferred, max in
      one line */.title font-size: clamp(1.5rem, 5vw, 3rem);/* MAX WIDTH keeps images inside their box */img max-width: 100height: auto;/*
      MEDIA QUERIES -- different rules per screen size.Write MOBILE FIRST, then add larger breakpoints. *//* Tablet -- 768px and up */@media
      (min-width: 768px) .card-grid display: flex;gap: var(--space);/* Desktop -- 1024px and up */@media (min-width: 1024px) .container
      max-width: 1100px;margin: 0 auto;/* Desktop-first version -- max-width instead */@media (max-width: 768px) .nav flex-direction:
      column;.sidebar display: none;h1 font-size: 1.8rem;/* THE 3 BREAKPOINTS YOU ACTUALLY NEEDMobile -> up to 767pxTablet -> 768px to
      1023pxDesktop -> 1024px and above *//* CSS GRID -- quick two-line responsive grid */.grid display: grid;grid-template-columns:
      repeat(auto-fit, minmax(250px, 1fr));gap: var(--space);
```

SEA TECHNOLOGIES

★ Topic 10: Final Project— Developer Portfolio — portfolio_html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Emmanuel Adedayo | Developer Portfolio</title>

    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;700\&family=Inter:wght@400;500\&display=swap"
          rel="stylesheet">
    <link rel="stylesheet" href="portfolio.css">
</head>
<body>

    <!-- ===== NAVIGATION sticky) ===== --><header class="navbar"><div class="container nav-inner"><a href="#hero"
      class="logo">Emmanuel<span>.dev</span></a><nav><ul class="nav-links"><li><a href="#about">About</a></li><li><a
      href="#skills">Skills</a></li><li><a href="#projects">Projects</a></li><li><a
      href="#contact">Contact</a></li></ul></nav></div></header><!-- ===== HERO (flexbox centred) ===== --><section id="hero"
      class="hero"><div class="hero-content"><p class="label">Frontend Developer</p><h1 class="hero-title">Hi, I am Emmanuel Adedayo</h1><p
      class="hero-text">I build clean, responsive websites with HTML, CSSand JavaScript.</p><div class="hero-actions"><a href="#projects"
      class="button">View My Work</a><a href="#contact" class="button button-ghost">Hire Me</a></div></div></section><!-- ===== ABOUT =====
      --><section id="about" class="section"><div class="container"><h2 class="section-title">About Me</h2><div class="about-grid"><img
      src="images/profile.jpg" alt="Emmanuel Adedayo"class="profile-img"><div class="about-text"><p>I am a student of Code Academy learning
      webdevelopment from the ground up. I started withHTML, moved into CSS, and I am now building realprojects.</p><p>My goal is to become
      a professional frontenddeveloper and build products that solve realproblems.</p></div></div></div></section><!-- ===== SKILLS (flex
      wrap cards) ===== --><section id="skills" class="section section-light"><div class="container"><h2 class="section-title">My
      Skills</h2><div class="card-grid"><div class="card"><h3>HTML5</h3><p>Semantic structure, forms, tables and
      accessibility.</p></div><div class="card"><h3>CSS3</h3><p>Box model, flexbox, positioning and responsive design.</p></div><div
      class="card"><h3>JavaScript</h3><p>Variables, functions, arrays, objects and the DOM.</p></div></div></div></section><!-- =====
      PROJECTS ===== --><section id="projects" class="section"><div class="container"><h2 class="section-title">Projects</h2><div
      class="card-grid"><article class="project-card"><span class="badge">New</span><h3>Student Dashboard</h3><p>An interactive dashboard
      built with JavaScript.</p><a href="#" class="link">View project</a></article><article class="project-card"><h3>Business Landing
      Page</h3><p>A responsive landing page built with flexbox.</p><a href="#" class="link">View project</a></article><article
      class="project-card"><h3>Recipe Website</h3><p>A multi-page site using semantic HTML and CSS.</p><a href="#" class="link">View
      project</a></article></div></div></section><!-- ===== CONTACT ===== --><section id="contact" class="section section-dark"><div
      class="container contact-inner"><h2 class="section-title">Let Us Work Together</h2><p>Send me a message and I will reply within 24
      hours.</p><form class="contact-form"><input type="text" placeholder="Your name" required><input type="email" placeholder="Your email"
      required><textarea rows="4" placeholder="Your message"></textarea><button type="submit" class="button">Send
      Message</button></form></div></section><!-- ===== FOOTER ===== --><footer class="footer"><div class="container"><p>Built with HTML and
      CSS at Code Academy</p><p class="muted">Learn. Build. Innovate.</p></div></footer><!-- Fixed floating button --><a href="#hero"
      class="floating-button">Top</a></body></html>
```

★ Topic 10: Final Project— Developer Portfolio — portfolio_css

```
/* ========================================
   FINAL PROJECT -- DEVELOPER PORTFOLIO
   Everything from Topics 1 to 9 in one build
   ======================================== */

/* ---- 1. VARIABLES Topic 9) ---- /

:root {
    --primary: \#1E56D6;
    --dark: \#0A1F44;
    --accent: \#FFA000;
    --light: \#F5F7FA;
    --text: \#333333;
    --muted: \#6B7280;
    --white: \#FFFFFF;
    --radius: 12px;
    --space: 24px;
    --shadow: 0 4px 16px rgba10, 31, 68, 0.10);/* ---- 2. RESET (Topic 1 and 4) ---- */* margin: 0;padding: 0;box-sizing: border-box;/* ----
      3. BASE TYPOGRAPHY (Topic 3) ---- */body font-family: 'Inter', Arial, sans-serif;color: var(--text);line-height: 1.6;background-color:
      var(--white);h1, h2, h3 font-family: 'Poppins', sans-serif;line-height: 1.25;color: var(--dark);a text-decoration: none;color:
      var(--primary);img max-width: 100height: auto;display: block;/* ---- 4. LAYOUT HELPERS (Topic 4) ---- */.container width: 90max-width:
      1100px;margin: 0 auto;.section padding: 80px 0;.section-light  background-color: var(--light); .section-dark background-color:
      var(--dark);color: var(--white);.section-dark .section-title  color: var(--white); .section-title font-size: clamp(1.6rem, 4vw,
      2.2rem);text-align: center;margin-bottom: var(--space);.label letter-spacing: 3px;text-transform: uppercase;font-size: 12px;color:
      var(--accent);.muted  color: var(--muted); /* ---- 5. STICKY NAVBAR (Topics 7 and 8) ---- */.navbar position: sticky;top: 0;z-index:
      100;background-color: rgba(255, 255, 255, 0.95);box-shadow: var(--shadow);.nav-inner display: flex;justify-content:
      space-between;align-items: center;padding: 16px 0;.logo font-family: 'Poppins', sans-serif;font-weight: 700;font-size: 1.2rem;color:
      var(--dark);.logo span  color: var(--primary); .nav-links display: flex;gap: var(--space);list-style: none;.nav-links a color:
      var(--text);font-weight: 500;transition: color 0.3s ease;.nav-links a:hover  color: var(--primary); /* ---- 6. HERO (Topics 2 and 7)
      ---- */.hero display: flex;justify-content: center;align-items: center;text-align: center;min-height: 90vh;background:
      linear-gradient(135deg, var(--dark), var(--primary));color: var(--white);padding: var(--space);.hero-title font-size: clamp(2rem, 6vw,
      3.4rem);color: var(--white);margin: 12px 0;text-shadow: 2px 2px 8px rgba(0, 0, 0, 0.3);.hero-text max-width: 520px;margin: 0 auto
      28px;.hero-actions display: flex;justify-content: center;gap: 16px;flex-wrap: wrap;/* ---- 7. BUTTONS (Topic 6) ---- */.button
      display: inline-block;padding: 14px 28px;background-color: var(--accent);color: var(--dark);font-weight: 600;border:
      none;border-radius: var(--radius);cursor: pointer;transition: transform 0.3s ease, background-color 0.3s ease;.button:hover
      background-color: var(--white);transform: translateY(-3px);.button-ghost background-color: transparent;color: var(--white);border: 2px
      solid var(--white);/* ---- 8. ABOUT (Topic 7) ---- */.about-grid display: flex;align-items: center;gap: 40px;flex-wrap:
      wrap;.profile-img width: 260px;border-radius: var(--radius);box-shadow: var(--shadow);.about-text  flex: 1; min-width: 280px;
      .about-text p  margin-bottom: 14px; /* ---- 9. CARD GRID (Topic 7) ---- */.card-grid display: flex;flex-wrap: wrap;gap:
      var(--space);margin-top: 40px;.card, .project-card flex: 1;min-width: 260px;background-color: var(--white);padding:
      28px;border-radius: var(--radius);box-shadow: var(--shadow);transition: transform 0.3s ease;.card:hover, .project-card:hover
      transform: translateY(-8px);.card h3, .project-card h3  margin-bottom: 10px; /* ---- 10. BADGE (Topic 8) ---- */.project-card
      position: relative;.badge position: absolute;top: 14px;right: 14px;background-color: var(--accent);color: var(--dark);font-size:
      11px;font-weight: 600;padding: 4px 10px;border-radius: 20px;text-transform: uppercase;.link  font-weight: 600; .link:hover
      text-decoration: underline; /* ---- 11. CONTACT FORM (Topics 5 and 7) ---- */.contact-inner  text-align: center; .contact-form
      display: flex;flex-direction: column;gap: 14px;max-width: 480px;margin: 28px auto 0;.contact-form input,.contact-form textarea
      padding: 14px;border: none;border-radius: 8px;font-family: inherit;font-size: 1rem;.contact-form input:focus,.contact-form
```

```
textarea:focus outline: 3px solid var(--accent);/* ---- 12. FOOTER ---- */.footer background-color: #06122A;color:
var(--white);text-align: center;padding: 32px 0;font-size: 0.9rem;/* ---- 13. FLOATING BUTTON (Topic 8) ---- */.floating-button
position: fixed;bottom: 24px;right: 24px;width: 56px;height: 56px;display: flex;justify-content: center;align-items:
center;background-color: var(--primary);color: var(--white);border-radius: 50font-size: 12px;font-weight: 600;box-shadow:
var(--shadow);z-index: 200;/* ---- 14. RESPONSIVE (Topic 9) ---- */@media (max-width: 768px) .nav-links  gap: 14px; font-size: 0.9rem;
.section  padding: 56px 0; .about-grid  flex-direction: column; text-align: center; .profile-img  margin: 0 auto; @media (max-width:
480px) .hero  min-height: 80vh; .button  width: 100
```

SEA TECHNOLOGIES MEDIA