

```
File
          Edit
                 Selection
                            View
                                   Go
                                        Run
                                               Terminal Help
       EXPLORER
                                              # style.css M
                                                                                                   index.html M
                             JS server.js U
                                                               JS script.js U
                                                                               JS api-demo.js M
Q

✓ OPEN EDITORS

                              public > ♦ destination.html > ♦ html > ♦ body > ♦ header
                                     <html lang="en">
Ф
           JS server.js
           # style.css p... M
                                         <link rel="stylesheet" href="style.css">
           JS script.js pu... U
           JS api-demo.j... M
           index.html... M
                               10
                                         <header>
           O home.html... M
                                              <h1>Travel Buddy</h1>
           o about.html... M
X O destinatio... M
           {} package.js... M
                                                      <a href="home.html">Home</a>
                                                      <a href="about.html">About</a>
     ∨ JAVA A... 🖺 🛱 ひ 🗗
                                                      <a href="index.html">Index</a>

✓ data

                                                      <a href="contact.html">Contact</a>
В
                                                      <a href="destination.html">Destinations</a>
       {} data.json
       > node_modules

✓ public

        > images
aws
        about.html
                        М
        api-demo.html
        JS api-demo.js
                                              <section class="destination-details">
                                                  <div class="destination-image">
       contact.html
                        М
                                                      <img src="images\destination1.jpeg" alt="Destination Sydney"</pre>
       destination.html M
       home.html
                                                  <div class="destination-info">
       index.html
                                                      <h2>Destination Sydney</h2>
       JS script.js
        # style.css
                        М
                                                          Sydney, Australia, stands out as a vibrant and captivat
                                                      Sydney's combination of iconic landmarks, stunning beached
      {} launch.json
      package-lock.json
      {} package.json
     OUTLINE
     > TIMELINE
                                              <section class="destination-details">
     > IIS EXPRESS
                                                  <div class="destination-image">
                           DEBUG CONSOLE
                                                                         CODE REFERENCE LOG
                                                                                            SQL CONSOLE
                                          TERMINAL
            { id: 2, name: 'Tokyo', description: 'Vibrant and Bustling' },
             id: 3, name: 'New York', description: 'The Big Apple' },
             id: 4, name: 'London', description: 'Historic and Cultural' },
             id: 5, name: 'Rome', description: 'Eternal City' },
            { id: 6, name: 'Sydney', description: 'Harbor City' }
         ]
    🎖 master* � ⊗ 0 🛆 0 💖 0 🖯 Connect 🛛 🛇 AWS: AWS Builder ID 💢 CodeWhisperer
                                                                             Blackbox
   1) 5°C
                                                               Q Search
      Light rain
```



